


REV.	DESCRIPTION	DATE

Scale 1 : 1



intel Intel Corporation 英特尔公司
Laptop / 筆記型電腦 / 笔记本电脑

型號/型号/Regulatory Model: AC57
直流輸入/直流輸入/Electrical Rating: 19.5V~9.23A
中國製造/中国制造/Made in China MR

CCC
FCC
CE
UK
CA

003-180232
5.15-5.35 GHz Indoor use only
(except communications to high power radio)

R-NZ
VCCI
D180131003
技術基準認証済みの無線装置を内蔵

Complies with
IMDA standards
DA108442

This system contains the following wireless module: Intel AX201NGW

CONTAINS
R
RAMATEL
C22465

LISTED
I.T.E.E2108B2

RoHS
R33025

NOM
NYCE

NUMERO IFT: EN PROCESO

CCAHL20LP790070

廢電池請回收
使用過度恐傷害視力

使用過度恐傷害視力 $\pm 2.25mm$


SELECT W	1	2	3	4	5	EXTRA
DIM/TOL						
0-8	±0.03	±0.05	±0.10	±0.15	±0.20	
8-25	±0.05	±0.10	±0.15	±0.20	±0.50	
25-50	±0.08	±0.12	±0.15	±0.20	±1.00	
50-750	±0.12	±0.15	±0.18	±0.40	±1.50	
750-	±0.2	±0.20	±0.20	±0.50	±2.00	

- NOTE:
1. ALL BURR GATES SHOULD BE UNDER 0.05mm.
 2. SINK MARK SHOULD BE INVISIBLE.
 3. KEY DIMENSION MARKED WITH ϕ .
 4. ALL PARTING LINE BURRS TO BE UNDER $\phi 0.05-0.08mm$.
 5. DEFECTOR PIN SHALL BE BELOW PART SURFACE BUT NOT EXCEED 0-0.05mm.
 6. FINAL SAMPLES PART MUST SIGN BY MECHANICAL ENGINEERING.

REV.	DESCRIPTION	DATE

REV.	DESCRIPTION	DATE

Scale 1 : 1



使用過度恐傷害視力 12.25mm

SELECT W	1	2	3	4	5	EXTRA
0-8	±0.03	±0.05	±0.10	±0.15	±0.20	
8-25	±0.05	±0.10	±0.15	±0.20	±0.50	
25-50	±0.08	±0.12	±0.15	±0.20	±1.00	
50-750	±0.12	±0.15	±0.18	±0.40	±1.50	
750-	±0.2	±0.25	±0.28	±0.50	±2.00	

- NOTE:
1. ALL BURRS/GATES SHOULD BE UNDER 0.05mm.
 2. SINK MARK SHOULD BE INVISIBLE.
 3. KEY DIMENSION MARKED WITH .
 4. ALL PARTING LINE BURRS TO BE UNDER ±0.05-0.08mm.
 5. DEFECTOR PIN SHALL BE BELOW PART SURFACE BUT NOT EXCEED 0-0.05mm.
 6. FINAL SAMPLES PART MUST SIGN BY MECHANICAL ENGINEERING.

REV	DATE	BY	CHECKED	APPROVED