


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11100.20	36.23	11.69	47.92	68.30	-20.38	peak	
2	*	11100.20	26.97	11.69	38.66	54.00	-15.34	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5672.600	44.52	40.88	85.40	54.00	31.40	AVG	no limit
2	*	5673.400	59.78	40.88	100.66	68.30	32.36	peak	no limit
3		5725.000	21.02	41.10	62.12	68.30	-6.18	peak	
4		5725.000	4.74	41.10	45.84	54.00	-8.16	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11340.30	36.61	12.44	49.05	68.30	-19.25	peak	
2	*	11340.30	26.14	12.44	38.58	54.00	-15.42	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5672.600	46.39	40.88	87.27	54.00	33.27	AVG	no limit
2	*	5673.000	62.02	40.88	102.90	68.30	34.60	peak	no limit
3		5725.000	21.98	41.10	63.08	68.30	-5.22	peak	
4		5725.000	5.89	41.10	46.99	54.00	-7.01	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11340.00	35.23	12.44	47.67	68.30	-20.63	peak	
2	*	11340.00	26.06	12.44	38.50	54.00	-15.50	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	12.66	41.06	53.72	68.30	-14.58	peak	
2		5715.000	-0.36	41.06	40.70	54.00	-13.30	AVG	
3		5725.000	24.11	41.10	65.21	68.30	-3.09	peak	
4		5725.000	9.39	41.10	50.49	54.00	-3.51	AVG	no limit
5	X	5742.600	60.58	41.17	101.75	68.30	33.45	peak	no limit
6	*	5746.700	49.77	41.19	90.96	54.00	36.96	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11489.90	40.26	12.91	53.17	68.30	-15.13	peak	
2	*	11489.90	31.56	12.91	44.47	54.00	-9.53	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	10.34	41.06	51.40	68.30	-16.90	peak	
2		5715.000	0.41	41.06	41.47	54.00	-12.53	AVG	
3		5725.000	23.49	41.10	64.59	68.30	-3.71	peak	
4		5725.000	11.32	41.10	52.42	54.00	-1.58	AVG	
5	*	5747.000	50.68	41.19	91.87	54.00	37.87	AVG	no limit
6	X	5751.300	61.63	41.21	102.84	68.30	34.54	peak	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.10	40.62	12.91	53.53	68.30	-14.77	peak	
2	*	11490.10	31.51	12.91	44.42	54.00	-9.58	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5786.200	51.19	41.35	92.54	54.00	38.54	AVG	no limit
2	X	5787.200	62.31	41.35	103.66	68.30	35.36	peak	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.10	41.25	12.89	54.14	68.30	-14.16	peak	
2	*	11570.10	32.28	12.89	45.17	54.00	-8.83	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5786.300	63.09	41.35	104.44	68.30	36.14	peak	no limit
2	*	5786.300	52.00	41.35	93.35	54.00	39.35	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.00	40.75	12.89	53.64	68.30	-14.66	peak	
2	*	11570.00	31.62	12.89	44.51	54.00	-9.49	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5826.200	50.58	41.52	92.10	54.00	38.10	AVG	no limit
2	X	5827.700	61.77	41.52	103.29	68.30	34.99	peak	no limit
3		5850.000	21.27	41.62	62.89	68.30	-5.41	peak	
4		5850.000	7.70	41.62	49.32	54.00	-4.68	AVG	
5		5860.000	15.01	41.65	56.66	68.30	-11.64	peak	
6		5860.000	1.68	41.65	43.33	54.00	-10.67	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11651.00	41.52	12.84	54.36	68.30	-13.94	peak	
2	*	11651.00	32.62	12.84	45.46	54.00	-8.54	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5825.200	58.64	41.51	100.15	68.30	31.85	peak	no limit
2	*	5827.400	52.11	41.52	93.63	54.00	39.63	AVG	no limit
3		5850.000	23.29	41.62	64.91	68.30	-3.39	peak	
4		5850.000	9.72	41.62	51.34	54.00	-2.66	AVG	
5		5860.000	15.61	41.65	57.26	68.30	-11.04	peak	
6		5860.000	2.99	41.65	44.64	54.00	-9.36	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.00	40.89	12.84	53.73	68.30	-14.57	peak	
2	*	11650.00	32.09	12.84	44.93	54.00	-9.07	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	10.93	41.06	51.99	68.30	-16.31	peak	
2		5715.000	-0.51	41.06	40.55	54.00	-13.45	AVG	
3		5725.000	21.02	41.10	62.12	68.30	-6.18	peak	
4		5725.000	8.53	41.10	49.63	54.00	-4.37	AVG	
5	X	5743.000	59.99	41.17	101.16	68.30	32.86	peak	no limit
6	*	5746.400	49.68	41.18	90.86	54.00	36.86	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.00	41.25	12.91	54.16	68.30	-14.14	peak	
2	*	11490.00	30.25	12.91	43.16	54.00	-10.84	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	14.65	41.06	55.71	68.30	-12.59	peak	
2		5715.000	0.25	41.06	41.31	54.00	-12.69	AVG	
3		5725.000	24.21	41.10	65.31	68.30	-2.99	peak	
4		5725.000	10.20	41.10	51.30	54.00	-2.70	AVG	
5	*	5746.200	50.49	41.18	91.67	54.00	37.67	AVG	no limit
6	X	5747.700	60.36	41.19	101.55	68.30	33.25	peak	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.20	40.25	12.91	53.16	68.30	-15.14	peak	
2	*	11490.20	30.17	12.91	43.08	54.00	-10.92	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5782.700	62.09	41.33	103.42	68.30	35.12	peak	no limit
2	*	5786.400	51.90	41.35	93.25	54.00	39.25	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.10	41.63	12.89	54.52	68.30	-13.78	peak	
2	*	11570.10	30.86	12.89	43.75	54.00	-10.25	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5781.700	63.09	41.33	104.42	68.30	36.12	peak	no limit
2	*	5786.300	53.03	41.35	94.38	54.00	40.38	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11570.30	40.68	12.89	53.57	68.30	-14.73	peak	
2	*	11570.30	30.31	12.89	43.20	54.00	-10.80	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5826.500	50.26	41.52	91.78	54.00	37.78	AVG	no limit
2	X	5827.100	60.93	41.52	102.45	68.30	34.15	peak	no limit
3		5850.000	23.93	41.62	65.55	68.30	-2.75	peak	
4		5850.000	6.89	41.62	48.51	54.00	-5.49	AVG	
5		5860.000	11.76	41.65	53.41	68.30	-14.89	peak	
6		5860.000	0.92	41.65	42.57	54.00	-11.43	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.20	41.53	12.84	54.37	68.30	-13.93	peak	
2	*	11650.20	31.05	12.84	43.89	54.00	-10.11	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5826.700	51.86	41.52	93.38	54.00	39.38	AVG	no limit
2	X	5827.700	62.07	41.52	103.59	68.30	35.29	peak	no limit
3		5850.000	20.85	41.62	62.47	68.30	-5.83	peak	
4		5850.000	8.06	41.62	49.68	54.00	-4.32	AVG	
5		5860.000	13.15	41.65	54.80	68.30	-13.50	peak	
6		5860.000	1.34	41.65	42.99	54.00	-11.01	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11650.40	40.65	12.84	53.49	68.30	-14.81	peak	
2	*	11650.40	30.52	12.84	43.36	54.00	-10.64	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	18.68	41.06	59.74	68.30	-8.56	peak	
2		5715.000	3.06	41.06	44.12	54.00	-9.88	AVG	
3		5725.000	24.59	41.10	65.69	68.30	-2.61	peak	
4		5725.000	7.45	41.10	48.55	54.00	-5.45	AVG	
5	*	5751.800	56.40	41.21	97.61	68.30	29.31	peak	no limit
6	X	5752.400	41.36	41.21	82.57	54.00	28.57	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11510.20	36.67	12.94	49.61	68.30	-18.69	peak	
2	*	11510.20	26.24	12.94	39.18	54.00	-14.82	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	19.87	41.06	60.93	68.30	-7.37	peak	
2		5715.000	4.43	41.06	45.49	68.30	-22.81	peak	
3		5725.000	24.53	41.10	65.63	68.30	-2.67	peak	
4		5725.000	8.94	41.10	50.04	68.30	-18.26	peak	
5	*	5744.400	57.49	41.18	98.67	68.30	30.37	peak	no limit
6	X	5751.000	42.27	41.20	83.47	68.30	15.17	peak	no limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11510.00	36.12	12.94	49.06	68.30	-19.24	peak	
2	*	11510.00	25.69	12.94	38.63	54.00	-15.37	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5788.400	59.64	41.36	101.00	68.30	32.70	peak	no limit
2	X	5790.000	44.43	41.37	85.80	54.00	31.80	AVG	no limit
3		5850.000	23.15	41.62	64.77	68.30	-3.53	peak	
4		5850.000	4.05	41.62	45.67	54.00	-8.33	AVG	
5		5860.000	21.15	41.65	62.80	68.30	-5.50	peak	
6		5860.000	2.12	41.65	43.77	54.00	-10.23	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11590.00	36.62	12.88	49.50	68.30	-18.80	peak	
2	*	11590.00	26.39	12.88	39.27	54.00	-14.73	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5790.000	46.10	41.37	87.47	54.00	33.47	AVG	no limit
2	*	5792.200	61.07	41.38	102.45	68.30	34.15	peak	no limit
3		5850.000	18.67	41.62	60.29	68.30	-8.01	peak	
4		5850.000	5.14	41.62	46.76	54.00	-7.24	AVG	
5		5860.000	19.80	41.65	61.45	68.30	-6.85	peak	
6		5860.000	2.38	41.65	44.03	54.00	-9.97	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11590.00	36.15	12.88	49.03	68.30	-19.27	peak	
2	*	11590.00	27.01	12.88	39.89	54.00	-14.11	AVG	

ATTACHMENT E - BANDWIDTH

Test Mode: UNII-1/TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	35.13	21.30
CH40	5200	35.10	22.00
CH48	5240	36.73	22.75

TX CH36




Date: 20.SEP.2014 17:03:19

TX CH40



Date: 20.SEP.2014 17:12:57

TX CH48




Date: 20.SEP.2014 17:15:06

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	26.90	18.40
CH40	5200	35.70	23.00
CH48	5240	35.50	22.30

TX CH36




Date: 23.SEP.2014 15:29:47

TX CH40



Date: 23.SEP.2014 15:33:23

TX CH48




Date: 23.SEP.2014 18:54:29

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	46.20	36.20
CH46	5230	78.20	45.00

TX CH38



Date: 23.SEP.2014 16:40:39


TX CH46



Date: 23.SEP.2014 16:46:24


Test Mode: UNII-2A/TX A Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	36.58	22.75
CH60	5300	36.20	22.88
CH64	5320	35.63	22.75

TX CH52



Date: 20.SEP.2014 17:24:52

TX CH60



Date: 20.SEP.2014 17:23:07

TX CH64




Date: 20.SEP.2014 17:26:50

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	37.80	24.00
CH60	5300	36.40	24.40
CH64	5320	38.40	24.20

TX CH52




Date: 23.SEP.2014 15:55:07

TX CH60



Date: 23.SEP.2014 16:00:12

TX CH64




Date: 23.SEP.2014 16:04:07

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	77.40	46.20
CH62	5310	51.40	36.40

TX CH54



Date: 23.SEP.2014 16:51:01

TX CH62




Date: 23.SEP.2014 16:58:14

Test Mode: UNII-2C/TX A Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	34.60	21.40
CH1 16	5580	35.80	21.90
CH140	5700	35.60	21.90

TX CH100




Date: 23.SEP.2014 14:06:32

TX CH116



Date: 23.SEP.2014 14:12:42

TX CH140




Date: 23.SEP.2014 14:16:29

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	27.90	18.60
CH116	5580	31.80	19.10
CH140	5700	27.40	18.40

TX CH100




Date: 23.SEP.2014 16:19:57

TX CH116



Date: 23.SEP.2014 16:22:22

TX CH140




Date: 23.SEP.2014 16:24:27

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	51.20	36.40
CH1 10	5550	81.20	47.80
CH134	5670	77.00	46.80

TX CH102




Date: 23.SEP.2014 17:00:21

TX CH110



Date: 23.SEP.2014 17:09:38

TX CH134




Date: 23.SEP.2014 17:13:00

Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (MHz)
CH149	5745	16.00	17.30	>=500KHz
CH157	5785	15.80	20.80	>=500KHz
CH165	5825	15.90	21.10	>=500KHz

TX CH 149




Date: 23.SEP.2014 14:34:14

TX CH 157



Date: 23.SEP.2014 14:36:52

TX CH 165




Date: 23.SEP.2014 14:38:52

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (MHz)
CH149	5745	16.90	18.30	>=500KHz
CH157	5785	17.00	21.70	>=500KHz
CH165	5825	16.10	22.40	>=500KHz

TX CH 149




Date: 23.SEP.2014 14:54:12

TX CH 157



Date: 23.SEP.2014 14:58:04

TX CH 165




Date: 23.SEP.2014 14:59:45

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (MHz)
CH151	5755	35.00	36.20	>=500KHz
CH159	5795	35.00	40.60	>=500KHz

TX CH 151



Date: 23.SEP.2014 17:24:53

TX CH 159



Date: 23.SEP.2014 17:28:15

ATTACHMENT F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.86	24.00	0.25
CH40	5200	12.35	24.00	0.25
CH48	5240	10.95	24.00	0.25

Test Mode: UNII-1/TX N20 Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.40	24.00	0.25
CH40	5200	12.84	24.00	0.25
CH48	5240	11.42	24.00	0.25

Test Mode: UNII-1/TX N40 Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	5.23	24.00	0.25
CH46	5230	8.92	24.00	0.25

Test Mode: UNII-2A/TX A Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	10.61	24.00	0.25
CH60	5300	10.73	24.00	0.25
CH64	5320	8.64	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.03	24.00	0.25
CH60	5300	10.04	24.00	0.25
CH64	5320	7.07	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	8.30	24.00	0.25
CH62	5310	4.08	24.00	0.25

Test Mode: UNII-2C/TX A Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	10.63	24.00	0.25
CH116	5580	13.23	24.00	0.25
CH140	5700	10.12	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	12.01	24.00	0.25
CH116	5580	13.68	24.00	0.25
CH140	5700	9.63	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	6.02	24.00	0.25
CH110	5550	11.03	24.00	0.25
CH134	5670	6.95	24.00	0.25

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	8.87	30.00	1.00
CH157	5785	13.93	30.00	1.00
CH165	5825	10.04	30.00	1.00

Test Mode: UNII-3/TX N20 Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	10.11	30.00	1.00
CH157	5785	14.43	30.00	1.00
CH165	5825	11.63	30.00	1.00


Test Mode: UNII-3/ TX N40 Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	5.72	30.00	1.00
CH159	5795	7.78	30.00	1.00

ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION


Test Mode: UNII-1/TX A Mode

TX mode CH36



Date: 8.OCT.2014 11:08:05


TX mode CH48



Date: 20.SEP.2014 17:16:10


Test Mode: UNII-1/TX N20 Mode

TX mode CH36



Date: 23.SEP.2014 15:27:42


TX mode CH48



Date: 23.SEP.2014 18:55:20


Test Mode: UNII-1/TX N40 Mode

TX mode CH38



Date: 23.SEP.2014 16:38:53


TX mode CH46



Date: 23.SEP.2014 16:44:16


Test Mode: UNII-2A/TX N20 Mode

TX mode CH52



Date: 23.SEP.2014 15:56:35


TX mode CH64



Date: 23.SEP.2014 16:08:49


Test Mode: UNII-2A/TX N40 Mode

TX mode CH54



Date: 23.SEP.2014 16:51:57


TX mode CH62



Date: 8.OCT.2014 11:10:56


Test Mode: UNII-2C/TX A Mode

TX mode CH100



Date: 23.SEP.2014 14:09:18


TX mode CH140



Date: 23.SEP.2014 14:21:42


Test Mode: UNII-2C/TX N20 Mode

TX mode CH100



Date: 23.SEP.2014 16:15:12


TX mode CH140



Date: 23.SEP.2014 16:25:54


Test Mode: UNII-2C/TX N40 Mode

TX mode CH102



Date: 23.SEP.2014 17:02:12


TX mode CH134



Date: 23.SEP.2014 17:16:31


Test Mode: UNII-3/TX A Mode

TX A Mode CH149



Date: 23.SEP.2014 14:49:06


TX A Mode CH165



Date: 23.SEP.2014 14:42:59


Test Mode: UNII-3/TX N20 Mode

TX HT20 mode CH149



Date: 23.SEP.2014 14:52:17


TX HT20 mode CH165



Date: 23.SEP.2014 15:13:29


Test Mode: UNII-3/TX N40 Mode

UNII-3/TX HT40 mode CH151



Date: 23.SEP.2014 17:22:57

UNII-3/TX HT40 mode CH159




Date: 23.SEP.2014 17:30:21

ATTACHMENT H - POWER SPECTRAL DENSITY


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.83	11.00
CH40	5200	3.82	11.00
CH48	5240	3.16	11.00




Date: 20.SEP.2014 16:59:40

CH40



Date: 20.SEP.2014 17:10:56

CH48




Date: 20.SEP.2014 17:13:50

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.65	11.00
CH40	5200	3.97	11.00
CH48	5240	2.86	11.00

CH36




Date: 23.SEP.2014 15:24:56

CH40



Date: 23.SEP.2014 15:32:21

CH48




Date: 23.SEP.2014 18:53:09

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.12	11.00
CH46	5230	-0.81	11.00

CH38



Date: 23.SEP.2014 16:41:13


CH46



Date: 23.SEP.2014 16:44:31


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.15	11.00
CH60	5300	3.22	11.00
CH64	5320	3.45	11.00




Date: 20.SEP.2014 17:18:11

CH60



Date: 20.SEP.2014 17:21:35

CH64




Date: 20.SEP.2014 17:25:38

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.63	11.00
CH60	5300	3.05	11.00
CH64	5320	3.43	11.00

CH52




Date: 23.SEP.2014 15:51:29

CH60



Date: 23.SEP.2014 15:57:55

CH64




Date: 23.SEP.2014 16:02:19

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.24	11.00
CH62	5310	-6.33	11.00

CH116



Date: 23.SEP.2014 14:10:53

CH140




Date: 23.SEP.2014 14:24:48

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.37	11.00
CH116	5580	2.49	11.00
CH140	5700	2.38	11.00

CH100




Date: 23.SEP.2014 16:11:52

CH116



Date: 23.SEP.2014 16:20:59


CH140



Date: 23.SEP.2014 16:23:23

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.93	11.00
CH110	5550	2.29	11.00
CH134	5670	2.08	11.00



Date: 23.SEP.2014 16:59:29


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-1.47	30.00
CH157	5785	3.87	30.00
CH165	5825	-0.18	30.00

TX CH149


Date: 29.SEP.2014 08:49:44

TX CH157



Date: 29.SEP.2014 08:50:32

TX CH165




Date: 29.SEP.2014 08:51:13

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	0.36	30.00
CH157	5785	3.70	30.00
CH165	5825	0.66	30.00

TX CH149




Date: 29.SEP.2014 08:52:38

TX CH157



Date: 29.SEP.2014 08:53:39

TX CH165




Date: 29.SEP.2014 08:54:20

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-6.64	30.00
CH159	5795	-3.79	30.00

TX CH151



Date: 29.SEP.2014 08:55:23

TX CH159



Date: 29.SEP.2014 08:56:15

ATTACHMENT I - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0120
120	5180.0490
108	5180.0260
Max. Deviation (MHz)	0.0490
Max. Deviation (ppm)	9.4595

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
0	5180.0029
10	5180.0138
20	5180.0116
30	5180.0092
35	5180.0025
40	5180.0074
45	5180.0244
Max. Deviation (MHz)	0.0244
Max. Deviation (ppm)	4.7104

Test Mode:	UNII-2A
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0090
120	5260.0250
108	5260.0087
Max. Deviation (MHz)	0.0250
Max. Deviation (ppm)	4.7529

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
0	5260.0062
10	5260.0159
20	5260.0082
30	5260.0057
35	5260.0182
40	5260.0098
45	5260.0100
Max. Deviation (MHz)	0.0182
Max. Deviation (ppm)	3.4601

Test Mode:	UNII-2C
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0285
120	5500.0037
108	5500.0151
Max. Deviation (MHz)	0.0285
Max. Deviation (ppm)	5.1818

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9950
10	5500.0068
20	5500.0194
30	5500.0106
35	5500.0012
40	5500.0050
45	5500.0012
Max. Deviation (MHz)	0.0194
Max. Deviation (ppm)	3.5273

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0130
120	5745.0223
108	5745.0081
Max. Deviation (MHz)	0.0223
Max. Deviation (ppm)	3.8816

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
0	5745.0091
10	5745.0101
20	5745.0083
30	5745.0014
35	5745.0025
40	5745.0147
45	5745.0241
Max. Deviation (MHz)	0.0241
Max. Deviation (ppm)	4.1950