CATALOG No. 150

# GEN ERAL

MFG. CO.

# CEMENT


Manufacturers of

RADIO and ELECTRONIC PRODUCTS

- ✓ CHEMICALS ✓ HARDWARE
- **✓ TOOLS•KITS ✓ INSULATION**

MANHATTAN RADIO & EQUIPMENT INC. 1732 Grand Ave. KANSAS CITY, MO.

GENERAL CEMENT MFG. CO. Rockford, Illinois, U.S.A.





DIAL CORDS DIAL BELTS — EI

RADIO KNOBS

SWITCHES GS — JACKS, ET

WIRE STRIPPERS
O-LITES — AERIAL

GUMENT TOOLS

HARDWARE RADIO PART

# **G-C Quality Radio and Electronic Products**

SINCE 1929 GENERAL CEMENT has faithfully served the Radio Field by producing quality Chemicals, Parts, Materials, Tools and Equipment necessary for the maintenance of Radio and Electronic Equipment. General Cement originated items such as Cements, Chemicals, Packaged Hardware, and many special tools, kits and accessories for the Radio Field. Now in the rapidly expanding and changing industrial fields, G-C is cooperating by aiding other industries as well by supplying them with their samples. tries as well by supplying them with their new requirements resulting from the changing electronic age, which is now so important to every type of industry desiring to keep abreast of times.

Distributors, Dealers and Manufacturers are assured of satisfaction when using G-C Products. High quality, precision standards and laboratory control in manufacturing assure the best parts or products obtainable.

Special products, parts and tools can often be supplied made to special order, and inquiries are invited. Excellent manufacturing facilities are at your disposal. Let G-C help you solve your problems.

# ALWAYS DEMAND G-C PRODUCTS FROM YOUR DISTRIBUTOR

"The Standard of the Industry"

### GENERAL INDEX

Description ADHESIVES	3,	Page 4, 5, 6
Alignment Tools	 	.32, 35
BAKELITE		47
Belts, Belting		58
CABINET Repair Kits, Accessories12,	13.	14, 16
Cables	 	49
Card Displays	.51	thru 63
Chassis Holder and Phono Chassis Mounts Chemical Compounds 6, 7,		.17, 41
Chemical Kits and Lab		·5, 6, 8 · · · · 58
Cleaners	.47,	57, 58
Color Coding Kit	. 45	8
Contact Dopes		10
Couplings		.37, 45
Crystals		24
Dial Belts		20
Dial Belt Specifications 20, Dial Cable		.18, 19
Dial Crystals		.24, 62
Dial Pointers Display Cards Dust Felts	51	24
Extensions	34,	
Fabric		
Felt Feet		34, 63
Felt Koat Undercoat Felt Pads25, 28, Fibre Washers	34.	61, 63
Finishing Materials	14,	.56, 57  16, 17

FILE KAP III		
Description Flock Kits and Accessories Flocked Screening Fungus Varnish Fuse Holder Fuse Puller	.9,	16 15 6 35 45
<b>GLUE</b>	3, 4  61,	1, 5 15 62
HARDWARE	thru  53,	63 63 50 54 57
IGNITION Suppressors Inspection Lite Insulating Compounds. Insulations6, 31, 33, 34, 35,		32 40 6 63
JACKS	46,	47 36
KITS6, 8, 9, 10, 12, 13, 25, 2 33, 34, 37, 39, 44, 45, 48, Knobs	26,	31, 50 27 25 27
LACQUER Lock Washers Lubricants	28	9 55 29 10
MACHINE Screws. 25, 29, 49, Microphone Carbon		52 10 37 45
NE-O-LITES Neon Lamps Non-Slip Nuts 49,		40 40 10 54
OILS	10,	11
PAINT	11,	16 46 46 41 29 63 28
Pilot Lights. Pin Plugs. Pins	 19, 	36 47 61 57 14 9
RACKSRecord Accessories11, 24, 28, 28, 28, 28, 29, 20, 20, 20, 20, 20, 20, 20, 20, 20, 20	29.	49 32 28

Description	Page
Recording Wire	32
Reducers	37
Refrigerator Repair Kits,	
Accessories	
Resistors	40
Rivets	56
Rubber Drives24, 62	
Rubber Feet	
Rubber Grommets	33
Ruf-Koat	9
SCRATCH Remover	14
Screwdrivers	43
Screws	
Set Screws	
Shellac Stiks	14
Skratch Stik	15
Sleeving31	, 35
Sockets	36
Solder Tips	45
Soldering Lugs	58
Solvents	10
Spade Bolts	52
Spaghetti	31
Speaker Repairs 3, 11, 45,	50
Speaker Shims45. Spray Gun45.	50
Spring Maker	17
Spring Maker	60
Stains	9
Staples	49
Strippers	45
Switches	30
TACK Bumpers	c 3
Tape	63
Terminal Strips	35
Test Leads, Prods	46
Testers, Electric	40
Thinner3, 5, Tools, Alignment Tools17, 18,	10
25, 27, 36, 38, 39, 41 thru	46
Trimounts	57
Tube Cement	3
Tube Pin Straightener	36
Tube Puller17, Tubing	45
	٥.
VACUUM Cleaner Belts	33
Varnish6, 9,	11
WASHERS25, 55, 56,	63
Wax, Floor	11
Window Cleaner	11
Wire	46
Wire	45 50
Wrinkle Varnish	9

# GENERAL CEMENT MANUFACTURING CO.

919 Taylor Avenue Copyright 1948

Rockford, Illinois, U.S.A.

Phone 2-6695





All G-C Chemicals and Cements are Sealed with DuPont Cel-O-Seal Bands - Ask For G-C Sealed Chemicals G-C RADIO SERVICE SOLVENT G-C RADIO SERVICE CEMENT

Cleans and Dissolves

The best solvent for loosening cement on speaker cones, frames, etc., made to dissolve all types of cements. Can also be used as a thinner for G-C Cement and other cements. Will cut and dissolve any cement as used on Radio Speakers. Used by leading speaker manufacturers.

No.		List Price
31-2	2-ox.	\$0.40
31-2-D	Display 12 No. 31-2	4.80
31-4	4-oz.	.60
31-6	6-oz.	.75
31-8	8-ox.	.85
31-16	16-oz.	1.25
31-32	32-oz.	2.45
31-G	1 Gallon	5.00
31-5G	5 Gallons	23.25
	Standard Carton 12	Units

G-C can supply Cements, Chemicals, Coil Dopes and Adhesives for all purposes in any quantity.

5-gallon cans and 50gallon drums available. Write for quotations on larger containers.


"STICK WITH G-C"-

"For Radio and Speaker Repairs"

This high grade cement is specially prepared for Radio and Speaker Work. It is unexcelled for cementing and replacing cones on dynamic speakers, repairing rattling or torn cones, cementing voice coils, spiders, etc. It can also be used for a bakelite or glass cement, in cementing loose tube bases and grid caps to glass, sealing adjustments, cementing parts to chassis, etc. It is dependable, vibration-proof, water-proof and very fast drying. It will not crack or shrink paper cones. This is the original Speaker Cement as used by Manufacturers and the best that is made for the purpose. Brushes are attached to caps of bottles.

No.	List Price
30-2 2-ox. Bottle, brush attached to cap	\$0.50
30-2-D Display 12 No. 30-2	
	6.00
34-2 Cement in Tube	.42
34-2-D Display 12 Tubes	5.04
30-4 4-oz.	
	.90
	1.25
30-8 8-ox.	1.60
30-16 16-oz.	
	3.00
	5.75
30-C 1 Gallon	9.35
30-5C 5 Callons	
	42.00
Standard Carton 12 Units	

The proper thinner for G-C Radio Service Cement is G-C No. 28 Cement Thinner (Page 5).



# G-C PLASTIC CEMENT

"Works on All Types of Plastics"

This is the best all-purpose cement for any emergency job you may have. Excellent for cementing broken plastic cabinets, cementing grille cloth in place, cementing dial and glass crystal assemblies, cementing knots in dial cord, etc. This is truly a cement of many uses. Very fast drying, water-proof. Brushes are attached to caps of bottles.

OI DOTTIE	5.		
No.			List Price
32-2A	2-ox.		\$0.60
32-8A	8-ox.		1.60
32-16A	16-oz.		3.00
32-32A	32-oz.		4.25
32-GA	1 Gallon		10.00
32-5GA	5 Gallons		48.00
		Chandrad Carbon 12 Haibs	10.00

The proper thinner for G-C Plastic Cement is G-C No. 28 Cement Thinner (Page 5).

# G-C SPEAKER REPAIR CEMENT IN TUBES

"The Original Speaker Cement"

Here's our high grade speaker cement in a handy tube for those who prefer to use a tube. Cement can be applied directly from tube on the parts to be cemented without the use of a brush. This tube is very handy to carry with you on every service job, and should be a part of your tool kit. This tube is very satisfactory and handy for other purposes besides speaker repairs. It can be used in the repair of parts and cabinets. It is also a very good general purpose water-proof glue and makes the best model and hobby cement.

"A Tube in your Service Kit will come in handy."

No.		List Price
34-2	Large Size	\$0.42
34-2-D	Display 12 No. 34-2	5.04



# G-C BAKELITE CEMENT

"The Only Practical Cement for Bakelite and Plastics"
This cement is especially made for cementing Bakelite to Bakelite, and Bakelite to other materials. Produces a bond practically as strong as the material itself. Very useful for repairing broken molded pieces, knobs, panels, and for building up thickness of Bakelite for machining, for inserts in moldings, tubing, for attaching labels to Bakelite, etc. Indispensable to the experimenter. Brushes are attached to caps of bottles.

to caps of	potties.	
No.		List Price
32-2	2-oż.	\$0.60
32-8	8-oz.	2.00
32-16 1	6-ox.	3.75
32-32 3	12-ox.	5.50
32-C	1 Gallon	18.50
32-5C	5 Gallons	70.00
Min man	Standard Carton 12 Ur	

G-C No. 67 Thinner. (Page 5.)

# G-C VINYLITE CEMENT

This new G-C Cement of Vinylite Base has great adhesion, high tackiness, and extreme flexibility. Excellent for cementing metals, plastics, paper, leather, etc. Can also be used as a thermoplastic cement for non-porous materials. Cement its applied to both surfaces, dried and then pressed together under heat such as flat irons, hot plates, or soldering irons. Sets on cooling. It can be air dried in most applications of cementing porous and non-porous materials. It sticks to most anything. Waterproof, fast drying. Brushes are attached to caps of battles.

No.		List Price
58-2	2-ox.	\$0.50
58-8	8-ox.	1.60
58-C	1 Gallon	9.35
	Standard Carton 12 Units	

The proper thinner for G-C Vinylite Cement is G-C No. 31-2 Solvent (See Pages 3 or 5.)

# G-C HOUSEHOLD and MODEL CEMENT

Fast-drying cement, suitable for many uses. Excellent "Household Cement". Also an ideal "model-makers" cement for use on model airplanes, railroads, ships, toys, etc. Will cement wood, paper, plastics, metal, china, crockery, ceramics, etc. Fast-drying, waterproof. Brushes are attached to caps of bottles.

No.		List Price
45-2	2-oz. Bottle with Brush	\$0.50
45-3	2-oz. Tube	.42
45-3-D	Display of 12 Tubes	5.04

Standard Carton 12 Units

The proper thinner for G-C Household Cement is G-C No. 28 Cement Thinner. (Page 5.)



# G-C FABRIC TO METAL AND TRIM CEMENT

For cementing cloth and felt to metal. Ideal for cementing felt to phono turntables, grille cloth to metal cases, repairing auto upholstering, fabrics, etc. Fast drying, waterproof.

No.		List Price
22-4	4-oz.	\$0.50
22-8	8-oz.	.90
22-16	16-oz.	1.75
	Standard Carton 12 Units	

The proper thinner for G-C Fabric to Metal Cement is G-C No. 67 Thinner (Page 5).

# G-C GRAY RUBBER CEMENT

Best quality general purpose rubber cement for cloth, paper, rubber, etc. This cement makes a very handy all-purpose Rubber Cement due to its great tackiness and adhesion. It has many applications in home, industry, automotive or hobby shop.

No.		List Price
23-4	4-oz.	\$0.50
23-8	8-oz.	.90
23-16	16-oz.	1.75

Standard Carton 12 Units

The proper thinner for G-C Gray Rubber Cement is G-C No. 67 Thinner (Page 5).

# G-C RUBBER TO METAL and DIAL DRIVE CEMENT

Specially prepared for cementing rubber dial drives to metal shafts, rubber mountings to chassis, or for cementing any rubber material to metal. Excellent for refrigerator door rubber gaskets, weather stripping on auto doors, etc. It can also be used on any material where flexibility is required. Fast-drying, waterproof drying, waterproof.

No.		List Price
35-2	2-oz. Bottle with Brush	\$0.50
35-3	2-ox. Tube	.50
35-3-D	Display of 12 Tubes	6.00
35-4	4-oz.	.90
35-8	8-ox.	1.60
35-16	16-oz.	3.00
35-32	32-oz.	4.50
35-C	1 Gallon	9.35
35-5G	5 Gallons	42.00
	Standard Carton 12 Units	

The proper thinner for G-C Rubber Cement is G-C No. 67 Thinner (Page 5).



# G-C WOOD CABINET GLUE

This is the ordinary well-known wood glue that is used in repair of furniture, chairs, radio cabinets, etc. It can also be used for gluing on radio grille cloth, labels to wood, etc. It will not injure the finish on cabinets.

No.	Li	st Price
39-2	2-oz. bottle with brush	\$0.50
39-4	4-oz.	.65
39-8	8-oz.	.90
39-16	16-oz.	1.50

Standard Carton 12 Units

# G-C GRILLE CLOTH FABRIC CEMENT

This is a gray rubber cement specially formulated for cementing grille cloth, leatherette and luggage fabric covering to metal or wood cases or cabinets, test equipment, etc. It will not penetrate, stain or shrink the materials. It's just the cement for the

No.		List Price
38-4	4-ox.	\$0.50
38-8	8-oz.	.90
38-16	16-oz.	1.75
	Chandred Carbon 12 Halle	

Standard Carton 12 Units
The proper thinner for G-C Grille Cloth Fabric
Cement is G-C No. 67 Thinner (Page 5).

# G-C ELECTRICAL AND RESISTOR CEMENT

Here's the heat-proof cement that hardens like porcelain, same as used on resistors, flat irons, electrical appliances, etc. The service man will find many uses for this cement.

No.		List Price
27-2	2-oz. Bottle	\$0.60
27-2-D	Display 12 No. 27-2	7.20

Standard Carton 12 Units

Prices on larger quantities available on request.



# G-C FILM SPLICING CEMENT

This is a new improved Film Cement. Here is the best buy in cement for the best grade of home or professional movie film splicing cement. Will work on both safety and nitrate film. Compare this value with other cement. value with other cements.

List Price 33-1 Reg. Bottle with Brush \$0.35

Standard Carton 12 Units

# G-C ACRYLIC CEMENT

Specially prepared for cementing Lucite, Plexiglass and other acrylic materials. Fast drying, welds the materials together.

List Price 40-2 2-oz. Bottle with Brush \$0.50

Standard Carton 12 Units Prices on larger quantities available on request.

# G-C LABEL CEMENT

Here's a label cement that will make labels stick to anything, metal, glass, wood, tin, bakelite, plastics, etc. Excellent for cementing labels to bins, racks, etc.

46-2 2-oz. Bottle

with Brush \$0.50 46-8 8-oz. 1.50 46-G 1 Gallon 12.00

# G-C ART-X RUBBER CEMENT

Clear Pure Rubber Artist and Layout Cement
This is a pure rubber natural color clear
cement such as is used by artists and layout
men. It sticks fast, will not stain or shrink
paper, and can be easily removed. Handy
use for this is in laying out panels and design
work. Simply cement a piece of paper to the
panel, protect it and work on it. When done, paper can be easily removed.

No,		List Price
33-4	4-oz.	\$0.50
33-8	8-ox.	.75
33-16	16-oz.	1.25
33-1G	1-gal.	5.00
	Standard Carton 12 Units	



# G-C No. 28 CEMENT THINNER

This thinner is made of same solvents as G-C Service Cement and makes the best thinner for G-C Service Cement. It will not change the characteristics of the original cement.

No.  28-2 2-ox.  28-2-D Display 12 No. 28-2  28-4 4-ox.  28-8 8-ox.  28-16 16-ox.  28-32 32-ox.  28-G 1 Gallon  28-5G 5 Gallons	List Price \$0.40 4.80 .60 .85 1.25 2.45 5.00 23.25	manuracturers. No. 31-2 2-oz. 31-2-D Display 12 No. 31-4 4-oz. 31-6 6-oz. 31-8 8-oz. 31-16 16-oz. 31-32 32-oz. 31-G 1 Gallon 31-5G 5 Gallons
Standard Carton 12 Units		Stand

# G-C RADIO SERVICE SOLVENT

Cleans and Dissolves

The best solvent for loosening cement on speaker cones, frames, etc., made to dissolve all types of cements. Can also be used as a thinner for G-C Cement and other cements. Will cut and dissolve any cement as used on Radio Speakers. Used by leading speaker manufacturers

	No.	List Price	
	31-2 2-oz.	\$0.40	
	31-2-D Display 12 No. 31-2	4.80	
,	31-4 4-oz.	.60	
	31-6 6-oz.	.75	
	31-8 8-oz.	.85	
	31-16 16-oz.	1.25	
	31-32 32-oz.	2.45	
	31-G 1 Gallon	5.00	
	31-5G 5 Gallons	23.25	
	Standard Carton 12 Unite	23.25	



# G-C No. 29 LACQUER THINNER

Solvent for thinning all types of lacquers,

touch-up	lacquers, etc.	airplane	dopes,	model
No. 29-2	2-ox.			\$0.40
29-4	4-oz.			.60
29-8 29-16	8-oz. 16-oz.			.85 1.25
29-32	32-oz.		107	2.45

Standard Carton 12 Units

1 Gallon

5 Gallons

29-G

29-5G

# G-C No. 67 PAINT THINNER

Excellent thinner for Ruf-Koat, Krome-Koat, B-K Cement, Insulating Varnish and Rubber Cements. Will not change the characteristics of the original materials.

No.		List Price
67-2	2-ox.	\$0.40
67-4	4-oz.	.60
67-8	8-ox.	.85
67-16	16-oz.	1.25
67-32	32-ox.	1.75
67-G	1 Gallon	3.75
67 50	5 Callana	15.75

Standard Carton 12 Units

# G-C No. 41 Q-DOPE THINNER

Will Cut and Dissolve Polystyrene Materials Excellent solvent for Polystyrene Q-Dope and any other Polystyrene Coil Dopes and Cements. It will also soften and dissolve any polystyrene rods, sheets, etc. This clear

water-wi	hite solvent istics of the	will not change the onginal materials.
No.		List Price
41-2	2-oz.	\$0.40
41-4	4-oz.	.60
41-8	8-oz.	.90
41-G	1 Gallon	4.50

Standard Carton 12 Units



2.45 5.00 23.25

# G-C CEMENT SAMPLER KIT

"A Real Sampler Kit for Laboratories and Engineers"

Have you ever wondered what cement to use for some application and wasted weeks of time writing for samples, information, etc., before you got the right stuff? G-C Cement Lab-Kit solves your problems. This kit contains a cement and adhesive for every conceivable use and purpose with instructions. Cements of all types are included so you can try them yourself for any application. A necessity in every shop and factory.

No.		List Price
345	Cement Lab-Kit	\$5.00

# G-C RADIO CHEMICAL KIT AND REFILLS

A complete kit of 8 chemical necessities in neat leatherette pocket casc. Makes it easy for Serviceman to always have his chemical needs with him. Includes: Service Cement, Rubber Drive Cement, Carbon-X, Lube-Rex, Scratch Polish, Liquid Non-Slip, Dial Oil and Contact Cleaner. Servicemen should have this kit with them for every outside call.

No. 999 Radio Chemical Kit

List Price \$3.00

G-C	CHEM	CAL	KIT	REFILLS	,
-----	------	-----	-----	---------	---

No.	List Price	No.	List Price
† 30-0 Radio Cement	\$0.25	†1200 Carbon-X	\$0.25
† 35-0 Dial Drive Cem		†1203 Lube-Rex	.25
†127-0 Contact Cleane	r .25	†1211 Liquid Non-	Slip .25
†923 Scratch Polish	.25	†1246 Dial Oil	.25
Jobber's Display 12			\$3.00
†Add suffix "[	D" to part n	number to get display	of 12.



# G-C COIL DOPE KIT

Handy Coil Dope Kit, containing one 2-oz. bottle G-C Polystyrene Q-Dope and one 2-oz, bottle G-C Q-Dope Thinner. Kit includes 2 brushes.

Especially handy kit for amateurs, experimenters and servicemen, requiring a low-loss compound for designing or repairing high frequency coils.

No.

888 Kit List Price

\$0.80

# G-C RADIO CHEMICAL LABORATORY

"Use G-C Chemicals for Radio Repairs and Save Time"

Here is a real professional Radio Chemical Laboratory that is complete in every respect. Twenty large 2-oz. bottles put up in permanent laboratory stand that can be placed on your bench or hung up on the wall. The stand is a permanent rack to hold all your Radio Service Chemicals and find them when you need them. Every needed chemical and cement is included in this Laboratory for all kinds of Radio Repairs, speakers, coils, contacts, dials, controls, etc. Every Radio Man, Radio Laboratory, Radio Engineer and Radio Manufacturer should have this complete Laboratory.

List Price

997 G-C Chemical Laboratory

Including FREE METAL RACK

\$9.10



# CEMENT AND SOLVENT KIT

"A Handy Kit to Carry With You"

This is a handy kit for speaker repairs on the job. The kit contains one bottle of high grade Speaker Cement and one bottle of Cement Solvent, together with a handy brush. This cement can also be used for other radio work, such as cementing parts to chassis, sealing adjustments, etc. The solvent is a good cleaner for controls and contacts. The bottles are put up in a neat compact carton, making it

No. 343

Cement and Solvent Kit

List Price \$0.65

# G-C CONTACT & ATTENUATOR SERVICE KIT

"Eliminates Noise . . . Prevents Corrosion"

Ideal kit for cleaning noisy attenuators, tuners, all-wave switches, variable contacts, etc. Consists of special contact cleaner and special corrosion-resistant lubricant. With this kit you can easily clean these noisy controls and 9 times out of 10 without dismantling the chassis or control unit. Your first job will more than pay for this kit in time saved.

No. 777 Kit

\$1.00

List Price

# G-C FUNGUS VARNISH

"Meets U.S. Army Signal Corps Specifications"

G-C Fangus Varnish is used on all types of Radio, Electronic and Communication equipment to prevent moisture absorption and fungus growth, when equip-ment is used in hot and humid climates. It can be used for dipping, brushing or spraying applications.

No.		List Price
57-2	2-oz.	\$0.50
57-8	8-oz.	1.00
57-16	16-oz.	1.50
57-C	1 Gallon	9.00

Standard Carton 12 Units

The proper thinner for G-C Fungus Varnish is No. 67 Thinner. (Page 5.)



# G-C Q-DOPE (COIL DOPE) "Liquid Polystyrene for R.F., U.H.F. and V.H.F. Components"

G-C Q-Dope is pure polystyrene dissolved in Q-Dope Thinner. Specially prepared for coating, doping, sealing, cementing and impregnating coils and paints in "Very High" and "Ultra High" Frequency Ranges. It will not change R.F. circuit values. Q-Dope is moisture repellent, is non-hygroscopic and will give excellent performance in temperature ranges. 70°F. to 160°F. Can also be used for "Welding Polystyrene".

"Welding Polystyrene to Polystyrene".		
No.	List Price	
37-2 2-oz.	\$0.50	
37-4 4-oz.	.75	
37-8 8-oz.	1.25	i
37-16 16-oz.	2.25	
37-32 32-oz.	3.50	
37-C 1 Gallon	9.00	
Standard Carton 12 Units		
The proper thinner for G-C Q-Dope is G	-C No. 41	L
Thinner (Page 5).		

# G-C LIQUIDOPE

"Genuine All-Wave Coil Dope"

Nitrocellulose base coil dope for all-wave coil windings. Clear and fast-drying. Gives coils a tough protective film that insures firmness and prevents characteristic changes due to weather. Excellent for supporting coil forms and wires. It can be used for doping, sealing, impregnating, dipping and coating.

No.		List Price
36-2	2-oz.	\$0.50
36-8	8-oz.	1.25
36-16	16-oz.	2.25
36-32	32-oz.	3.75
36-C	1 Gallon	9.35

Standard Carton 12 Units

The proper thinner for G-C Liquidope is G-C No. 28 Cement Thinner (Page 5).

# G-C INSULATING & DIPPING VARNISH

Easy-to-use Insulating Varnish made of highest quality ingredients. Produces a smooth tough film that is water-proof, oil-proof and non-corrosive. This varnish is recommended for treating field coils, noisy or buzzing transformers and choke coils. It can be used as a dipping varnish or applied with a brusk.

No.		List Price
56-2	2-oz.	\$0.50
56-4	4-oz.	.75
56-8	8-oz.	1.00
56-16	16-oz.	1.75
56-C	1 Gallon	9.80

Standard Carton 12 Units

The proper thinner for G-C Insulating and Dipping Varnish is G-C No. 67 Thinner. (Page 5.)



# G-C CONTACT & CRYSTAL CLEANER

A fast-evaporating Cleaner specially prepared for cleaning contacts and crystals. Cleans easily and will not injure delicate parts, crystals, etc. "Hams" and Radio Men will appreciate this item. It cleans and works fast. Brushes in bottles.

No.		List Price
127-2	2-ox.	\$0.40
127-4	4-oz.	.60
127-8	8-ox.	.75
127-16	16-oz.	1.10
	Standard Carton 12 Units	

# NEW G-C ELECTRONIC CONTACT CLEANER

"New Red Cleaner Made with Lube-Rex"

This is the most universal and most popular all-purpose contact cleaner on the market. Used extensively by thousands of Service Men. It is fast drying and fast acting. On drying it leaves a non-corrosive film on the contacts that insures long, trouble-free action.

No.		List Price
210-2	2-ox.	\$0.40
210-4	4-oz.	.65
210-8	8-oz.	.90
210-16	16-oz.	1.65
210-32	32-oz.	3.00
210-G	1 Gallon	7.50
	Standard Carton 12 Units	

# G-C RADIO CHASSIS CLEANER

Make extra money by returning your customer's set thoroughly cleaned from dirt, grease and grime. Chassis Cleaner cleans Radio Chassis, Panels, Test Equipment, etc., without injuring the surface. It makes an excellent cleaner for rough wrinkle finish surfaces. Buy in gallon quantities and save.

No.		List Price
123-8	8-ox.	-\$0.65
123-16	16-ox.	1.00
123-G	1 Gallon	3.50
	Standard Carton 12 Units	



# G-C CARBON TETRA-CHLORIDE

% Pure Carbon Tetra-Chloride. Non-explosive i non-inflammable. For cleaning electrical con-is and contacts. An excellent and safe house-d cleaner. Kills bugs, roaches, etc. Brushes in the

No.					List Price
211-2	2-oz.				\$0.40
211-4	4-oz.				.60
211-8	8-ox.				.85
211-16	16-oz.				1.50
211-32	32-oz.				2.45
211-G	1 Gallon				6.25
	Standard	Carton	12	Units	

# G-C CARB-O-TET

Specially prepared from 100% pure Carbon Tetra-Chloride material.

No.		List Price
*215-G	1 Gallon	\$3.85
0.4	4 - 732 4 15 4	

Available to Distributors only in standard case lots of six gallons. F.O.B. Rockford, Ill.

# G-C CONTACT DOPE

Ideal contact cleaner for electronic switches, controls and contacts. Specially prepared to resist corrosion and oxidation on contacts. Eliminates noise on switches and contacts.

No.		List Price
1213	Tube	\$0.40
1213-D	Display 24 Tubes	9.60
1214	2-oz. Bottle	.50
	Standard Carton 12 Units	

# G-C CARBON CONTROL CLEANER

Now many noisy volume controls, switches, etc., can be repaired without even removing the chassis from the cabinet. A new G-C development supplied with a special applicator. Makes it easy to repair most noisy volume controls, tone controls, switches, band switches, push buttons — in fact, most all types of moving contacts. A special chemical that both removes oxidation and minimizes future trouble by coating the contacts. Special Applicator supplied with each bottle of Carbon Contact Cleaner which makes it so easy to apply.

No.	Lis	t Price
212-2	2-ox. Bottle with Applicator	\$0.75
212-2-D	Display 12 No. 212-2	9.00



# **G-C GRAFOLINE**

## "A Radio Contact Lubricant for Metallic Contacts"

Grafoline is absolutely necessary to insure proper and lasting repairs for all air-exposed contacts, switches, and wire-wound volume controls—wherever dust and dirt after the gulet action of adjustable radio parts or controls. Radio Men need this compound for all-wave switches, wire-wound controls, to clean noisy tube prongs, etc. On switch contacts it increases the current capacity of the switch and contacts last longer.

# "It Cleans As It Lubricates"

No.			List Price
120-2	2-ox	. Bottle	\$0.50
120-16	16-oz	. Bottle	2.00
Star	dard C	arton 12	Units

# G-C CARBON-X

"For Noisy Carbon Controls"

Here is an item every Service Man has been looking for. A practical method to touch up those worn and noisy spots on carbon volume controls. You simply apply CARBON-X over the bad spots and the job is done. When you cannot sell a replacement control you can do the job with Carbon-X. Brushes in bottles. in bottles.

### Carbon-X Is An Electrical Conductor

No. **List Price** 1204 \$0.75 1-ox. Bottle 1205 2-ox. Bottle 1,00 Standard Carton 12 Units

# G-C LUBE-REX "Lubriplate"

"Prevents Corrosion"

The best contact cleaner on the market. Fine for attenuators, pushbutton switches, all-wave switches, contacts, etc. Cleane contacts and prevents currosion. The only acceptable lubricant for Philico Mystery able lubricant for Philico Mystery preventing in the property of the property o

No.		Lis	t Price
1206	2-oz. Tul	be	\$0.50
1206-D	Display 1	2 Tubes	6.00
1209	2-oz. Bot	ltie	.50
1208 1	6-oz. Bot	itle	2.25
Star	dard Cart	on 12 Uni	ts

# **NEW G-C CONTACT** SILVER PLATE

"Silver Plates Without Special Equipment"

Equipment"

New discovery for plating worn contacts, newly made contacts, replacing worn silver plating to silver plate new persistence. Silverplates object, brass bronze, inc. Silverplates object, bronze, inc. Silverplates object, bronze, inc. Silverplate, prevents or of silver. Silver plate. Prevents or of silver. Easy-to-use Silver Plate Compound for Radio Service Men. "Hams", Experimenters, Electricians, Mechanics, etc. Merely wipe the compound into the metals you wish to plate with a soft cloth. Nothing special required—Wonderful Cleaner and Polisher for silverware, nickel and chrome.

List Price \$0.75 213-2 2-ox. Bottle 213-2-D Display 12 No. 213-2 9.00

# New! G-C No. 998

RADIO CHEMICAL LABORATORY

Heavy Steel Rack finished in new Luster finish — designed to hang on the wall or

Heavy Steel Rack FREE and 19

Different Bottles and Chemicals.

Here's what G-C gives you:

stand on your bench.

# **Chemical Laboratory**

Here's the latest in G-C chemical innovations. A complete practical laboratory made up to fit the needs of all Service Men in their everyday work. The quantities are arranged so that you get more of the items used constantly. Ideal for the Service Man, Engineer, Experimenter, etc.

# HEAVY STEEL RACK IS FREE

# CONTENTS:

4-oz. 8-oz. 30-8 Service Cement 22-4 Fabric to Metal Cement 31-8 Service Solvent 35-4 Rubber to Metal Cement 37-4 Q-Dope 92-8-L Scratch Polish 56-4 Insulating Varnish 95-8-L Creme-O-Wax 127-4 Contact Cleaner 211-4 Carbon Tetra-Chloride 210-8 Red Contact Cleaner 2-oz. 2-0%. 32-2A Plastic Cement 1205 Carbon-X 1209 Lube-Rex 1215 Liquid Non-Slip 36-2 Liquidope 120-2 Grafoline 126-2 Rek-O-Dope 1247 Dial Oil

Cat. No. 998 Chemical Laboratory

List Price \$12.25

# DEALER'S NET \$7.35



# G-C R.M.A. COLOR CODING KIT

Complete Kit of all of the standard R.M.A. colors: Black, Brown, Red, Orange, Yellow, Green, Blue, Purple, Grey and White. All colors are brilliantly alive. Brushes furnished and R.M.A. color chart is on box. Kit is necessary for complete color coding parts. Materials are fast drying Lacquer Enamels

No.		List Price	No.		List Price
677	Color Coding Kit	\$1.75	675	Kit	\$0.75

and brushes in this kit.



# G-C DIAL LITE COLORING

Long-lasting coloring for multi-colored dials, signals, lighting, decorative lighting, etc. Instant drying. Bright colors of Red, Green, Blue, Amber, Purple and Solvent Earn extra money by selling colored dial lites.

	DRESS UP THOSE OLD SETS	
No.		List Price
66-6	Kit of 6 bottles	\$0.85
66-5	Kit of 5 bottles, no pumple	.70
66-1	Bottle of any color	.15
66-2	2-oz., any color	.50
66-16	16-oz., any color	2.00

# G-C NON-CORROSIVE LIQUID SOLDERING FLUX

"Air Drying in a Few Minutes"

Kit consists of four brilliant colors of the highest grade lacquer enamel for color coding sockets, all-wave coils, jacks,

wire terminals, and parts of testing equipment. You can

improve the appearance of your equipment with this kit.

Colors of red, green, blue and yellow furnished with solvent

"Fast Soldering for Radio and Electrical Work"

Best quality non-corrosive flux for all types of radio and electrical soldering, for copper, brass, steel, nickel, etc.

MIGINES	THE SOIGET	11000 1030	er and	31110011101	aria sticit	0011011
No.					L	ist Price
42-2	2-ox.					\$0.50
42-8	8-oz.					1.60
42-G	1 Gallon					9.00
		Standard	Carton	12 Units		



# G-C KRYSTAL KOAT CRYSTALIZING LACQUER

The famous G-C Krystal Koat lacquer. Strictly air-drying; forms beautiful floral pattern when dry. For chassis, panels, etc. Can be used on metal, wood or paper. Colors: Black, Gray, Brown, Green, Blue, Red and Clear. Specify color.

No.		List Price
63-2	2-ox.	\$0.60
63-4	4-oz.	1.00
63-8	8-oz.	1.75
63-16	16-oz.	3.00
63-32	32-oz.	4.50
63-G	1 Gallon	15.00
63-5G	5 Gallons	71.25

Standard Carton 12 Units

The proper thinner for G-C Krystal Koat is G-C No. 29 Lacquer Thinner (Page 5).

Note: Impenetro Sealer must be used for undercoat when Krystal Koat is applied over other finishes. Same price as Krystal Koat Use Clear for frosting window glass.

# - G-C RUF-KOAT AIR DRY WRINKLE FINISH "Can Be Air Dried or Baked"

The only finish that will air dry and give you a professional wrinkle job without baking. It is the same finish as is employed by manufacturers on P.A. Equipment, Chassis, Panels and Racks. Easy to use. Don't experiment—use the best. Colors: Black, Gray, Brown, Green, Red and Blue. (Specify Color.)

No.		List Price
60-2	2-oz.	\$0.60
60-4	4-oz.	1.00
60-8	8-ox.	1.75
60-16	16-ox.	3.00
60-32	32-oz.	4.50
60-G	1 Gallon Black	15.00
60-G	1 Gallon Colors	16.00
60-5G	5 Gallons Black	67.50
60-5G	5 Gallons Colors	72.00
	Standard Carton 12 Units	

The proper thinner for G-C Ruf-Koat is G-C No. 67 Thinner (Page 5). Undercoat: Use Ruf-Koat Undercoat before applying Ruf-Koat on porous materials. Same price as Ruf-Koat.



# G-C TELEPHONE BLACK & GRAY

High grade lacquer enamel that covers well and dries fast. Black will produce an ebony black finish that is so familiar on telephone devices. Gray is a pleasing shade. Excellent for panel work and parts. Specify color.

No.		List Price
62-2	2-oz.	\$0.50
62-8	8-oz.	1.25
62-16	16-ox.	2.25
62-32	32-oz.	3.50
62-G	1 Gallon	11.60
62-5G	5 Gallons	54.00
	Chandred Cashan 12 Haiba	

Standard Carton 12 Units
The proper thinner for G-C Telephone Black and Gray is G-C No. 29 Lacquer Thinner (Page 5).

# G-C KROME-KOAT ALUMINUM PAINT

Fast-drying, ready-mixed aluminum paint, leaves chrome-like finish. For P.A. equipment, speakers, chassis, etc.

No. 61-2	2-oz.	List Price \$0.50
61-4	4-oz.	.75
61-8	8-oz.	1.25
61-16	16-oz.	2.00
61-32	32-oz.	3.75
61 <b>-</b> G	1 Gallon	12.50

Standard Carton 12 Units

The proper thinner for G-C Krome Koat is G-C No. 67 Thinner (Page 5).

## FELT-KOAT KITS "Flock Finishing Kits"

"Flock Finishing Kits"

Complete Flock Finish Kit for applying soft, felt-like flock to phono-furntables, cabinets, testers, panels, displays, tool chests, compartments, lamp bases, wire mesh on speakers and microphone grilles, etc. Produces heavy, soft, velvet-like coat that prevents scratching. Kit contains Flock, Special Applicator, Undercoat, Thinner and Brush. Easy to apply. Colors: Brown, Blue, Taupe, Black, White, Ivory, Red, Green, Silver and Gold. (Specify color.)

No.

List Price

180-0 DeLuxe Kit 180-1 Regular Kit \$2.50 1.95

(180-1 Kit does not include Brush and Thinner)
For complete listing on Flock Materials see



# G-C SPIRIT VARNISH STAIN

The same stains that are used in our cabinet touch-up kits. A durable fastdrying varnish with the finishing stains in it. Walnut shade.

No.		List Price
161-2	2-oz.	\$0.50
161-4	4-oz.	.75
161-8	8-ox.	1.25
161-16	16-ox.	2.00
161-32	32-oz.	3.00
	0. 1. 1.0 -1 3	2.11-14-

Standard Carton 12 Units

The proper thinner for G-C Spirit Varnish Stain is G-C No. 67 (Page 5).

# G-C PENETRATING STAIN

"Spirit Type"

The stain that is used to cover scratches and nicks on Radio Cabinets, Pianos, Furniture, etc. Specially formulated to penetrate into wood. Fine for darkening the corners on cabinets. Walnut shade.

No.		List Price
162-2	2-02.	\$0.40
162-4	4-oz.	.75
162-8	8-oz.	1.25
162-16	16-oz.	2.00
	Standard (	Carton 12 Units

# G-C PORCELAIN GLAZE

"For Refrigerators and Washers"

Easily fills in those nicks and dents in porcelain. Used on refrigerators, washing machines and all porcelain. Merely fill in the nick and smooth over.

No.		List Price
911	2-oz.	\$0.75
911-16	16-oz.	3.50

The proper thinner for G-C Porcelain Glaze is G-C No. 29 Thinner (Page 5).



# G-C LUMINOUS LITE-KOAT KIT

"Clows In the Dark"

A long-life, non-poisonous luminous coating that emits light in the dark. Coating absorbs light in daytime and glows in the dark. Hundreds of uses in the laboratory, home, office, institutions, factories, etc. Ideal to coat or stripe dials, knobs, switch plates, meter boxes, who holes, panels, instruments, hallways, staircases, location of lights, etc. Makes it casker to locate in the dark. Deluxe kit contains generous quantity of Lite-Koat Powder, Mix-Koat Top-Koat, to protect the finish, handy small brushes for applying and thinner. Complete instructions and suggestions.

No. List Price

DeLuxe Kit Contains Lite-Koat Powder, Mix-Koat Top-Koat, brushes and Thinner. 184-1 Regular Kit

ins Lite-Koat Powder, Mix-and brushes.

### MATERIALS LUMINOUS LITE-KOAT G-C

# LITE-KOAT **POWDER**

This material is mixed with "Mix-Koat" to with "Mix-Koat" to give the luminous effect of "Lite-Koat".

185-1-1-oz. List Price \$0.95 185-2-2-oz.

List Price 1.65 185-8-8-0z. List Price 4.75 185-16-16-oz. List Price 9.25

# MIX-KOAT

This material is used to mix "Lite-Koat" Powder for painting on any surface.

186-2-2-oz. List Price \$0.50

186-8-8-oz. List Price 1.25

186-16-16-ox. List Price 2.25 **KOVER-KOAT** 

"Kover-Koat" is used to protect the painted luminous surface to give it greater durability.

187-2-2-ox. List Price \$0.50

187-8-8-ox. List Price 1.25 187-16-16-oz.

List Price 2.25 (Write for prices in large quantities.)

188-16-16-oz.

List Price 2.00

MIX-KOAT

THINNER

This thinner can be

used for "Mix-Koat"

and "Kover-Coat" to

thin when necessary

List Price \$0.50

188-8-8-oz. List Price 1.25

188-2-2-ox.



# G-C RADIO DIAL OIL

Special oil for lubricating dial mechanisms. Treated with graphite to assure effective lubrication long after it is applied. You need this for the new complicated dials. It's an ideal oil for places that are not lubricated often

List Price \$0.40 1245 4-oz.

1247 Lab. Sixe. for 997 Lab. .30

Standard Carton 12 Units

# G-C REFRIGERATOR & APPLIANCE OIL

Here's an oil that you can use on Refrigerator Motors, Washing Machines, Lawn Mowers, Vacuum Cleaners and Appliances. Use it yourself and sell a can to your customer when repairing the appliances. An excellent oil just for the purpose.

List Price No. 1250 4-oz. Refrigerator Oil \$0.40

Standard Carton 12 Units

# **G-C NON-STICK** IRON TIP COMPOUND

"Made with Graphite"

A new development. Prevents iron tips from burning into soldering irons. Saves tips and irons. When you change the tip dip it into the compound and insert it in the iron. It will prevent sticking.

No. List Price 2-oz. Bottle \$0.50 1201 1216 16-oz. Bottle 2.75

Standard Carton 12 Units

# G-C MICROPHONE CARBON GRANULES

Finest grade polished carbon. No ash content, so can stand high currents without burning. Enough for several double-button microphones. Three types.

List Price 1281 No. 100 Size \$0.80
Highest sensitivity, best quality reproduction, but packs easily.

1282 No. 80 Size
Best for general purpose
work. Good quality reproduction and does not easily pack.

1283 No. 60 Size

Best for hard use—sound trucks, etc. .80







# G-C SOLDERING PASTE

"The Best Electrical Paste on the Market"

New high quality, non-corrosive soldering paste for radio and electrical work.

List Price 1207 2-ox. can \$0.25

1207-D Display 24 No. 1207 6.00

# New! G-C DIAL CORD DRESSING STICK

A new, easy way to treat slipping cords on dial mechanisms. Simply rub the stick on cord and job is done! Prevents and stops slipping. Carry a stick with you and save time.

List Price No. 1212 Dressing Stick \$0.25

1212-D Display 36 No. 1212 9.00

# NON-SLIP COMPOUND FOR RADIO DIALS

Powder Compound for treating friction type dial drives such as cords, cables and belts. Also can be used on V-Belts or Flat Belts on Refrigerators and Washing Machines, Stokers, Motors, etc., to prevent slipping.

No. List Price 1210 Non-Slip \$0.40 Standard Carton 12 Units

# LIQUID NON-SLIP "For Radio Drive Cables and Belts"

Penetrating and fast-drying liquid dressing. Shrinks fibres; prolongs life of cables and belts and prevents slipping. This compound can also be used on larger flat belts or V-belts to prevent slipping on all types of equipment.

No. List Price 1211 1/2 -oz. \$0.25 1211-D Display 12 No. 1211 3.00 1215 .50 2-02.

Standard Carton 12 Units



# G-C RECORD LUBRICANT

"For All Phono Records"

Reduces the surface noise and prevents excessive wear on all types of records. Also saves the needle. Make your records sound better and last longer by treating them with G-C Record Lubricant regularly. Also can be used as a pre-recording lubricant.

No.		List Price
125-1	1-oz. Bottle	\$0.25
125-1 <b>-D</b>	Display 12 No. 125-1	3.00
125-2	2-oz. Bottle	.50
125-4	4-oz. Bottle	.75
125-6	6-ox. Bottle	.90

Standard Carton 12 Bottles

# G-C REK-O-DOPE

"New Recording Lubricant Compound"

A necessity when recording records. Apply Rek-O-Dope to the record before recording for best results. An all-purpose compound which cleans, lubricates and hardens the grooves on new recordings. Preserves new recordings and records and renews old records. Records treated with G-C Rek-O-Dope will give better tone and last longer.

No.		List Price
126-1	1-ox. Bottle	\$0.25
126-1-D	Display 12	
	No. 126-1	3.00
126-2	2-ox. Bottle	.50
126-4	4-oz. Bottle	.75
126-6	6-ox. Bottle	.90

Standard Carton 12 Bottles

# **G-C PHONO-TURNTABLE MOTOR & GEAR LUBRICANT**

New "Sta-Put" - Recommended by Manufacturers

A new special lubricant for phonographs. Other lubricants will thin and run to the lowest will thin and run to the lowest point of gravity on the mechanism, but this is specially formulated so that the lubricant clings to the surface of the parts. Eliminate trouble on phono repairs by using the best. This lubricant insures long life to parts that are not lubricated often.

No.	Li	ist Price
	Tube Display 12 Tubes 2-ox. Bottle	\$0.50 6.00 .50

# G-C SCRATCH REMOVER LIQUID

New type liquid! Removes scratches instantly. Simply wipe the liquid with a cloth over the scratches and they will disappear. A handy bottle to have in every Service Man's kit.

No.		List Price
917	2-oz.	\$0.40
923	1/2 -oz.	.25
923-D	Display 12 No. 923	3.00

Standard Carton 12 Units



# G-C FLOOR WAX

"Self-Polishing Wax"

This is a very high grade heavy duty commercial floor wax that will stand a lot of wear. Excellent for homes, stores, offices, etc. It is superior to ordinary waxes.

List Price 97-G 1-Gallon Can \$5.95

Standard Carton 6 Gallons

# G-C RUBBING OIL

For rubbing down newly finished cabinets and furniture. Takes the high gloss off newly lacquered and varnished surfaces. Produces a satin-like finish.

No.	List Price
163-16 16-ox.	\$0.70
163-32 32-oz.	.95
163-G 1 Gallon	2.50
Standard Carton	12 Units

# G-C FRENCH **EMULSION**

This is the best pad lubricant to use with the French Varnish for the French Polishing Method

No.		List Price		
164-4	4-oz.	\$0.50		

# G-C FRENCH VARNISH

The same material as used by craftsmen to repair furniture and blend in the repaired surfaces to match the original. Merely apply over the repaired part and it will blend into the original finish and conceal the repair. It can be padded by the French Polishing Method or it can be brushed or sprayed. It dries fast.

No.		List Price
160-2	2-oz.	\$0.50
160-4	4-oz.	.70
160-8	8-oz.	1.25
160-16	16-oz.	2.25
Standar	d Carton 1.	2 Units



# G-C WINDOW CLEANER CONCENTRATE

"Make Your Own Window Cleaner and Save"

Here's exactly the same com-pound as is used in the popular window cleaners — make your own and save. You simply add the concentrate to water and own and save. You simply add the concentrate to water and have a first-grade window cleaner. Concentrate is colored blue. Regular size bottle will make a quart of cleaner.

No.		List Price
122-5	6-oz.	\$0.50
122-G	1 Gallon	4.00
Stand	ard Carton	12 Units

# G-C TOPS SPOT CLEANER

A high-grade dry cleaner with a special applicator. The applicator is in the cap-no extra cloth needed. Non-explosive. Sell your customers for extra profits.

No.	Lt	st Price
124-2	6-ox. with Special Cap	\$0.50
124-8 No	8-ox. Special Cap	.50
124-16 No	Special Cap	.75

Standard Carton 12 Units

# G-C STRIP-X

"Strip Enamel from Magnet Wire'

G-C Strip-X makes it easy to work with enameled magnet wire. Simply dip the ends of wire in Strip-X and the enamel will be removed ready for soldering.

No. List Price 26-2 2-ox. \$0.50 (Larger Quantities—Prices on Application)

Standard Carton 12 Units

# G-C SPEAKER CONE RECONDITIONER "It Corrects that Dried-Out Cone"

Cone"

Speaker cones dry out in time and loose their original mellow tone qualities. The G-C Speaker Cone Reconditioner will rejuvenate the cone and restore the original tones. Simply apply the liquid with a brush or soak the cone in G-C Reconditioner, and when dry the original plasticizer and oils will be restored to the cone. Make extra money doing this for your customers.

No.		List Price
25-8	8-oz.	\$0.85
25-16	16-oz.	1.50
25-1G	1 Gallon	5.00
Stan	dand Carton	12 11-34-

Standard Carton 12 Units

# **G-C CABINET REPAIR KITS**

General Cement leads the way in supplying the Trade with the most practical and effective Cabinet Repair Kits. All kits are specially made for Radio Men and include latest and best type finishes for repairs. They require no special skill in Cabinet Repairs to get a perfect job. All finishes are spirit soluble, and will not cut or damage the surrounding finish on the cabinet. They are easy to use and with a little practice you can make perfect patches on any cabinet. Recondition old cabinets and repair scratches and dents for extra profits. When you buy G-C Repair Kits you buy the best available for the purpose.

# G-C No. 900 MASTER DELUXE CABINET REPAIR KIT

"A New, Most Complete Repair Kit"

With this Master Repair Kit all repairs can be made even for the most exacting customer. All of the essentials for a really satisfactory repair job are included in this Kit. Our new spirit stains, varnishes and enamels are included in this kit (all spirit solvent). With these new spirit type materials, repairs can be With these new spirit type materials, repairs can be more quickly made without the danger of spoiling the finish adjoining the surface. Wood cabinets, plastic cabinets, knobs, refrigerators, appliances, etc., can be repaired with this kit. Generous quantities of all materials supplied.

Here's what you get in the Master DeLuxe Cabinet Repair Kit—the best and most complete kit on the market for every use-THE BEST BUY!

Metal Box 10 Shades Shellac Sticks Spatula Alcohol Lamp Alcohol Shellac Stick Rubbing Fluid Rubbing Felt French Varnish French Varnish Emulsion Walnut French Varnish Dark Walnut Spirit Stain Light Walnut Spirit Stain Walnut Enamel Ivory Enamel
White Refrigerator Enamel General Skratch Stik

Wiping Cloth Steel Wool Sandpaper Furniture Polish Touch-Up Brush Wood Clue Directions

No. 900 Master DeLuxe Cabinet Repair Kit

List Price \$8.95



# G-C No. 901 CABINET REPAIR KIT

"A Complete Professional Kit"

Here's a kit that is second to none. It is a complete kit that will meet any emergency or do any repair job. With this kit you can repair wood cabinets, as well as plastic and bakelite cabinets, knobs, etc. On dents or nicks you can use the shellac sticks and melt them in with the spatula and alcohol lamp. On light scratches you can use the GENERAL SKRATCH STIK, or the stains. Metal Escutcheons can be touched up with this kit.

Kit comes in a handy metal box, and contains an assortment of 10 shades of shellac sticks, bottles of light and dark stain, bottle of metal shading varnish, bottle of polish, General Skratch Stik, alcohol lamp (with alcohol), spatula, touch-up brushes, steel wool, sand-paper, rubbing felt, shellac stick, rubbing fluid and wiping cloth. Everything necessary to do a practical repair job. No Special Skill is required to make perfect patches with this kit. Directions included.

No. 901 Cabinet Repair Kit

List Price \$4.95



# G-C No. 902 REFRIGERATOR PATCH KIT

"A Practical Kit for Porcelain and Duco Boxes"

An ideal repair kit for repairing nicks or dents on any type of Refrigerator. Kit contains everything necessary to do a perfect patch job on either a porcelain or Duco finish box. No special skill is required to use this kit. This can also be used on Washing Machines, Kitchen Ranges and other appliances. Handy Kit contains a bottle of pure white lacquel enamel, bottles of tinting colors, yellow, blue, brown and black, bottle of solvent, porcelain patch stick, spatula, steel wool, sandpaper and brushes. All put up in a metal box.

No. 902 Refrigerator Patch Kit

List Price \$3.95



# G-C No. 903 RADIO CABINET-REFRIGERATOR PATCH KIT

"For Filling in Deep Nicks and Scratches"

Here's a very handy complete kit of Shellac Patch Sticks that will fill almost every demand. With this kit you can patch Wood as well as the new Plastic and Bakelite Radio Cabinets and white Refrigerators. Simply heat the spatula on the alcohol lamp and melt the shellac sticks into the nicks or scratches and smooth off with fine steel wool or hot spatula. Apply a little polish and the job is done. Handy kit comes in metal box and contains 10 shellac sticks in light and dark shades of walnut, oak and black and white, alcohol lamp (with alcohol), spatula, steel wool, sandpaper, wiping cloth, scratch polish, shellac stick rubbing fluid and rubbing felt.

No. 903

List Price \$3.50



# G-C No. 907 MASTER CABINET TOUCH-UP KIT

"The Ideal Quick Touch-Up Kit"

A high-grade, complete, fast Touch-Up Kit for repairing scratches and dents on radio cabinets and furniture. All the varnishes, enamels and stains included in this kit are made of spirit-type solvents which dry rapidly so your repairs can be quickly made. Spirit-type finishes do not cut into the finish adjoining the surface you are repairing and Spoil your repair for you. Kit contains a large bottle of French Varnish, French Varnish Emulsion, Ivory, Walnut and Refrigerator Enamels, Dark Walnut Stain, Scratch Polish, Scratch Filler, Sandpaper, Steel Wool, Rubbing Cloth and directions are included in a metal box.

The best kit to take with you on the job.

No. 907 Master Touch-Up Kit List Price \$2.95



# G-C FRENCH VARNISH KIT

"A Complete Kit for French Polishing"

A kit that fills a long-felt need. The French Varnishing method is the practical way to blend repairs on finished wood surfaces with the regular finish. This kit is practical, not hard to use, and is an important addition to your present Repair Kit. Kit comes complete with a bottle of French Varnish, French Emulsion, polishing pad and complete di-rections for French Polishing.

List Price 160-0 French Varnish Kit \$1.25

# G-C MAGIC SCRATCH REMOVER KIT

This kit is a combination of 6 shades of Scratch Crayon fillers and Light and Dark Scratch Fluid. Put up in a convenient box, it makes a handy container to carry with you and you have both items handy for an emergency job.

No. List Price 915 Kit \$1.25 G-C PLASTIC CABINET TOUCH-UP KIT

"For Plastic and Colored Cabinets"

A new Kit composed of six various shades of high grade lacquer enamels for touching up plastic cabinets. All colors are very brilliant and will blend with cabinets in use. Kit contains Walnut, Ivory, Black, Red, Blue and Green colors. Brushes furnished.

No. List Price 910 Kit \$1.25





# G-C CABINET TOUCH-UP KIT

# "Improved Kit"

A practical Kit for scratches and dents. Includes light and dark stains and light and dark varnish stains that dry almost immediately, brushes, wiping cloth and scratch filler.

No.		List Price
905	Kit	\$1.00

# G-C CABINET REPAIR KIT MATERIALS

140.		ist Price	140.	Lt	st Price
908	Porcelain Patch Stick	\$0.40	990	Rubbing Felt Pad,	
925	10 Asst. 21/4"			3 x 4 x ½	.25
	Shellac Sticks	1.65	937	Alcohol Lamp with	,
992	Shellac Stick Rubbing			Alcohol	.35
	Fluid, 2-ox.	.40	938	Pint Alcohol Lamp Fluid	
	SANDPAPER			MARKING CTAILS	
000 110				VARNISH STAIN*	
	4/0 Sheet	.10	161-4	Walnut, 4-oz.	.75
900-12R	7/0 Sheet, very fine	.15			
	SDATILLA	- 100		SPIRIT STAIN*	
	SPATULA		162-4	Walnut, 4-ox.	.75
936	Spatula for Shellac Stick	cs .25			,
900-14R	Steel Wool Pads,			BRUSH	
	per box of 16	1.60	900-13R	Touch-Up Brush	.45
# N.A	loro Complete Listens 5	Shalles Cal			

More Complete Listings on Shellac Sticks, Stains, Varnishes and Accessories, See Pages 9 and 14.



# G-C CREME-O-WAX POLISH

"A White Non-Staining Polish"

The best polish for furniture, refrigerators, radio cabinets, pianos, etc. A wax base polish that dries to a hard, durable glossy finish. Polish the radio cabinets and refrigerators after every job and have better satisfied customers. You can also sell a bottle to every housewife after you show her what you use. The best polish for the purpose.

No.		List Price
95-2	2-ox.	\$0.25
95-8	8-ox.	.45
95-8-L	8-ox. Lab Sixe	.45
95-8-D	Display 12 8-ox.	5.40
95-16	16-oz.	.75
95-32	32-oz.	1.25
95-G	1 Gallon	4.00

Standard Carton 12 Units

# G-C MAGIC SCRATCH REMOVER POLISH

Dark Shade

Something new! Polish contains the proper stains, etc., to eliminate scratches on cabinets while polishing the cabinet to a gloss! Excellent for radio cabinets, furniture and woodwork. You can sell a bottle of this on every repair job to all housewives.

repair jou	TO all flogsettives.	
No.		List Price
92-2	2-oz.	\$0.25
92-8	8-oz.	.45
92-8-L	8-ox. Lab Sixe	.45
92-8-D	Display 12 8-oz.	5.40
92-16	16-oz.	.75
92-32	32-ox.	1.25
92-G	1 Gallon	4.00
	Standard Carton 12 Units	

# G-C MAGIC SCRATCH REMOVER POLISH

New! Light Shade

Light shade scratch polish for blonde maple, mahogany and all light woods. Removes scratches and makes the wood look like new. Polishes at the same time.

No.	Li	ist Price
93-2	2-ox.	\$0.25
93-8	8-oz.	.45
93-8-D	Display 12 8-oz.	5.40
93-16	16-oz.	.75
93-32	32-oz.	1.25
93-G	1 Gallon	4.00
	Standard Carton 12 Units	



# G-C LEMON OIL POLISH

A high-grade inexpensive lemon oil polish. Polish those sets after repairing for customer good-will. It makes an excellent polish for treating dust rags, dust mats, etc. It will pick up dust and dirt.

No.		List Price
91-8	8-oz.	\$0.40
91-16	16-oz.	.55
91-G	1 Gallon	3.00

Standard Carton 12 Units

# G-C AEROPLANE-TYPE LUGGAGE FABRIC

The new fabric used on all of the portable radios. Necessary to recover or repair damaged cases on portable radios, to cover and modernize test apparatus and home-built radios. The use of this product eliminates the need for expensive cases to house your instruments and is a logical covering for that worm-looking test instrument case. Gray or Brown. Specify color wanted.

No.		List Price
960	18" x 18"	\$0.75
961	36" x 18"	1.50
962	Any Length, 36" Wide,	
	per yard	2.75

(Note: Use grille cloth cement as an adhesive for this fabric. See page 4.)

# **G-C LEATHERETTE** INSTRUMENT FABRIC

A black or brown leatherette finish fabric for covering those small instrument cases that need recovering. Used by manufacturers as the original covering for many instruments. Renew your instruments and keep your customer sales-appeal. Black or Brown—specify color.

No.		List Price
965	18" x 16"	\$0.75
966	18" x 32"	1.50
967	Any Length, per yard	2.75

(Note: Use grille cloth cement as an adhesive for this fabric. See Page 4.)



# G-C PORCELAIN PATCH STICK

Specially made for white porcelain Refrigerators, Washing Machines, Sinks, Ranges, Plumbing Fixtures, etc. Simply melt into nick and smooth off. Makes a perfect patch.

No.		List Price
908	Porcelain Patch Stick	\$0.40
908-D	Display 12	

No. 908 Sticks 4.80

# G-C SHELLAC STICK KIT

Handy kit of 10 assorted colors of shellac sticks to take care of all types of wood patching. Colors and shades of Walnut, Oak, Mahogany, Blonde Maple, White and Black included in this kit.

No.			L	ist Price
925	Shellac	Stick	Kit	\$1.65

# G-C SHELLAC STIKS

High-grade sticks for permanently filling in holes and nicks in cabinets and furniture. G-C Shellac Sticks flow freely and are easy to use. All shades are available.

No.		List Price
929	Light Walnut, 7" Stick	\$0.50
930	Dark Walnut, 7" Stick	.50
933	Black, 7" Stick	.50
934	White, 7" Stick	.50
935	Maple, 7" Stick	.50
978	Light Oak, 7" Stick	.50
979	Dark Oak, 7" Stick	.50
980	Transparent, 7" Stick	.50
981	Light Transparent, 7" Stick	.50
982	Walnut, 7" Stick	.50
983	Mahogany, 7" Stick	.50
984	Blonde Maple, 7" Stick	.50

12 Sticks to a Carton

# **G-C GENERAL SKRATCH STIK**

"Removes Scratches"

Did you ever accidentally scratch a Radio Cabinet just when you were completing the repair job? Accidents do happen and you can avoid many embarrassing cases like this if you have in your pocket a G-C Skratch Stik You simply run the Skratch Stik over the scratch, and it will vanish like magic — before your customer is the wiser — and everybody is happy. This Stik comes in a handy case so it is easy to carry with you. Makes an excellent advertising premium, as it can be supplied in gross lots with your name on the labels.

No. 909 General Skratch Stik No. 909-D Display of 12 Stiks List Price \$0.35 List Price 4.20

## 1-A SKRATCH STIK DEAL-WIRE DISPLAY FOR DEALERS

Dealers and Servicemen — Display the No. 1-A Skratch Stik deal in your shop or store and sell Skratch Stiks to your customers. Every home and office needs one. You can earn extra profit with this self-selling display.

No. 1-A Deal 12 Skratch Stiks, Wire Display

List Price \$4.75

Stiks, Wire Display List Price \$

# Special Dealer's Net \$2.49

(Jobber's Note---12 No. 1-A Deals to Jobber's Carton)



# G-C SPARKLE GRILLE CLOTH

"Specially Made for Juke Boxes"

Now you can replace and repair old and dim grille cloths on Juke Boxes and give them that "New Original Sparkle" again. Two brilliant patterns available. This cloth can also be used on light plastic cabinets. (Indicate Pattern.)

No.						List Price
957	Pattern	A Per	Yard	42"	Wide	\$10.00
958	Pattern	B Per	Yard	42"	Wide	10.00

# New! METAL FLOCKED GRILLE SCREEN

Very popular Grille Screen flocked with a smooth rayon velvet-like flock. This metal screen may be used on intercom systems, speakers, home radios, auto radios, small midgets, juke boxes or anywhere where a strong protective grille is necessary. It can be bent and shaped to fit odd places. It is weatherproof and can be used outdors. Made on electro-galvanized metal screen, flocked on both sides. It can be supplied in special colors and sizes in quantities.

951-1	8" x 11" Walnut Brown	\$0.70
951-3	8" x 11" Ivory	.70
951-5	8" x 11" Maroon	.70
952-1	18" x 24" Walnut Brown	2.75
952-3	18" x 24" Ivory	2.75
952-5	18" x 24" Maroon	2.75
953-1	36" x 36" Walnut Brown, per yard	6.95
953-3	36" x 36" Ivory, per yard	6.95
953-5	36" x 36" Maroon, per yard	6.95



# G-C RADIO CABINET SPEAKER GRILLE CLOTH

"New Modern Beautiful Designs and Patterns"

Replace that old grille cloth and modernize those old sets. G-C grille cloth is supplied in beautiful and modern patterns to fit the design of any cabinet. The cloth is supplied in light and dark walnut shades in patterns for both small and large cabinets. It is also available in the light and ivory shades for light wood and plastic cabinets. On packaged sizes assorted patterns are supplied unless otherwise specified. On yard packages, specify shade or color and small or large pattern desired.

No.		List Price	No.		List Price
†940	18" x 20"	\$1.25	† 948	6" x 6"	\$0.25
†941	9" x 18"	.58	†954	5" x 10"	.35
†942	12" x 12"	.60	949-1		5.75
†943	14" x 18"	.70		1-yard Packages	
†944	24" x 13"	.90	949-1R	40" Wide Cont. Length, per yard	4.95
+945	18" x 13"	.70	949-2R	50" Wide Cont. Length, per yard	5.60
+946		.28	†950	Roll, 9" x 12"	.50
+947		.30	950-D	Display of 8 No. 950	4.00
	1 =	•		rices Specify "Ivery" after part number	when wanted

For ivory and light wood cabinets light colored grille cloth is available at above prices. Specify "Ivory" after part number when wanted

orld Radio History

# WHAT IS FLOCK FINISHING?

Flock finishing is becoming a very popular and practical application used in many industries. It is used in the Radio Industry on phono turntables, speaker grilles, radio cabinets, for sound deadening, etc. In the home it has applications as a soft base to prevent scratching furniture, it is applied to bottoms of table lamps, vases, statues, stands, ornaments, etc. The Automotive Industry uses this in

lining compartments, making artificial upholstering, patching upholstering, etc. It is also used on displays, in jewelry boxes, silverware boxes, tool and instrument kits, filters, etc. It really has thousands of uses for many trades and industries.

With the G-C Flock Kits, Applicators and Guns you can obtain a production finish easily without any special equipment.

# FELT-KOA BLT-KOAT FLOCK FLOCK

# G-C FELT-KOAT FLOCK FINISH SPRAY KITS

"New Patented Blower Spray Cun for Flock"

The new G-C method of applying flock with the G-C patented gun. It distributes flock evenly and blows each fibre into the undercoat vertically with great power. The flock in reality "flocks to the undercoat in a heavy velvet coat." Coats of varied softness and density can be obtained by amount you apply.

You can do a professional job without any experience with the new G-C patented Blower Gun; no special skill required. You can really turn out a professional job on phono turntables, cabinets, grilles, instrument cases, tool boxes, toys, ornaments, signs and hobby uses.

Earn extra profit on refinishing turntables for Juke Boxes, Home Sets, etc. Many ornamental designs can be obtained with this new kit.

## Kit Contains:

- 1 Special Patented Blower
- 1 Can Brown Flock
- 1 Can Ivory Flock 1 Can Thinner 1 Brush and Instructions
- 1 Can Brown Undercoat 1 Can Ivory Undercoat

No. 180-2 DeLuxe Blower Kit Complete

List Price \$9.50



# G-C FELT-KOAT FLOCK

Genuine Rayon Flock 1/16" length fibers accurately cut, give a beautiful shiny felt or plush-like surface. This is the same material as supplied in our kits. Covers approximately 90 square feet to the pound. (Do not confuse this with the dull cotton flocks.) Colors available: Brown, Taupe, Blue, Black, White, Ivory Red, Green, Silver and Gold. (Special colors available in 100-lb. lots.)

# Specify Color Wanted

No.	, , , , , , , , , , , , , , , , , , , ,	List Price
180-5	Flock, Kit size, 1 1/2 -ox. Sifter Can	\$1.00
180-6	Flock, 1/2 - Ib. Clear Plastic Bag	2.50
180-7	Flock, 1-Ib. Clear Plastic Bag	4.50

(On 25 lbs. or more of a color, prices on application.)

# G-C FLOCK SIZING UNDERCOAT

This is the material that is first Inis is the material that is first applied on surface to be flocked. Then flock is applied. Can be used on metal, wood, paper, etc. Covers approximately 300 square feet to gallon. Colors: Brown, Taupe, Blue, Black, White, Ivory, Red, Green, Silver and Gold.

No.	(Sp	ecify Color)	List Price
180	-4	4-oz.	\$1.00
180	-8	8-oz.	1.75
180	-16	16-oz.	2.50
1.90	-C	1 Cal	14 50

# **G-C RUBBER-BASE FLOCK** SIZING UNDERCOAT

Use where flock is applied to fabrics, upholstery, etc., for a soft, pliable surface. Neutral base color. (Use Thinner Type No 67 Page 51)

No. 07,	Page 5.1	List Price
182-4	4-oz.	\$1.00
182-8	8-oz.	1.75
182-16	16-oz.	2.50

# FLOCK SIZING THINNER "Thinner for Type No. 180 Undercoat"

No.		List Price
181-4	4-oz.	\$0.40
181-8	8-ox.	.55
181-16	16-oz.	.75
181-G	1 Gallon	3.75



# G-C No. 180-0 DELUXE FELT-KOAT KIT

"Flock Finishing Kit"

Complete Flock Finishing Kit for applying soft, felt-like flock to phono-turntables, cabinets, testers, panels, displays, tool chests, compartments, lamp bases, wire mesh on speakers and microphone grilles, etc. Produces heavy soft velvet-like coat that prevents scratching. Kit contains Flock, Special Applicator, Undercoat, Thinner and Brush. Easy to apply. Colors: Brown, Blue, Taupe, Black, White, Ivory, Red. Green, Silver and Gold.

Specify Color Wanted List Price DeLuxe Kit \$2.50

# G-C No. 180-1 FELT-KOAT KIT

"For Flock Finishing"

Here's a handy, inexpensive kit for applying flock to phono turntables, cabinets, lamp bases, speaker grilles, cameras, etc. This kit is identical to cameras, etc. This kit is identical to the No. 180-0 Kit except it contains only flock in a special applicator can and the undercoat. Colors available: Brown, Blue, Taupe, Black, White, Ivory, Red, Green, Silver and Gold.

Specify Color Wanted List Price 180-1 Regular Kit \$1.95

# G-C FELT-KOAT SPECIAL FLOCK PATENTED BLOWER GUN

Here's an easy way to apply flock and get a professional production-like job. This gun, specially designed, distributes the flock evenly and blows each fibre into the undercoat vertically with great force, thereby giving a smooth, velvet finish. Every fibre is securely held in the undercoat. This gun can also be used for dusting and cleaning by simply attaching the pressure nozzle listed below. Will fit other blower guns also.

No.

**List Price** \$3.95

180-3 Flock Blower Gun 180-4-N Nozzle Only for Dusting and Cleaning, fits above gun

.60

# G-C AMO MINIATURE TUBE PULLER

# "Prevents Tube Breakage and Burned Fingers"

Patented AMO was designed to prevent tube breakage, prevent burned fingers and to speed up production of radios using the miniature type tubes. AMO now makes it possible to easily remove or insert miniature tubes such as 6AG5, 5OB5, etc. It works on the suction and vacuum principle.

. for the first time the miniature tube, which is coming into the market in ever increasing numbers, and which will in time replace most common and high frequency radio tubes, can easily be extracted or placed into their proper sockets, without the fear of breakage or burning the hands, into those hard-to-reach places, with AMO.

This wonderful new tool is simple to operate, and can reach places where fingers alone would find it difficult. To extract tubes, simply press "AMO" down on tube and lift up. Tube is then released by pressing release button. AMO will pull tubes out of the tightest sockets, where it is impossible to pull them by hand without breaking the tube. To insert tubes into hard-toreach places, place tube in AMO holder, press into socket and release!

MADE BY G-C ONLY!

List Price AMO Tube Puller \$ 1.65 5093 Display of 12 No. 5093 5093-D



"The New Wonder Tool for Every Service Bench"

"Pat. Pend."

A Radio Chassis Holder built by a Radio Serviceman who knows the problems of other Radio Servicemen. The very simplicity of the CHASS-EZ is its chief merit. The tubes and undersides of the Radio Chassis are held open and accessible; this allows the Serviceman more convenience in working on the intermittent set that must be set aside and played for a

Here is your opportunity to do away with big, awkward holders and eliminate the necessity of using cigar boxes, bottles, etc., to hold the radio chassis. The CHASS-EZ does the job simply and easily.

The CHASS-EZ has special reversible hooks on one end to handle the flanged type chassis or to tilt the chassis back if necessary. The slide adjustment on the CHASS-EZ compensates for the chassis width and to clear any obstruction that may be on the inside edge of the chassis.

Enjoy increased income through greater efficiency and output of work. Order your CHASS-EZ now!

No. 5207 Chass-Ez

List Price \$3.65

Dealer's Net Only \$1.95

# G-C SPEEDEX SPRING-MAKER

"Makes All Types of Coil Springs"

Here's the new G-C Spring Winder that will make any spring you need for most any emergency repair job. It is simple to operate and springs can be made very fast. Any diameter spring and any size wire can be used.

You can make any type of spring, any number of coils and any pitch desired. You can make both compression and extension springs. Simple screw adjustment will vary the pitch instantly. Spring winder fastens to

Very handy for Radio Men, Auto Mechanics, Experimenters, Engineers, Tool and Die Shops, Machine Shops, Key Shops, etc. Liberal quantity of various sizes of music wire supplied with the spring winder.

Speedex Spring Winder with 5209 Asst. Spring Wire


\$9.95

Not Price


5210 Replacement Kit of Asst. Sizes Music Wire

1.50









# New! PLASTIC CONTAINERS



Now all 25-ft., 50-ft. and 100-ft. spools of G-C cord are put up in non-breakable, transparent plastic containers. When cord is used up container can be used for storing parts, screws, etc.

G-C RADIO DIAL CABLES AND CORDS are accepted and approved as standard by the Radio Industry, Government and Testing Laboratories. They are manufactured of finest raw materials available under strict production and laboratory control.

All G-C Dial Cords are made of finest Nylon Braid, braided over a Spun Fibre Glass Core. They are prestretched and are chemically treated after braiding to prevent stretching, insure long life and prevent slipping. G-C Cords are the best on the market. All G-C Cords are available at leading Radio Parts Jobbers in 25, 50, 100, 500 and 1,000 foot spools.

75, 75-A and No. 74 Nylon Dial Cables will take care of 90% of the replacements. G-C No.



# The Three Most Popular Cords Being Used

# G-C No. 75 STANDARD THIN NYLON CORD

.028" diameter

This is the exact replacement and most popular nylon cord that is used on 95% of the latest sets manufactured. Made of finest braided Nylon over a Fibre Glass Core. It is prestretched and chemically treated. Ask for G-C Cat. No. 75 Cord.

0 0 0011		
No.	Spool	List Price
75-25	25,ft.	\$ 1.25
75-50	50 ft.	2.40
75-100	100 ft.	4.50
75-500	500 ft.	13.00
75-1000	1000 ft.	25.00
75-11	Env.	.40
75-11-0	Display 20	No. 75-11 8.00

# G-C No. 75-A EXTRA THIN NYLON CORD

.025" diameter

This cord is used on Motorola, RCA, GE, Sentinel, Stromberg Carlson and others. Extra thin, made of finest braided nylon, chemically treated. Ask for G-C Cat. No. 75-A Cord.

No.	Spool	List Price
75A-25	25 ft.	\$1.25
75A-50	50 ft.	2.40
75A-100	100 ft.	4.50
75A-500	500 ft.	. 13.00
75A-1000	1000 ft	25.00

# G-C No. 74 MEDIUM NYLON CORD

.040" diameter

This cord is exactly the same as used on models of RCA, Philco, Majestic, Wells Gardner, etc. Made of finest braided Nylon over a Spun Fibre Glass Core. It is prestretched and chemically treated. Ask for G-C No. 74

No.	Spool	List Price
74-25	25 ft.	\$1.25
74-50	50 ft	2.40
74-100	100 ft.	4.50
74-500	500 ft.	16.00
74-1000	1000 ft.	30.00
74-11	Env.	.40
74-11-D	Display 20 No.	74-11 8.00



# G-C No. 70 BRAIDED BRONZE CABLE

Droive Cable

3.040" diameter
Braided Phosphor Bronze Cable
made over a fibre glass core for
greater strength and flexibility.
Will not unravel. Ask for G-C
Cat. No, 70 Cable. This cable is
also used for Aircraft Reel-In
Type Antenna Cable, special instruments, technical apparatus,
etc.

етс.		
No.	Spool	List Price
70-25	25 ft.	\$ 1.25
70-50	50 ft.	2.40
70-100	100 ft.	4.50
70-500	500 ft.	16.00
70-1000	1000 ft.	30.00
70-11*	Env.	.40

# G-C No. 71 **42-STRAND BRONZE CABLE** .040" diameter

42-strand twisted Phosphor Bronze Cable used on Majestic, Bosch, Philco, etc. 42 fine strands braided over a fibre glass core. Very durable and flexible. Also used for Aircraft Reel-In Type Antennas, technical apparatus

ratus, instruments, etc.

No.	Spool	List Price
71-25	25 ft.	\$ 1.25
71-50	50 ft.	2.50
71-100	100 ft.	4.50
71-500	500 ft.	18.00
71-1000	1000 ft.	35.00
71-11*	Env.	.40

\*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).



# **HEAVY NYLON CORD**

.062" diameter

This is a heavier cord such as used on models of Philco, Silver Marshall, Majestic, Brunswick, etc. Very strong cord and chemically treated. Ask for G-C Cat. No. 73 Cord.

140. 75 00	i u.	
No.	Spool	List Price
73-25	25 ft.	\$ 1.50
73-50	50 ft.	2.75
73-100	100 ft.	5.00
73-500	500 ft.	20.00
73-1000	1000 ft.	38.00
73-11*	Env.	.40

# G-C No. 76 SPECIAL THIN BRONZE CABLE

.025" diameter

Extra thin braided bronze cable such as is used on GE and RCA sets. Also used for flexible connections on speakers, cones, for pigtails, etc. Ask for G-C Cat. No. 76 Cable.

No.	Spool	List Price
76-25	25 ft.	\$ 1.25
76-50	50 ft.	2.40
76-100	100 ft.	4.50
76-500	500 ft.	13.00
76-1000	1000 ft.	25.00
76-11*	Env.	.40



# G-C HANDY PICK-UP TOOL "Mechanical Fingers"

One of the handiest tools you can have in your home, shop, office or farm. Truly a tool of many uses. It will pick up pieces and parts dropped into inaccessible places, will hold screws, nuts and bolts to start in hard places and will assist you in many ways. Very handy for the Radio Man, Electrician or Auto Mechanic. Housewives find this very useful in washing bottles, cleaning and polishing places hard to reach. Tool is 15" long.

FARA	D1 1 T 1
5089	Pick-up Tool

List Price \$1.50

# G-C SERVICEMEN'S DIAL CABLE RACKS

A new convenient way to handle Radio Dial Cables. Hang the rack on the wall and measure the cable as required. Each rack has a permanent 10-inch ruler lithographed on the attractive metal sign. Special feature of rack is that each spool winds separately without disturbing the other spools. new convenient way to handle Radio Dial Cables.

# No. 7-A-25 CABLE DEAL RACK IS FREE

Includes rack, ruler and five 25-ft. spools each of Nos. 71, 73, 74, 75 and 76 cables.

List Price \$6.50 Dealer Net \$3.90



# G-C DIAL DRIVE SPRING ASSORTMENT

Handy kits of high quality dial springs made of best grade of music wire. Six sizes of springs take care of most requirements. List Price

140,	E-1	21
1054	10 Assorted	\$0.40
1054-D	Display 20 Env.	
	Reg. Springs	8.00
1054-8	10 Small Spring	
1054-S-D	Display 20 Env.	
	Small Springs	8.00
1055	Kit of 25	
	Asst. Springs	1.10
1056	Kit of 100	
	Asst. Springs	4.00
	ge 59 for indiv	idual
list	ting of Springs)	

# SPECIAL APPLICATION CABLES

G-C can supply special cables for many uses and purposes. Some of these listed are used on various types of special Radio Dials, instruments, controls, drawing boards, technical apparatus, strain gauges and other special equipment.



# G-C No. 73-X EXTRA HEAVY NYLON CORD

.072" DIAMETER

This is heavier than our 73 cable, same as used on Philco Models, Instruments, etc. Ask for G-C Cat. No. 73-X.

No.	Spool	List Price
73X-25	25 ft.	\$ 1.50
73X-50	50 ft.	2.75
73X-100	100 ft.	5.00
73X-500	500 ft.	20.00
73X-1000	1000 ft.	38.00
73X-11	Env.	.40
72V 11 D	Disalass	

20 No. 73X-11

# G-C No. 78 WHITE BRAIDED LINEN CORD .040" DIAMETER

White braided linen cord, same as used on Emerson Models, In-struments, Drawing Boards, etc. Chemically treated, very strong and durable. Ask for G-C Cat. No. 78 Cable.

INO. TO Cable				
No.	Spool		List	Price
78-25	25	ft.	\$	1.25
78-50	50	ft.		2.40
78-100	100	ft.		4.50
78-500	500	ft.	1	3.00
78-1000	1000	ft.	2	5.00
78-11	Env.			.40
78-11-D D	isplay			
	o. 78-	11		8.00

# G-C No. 79 MONEL METAL CABLE

.035" DIAMETER

Very strong and durable non-corrosive type cable, same as used on many models. Will not stretch or unravel. Preferred by many to the Bronze Cable. for G-C Cat. No. 79 Cable.

No.	Spool	List Price
79-25	25 ft.	\$ 1.25
79-50	50 ft.	2.40
79-100	100 ft.	4.50
79-500	500 ft.	15.00
79-1000	1000 ft.	28.00

# G-C No. 80 SPECIAL THIN METAL CABLE

.015" DIAMETER

A strong extra thin twisted metal cable, very popular on foreign and export receivers, instruments, etc. Ask for G-C Cat. No. 80 Cable.

No.	Spool	List Price
80-25	25 ft.	\$ 1.25
80-50	50 ft.	2.40
80-100	100 ft.	4.50
80-500	500 ft.	18.00
80-1000	1000 ft.	35.00



G-C SPECIAL EXTRA THIN

PHOSPHOR BRONZE CABLE

012" DIAMETER

Special thin cable made of 7

strand of .004" twisted phos-

phore bronze cable. Used by

Army and Navy on Radio, Radar

Equipment and special instru-

Spool

50 ft.

List Price

2.40

25 ft. \$ 1.25

ments

82-25

82-50

No.

8.00

BELTING

This belting is required to

make repairs on some of

3/16" wide x .005 thick.

5/16" wide x .006 thick.

62-25 25 ft. spool

61-25 25 ft. spool \$ 1.50

the older model sets.

For Atwater Kents

For Brunswick

No.

# **G-C PHOSPHOR BRONZE**

List Price

2.00

# G-C NON-SLIP COMPOUND

FOR RADIO DIALS

Powder and Liquid Compound for treating friction type dial drives such as cords, cables, and belts. Also can be used on V Belts or Flat Belts on Refrigerators and Washing Machines, Stokers, Motors, etc., to prevent slipping.

No.		List Price
	Powder npound	Non-Slip \$0.40

1215 2-ox. Liquid Non-Slip Compound .50



# NEW! G-C DIAL CORD DRESSING STICK

A new easy way to treat slipping cords on dial mechanisms. Simply rub the stick on cord and job is done! Prevents and stops slipping. Carry a stick with you and save time.

140.		_	131 11100
1212	Dressing	Stick	\$0.25
1212-D	Display	_	

36 No. 1212 Sticks 9.00









# G-C READY MADE DIAL CABLES

Here are a few Ready Made Cables that are still popular on some old sets. Save time in re-pairing these old sets with made cables. ready

Make of Set

No.	and Model No. L	ist Price
R7	Brunswick 15, 22 Front	\$0.50
R8	Brunswick, 15, 22 Rear	.50
R9	G.E., A88, A82, A87	.50
R10	Majestic, 70, 71, 72	.50

# G-C No. 77-SK DIAL CORD KIT

Kit contains four 25-ft. spools of the most popular cords. Our 75-25 Nylon, 74-25 Nylon, 76-25 Thin Bronze and 71-25, 42 Strand Braided Bronze. With this kit you can take care of most any set.

FREE assortment of Eyelets and Clamps with Kit. No.

List Price 77-SK Cable Kit \$4.75

# G-C No. 78-SK DIAL CORD KIT

A handy combination Kit of 10 ft. lengths of all G-C dial cables. Each type in a separate envelope and all packed in a leatherette covered box.

List Price No. 78-SK Complete Kit \$4.65

# G-C DIAL CABLE TOOL

A handy tool to aid in replacing worn out cables or cables slipped off of drums. Makes it easy to replace dial cord springs also. A necessity in cramped spaces around the dial.

No.		List Price
5096	Dial Cable Tool	\$0.75
5096-D	Display of	9.00



# G-C SERVICEMEN'S DIAL BELT KITS

General Cement Belts are approved replacements for all sets. They are made of best quality material and will not stretch. They are specially treated to prevent slipping. They are the best. Sizes available for all sets. They are easy to install as they are made to fit. No adjustments necessary.

# G-C SERVICEMEN'S KITS

Servicemen! Have an assortment of belts on hand for prompt replacement. Kits contain only the more popular belts used. KIT INCLUDES ATTRACTIVE STEEL BOX—BELT SCALE AND COMPLETE LISTING OF OVER 1100 MODELS.

No.		List Price
G- 25	Kit of 25 popular belts	\$ 6.70
G- 50	Kit of 50 popular belts	13.40
G-100	Kit of 100 (includes every size)	25.00
G-200	Kit of 200, assorted	50.00
<b>G</b> -300	Kit of 300, assorted	75.00

G-C Belts are the same type as used by manufacturers on the best sets.

EACH BELT

List Price \$0.25

# INSTRUCTIONS — FOR MEASURING BELTS

To determine size of belt, if the old belt is available, cut the belt and measure for stretched-out length. This will be "cut length" of belt. In measuring belts always rem pulleys in not available or is worn out so that it cannot be properly measured, stretch a thin thread around belt pulleys on set. (Be sure to use thin thread as a thick cord will give an inaccurate reading.)

Measure the thread, it will be our "circumference around pulleys." In measuring belts always remember that the circumference around pulleys is not the same as stretched out or cut length. A belt when cut, develops approximately 3/16" extra length when stretched out,

## G-C RADIO BELT SPECIFICATIONS

## LISTED AS PER BELT NO.

## LISTED AS PER BELT SIZE

G-C Belt Circumference Cut	G-C Belt Circumference Cut	Circumference Cut G-C Belt Around Pulleys Length No.	Circumference Cut G-C Belt
No. Around Pulleys Length	No. Around Pulleys Length		Around Pulleys Length No.
135 11" 1-3/16"	182 15-13/16" 16"	10-1/4" 10-7/16" 164	16-17 64" 16-39 64" 184
136 11-25/64" 11-3/16"	183 15-7/16" 15-5/8"	10-17/64" 10-29/64" 124	16-15 16" 17-1 8" 185
137 11-5 32" 11-15/32"	184 16-27'64" 16-39/64"	10-19/64" 10-31/64" 128	17-1 16" 17-1 4" 165
138 12" 12-3 16"	185 16-15/16" 17-1/8"	10-23/64" 10-35/64" 118	17-13 32" 17-19 32" 169
139 12-9/32" 12-15/32"	186 14-7/32" 14-13/32"	10-38" 10-9/16" 122	17-37 64" 17-49 64" 179
140 12-7/32" 12-13/32" 141 11-3/4" 11-15/16" 142 12-3/32" 12-11/4" 143 11-13/16" 12" 144 12-15/32" 12-21/32" 145 12-39/64" 12-51/64" 146 13-1/2" 13-11/16" 147 14-27/64" 14-39/64"	187 15-17/64" 15-29/64" 188 19-47/64" 19-59/64" 188 19-47/64" 19-59/64" 189 18-1/2" 18-11/16" 190 17-5-8" 17-13/16" 191 22-49/64" 22-61/64" 192 straight belt 16" 193 straight belt 12-7/16" 194 11-21/32" 11-27/32"	10-3/8"   10-3/6"   122   10-25/64"   10-37/64"   125   10-1/2"   10-11/16"   152   10-41/64"   10-53/64"   129   10-11/16"   10-7/8"   121   10-45/64"   10-57/64"   128   10-61/64"   11-9/64"   133   10-31/32"   11-5/32"   132   132   132   132   132   133   10-31/32"   11-5/32"   132	17-37/64

# IT PAYS TO BUY G-C RADIO DIAL BELTS

Millions of G-C Belts in use as original equipment and as exact replacements. G-C Belts are used by Leading Radio Manufacturers on original equipment.

- Accurately Made
- Uniform Construction
- No Stretch
- No Slips
- No Humps
- · No Weak Joints
- · Best Rubber
- Pliable
- · Stronger
- · Weather Resisting
- · Original Belt Equipment
- Exact Replacements
- . Up-to-Date Listings
- · Tailor-Made Kits\*
- Last Longer Guaranteed

\*Buy a G-C Tailor-Made Dial Belt Kit made up of your exact territorial belt requirements. Sold only through your Jobber. Same price as belt kit listed above.

(The attractive Self-Serve Belt Display pictured at the right is for your convenience in purchasing G-C belts from your distributor. Buy your belts from the G-C Self-Serve Display to get accurately made, trouble-free, and guaranteed belts.)





RADIO DIAL BELTS

ı			
ı	Model No.	G-C	Cut Length
ı		CRAT	
ı			8-27/32"
ı	24BW	108	8-27/32"
ı			8-11/16"
ı	316	109	8-11/16"
ı	AMZ9C	109	8-11/16" 8-11/16"
ı	AM111G		8-11/16"
ı		DMIR	
ı		ght Face	
ı			12-15/32"
۱	AM3-86-	57 139	12-15/32"
ı			12-15/32" 12-15/32"
ı			12-15/32"
ı			12-15/32"
ı	AM6-86-	57 139	12-15/32"
ı	AM7	139	12-15/32"
ı			12-15/32"
ı			.12-15/32‴ .12-15/32‴
ı		t Face C	
ı			12-3/16"
ı			12-3/16"
ı			.12-3/16"
ı			.12-3/16"
•			.12-3/16"
ı	AM6-87-	88 138	.12-3/16"
ı	AM7	138	.12-3/16"
ı			.12-3/16"
ı			.12-3/16" .12-3/16"
ı	F3	139	.12-15/32"
ı	8K	170	.16-31/64"
ı	8KU	170	.16-31/64"
ı	87	170	.16-31/64"
ı	8TU	170	.16-31/64" .17-19/32"
ı			.17-17/32"
ı			.17-19/32"
۱	14-5	169	.17-19/32"
ı	16R	169	.17-19/32"
ı			.17-19/32"
ı	01		.17-19/32" .12-15/32"
ı	139-11A		.17-19/32"
ı	140-165		.17-19/32"
ı	144-11A	169	.17-19/32"
ı	144-165	169	.17-19/32"
		AIRLI	
		ntgomer	
	62-179 62-180		. 9-31/64″ . 9-31/64″
	62-182	163	9-31/64"
	62-185	163	9-31/64" 9-31/64"
	62-187	163	9-31/64‴
	62-190	163	. 9-31/64"
١	62-192		.10-7/16"
	62-194		. 9-31/64"

62-195

62-196

62-197

62-206

62-207

62-209

62-215

62-216

62-218

62-220

62-221

62-223

62-226

62-228

62-249

62-250

.164....

.163..

...164....

..163...

...163...

...163..

..163.

..163...

..163..

.163..

.192..

.192

.....163...

.....192....

.....163...

.....119...

ı	No.	Belt No.	Length
ı	AIR	LINE (C	ont'd)
ı	62-251	123	10-1/16"
1	62-253	123	10-1/16"
ı	62-255	123	10-1/16"
1			10-1/16"
ı		192	
1			8-7/32"
1	62-301X	159	8-7/32"
1			11-15/32"
1	62-307	123	10-1/16"
1	62-308	192	16"
1	62-309	131W	11-15/32"
١	62-316	123	10-1/16"
ı	62-317	123	10-1/16"
ı		192	
ı	62-328	123	10-1/16"
1	62-338	123	10-1/16"
	62-358	184	16-39/64"
ı			16-39/64"
ļ			10-1/16"
ì		192	
1	62-409	192	16"
1	62-416	123	10-1/16"
H	62-418	192	16"
	62-428	123	10-1/16"
į	62-430	123	10-1/16"
i	62-448		16-39/64"
	62-458		16-39/64"
ĺ	A	IRMAS	
			8-27/64"
	AH MOUL		0-27/04

Model

Cut

Model

112-125

670

6705

680

701

801

1001

1101

1102

16SME

19A ..

Belt No.

BELMONT (Cont'd)

112-176 ....107.... 7-7/8"

112-194 ....153.... 8-51/64"

**BOSCH** 

.107.... 7-7/8"

....126....10-1/4"

..129....10-53/64"

...115.... 9-25/64"

..115.... 9-25/64"

......115.... 9-25/64"

CAMDEN

7L-147 .....161.... 7-3/64"

CAPEHART

CASE

......157.... 7-13/64"

..178....12-11/16"

.178....12-11/16"

178....12-11/16"

.178....12-11/16"

.178....12-11/16"

..178....12-11/16"

.178....12-11/16"

.178....12-11/16"

19RSME .....178....12-11/16"

115.... 9-25/64"

.....115.... 9-25/64"

G-C

Cut Length

2-07 10	62-45818416-39/64"
2-3/16"	AIRMASTER
2-3/16"	
2-3/16"	All Models114 8-27/64"
2-3/16"	ARVIN
2-3/16"	61718517-1/8"
2-3/16"	617B18517-1/8"
2-15/32"	618B14714-39/64"
6-31/64"	62718517-1/8"
6-31/64"	627B18517-1/8"
6-31/64"	628B14714-39/64"
6-31/64"	92716517-1/4"
7-19/32"	112716517-1/4"
7-19/32"	123716619-5/8"
7-19/32"	1237D16619-5/8"
7-19/32"	124716619-5/8"
7-19/32"	1247A16619-5/8"
7-19/32"	1247D16619-5/8"
7-19/32"	142716619-5/8"
2-15/32"	1427D16619-5/8"
7-19/32"	Part No.
7-19/32"	28-13838 -14714-39/64"
7-19/32"	Part No.

17-17/32	ran no.			
17-19/32"	28-15647	_185	17-1/8"	
NE	BELMONT			
Ward)	556	126	10-1/4"	
9-31/64"	685	126	10-1/4"	
9-31/64"	686	126	.10-1/4"	
9-31/64"	746A	126	10-1/4"	
9-31/64"	770	126	10-1/4"	
9-31/64"	778	126	10-1/4"	
9-31/64"	786	126	10-1/4"	
10-7/16"	787	126	10-1/4"	
9-31/64"	822	126	10-1/4"	
10-7/16"	845A	126	10-1/4"	
9-31/64"			7-7/8"	
10-7/16"	878A	107	7-7/8"	
9-31/64"	8788	107	7-7/8"	
9-31/64"			8-51/64"	
9-31/64"	947	136	11-37/64"	
9-23/32"	1070	126	10-1/4"	
9-31/64"			10-1/4"	
9-31/64"	1078B	123	10-1/16"	
9-31/64"	1170	107	7-7/8"	
9-31/64"			7-7/8"	
9-31/64"	1170B	107	7-7/8"	
16"	1170C	107	7-7/8"	
16"	1171	153	8-51/64"	
9-31/64"	1172	107	7-7/8"	
16′′	1172A	107	7-7/8"	

				130
			12-11/16"	140
ľ	110RSME.	178	12-11/16"	
	CO	RON	ADO	10-
ı	(Gamb	le Sko	gmo, Inc.)	10.
1	ODM	123	10-1/16"	10.
ı			9-31/64"	
			.10-1/16"	15
ı	457	163	. 9-31/64"	163
ı	516	163	9-31/64"	164
1			7-7/8"	16
			.11-5/32"	
	552	186	14-13/32"	90
	650A	186	14-13/32"	111
			10-1/4"	
			10-1/4"	Α.
	770	126	10-1/4"	AA
	778	.126	_10-1/4"	AB
	787	126	10-1/4"	AC
	810	126	10-1/4"	AE
	822	126	10-1/4"	AF
			8-7/32"	AG
	22CM576	164	10-7/16"	AH
	26FM552	164	10-7/16"	AJ
			9-31/64"	AL
			10-7/16"	ALI
			14-13/32"	AM
			8-7/32"	AP
	17628	126	10-1/4"	AR
			11-5/32"	AS
			10-1/4"	AV
			7-7/8"	AW
			8-51/64"	B .
		ROSI		BF
			11-15/16"	c.
			11-27/32"	D
			11-15/16"	E
			11-15/16"	G
			11-15/16"	H.
			11-15/16"	1
			11-5/32"	K.
	1216	141	11-15/16"	L.
	1316	141	11-15/16"	LLV
	1336	141	11-15/16"	M
	1516	141	11-15/16"	Р.
			7-1/8"	5
			7-1/8"	X.
	1128	194	11-27/32"	Z
	1128N	106	7-7/16"	Al
	1137	158	7-1/8"	Al
			4-44	

1227158 7-1/8"	AA131103 7-21/32"	C139
Manual Tuning	AB17811810-35/64"	<b>C140</b>
Models14111-15/16"	AB18211810-35/64"	C142
Electric Tuning All Models 158 7-1/8"	AB18311810-35/64"	D5
	AB18411810-35/64" AC130104 8-13/64"	D134
CROWE MFG CO.	AC149104 8-13/64"	D138
3187167 9" 348912910-53/64"	AC168104 8-13/64"	D139
359418715-29/64"	AC202104 8-13/64"	D140
3631101 6-29/32"	AE163114 8-27/64"	D142
7457117 9-1/4"	AF171106 7-7/16"	D146
7878110 8-37/64"	AF173106 7-7/16"	P117
7879102 7-5/64"	AF176106 7-7/16"	F122
9824107 7-7/8"	AF179106 7-7/16"	F133
9905114 8-27/64"	AF180106 7-7/16"	F135
1030515412-7/32" 10565105 7-11/16"	AF185106 7-7/16" AG15111810-35/64"	G4
1111714412-21/32"	AH162106 7-7/16"	G1 27
11165116 9-1/2"	AH165156 7-15/32"	H5
11175107 7-7/8"	AH166106 7-7/16"	HSL .
1270418819-59/64"	AH171106 7-7/16"	H130
13628119 9-23/32"	AH173106 7-7/16"	H137
1363612310-1/16"	AH174106 7-7/16"	J106 K106
1375519017-13/16" 1376219122-61/64"	AH176106 7-7/16"	K116
1384118918-11/16"	AH179156 7-15/32" AH180106 7-7/16"	K121
1403915210-11/16"	AH185106 7-7/16"	K123
DE JUR AMSCO	AJ130104 8-13/64"	LAC4
10-608101 6-29/32"	AJ137104 8-13/64"	LAC5
10-60913611-37/64"	AJ149104 8-13/64"	L117
DETROLA	AL130104 8-13/64"	L1171
15513611-37/64"	AL132104 8-13/64"	L122
16313511-3/16"	AL149104 8-13/64"	L122
16413511-3/16"	AL164104 8-13/64"	L133
16513511-3/16"	AL168104 8-13/64" AL202104 8-13/64"	L135
DEWALD	ALLW130156 7-15/32"	L135
90114111-15/16"	ALLW132156 7-15/32"	L137
110214111-15/16"	ALLW149156 7-15/32"	L141
EMERSON A104 8-13/64"	ALLW168156 7-15/32"	L1411
A104 8-13/64"	AM131103 7-21/32"	L143
AA103 7-21/32"	AM153103 7-21/32"	L1431
AA103 7-21/32" AB11810-35/64"	AM153103 7-21/32" AM169103 7-21/32"	L1431
AA1037-21/32"  AB11810-35/64"  AC1048-13/64"  AE1148-27/64"	AM153103 7-21/32" AM169103 7-21/32" AM187103 7-21/32"	L1431
AA	AM153103 7-21/32" AM169103 7-21/32" AM187103 7-21/32" AP165156 7-15/32"	L1431 L150 M134
AA	AM153103 7-21/32" AM169103 7-21/32" AM187103 7-21/32" AP165156 7-15/32" AP166156 7-15/32"	L1431 L150 M134 M136 M139 M140
AA 103	AM153103 7-21/32" AM169103 7-21/32" AM187103 7-21/32" AP165156 7-15/32"	L1437 L150 M134 M136 M139 M140 M142
AA 103	AM153103 7-21/32" AM169103 7-21/32" AM187103 7-21/32" AP165156 7-15/32" AP171156 7-15/32"	L1431 L150 M134 M136 M139 M140 M142 M146
AA 103	AM153103 7-21/32" AM169103 7-21/32" AM187103 7-21/32" AP165156 7-15/32" AP171156 7-15/32" AP173156 7-15/32" AP174156 7-15/32" AP176156 7-15/32" AP176156 7-15/32"	L1437 L150 M134 M136 M139 M140 M142 M146 P117
AA 103	AM153103 7-21/32" AM169103 7-21/32" AM187103 7-21/32" AP165156 7-15/32" AP171156 7-15/32" AP173156 7-15/32" AP174156 7-15/32" AP176156 7-15/32" AP177156 7-15/32" AP177156 7-15/32"	L1437 L150 M134 M136 M139 M140 M142 M146 P117
AA 103	AM153103 7-21/32" AM169103 7-21/32" AM187103 7-21/32" AP165156 7-15/32" AP171156 7-15/32" AP173156 7-15/32" AP174156 7-15/32" AP176156 7-15/32" AP177156 7-15/32" AP180156 7-15/32"	L1431 L150 M134 M136 M139 M140 M142 M146 P117 P135
AA 103	AM153103	L1437 L150 M134 M136 M139 M140 M142 M146 P117
AA 103 7-21/32"  AB 118 10-35/64"  AC 104 8-13/64"  AF 106 7-7/16"  AG 118 10-35/64"  AH 106 7-7/16"  AJ 104 8-13/64"  AL 104 8-13/64"  AL 104 8-13/64"  AL 105 7-15/32"  AM 103 7-21/32"  AP 156 7-15/32"  AR 106 7-7/16"  AS 106 7-7/16"	AM153103 7-21/32" AM169103 7-21/32" AM187103 7-21/32" AP165156 7-15/32" AP171156 7-15/32" AP173156 7-15/32" AP174156 7-15/32" AP176156 7-15/32" AP177156 7-15/32" AP180156 7-15/32" AP180156 7-15/32" AP185156 7-15/32" AP185156 7-15/32" AR165106 7-7/16"	L1431 L150 M134 M136 M139 M140 M142 M146 P117 P135 S7
AA 103 7-21/32"  AB 118 10-35/64"  AC 104 8-13/64"  AF 106 7-7/16"  AG 118 10-35/64"  AH 106 7-7/16"  AJ 104 8-13/64"  AL 104 8-13/64"  AL 104 8-7-15/32"  AM 103 7-21/32"  AP 156 7-7/16"  AS 106 7-7/16"  AV 155 7-23/32"	AM153103 7-21/32" AM169103 7-21/32" AM187103 7-21/32" AP165156 7-15/32" AP171156 7-15/32" AP173156 7-15/32" AP174156 7-15/32" AP177156 7-15/32" AP177156 7-15/32" AP180156 7-15/32" AP180156 7-15/32" AP180156 7-15/32" AP180156 7-15/32" AP180156 7-15/32" AP180156 7-15/32" AP181156 7-7/16" AR166106 7-7/16"	L1431 L150 M134 M136 M139 M140 M142 M146 P117 P135 S7 S50 S134
AA 103 7-21/32"  AB 118 10-35/64"  AC 104 8-13/64"  AE 114 8-27/64"  AF 106 7-7/16"  AJ 104 8-13/64"  AL 104 8-13/64"  AL 104 8-13/64"  AL 105 7-15/32"  AP 156 7-15/32"  AR 106 7-7/16"  AS 106 7-7/16"  AV 155 7-23/32"  AW 156 7-15/32"	AM153103 7-21/32" AM169103 7-21/32" AM187103 7-21/32" AP165156 7-15/32" AP171156 7-15/32" AP173156 7-15/32" AP174156 7-15/32" AP176156 7-15/32" AP177156 7-15/32" AP180156 7-15/32" AP185156 7-15/32" AP185156 7-15/32" AP185156 7-15/32" AR165106 7-7/16" AR166106 7-7/16" AR171106 7-7/16"	L1431 L150 M134 M136 M139 M140 M142 M146 P117 P135 S7 S50 S134 S138 S139 S140
AA 103	AM153103 7-21/32" AM169103 7-21/32" AM187103 7-21/32" AP165156 7-15/32" AP171156 7-15/32" AP173156 7-15/32" AP174156 7-15/32" AP177156 7-15/32" AP177156 7-15/32" AP180156 7-15/32" AP180156 7-15/32" AP180156 7-15/32" AP180156 7-15/32" AP180156 7-15/32" AP180156 7-15/32" AP181156 7-7/16" AR166106 7-7/16"	L143' L150 M134 M136 M139 M140 M142 M146 P117 P135 S7 S50 S134 S138 S139 S140 S147
AA 103 7-21/32"  AB 118 10-35/64"  AC 104 8-13/64"  AE 114 8-27/64"  AF 106 7-7/16"  AJ 104 8-13/64"  AL 104 8-13/64"  AL 104 8-13/64"  AL 105 7-15/32"  AP 156 7-15/32"  AR 106 7-7/16"  AS 106 7-7/16"  AV 155 7-23/32"  AW 156 7-15/32"	AM153103 7-21/32" AM169103 7-21/32" AM187103 7-21/32" AP165156 7-15/32" AP171156 7-15/32" AP173156 7-15/32" AP174156 7-15/32" AP176156 7-15/32" AP177156 7-15/32" AP180156 7-15/32" AP185156 7-15/32" AP185156 7-15/32" AR165106 7-7/16" AR171106 7-7/16" AR173156 7-15/32" AR174106 7-7/16" AR176106 7-7/16" AR176106 7-7/16"	L1431 L150 M134 M136 M139 M140 M142 M146 P117 P135 S7 S50 S134 S138 S139 S140 S147 S151
AA 103 7-21/32"  AB 118 10-35/64"  AC 104 8-13/64"  AF 106 7-7/16"  AG 118 10-35/64"  AH 106 7-7/16"  AJ 104 8-13/64"  AL 104 8-13/64"  AL 104 8-13/64"  AL 105 7-15/32"  AM 103 7-21/32"  AR 106 7-7/16"  AS 106 7-7/16"  AV 155 7-23/32"  BW 156 7-15/32"  BW 156 7-15/32"  BW 156 7-15/32"  BW 7-21/32"  BF 103 7-21/32"	AM153103 7-21/32" AM169103 7-21/32" AM187103 7-21/32" AP165156 7-15/32" AP171156 7-15/32" AP173156 7-15/32" AP174156 7-15/32" AP176156 7-15/32" AP177156 7-15/32" AP180156 7-15/32" AP185156 7-15/32" AP185156 7-15/32" AR165106 7-7/16" AR171106 7-7/16" AR173156 7-15/32" AR174106 7-7/16" AR177106 7-7/16" AR177106 7-7/16"	L1431 L150 M134 M136 M139 M140 M142 M146 P117 P135 S7 S50 S134 S138 S139 S140 S147 S151 X146
AA 103 7-21/32"  AB 118 10-35/64"  AC 104 8-13/64"  AE 114 8-27/64"  AF 106 7-7/16"  AI 104 8-13/64"  AI 104 8-13/64"  AI 104 8-13/64"  AI 107 8-13/64"  AI 107 8-13/64"  AI 106 7-7/16"  AS 106 7-15/32"  AR 106 7-7/16"  AS 106 7-7/16"  C 118 10-35/64"  D 118 10-35/64"  F 103 7-21/32"	AM153	L1431 L150 M134 M136 M139 M140 M142 M146 P117 P135 S7 S50 S134 S138 S139 S140 S147 S151
AA 103 7-21/32" AB 118 10-35/64" AC 104 8-13/64" AE 114 8-27/64" AF 106 7-7/16" AG 118 10-35/64" AH 106 7-7/16" AJ 104 8-13/64" ALLW 156 7-15/32" AM 103 7-21/32" AP 156 7-15/32" AR 106 7-7/16" AS 106 7-7/16" AS 106 7-7/16" AV 155 7-23/32" BW 156 7-15/32" C 118 10-35/64" F 103 7-21/32" G 103 7-21/32" G 103 7-21/32"	AM153	L143 L150 M134 M136 M139 M140 M142 M146 P117 P135 S7 S50 S134 5138 S140 S147 S151 X146 X175
AA 103 7-21/32" AB 118 10-35/64" AC 104 8-13/64" AF 106 7-7/16" AG 118 10-35/64" AH 106 7-7/16" AJ 104 8-13/64" AL 104 8-13/64" AL 104 8-13/64" AL 105 7-15/32" AP 156 7-15/32" AR 106 7-7/16" AS 106 7-7/16" AV 155 7-23/32" BF 103 7-21/32" BF 103 7-21/32" C 118 10-35/64" F 103 7-21/32" G 103 7-21/32" H 104 8-13/64"	AM153	L143' L150 M134 M136 M139 M140 M142 M146 P117 P135 S7 S50 S134 5138 S140 S147 S151 X146 X175 X178
AA 103 7-21/32" AB 118 10-35/64" AC 104 8-13/64" AE 114 8-27/64" AF 106 7-7/16" AG 118 10-35/64" AI 104 8-13/64" AI 104 8-13/64" AI 104 8-13/64" AI 1056 7-15/32" AP 156 7-15/32" AR 106 7-7/16" AS 106 7-7/16" AV 155 7-23/32" AW 156 7-15/32" B 103 7-21/32" C 118 10-35/64" D 118 10-35/64" F 103 7-21/32" G 103 7-21/32" G 103 7-21/32" H 104 8-13/64" J 161 7-3/64"	AM153	L143) L150 M134 M136 M139 M140 M142 M146 P117 P135 S7 S50 S134 S139 S140 S147 S151 X146 X175 X178 X183 Z117 Z122
AA 103 7-21/32" AB 118 10-35/64" AC 104 8-13/64" AF 106 7-7/16" AG 118 10-35/64" AI 106 7-7/16" AJ 104 8-13/64" AL 104 8-13/64" AL 104 8-13/64" AL 105 7-15/32" AP 156 7-15/32" AR 106 7-7/16" AS 106 7-7/16" AV 155 7-23/32" B 103 7-21/32" B 103 7-21/32" C 118 10-35/64" C 118 10-35/64" F 103 7-21/32" H 104 8-13/64" J 161 7-3/64" K 102 7-5/64"	AM153	L143) L150 M134 M136 M139 M140 M142 M146 P117 P135 S57 S50 S134 S138 S139 S140 S147 S151 X146 X175 X178 X183 Z117 Z122 Z133
AA 103 7-21/32" AB 118 10-35/64" AC 104 8-13/64" AE 114 8-27/64" AF 106 7-7/16" AG 118 10-35/64" AI 104 8-13/64" AI 104 8-13/64" AI 104 8-13/64" AI 1056 7-15/32" AP 156 7-15/32" AR 106 7-7/16" AS 106 7-7/16" AV 155 7-23/32" AW 156 7-15/32" B 103 7-21/32" C 118 10-35/64" D 118 10-35/64" F 103 7-21/32" G 103 7-21/32" G 103 7-21/32" H 104 8-13/64" J 161 7-3/64"	AM153	L143' L150 M134 M136 M139 M140 M142 M146 M145 S7 S134 S138 S139 S140 S147 S151 X146 X177 X178 X183 Z117 Z122 Z133 Z135
AA 103 7-21/32"  AB 118 10-35/64"  AC 104 8-13/64"  AF 106 7-7/16"  AG 118 10-35/64"  AH 106 7-7/16"  AJ 104 8-13/64"  AL 104 8-13/64"  AL 105 7-15/32"  AM 103 7-21/32"  AR 106 7-7/16"  AS 106 7-7/16"  AS 106 7-7/16"  AS 106 7-7/16"  AU 155 7-23/32"  AV 155 7-23/32"  B 103 7-21/32"  C 118 10-35/64"  D 118 10-35/64"  F 103 7-21/32"  G 103 7-21/32"  H 104 8-13/64"  K 102 7-5/64"  L 103 7-21/32"	AM153	L143) L150 M134 M136 M139 M140 M142 M146 P117 P135 S7  S50 S134 S139 S140 S147 S151 X146 X175 X178 X183 Z117 Z122 Z133 Z135 Z141
AA 103 7-21/32" AB 118 10-35/64" AC 104 8-13/64" AF 106 7-7/16" AG 118 10-35/64" AH 106 7-7/16" AI 104 8-13/64" AL 104 8-13/64" AL 105 7-15/32" AM 103 7-21/32" AP 156 7-15/32" AP 156 7-15/32" AP 156 7-15/32" AF 106 7-7/16" AV 155 7-23/32" AV 155 7-23/32" C 118 10-35/64" F 103 7-21/32" C 118 10-35/64" F 103 7-21/32" H 104 8-13/64" I 102 7-5/64" I 102 7-5/64" I 103 7-21/32" I 103 7-21/32" I 104 8-13/64" I 105 7-7/16" M 118 10-35/64" M 106 7-7/16" M 118 10-35/64" P 174 7-15/16"	AM153	L143' L150 M134 M136 M139 M140 M142 M146 M145 S7 S134 S138 S139 S140 S147 S151 X146 X177 X178 X183 Z117 Z122 Z133 Z135
AA 103 7-21/32"  AB 118 10-35/64"  AC 104 8-13/64"  AF 106 7-7/16"  AG 118 10-35/64"  AH 106 7-7/16"  AI 104 8-13/64"  AL 104 8-13/64"  AL 105 7-15/32"  AM 103 7-21/32"  AP 156 7-15/32"  AR 106 7-7/16"  AV 155 7-23/32"  AW 156 7-15/32"  B 103 7-21/32"  C 118 10-35/64"  F 103 7-21/32"  G 103 7-21/32"  G 103 7-21/32"  G 103 7-21/32"  K 106 7-5/64"  L 103 7-21/32"  K 102 7-5/64"  K 102 7-5/64"  M 118 10-35/64"  P 174 7-15/16"  S 159 8-7/32"	AM153	L143) L150 M134 M136 M139 M1402 M142 P117 P135 S7  S50 S134 S138 S147 S147 S147 S147 S147 S147 S147 S147
AA 103 7-21/32" AB 118 10-35/64" AC 104 8-13/64" AE 114 8-27/64" AF 106 7-7/16" AI 104 8-13/64" AI 104 8-13/64" AI 104 8-13/64" AI 107 8-13/64" AI 107 8-13/64" AI 108 7-15/32" AR 106 7-7/16" AS 106 7-15/32" AW 156 7-15/32" B 103 7-21/32" C 118 10-35/64" F 103 7-21/32" G 103 7-21/32" G 103 7-21/32" G 103 7-21/32" G 103 7-21/32" IN 104 8-13/64" IN 105 7-5/64" IN 106 7-7/16" M 118 10-35/64" F 103 7-21/32" IN 106 7-7/16" M 118 10-35/64" F 103 7-21/32" IN 106 7-7/16" M 118 10-35/64" F 103 7-21/32" IN 106 7-7/16" M 118 10-35/64" F 174 7-15/16" S 159 8-7/32" X 118 10-35/64"	AM153 103. 7-21/32" AM169 103. 7-21/32" AM187 103. 7-21/32" AP165 156. 7-15/32" AP171 156. 7-15/32" AP174 156. 7-15/32" AP176 156. 7-15/32" AP177 156. 7-15/32" AP177 156. 7-15/32" AP178 156. 7-15/32" AP178 156. 7-15/32" AP179 156. 7-15/32" AP180 156. 7-15/32" AR165 106. 7-7/16" AR171 106. 7-7/16" AR171 106. 7-7/16" AR176 106. 7-7/16" AR177 106. 7-7/16" AR180 106. 7-7/16" AR180 106. 7-7/16" AR180 106. 7-7/16" AR180 106. 7-7/16" AR193 155. 7-23/32" AW171 156. 7-15/32" AW173 156. 7-15/32" AW173 156. 7-15/32" AW174 156. 7-15/32" AW176 156. 7-15/32" AW176 156. 7-15/32" AW176 156. 7-15/32" AW185 156. 7-15/32"	L143) L150 M134 M136 M139 M1402 M1462 M1465 S7 S50 S134 S140 S147 S147 S147 S147 S147 S147 S147 S147
AA 103 7-21/32"  AB 118 10-35/64"  AC 104 8-13/64"  AF 106 7-7/16"  AG 118 10-35/64"  AH 106 7-7/16"  AI 104 8-13/64"  AL 104 8-13/64"  AL 105 7-15/32"  AM 103 7-21/32"  AP 156 7-15/32"  AR 106 7-7/16"  AV 155 7-23/32"  AW 156 7-15/32"  B 103 7-21/32"  C 118 10-35/64"  F 103 7-21/32"  G 103 7-21/32"  G 103 7-21/32"  G 103 7-21/32"  K 106 7-5/64"  L 103 7-21/32"  K 102 7-5/64"  K 102 7-5/64"  M 118 10-35/64"  P 174 7-15/16"  S 159 8-7/32"	AM153	L143) L150 M134 M136 M139 M140 M142 M146 S50 S138 S139 S140 S147 S151 X146 X175 X178 X183 Z117 Z122 Z133 Z135 Z141 Z143 Z150 Z159

348912910-53/64"	AC168104 8-13/64"	D13911810-35/64"
359418715-29/64"	AC202104 8-13/64"	D14011810-35/64"
3631101 6-29/32"	AE163114 8-27/64"	D14211810-35/64"
7457117 9-1/4"	AF171106 7-7/16"	D14611810-35/64"
7878110 8-37/64"	AF173106 7-7/16"	P117103 7-21/32"
7879102 7-5/64"	AF176106 7-7/16"	F122103 7-21/32"
9824107 7-7/8"	AF179106 7-7/16"	F133103 7-21/32"
9905114 8-27/64"		F135103 7-21/32"
	AF180106 7-7/16"	F141103 7-21/32"
1030515412-7/32"	AF185106 7-7/16"	
10565105 7-11/16"	AG15111810-35/64"	G4103 7-21/32"
1111714412-21/32"	AH162106 7-7/16"	G127103 7-21/32"
11165116 9-1/2"	AH165156 7-15/32"	H5104 8-13/64"
11175107 7-7/8"	AH166106 7-7/16"	H5L104 8-13/64"
1270418819-59/64"	AH171106 7-7/16"	H130104 8-13/64"
13628119 9-23/32"	AH173106 7-7/16"	H137104 8-13/64"
1363612310-1/16"	AH174106 7-7/16"	J106161 7-3/64"
1375519017-13/16"	AH176106 7-7/16"	K106102 7-3/32"
1376219122-61/64"	AH179156 7-15/32"	K116102 7-5/64"
1384118918-11/16"	AH180106 7-7/16"	K121102 7-5/64"
1403915210-11/16"	AH185106 7-7/16"	K123102 7-5/64"
		LAC4103 7-21/32"
DE JUR AMSCO	AJ130104 8-13/64"	LAC5103 7-21/32"
10-608101 6-29/32"	AJ137104 8-13/64"	L117103 7-21/32"
10-60913611-37/64"	AJ149104 8-13/64"	
DETROLA	AL130104 8-13/64"	L117LW106 7-7/16 "
15513611-37/64"	AL132104 8-13/64"	L122103 7-21/32"
16313511-3/16"	AL149104 8-13/64"	L122LW106 7-7/16"
16413511-3/16"	AL164104 8-13/64"	L133103 7-21/32"
16513511-3/16"	AL168104 8-13/64"	L133LW106 7-7/16"
	AL202104 8-13/64"	L135103 7-21/32"
DEWALD	ALLW130156 7-15/32"	L135LW106 7-7/16"
90114111-15/16"	ALLW132156 7-15/32"	L137103 7-21/32"
110214111-15/16"	ALLW149156 7-15/32"	L141103 7-21/32"
EMERSON	ALLW168156 7-15/32"	L141LW106 7-7/16"
A104 8-13/64"	AM131103 7-21/32"	L143103 7-21/32"
AA103 7-21/32"	AM153103 7-21/32"	L143W103 7 21/32"
AB11810-35/64"	AM169103 7-21/32"	L150103 7-21/32"
AC104 8-13/64"	AM187103 7-21/32"	M13411810-35/64"
1 40 404 0 07 // ///		
AE114 8-27/64"		
AF106 7-7/16"	AP165156 7-15/32"	M13611810-35/64"
1	AP165156 7-15/32" AP166156 7-15/32"	M13611810-35/64" M13911810-35/64"
AF106 7-7/16"	AP165156 7-15/32" AP166156 7-15/32" AP171156 7-15/32"	M13611810-35/64" M13911810-35/64" M14011810-35/64"
AF106 7-7/16" AG11810-35/64"	AP165156 7-15/32" AP166156 7-15/32" AP171156 7-15/32" AP173156 7-15/32"	M13611810-35/64" M13911810-35/64" M14011810-35/64" M14211810-35/64"
AF1067-7/16" AG11810-35/64" AH1067-7/16"	AP165156 7-15/32" AP166156 7-15/32" AP171156 7-15/32" AP173156 7-15/32" AP174156 7-15/32"	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64"	AP165	M136
AF	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" ALW 156. 7-15/32"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" ALW 156. 7-15/32" AM 103. 7-21/32" AP 156. 7-15/32"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" ALW 156. 7-15/32" AM 103. 7-21/32" AP 156. 7-15/32" AR 106. 7-7/16"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" ALW 156. 7-15/32" AM 103. 7-21/32" AP 156. 7-15/32"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" ALLW 156. 7-15/32" AM 103. 7-21/32" AP 156. 7-15/32" AR 106. 7-7/16" AS 106. 7-7/16" AV 155. 7-23/32"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104 8-13/64" AL 104 8-13/64" ALLW 156 7-15/32" AM 103 7-21/32" AP 156 7-15/32" AR 106 7-7/16" AS 106 7-7/16" AV 155 7-23/32" AW 156 7-15/32"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" ALLW 156. 7-15/32" AP 156. 7-15/32" AR 106. 7-7/16" AS 106. 7-7/16" AV 155. 7-23/32" AW 156. 7-15/32" B 103. 7-21/32"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" ALW 156. 7-15/32" AP 156. 7-15/32" AR 106. 7-7/16" AS 106. 7-7/16" AY 155. 7-23/32" AW 156. 7-15/32" B 103. 7-21/32" BF 103. 7-21/32"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" ALW 156. 7-15/32" AP 156. 7-15/32" AR 106. 7-7/16" AS 106. 7-7/16" AY 155. 7-23/32" AW 156. 7-15/32" B 103. 7-21/32" BF 103. 7-21/32" C 118. 10-35/64"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" ALW 156. 7-15/32" AP 156. 7-15/32" AR 106. 7-7/16" AS 106. 7-7/16" AY 155. 7-23/32" AW 156. 7-15/32" B 103. 7-21/32" BF 103. 7-21/32" C 118. 10-35/64" D 118. 10-35/64"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" AL 1056. 7-15/32" AM 103. 7-21/32" AR 106. 7-7/16" AS 106. 7-7/16" AV 155. 7-23/32" BF 103. 7-21/32" C 118. 10-35/64" F 103. 7-21/32"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" AL 1056. 7-15/32" AM 103. 7-21/32" AR 106. 7-7/16" AS 106. 7-7/16" AY 155. 7-23/32" AW 156. 7-15/32" BF 103. 7-21/32" C 118. 10-35/64" D 118. 10-35/64" F 103. 7-21/32" G 103. 7-21/32"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" AL 104. 8-13/64" AL 1056. 7-15/32" AM 103. 7-21/32" AR 106. 7-7/16" AS 106. 7-7/16" AY 155. 7-23/32" AW 156. 7-15/32" BF 103. 7-21/32" C 118. 10-35/64" D 118. 10-35/64" F 103. 7-21/32" H 104. 8-13/64"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104 8-13/64" AL 104 8-13/64" AL 104 8-13/64" AL 1056 7-15/32" AM 103 7-21/32" AR 106 7-7/16" AS 106 7-7/16" AY 155 7-23/32" AW 156 7-15/32" BF 103 7-21/32" C 118 10-35/64" D 118 10-35/64" F 103 7-21/32" H 104 8-13/64" J 161 7-3/64"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104 8-13/64" AL 104 8-13/64" AL 104 8-13/64" AL 1056 7-15/32" AM 103 7-21/32" AP 156 7-15/32" AR 106 7-7/16" AV 155 7-23/32" AW 156 7-15/32" B 103 7-21/32" C 118 10-35/64" D 118 10-35/64" F 103 7-21/32" H 104 8-13/64" K 102 7-5/64"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104 8-13/64" AL 104 8-13/64" AL 1056 7-15/32" AM 103 7-21/32" AP 156. 7-15/32" AR 106 7-7/16" AS 106 7-7/16" AV 155 7-23/32" AW 156 7-15/32" B 103 7-21/32" C 118 10-35/64" F 103 7-21/32" H 104 8-13/64" K 102 7-5/64" L 103 7-21/32"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" AL 1056. 7-15/32" AM 103. 7-21/32" AR 106. 7-7/16" AS 106. 7-7/16" AV 155. 7-23/32" AW 156. 7-15/32" BF 103. 7-21/32" C 118. 10-35/64" F 103. 7-21/32" G 103. 7-21/32" G 103. 7-21/32" H 104. 8-13/64" J 161. 7-3/64" K 102. 7-5/64" L 103. 7-21/32" LLW 106. 7-7/16"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" AL 1056. 7-15/32" AM 103. 7-21/32" AR 106. 7-7/16" AV 155. 7-23/32" AW 156. 7-15/32" BF 103. 7-21/32" C 118. 10-35/64" F 103. 7-21/32" G 103. 7-21/32" H 104. 8-13/64" K 102. 7-5/64" L 103. 7-21/32" K 102. 7-5/64" L 103. 7-21/32" K 102. 7-5/64" L 103. 7-21/32" LIW 106. 7-7/16" M 118. 10-35/64"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" AL 1056. 7-15/32" AM 103. 7-21/32" AR 106. 7-7/16" AS 106. 7-7/16" AV 155. 7-23/32" BF 103. 7-21/32" C 118. 10-35/64" F 103. 7-21/32" G 103. 7-21/32" G 103. 7-21/32" K 104. 8-13/64" F 105. 7-5/64" L 106. 7-7/16" M 118. 10-35/64" P 174. 7-15/16"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" AL 1056. 7-15/32" AM 103. 7-21/32" AR 106. 7-7/16" AS 106. 7-7/16" AY 155. 7-23/32" BF 103. 7-21/32" BF 103. 7-21/32" C 118. 10-35/64" F 103. 7-21/32" H 104. 8-13/64" J 161. 7-3/64" K 102. 7-5/64" L 103. 7-21/32" LW 106. 7-7/16" M 118. 10-35/64" P 174. 7-15/16" S 159. 8-7/32"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" AL 104. 8-13/64" AM 103. 7-21/32" AP 156. 7-15/32" AR 106. 7-7/16" AS 106. 7-7/16" AY 155. 7-23/32" AW 156. 7-15/32" B 103. 7-21/32" C 118. 10-35/64" F 103. 7-21/32" H 104. 8-13/64" J 161. 7-3/64" K 102. 7-5/64" L 103. 7-21/32" M 118. 10-35/64" F 174. 7-15/16" S 159. 8-7/32" X 118. 10-35/64"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104. 8-13/64" AL 104. 8-13/64" AL 104. 8-13/64" AR 106. 7-15/32" AR 106. 7-7/16" AS 106. 7-7/16" AY 155. 7-23/32" AW 156. 7-15/32" BF 103. 7-21/32" C 118. 10-35/64" F 103. 7-21/32" H 104. 8-13/64" K 102. 7-5/64" K 102. 7-5/64" K 102. 7-5/64" M 118. 10-35/64" F 174. 7-15/16" S 159. 8-7/32" X 118. 10-35/64" Z 103. 7-21/32" X 118. 10-35/64" F 174. 7-15/16"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104 8-13/64" AL 104 8-13/64" AL 104 8-13/64" AL 1056 7-15/32" AP 156 7-15/32" AR 106 7-7/16" AS 106 7-7/16" AV 155 7-23/32" AW 156 7-15/32" B 103 7-21/32" C 118 10-35/64" D 118 10-35/64" K 102 7-5/64" L 103 7-21/32" H 104 8-13/64" K 102 7-5/64" L 103 7-21/32" M 118 10-35/64" F 174 7-15/16" M 118 10-35/64" P 174 7-15/16" X 118 10-35/64" Z 103 7-21/32" A130 104 8-13/64"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104 8-13/64" AL 104 8-13/64" AL 1056 7-15/32" AM 103 7-21/32" AP 156. 7-15/32" AR 106 7-7/16" AV 155 7-23/32" AW 156. 7-15/32" B 103 7-21/32" C 118 10-35/64" D 118 10-35/64" F 103 7-21/32" H 104 8-13/64" K 102 7-5/64" L 103 7-21/32" LW 106 7-7/16" M 118 10-35/64" P 174 7-15/16" X 118 10-35/64" P 174 7-15/16" X 118 10-35/64" Z 103 7-21/32" A130 104 8-13/64" A132 104 8-13/64"	AP165	M136
AF 106. 7-7/16" AG 118. 10-35/64" AH 106. 7-7/16" AJ 104 8-13/64" AL 104 8-13/64" AL 104 8-13/64" AL 1056 7-15/32" AP 156 7-15/32" AR 106 7-7/16" AS 106 7-7/16" AV 155 7-23/32" AW 156 7-15/32" B 103 7-21/32" C 118 10-35/64" D 118 10-35/64" K 102 7-5/64" L 103 7-21/32" H 104 8-13/64" K 102 7-5/64" L 103 7-21/32" M 118 10-35/64" F 174 7-15/16" M 118 10-35/64" P 174 7-15/16" X 118 10-35/64" Z 103 7-21/32" A130 104 8-13/64"	AP165	M136

G-C Belt No.

EMERSON (Cont'd)

No.

Belt No

EMERSON (Cont'd)

Length

Length

CROSLEY (Cont'd)

Cut Length

.118....10-35/64"

.118....10-35/64"

.118....10-35/64"

..118....10-35/64"

.118....10-35/64"

..118....10-35/64"

.118....10-35/64"

..118....10-35/64"

1217 ......158.... 7-1/8"

Model G-C Cut No. Belt No. Length	Model G-C Cut No. Belt No. Length	Model G-C Cut No. Belt No. Length	Model G-C Cut	Model G-C Cut	Model G-C Cut
FADA (Cont'd)	GAROD (Cont'd)	No. Belt No. Length  KNIGHT (Cont'd)	MAJESTIC (Cont'd)	R. C. A. (Cont'd)	SPARTON (Cont'd)
192109 8-11/16"	160417016-31/64"	81051217016-31/64"	1250-old109 8-11/16"	810T14012-13/32"	53814613-11/16"
193109 8-11/16" 21113011-17/64"	301217016-31/64" 301617016-31/64"	81051517016-31/64" 81051617016-31/64"	1356-new17622-47/64"	810T414012-13/32" 812X13812-3/16"	538X14613-11/16" 547X14613-11/16"
21213812-3/16"	401217016-31/64"	81051717016-31/64"	1356-old17521-1/2" 1656-new17622-47/64"	ACR-111116 9-1/2"	548X14613-11/16"
21613812-3/16"	401617016-31/64"	81051817016-31/64"	1656-old17521-1/2"	RC278A112 8-55/64"	55714714-39/64"
22013011-17/64"	GENERAL ELECTRIC	81052017917-49/64"	With Pulley Idler	RC289A13111-21/64"	55814613-11/16"
270110 8-37/64" 271110 8-37/64"	F107174 7-15/16" F109174 7-15/16"	81052117917-49/64" 81052217917-49/64"	105617622-47/64" 105817622-47/64"	RC290A14012-13/32" RC294112 8-55/64"	558814613-11/16" 5588X14613-11/16"
29013011-17/64"	F135174 7-15/16"	81052317917-49/64"	135617622-47/64"	RC2948112 8-55/64"	558C14613-11/16"
29113011-17/64"	GILFILLAN	81052517917-49/64"	165617622-47/64"	RC31412210-9/16"	558CX14613-11/16"
31113011-17/64" 31213812-3/16"	58X16410-7/16"	81052617917-49/64" 81053717917-49/64"	7182-old106 7-15/32" 17182-new 160 8-7/8"	RC314C113 8-9/32" RC3158111 8-1/8"	558X14613-11/16" 56714714-39/64"
31613812-3/16"	GOODYEAR	81053817917-49/64"	17182-old106 7-7/16"	RC315C111 8-1/8"	56814613-11/16"
FAIRBANKS-	107012610-1/4" 1173153 8-51/64"	81053917917-49/64"	17203161 7-3/64"	RC319814012-13/32"	568X14613-11/16"
MORSE	1174107 7-7/8"	81054017016-31/64"	NORTH ELECT.	RC325111 8-1/8"	57714613-11/16"
GA14312"	112-12512610-1/4"	81054117016-31/64" 81054217016-31/64"	Type One117 9-1/4"	RC325C111 8-1/8" RC325D111 8-1/8"	57814613-11/16" 578X14613-11/16"
5C14312" 5D14312"	112-176107 7-7/8" 112-194153 8-51/64"	81076017917-49/64"	Other Nos15210-11/16"	RC32615115-5/64"	587-214613-11/16"
6A14312"	GRUNOW	81076117917-49/64"	PHILCO 54-719412110-7/8"	RC32718416-39/64"	588-214613-11/16"
6014312"	57313111-21/64"	81076217917-49/64" 81076517917-49/64"	R. C. A.	RC32814111-15/16" RC366111 8-1/8"	61714613-11/16" 62814613-11/16"
7D16813" 8A16813"	63113111-21/64"	81076617917-49/64"	501111 8-1/8"	U101177 7-19/32"	628X14613-11/16"
5817311-5/8"	64313111-21/64" 71113111-21/64"	81076717917-49/64"	502111 8-1/8"	U102E12210-9/16"	637-614613-11/16"
7217311-5/8"	72313111-21/64"	B1077317016-31/64" E1074416917-19/32"	5Q4111 8-1/8"	U103177 7-19/32" U10514012-13/32"	638-614613-11/16"
7317311-5/8"	73113111-21/64"	E1074516917-19/32"	5Q2X111 8-1/8"   858K13111-21/64"	U10614012-13/32"	66714613-11/16" 66814613-11/16"
82109 8-11/16" 90109 8-11/16"	73313111-21/64"	E1085016917-19/32"	858T13111-21/64"	U10714012-13/32"	668X14613-11/16"
9114012-13/32"	73513111-21/64" 82313211-5/32"	E1085116917-19/32"	85876177 7-19/32"	U81314012-13/32"	67814613-11/16"
100109 8-11/16"	83113211-5/32"	E1088016917-19/32" E1088116917-19/32"	85E12210-9/16" 85K177 7-19/32"	3046112910-53/64"	678A14613-11/16" 678X14613-11/16"
110109 8-11/16"	83313211-5/32"	H979112610-1/4"	85K112610-1/4"	31527115 9-25/64" RADIO PRODUCTS	687-614613-11/16"
12014012-13/32"	94113211-5/32"	H979212610-1/4"	85T112 8-55/64"	10305°C015412-7/32"	688-614613-11/16"
7GM-8116 9-1/2"	1191,11G14512-51/64"	H979512610-1/4"	8511177 7-19/32"	11117*0014412-21/32"	727X13411-9/16"
	1192,1191814512-51/64"	LAFAYETTE	85T2113 8-9/32" 85T5111 8-1/8"	13755°CD19017-13/16"	727X-old17311-5/8" 727XD13411-9/16"
GAROD 370119 9-23/32"	119814412-5/8"	822115 9-25/64"	85T8111 8-1/8"	13762*CD19122-61/64" SCOTT	727X0-old _17311-5/8"
370A119 9-23/32"	120114915-13/64" HALLICRAFTERS	83012310-1/16"	851912610-1/4"	Type One119 9-23/32"	728X13411-9/16"
371119 9-23/32"	5T117 9-1/4"	835115 9-25/64"	868K13111-21/64" 868T13111-21/64"	Type Two15210-11/16"	728X-old17311-5/8"
38012410-29/64" 38112910-53/64"	SPA9-1/4"	C4612110-7/8"	86E14012-13/32"	SENTINAL 47-A16410-7/16"	748X14613-11/16" 76813411-9/16"
731119 9-23/32"	\$14119 9-23/32"	(6112110-7/8"	86K14012-13/32"	SILVER MARSHALL	768-old17311-5/8"
731A119 9-23/32"	HOWARD 45018011-1/32"	C6212110-7/8"	86K2111 8-1/8"	84613011-17/64"	77813411-9/16"
803E16410-7/16" 830119 9-23/32"	51814111-15/16"	C6412110-7/8"	86K714012-13/32" 86T13111-21/64"	173113011-17/64"	778-old17311-5/8" 827X13411-9/16"
830A119 9-23/32"	52014111-15/16"	M8313912-15/32" M8413912-15/32"	861113111-21/64"	(Sears Roebuck)	827X-old17311-5/8"
831119 9-23/32"	56514111-15/16" 56814111-15/16"	M8513912-15/32"	8672111 8-1/8"	1930114 8-27/64"	827X013411-9/16"
831A119 9-23/32"	568R14111-15/16"	M8613912-15/32"	86T3111 8-1/8" 86T413111-21/64"	1940114 8-27/64"	827X0-old17311-5/8"
Manual Tuning Models 30918715-29/64"	57514111-15/16"	McMURDO SILVER	86T4413111-21/64"	194114512-51/64" 1956114 8-27/64"	86713411-9/16" 867-old17311-5/8"
90318715-29/64"	58014111-15/16"	All Models117 9-1/4"	8676111 8-1/8"	1970114 8-27/64"	877X13411-9/16"
930119 9-23/32"	718APC14111-15/16"	MAJESTIC	86X	1970A114 8-27/64"	877X-old17311-5/8"
930A119 9-23/32" 120318715-29/64"	718014111-15/16"	65-new161 7-3/64" 65-old177 7-19/32"	86X4177 7-19/32" 87EY13111-21/64"	1978110 8-5/8" 198114512-51/64"	928X13411-9/16" 928X-old17311-5/8"
120418715-29/64"	718FM14111-15/16"	66-new161 7-3/64"	87K14012-13/32"	1981C14512-51/64"	96813411-9/16"
124012010-57/64"	KEYSTONE	66-old177 7-19/32"	87K114012-13/32"	717014512-51/64"	968-old17311-5/8"
1240A12010-57/64" 160318715-29/64"	C-8 Proj16813"  R-8 Proj15016-9/64"	75-new161 7-3/64" 75-old177 7-19/32"	87K214012-13/32" 87T13111-21/64"	7170A14512-51/64" 7221115 9-25/64"	98713411-9/16"
160418715-29/64"	KINGSTON	76-new161 7-3/64"	8711111 8-1/8"	734014512-51/64"	987-old17311-5/8" 997X13411-9/16"
165012010-57/64"	1744714714-39/64"	76-old	871214012-13/32"	12645115 9-25/64"	997X-old17311-5/8"
1650A12010-57/64" 301218715-29/64"	17514104 8-13/64" 17628102 7-5/64"	85-new161 7-3/64" 85-old177 7-19/32"	8717111 8-1/8" 87X13111-21/64"	SIMPLEX	106813411-9/16"
301618715-29/64"	1767613211-5/32"	86-new161 7-3/64"	87Y13111-21/64"	W108 8-27/32"	1068-old17311-5/8" 1068X13411-9/16"
401218715-29/64"	KNIGHT	86-old177 7-19/32"	88K14012-13/32"	SONORA	1068X-old17311-5/8"
401618715-29/64"	11816917-19/32" 11817917-49/64"	650-new161 7-3/64" 650-old177 7-19/32"	88U14012-13/32"	11516917-19/32"	107813411-9/16"
411012010-57/64" 456012010-57/64"	16R17917-49/64"	750-new161 7-3/64"	88W14012-13/32" 88W14012-13/32"	16R16917-19/32" SPARTON	1078-old17311-5/8" 1078x13411-9/16"
514012010-57/64"	16516917-19/32"	750-old177 7-19/32"	95FT111 8-1/8"	51714714-39/64"	1078X-old17311-5/8"
524012010-57/64"	A978814412-21/32"	850-new160 8-7/8"	15315412-7/32"	517814714-39/64"	108412010-57/64"
625012110-7/8" 638518216"	A983012610-1/4"	850-old109 8-11/16" 1050-new160 8-7/8"	153 Osc14012-13/32" 325C174 8"	517W14714-39/64"	116713411-9/16"
Automatic Tuning Models	A983112610-1/4"	1050-old109 8-11/16"	501174 8"	517X14512-51/64" 51814613-11/16"	1167-old17311-5/8" 126813411-9/16"
30917016-31/64"	A985214412-21/32"	1056-new17622-47/64"	502174 8"	518X14613-11/16"	1268-old17311-5/8"
90317016-31/64" 120317016-31/64"	A985314412-21/32"	1056-old17521-1/2"	502X174 8"	527-214613-11/16"	1288LXP13411-9/16"
120417016-31/64"	81051017016-31/64"	1058-new160 8-7/8" 1058-old17521-1/2"	504174 8" 810K14012-13/32"	528-214613-11/16"	1288LXP-
160317016-31/64"	81051117016-31/64"	1250-new160 8-7/8"	810K114012-13/32"	*C - Condenser. *D - Dial.	old17311-5/8"  *M Motor.
		,			

Model G-C Cut	Model G-C Cut	Model G-C Cut
No. Belt No. Length	No. Belt No. Length	No. Belt No. Length
SPARTON (Cont'd)	ZENITH (Cont'd)	ZENITH (Cont'd)
1288P13411-9/16"	5\$151117 9-1/4"	7\$258 *D16813"
1288P-old17311-5/8"	5\$161117 9-1/4"	7\$258 °C115 9-25/64"
156713411-9/16"	5\$233167 9"	7\$260 *D16813"
1567-old17311-5/8"	5\$251167 9"	75260 °C115 9-25/64"
156813411-9/16"	5X230167 9"	7\$261 °D16813"
1568-old17311-5/8"	5X248167 9"	7\$261 °C115 9-25/64"
186713411-9/16"	5X274167 9"	75363115 9-25/64"
1867-old17311-5/8"	6810716813"	8\$3014613-3/8"
STROMBERG-	6812916313"	8\$12916813"
CARLSON	6816416813"	8\$15416813"
All Models15115-5/64"	6J230167 9"	8\$443117 9-1/4"
	6J257167 9"	8\$451117 9-1/4"
TRUETONE	6J436117 9-1/4"	85463 117 9-1/4"
D-69213511-3/16"	6J463 9-1/4"	8\$\$31117 9-1/4"
D-692 late19411-27/32"	6\$27116 9-1/2"	85548115 9-25/64"
D-69413511-3/16"	6\$27A116 9-1/2"	8\$563115 9-25/64"
ULTRAMAR	6529116 9-1/2"	85586115 9-25/64"
66A13111-21/64"	6\$52116 9-1/2"	85587115 9-25/64"
9613111-21/64"	6\$52A116 9-1/2"	8\$\$88115 9-25/64"
96A13111-21/64"	6\$12816813"	8\$647117 9-1/4"
12012710-7/64"	6513716813"	8\$661 117 9-1/4"
80112710-7/64"	6\$14716813"	9\$3012810-31/64"
80212710-7/64"	6\$15216813"	955412810-31/64"
WELLS-GARDNER	6\$15716813"	955512810-31/64"
2016410-7/16"	65203167 9"	9\$203 *D16813"
2D19216"	6\$222167 9"	9\$203 °C13812-3/16"
6F16410-7/16"	6\$223167 9"	9\$203 °M117 9-1/4"
7G163 9-31/64"	6\$229167 9"	95204 *D16813"
90163 9-31/64"	6\$238167 9"	95204 °C13812-3/16"
14131W 11-15/32"	65239167 9"	9\$204 *M117 9-1/4"
15131W 11-15/32"	6\$241167 9"	95222 *D16813"
16131W 11-15/32"	6\$24913812-3/16"	9\$222 °C13812-3/16"
1782131W 11-15/32"	6\$25413311-9/64"	95222 °M117 9-1/4"
17119216"	6\$256133 11-9/64"	95232 *D16813"
17P4131W 11-15/32"	6\$330167 9"	95232 °C138 .12-3/16"
17T1131W 11-15/32"	6\$34113311-9/64"	95232 °M117 9-1/4"
27L19312-7/16"	6\$361 167 9"	9\$242 °D16813"
57E168 13"	6\$36213311-9/64"	95242 °C13812-3/16"
57F12510-9/16"	6V27116 9-1/2"	9\$242 °M117 9-1/4"
A1131W 11-15/32"	6462116 9-1/2"	9\$244 *D16813"
A2131W 11-15/32"	70119117 9-1/4"	9\$244 °C13812-3/16"
A3131W 11-15/32"	70126117 9-1/4"	95244 °M117 9-1/4"
A4131W 11-15/32"	70127117 9-1/4"	9\$262 *D16813"
A5131W 11-15/32"	7D138117 9-1/4"	95262 °C13812-3/16"
OD163 9-31/64"	7D148117 9-1/4 "	9\$262 °M117 9-1/4"
OE19216"	70151117 9-1/4"	9\$263 *D16813"
88A917016-31/64"	7D153117 9-1/4"	
8X35163 9-31/64"	7D162117 9-1/4"	95263 °C13812-3/16"
8X3616410-7/16"	7D168117 9-1/4"	95263 *M117 9-1/4"
8X4219216"	7D178115 9-25/64"	9\$264 *D16813"
8X4619312-7/16"	7D203167 9"	95264 °C13812-3/16"
8X4716813"	7D222167 9"	9\$264 *M117 9-1/4"
8X57131W 11-15/32"	7D223167 9"	9\$30713812-3/16" 9\$32413812-3/16"
8X6217016-31/64"	7D229167 9"	9\$34413812-3/16"
WESTINGHOUSE	7D239 167 9"	95365 °D13812-3/16"
1029X12410-29/64"	7D241167 9"	95365 °M117 9-1/4"
1029Y12410-29/64"	70243167 9"	9\$36713812-3/16"
1230X12410-29/64"	70253167 9"	9\$36913812-3/16"
1230Y12410-29/64"	7J23216813"	10H55117 9-1/4"
	7J25916813"	10H571117 9-1/4"
WILCOX-GAY	7J32313812-3/16"	10H571R117 9-1/4"
6\$1212510-37/64"	7J36813812-3/16"	
A2112510-37/64"	7\$2812810-31/64"	10H573117 9-1/4"
ZENITH	753012810-31/64"	10\$13016813" 10\$14716813"
5F134117 9-1/4"	7\$53 *D12810-31/64"	10515316813"
5F166117 9-1/4"	7553 °C12610-1/4"	10\$1\$\$16813"
5F233167 9"	7\$204 °D16813"	10515616813"
SF251167 9"	7\$204 °C115 9-25/64"	10\$1\$716813"
5\$29157 7-13/64"	7\$232 *D16813"	10\$16016813"
5\$29A101 6-29/32"	7\$232 °C115 9-25/64"	105443117 9-1/4"
5556101 6-29/32"	75240 °D16813"	10\$452117 9-1/4"
5556A101 6-29/32"	75240 °C115 9-25/64"	10\$464117 9-1/4"
5\$119117 9-1/4"	75242 °D16813"	105470117 9-1/4"
5\$126117 9-1/4"	75242 °C115 9-25/64"	105470117 9-1/4"
5\$127117 9-1/4"	*C -Condenser. *D- Dial.	*CCondenser. *D -Dial.
5\$150117 9-1/4"	*M -Motor.	*M—Motor.

	Model G-C Cut No. Belt No. Length	Model G-C Cut No. Belt No. Length
-	ZENITH (Cont'd) 105492117 9-1/4"	ZENITH (Cont'd) 15U246 *D.,168,13"
,	105531117 9-1/4"	15U246 °C13812-3/16"
	105549117 9-1/4"	15U246 °M117 9-1/4"
,	105566117 9-1/4"	15U269 *D.16813"
,	105589117 9-1/4 " 105590117 9-1/4"	15U269 °C13812-3/16" 15U269 °M117 9-1/4"
,	105669117 9-1/4"	15U270 *D.,16813"
	10\$690117 9-1/4"	15U270 °C13812-3/16"
	115474117 9-1/4"	15U270 °M117 9-1/4"
	12A5713912-15/32"	
	12A5813912-15/32" 12H650117 9-1/4"	15U271 °M .117 9-1/4"
	12H670117 9-1/4"	15U272 °D .16813"
	12H671117 9-1/4"	15U272 °C13812-3/16"
1	12H678117 9-1/4"	15U272 °M .117 9-1/4"
,	12H679117 9-1/4" 12H68913812-3/16"	15U273 °D .16813" 15U273 °C13812-3/16"
,	12H69513812-3/16"	15U273 °M11/ 9-1/4"
,	12H69613812-3/16"	16 Tube
	12L5713912-15/32"	Strata13912-15/32'
	12L5813912-15/32" 12S205 *D16813"	16A6113912-15/32′ 16A6313912-15/32′
	125205 °C13812-3/16"	601101 6-29/32'
	125205 *M117 9-1/4"	835160 8-7/8"
1	125232 *D16813"	880160 8-7/8"
	125232 °C.13812-3/16"	881160 8-7/8" 885160 8-7/8"
	125232 °M .117 9-1/4" 125245 °D16813"	90112910-53/64"
	125245 °C13812-3/16"	908101 6-29/32"
1	125245 *M117 9-1/4"	\$908101 6-29/32"
	125265 *D16813"	909101 6-29/32
	125265 °C13812-3/16"	\$909101 6-29/32" 935160 8-7/8"
ı	12\$265 *M117 9-1/4" 12\$266 *D16813"	945101 6-29/32"
	125266 °C13812-3/16"	950101 6-29/32"
	125266 °M117 9-1/4"	960101 6-29/32"
1	12\$267 °D16813"	961101 6-29/32" \$961101 6-29/32"
-	12\$267 *C.13812-3/16" 12\$267 *M117 9-1/4"	\$9061161 7-3/64"
1	125268 *D16813"	97012810-31/64"
ı	125268 *C13812-3/16"	97512810-31/64"
	125268 °M.117 9-1/4"	978160 8-7/8" 980160 8-7/8"
ı	12534513812-3/16" 12537013812-3/16"	983160 8-7/8"
1	12537013812-3/16"	985160 8-7/8"
1	12\$44513812-3/16"	990160 8-7/8"
	12545313812-3/16"	1000Z14915-13/64" 25 Tube
ı	12547113812-3/16" 12547513812-3/16"	Strato14915-13/64"
ı	12549413812-3/16"	CHASSIS NUMBERS
	12555013812-3/16"	BELOW 8A01115 9-25/64"
1	125550Z13812-3/16"	8A02115 9-25/64"
I	12556813812-3/16"	8A03115 9-25/64"
1	125568E13812-3/16" 125568Z13812-3/16"	8801117 9-1/4"
	125569E13812-3/16"	10A1117 9-1/4" 10A01115 9-25/64"
1	125569713812-3/16"	10A2115 9-25/64"
	12556913812-3/16"	10A2R117 9-1/4"
-	12559513812-3/16" 125595Z13812-3/16"	10A3115 9-25/64"
l	12015814915-13/64"	10A3R117 9-1/4"
l	12015914915-13/64"	1081117 9-1/4"
l	155308 *D13812-3/16"	1082117 9-1/4"
ſ	155308 °M117 9-1/4"	1001160 8-7/8"
и.	15\$346 *D13812-3/16" 15\$346 *M117 9-1/4"	100416813" 1005117 9-1/4"
	155372 *D13812-3/16"	1029Y16410-7/16"
	15\$372 *M117 9-1/4"	1101160 8-7/8"
1	15\$373 °D13812-3/16"	1103117 9-1/4"
	15\$373 °M .117 9-1/4" 15\$479 °D13812-3/16"	1105160 8-7/8" 1117101 6-29/32"
	155479 °M117 9-1/4"	1167101 6-29/32"
1	15\$495 *D13812-3/16"	\$1167101 6-29/32"
,	15\$495 °M117 9-1/4"	12A113812-3/16"
	*C Condenser. *D Dial. *M Motor.	*C—Condenser. *D—Dial. *M -Motor.

G-C

Cut

Model

15U269 °C13812-3/16"	1281117 9-1/4"
15U269 *M117 9-1/4"	128213812-3/16"
15U270 *D16813"	1201160 8-7/8"
15U270 °C13812-3/16"	1201A160 8-7/8"
15U270 °M117 9-1/4"	120213912-15/32"
15U271 °D16813"	1202A13912-15/32"
15U271 °C.13812-3/16"	120314915-13/64"
15U271 °M .117 9-1/4"	1204 °D16813"
15U272 °D .16813"	1204 *C13812-3/16"
15U272 °C13812-3/16"	1204 *M117 9-1/4"
15U272 °M .117 9-1/4"	120613812-3/16"
15U273 °D .16813"	120713812-3/16"
15U273 *C13812-3/16"	148113812-3/16"
15U273 *M11, 9-1/4"	1501 *016813"
16 Tube	1501 °C13812-3/16"
Strata13912-15/32"	1501 °M117 9-1/4"
16A6113912-15/32"	1502 °D13812-3/16"
16A6313912-15/32"	1502 °M117 9-1/4"
601101 6-29/32"	1502A *D13812-3/16"
835160 8-7/8"	1502A *M117 9-1/4"
880160 8-7/8"	1503 °D13812-3/16"
881160 8-7/8"	1503 °M117 9-1/4"
885160 8-7/8"	1601013912-15/32"
90112910-53/64"	1601P13912-15/32"
908101 6-29/32"	228113812-3/16"
\$908101 6-29/32"	250114915-13/64"
909101 6-29/32"	2501C14915-13/64"
\$909101 6-29/32"	2501P14915-13/64"
935160 8-7/8"	5508101 6-29/32"
945101 6-29/32"	5513101 6-29/32"
950101 6-29/32"	5513A101 6-29/32"
960101 6-29/32"	5516117 9-1/4"
9611D1 6-29/32"	5518117 9-1/4"
\$961101 6-29/32"	5522167 9"
\$9061161 7-3/64"	5523167 9"
97012810-31/64"	5614101 6-29/32"
97512810-31/64"	5618101 6-29/32"
978160 8-7/8"	5619116 9-1/2"
980160 8-7/8"	5619A116 9-1/2"
983160 8-7/8"	5621116 9-1/2"
985160 8-7/8"	5627116 9-1/2"
990160 8-7/8"	563416813"
990160 8-7/8" 1000Z14915-13/64"	563416813" 563516813"
990160 8-7/8" 1000Z14915-13/64" 25 Tube	563416813" 563516813" 5638167 9"
990	563416813" 563516813" 56381679" 56421679"
990160 8-7/8" 1000Z14915-13/64" 25 Tube Strato14915-13/64" CHASSIS NUMBERS	563416813" 563516813" 5638167 9" 5642167 9" 564413311-9/64"
990	5634
990	\$634
990	\$634
990	\$634
990	5634
990	5634
990	5634
990	5634
990	5634
990	5634
990	5634
990	5634
990	\$634
990	\$634
990	5634
990	\$634
990	5634
990	5634
990	\$634
990	5634
990	5634
990	5634
990	5634
990	5634
990	5634
990	5634

Cut Length

G-C Belt No.

G-C Belt No.

CHASSIS NOS. (Cont'd) 12A2 ......138...12-3/16"

12A3

12A4

12A6

Cut Length


.138....12-3/16"

.138....12-3/16"

.117.... 9-1/4"

\*Standard







# **G-C DIAL POINTERS**

Popular pointers that will fit on most any set. Easy to replace the damaged or broken pointer. Pointers can be cut shorter to fit small dials

sman	diais.		
	No.		List Price
(a)	*6801 3"	Rotary Pointer	
	for 1/4" shall		\$0.35
(b)	*6802 5"	360° Rotary	
	Pointer for	1/4" shaft,	
	gold and re	d	.35
(c)	*6803 2" !	Slide Pointer,	
	red transluc	ent	.25
(d)	*6804 21/4	" Slide Pointer	r.
	white enam	el	.25
	6810 Kit	of 10 pointers	

in plastic case 2.95
Standard Jobber's Quantity 20 Pointers on Card Display. Add suffix "D" to Part No.

# G-C DIAL POINTER KIT

Here is a complete kit of 10 assorted dial pointers. Pointers come in a clear transparent plastic case which keeps the pointers in perfect condition.


No.		List Price
6810	Kit of 10 poi plastic case	nters in \$2.95

# G-C PLASTIC CRYSTAL

Plastic unbreakable crystal is available in flat sheets in size listed. Can be used on radio dials, clocks, dash board, where odd shapes and sizes make it difficult to replace with glass. This material can be cut to size, fitted and cemented into place. It is crystal

No.					List Price
92	8"	x	10"	Flat	1.45





# G-C RADIO AND PHONOGRAPH RUBBER DRIVES

Very necessary replacement item to replace worn drives on dials, phono motors, turn-tables, motors, etc. G-C can supply drives for every set. If size is not listed, send old sample, giving model number, make of set.

No. List Price
*1024-S-EEnv. Assortment of
5 Small Dial Drives \$0.40
*1024-L-FEnv. Assortment of
5 Large Dial Drives .40
*1024-E Env. Assortment of
10 Dial Drives .80
1025 Box of 25 Asst. Drives 1.50
1026 Box of 100 Asst. Drives 6.00
* 1 AK Small \$0.10 * 2 AK Large
* 2 AK Large .10 * 3 Stewart-Warner .10
* 4 Kennedy, Wells-Gardner .10
* 5 Stewart-Warner .10
* 6 R.C.A10
Jiewait-Wainer .10
* 9 Atwater-Kent 10
*10 Stewart-Warner .10
*11 Large Atwater-Kent .10
*12 Emerson-Majestic .10 *13 Small Ak .10
*13 Small Ak .10 *15 Philco .25
*16 Ceneral Industries RX-LX .25
*17 Alliance 80, Admiral, Philco,
VM, Gen. Ind., Seeburg, etc25 R.C.A15
*19 Philco, R.C.A. etc 15
*20-E Detrola, Rubber Type .40
*20-1-E Spring for Detrola 550,
Utah, Trela, etc50 *21-A General Electric .15
*22 R.C.A. RP-176,
GE 809-J, large tire 1.00
*23 R.C.A. RP-176, GE 809-J, rim drive .20
*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).
(For specifications on drives and additional
displays, see Page 62)

# G-C RADIO DIAL GLASS, CLOCK AND INSTRUMENT CRYSTALS

"For Replacement of All Glass Crystals"

Round convex replacement glass crystals for radios, clocks, auto radios, instruments, panels, dash board, thermostats, etc. Sixty-one sizes. Available individually or in assortments. Keep a couple assortments on hand.

No.	Diam.	List Price	No.	Diam.	List Price
25	1 3/4 "	\$0.50	55	.5 5/8"	\$0.60
26	1 7/8 "	50		53/4"	
26A	2" 2½"	50		5 7/8 "	
27	2 1/8 "	50		.6"	
	2 1/4"			61/8"	
29	2 3/8 "	50		61/4"	
30	2 1/2 "	50	• • • • • • • • • • • • • • • • • • • •		
31	2 5/8 "	50		63/8"	
32	23/4"	50		61/2"	
33	27/8″	50		.65%"	
35	3"	50		.67/8"	
36	3 ½" 3 ¼"			. 6 <sup>3</sup> / <sub>4</sub> "	
37	33/8"	50			
38	3 1/2 "	50	68	7 1/8"	70
39	3 1/2	50	69	7 3/8 "	70
40	33/4"	50		7 1/2 "	
	3 7/8 "			7 5/a"	
	4"			73/4"	
43	41/8"	60		7 1/8"	
44	41/4"	60	74	8"	70
45	4 3/8 "	60	75	81/8"	75
46	4 1/2"	60		81/4"	
47	4 5/8"	60	77	8 3/8"	75
48	4 3/4 "	60	78	8 1/2"	75
49	4 7/8 "	60		.85/8"	
50		60		.83/4"	
51	5 1/8"	60	81	8 7/8"	75
52	5 1/4 "	60	82	9"	75
	5 3/8 "		83	.91/8"	75
54	5½"	60	84	.91/4"	75
No.					List Price
DC65	Assorted Kit of 65	Crystals			\$35.00

Assortment 25 Most Popular Crystals

DC25

12.50

Kits made up of molded plastic knobs of new modern design, walnut and ivory patterns. It's easy to replace knobs when you have a G-C knob assortment kit. Servicemen need knob replacement kits so as to be prepared for every unexpected service job. Carry a knob kit with you on the job. Kit of knob springs and needle cup included Free in every kit.

No.				List Price
1140	35	Assorted	Push-On Knobs	\$3.95
1141	28	Assorted	Spring Knobs	3.95
1142	24	Assorted	Set Screw Knobs	3.95
1143	30	Assorted	All Type Knobs	3.95
1144	15	Assorted	Auto Radio Knobs	
	for	1/4" and	3/16" Shafts	3.95





# G-C RADIO KNOB FELTS

Brown felt washers, such as used behind Radio Knobs to prevent scratching and rubbing on cabinet. It almost makes a good pad to put under cabinets to prevent scratching.

No.		List Price
*1065 EEnvelope	50 Felts	\$0.40
6641 Hardware	Lab Jar	
70 Knob	Felts	.65

\*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D)



# G-C RADIO KNOB SET SCREWS

Accurate machined set screws made of steel, hardened, cup point slotted head for radio knobs, pulleys, bushings, etc. Assortments contain various lengths of 6/32, 8/32 and 10/32 slotted cup point set screws.

No.			L	ist Price
1060 50	Assorted	Set	Screws	\$1.00
1061 100	Assorted	Set	Screws	1.80
*1062-E 20	Assorted	Set	Screws	
in E	nvelope			.40

6605 Hardware Lab Jar 30 Asst. Knob Set Screws .65

\*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).



# G-C KNOB PULLER

Here's what all Servicemen need for removing radio knobs. You can easily remove those knobs that are hard to grip. Simply slip the G-C puller behind the knob and pull it off. Saves time, the cabinet and the knob. Have one in your shop and in your tool kit! Every Serviceman should have this.

No.		List Price
1063	Knob Puller	\$0.25
1063-D	Display 24 Pullers	6.00



# G-C KNOB SPRING KITS

Kits of 12 different type knob springs or wedges to fit all types of knobs. Made of tempered spring steel, a very handy kit for every Service Man.

No.		List Price
*1049-E20	Assorted in Envelope	\$0.40
1050 Kit	of 35 Springs	.70
1051 Kit	of 100 Springs	1.35
6619 Hai	rdware Lab Jar	
35	Assorted	.65

\*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).



# G-C RADIO PUSH-ON KNOB SPRINGS AND WEDGES

Knob Springs for All Types of Knobs

No.		Style	Length	Width	ListPrice
*6460	Env. of 20	K1, Light	7/16"	9/32"	\$0.40
*6461	Env. of 20	K2, Heavy	7/16"	9/32"	.40
*6462	Env. of 20	К3	5/16"	9/32"	.40
*6463	Env. of 20	K4	5/32"	3/8"	.40
*6464	Env. of 20	K5	13/32"	7/32"	.40
*6465	Env. of 10	K6	3/8"	9/32"	.40
*6466	Env. of 10	K6-S	1/4"	9/32"	.40
*6467	Env. of 20	К7	1/2"	9/32"	.40
*6468	Env. of 20	K8	3/8"	9/32"	.40
*6469	Env. of 20	К9	1/4"	11/32"	.40
•6470	Env. of 20	K10	3/8"	3/8"	.40
*6471	Env. of 20	K11	7/16"	3/8"	.40
*6472	Env. of 20	K12	7/16"	3/8"	.40
6619	Hardware Lab	Jar 35 Knob S	prings		.65

\*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D). For additional listings on Knob Springs, see Page 59.



Knob Kits—Set Screws—Knob Springs







### KNOBS - 1/4" SHAFT G-C PLASTIC SET SCREW

# Majestic Bakelite Knobs

Popular pattern. Set screw type. 1/8" diameter, 1/4" shaft.

No.		List Price
1100	Walnut	\$0.16
1100-1	Ivory	.20
1100-D As:	Display 20 Env. st. (2 to Env.)	8.00

1102-D Display 12 Env. 1100; 8 Env. 1100-I Knobs (2 to Env.) 8.00

# Royal Bakelite Knobs

Beautiful pattern. Set screw type.

1/8	qıa	merer, 1/4	snavr.
No.			List Price
110	15	Walnut	\$0.16
110	15-I	lvory	.20
110	5-D	Display 12	Env. 1105:

8 Env. 1105-1 Knobs 8.00 (2 to Env.) Standard Package - Distributors Quantity 10 Knobs of a Type to Box.

Yankee Bakelite Knobs

Popular pattern. Set screw type. 3/4" and 1" diameter, 1/4" shaft.

No.			List	Price
1109		Walnut		0.16
1110	1"	Walnut		.16
		Ivory		.20
1110-I	1"	Ivory		.20
1109-D	Disp	lay 12 En	v. 1109	);
8 E	nv. Ì	109-I Kn	obs	
(2	to En	v.)		8.00

1110-D Display 12 Env. 1110; 8 Env. 1110-1 Knobs (2 to Env.) 8 8.00

Modern Large Knob

Attractive molded knob. Knurl shaft or set screw types available. 11/8" diameter.

No.	List Price
	Knurl Shaft Type
1176	Walnut \$0,12
	Set Screw Type
1177	Walnut .16
1176 B	Dicalay 20 East Acat

1176-D Display 20 Env. Asst. 1176, 1178, 1180 Knurl Knobs (2 to Env.) 8.00 1177-D Display 20 Env. Asst. 1177, 1179, 1181 Set Screw Type (2 to Env.) 8.00









# New Large Knob

Very popular molded knob, Knurl shaft or set screw types available. 11/8" diameter.

	76 414111	
No.	Knuri Shaft Type	ist Price
1178	Walnut	\$0.12
	Set Screw Type	
1179	Walnut	.16

# Popular Large Knob

Very attractive molded knob. Knurl shaft or set screw types available. I  $\frac{1}{16}$ " diameter. List Price

	Knurl Shaft Type	
1180	Walnut Set Screw Type	\$0.1
1181	Walnut	.1

Standard Package - Distributors Quantity 10 Knobs of a Type to Box.

# Midget Bakelite Knobs

Set Screw Type
Popular knobs for small sets.

| d' diameter. 1/4" shaft.
List Price Pointer Type

1115	Walnut	\$0.12
1116	Ivory	.13
1117	Red	.13
1118	Black	.12
1115-D	Display 20 Env. A	sst.
(3	to Env.)	8.00

# Midget Bakelite Knobs

Set Screw Type

Popular knobs for small sets. 18" diameter. Set screw 1/4".

No.	Non-Pointer	Price List
1111 1112 1113 1114	Walnut Ivory Red Black	\$0.12 .13 .13



### KNOBS - 1/4" POINTER SET SCREW SHAFT G - C

# Streamline Pointer

The most popular pointer knob. 1/4" shaft, set screw type 11/4"

long.	
No.	List Price
1136 Black	\$0.15
1136-W Walnut	.16
1137 Red	.18
1137-I Ivory	.20
1136-D Display	20 Env. Asst.
(2 to Env.)	
12 10 211117	0.00

# Streamline Pointer

A very popular pointer knob.

1/4" shaf	t, set screw	type, 2" long
No.		List Price
1135	Black	\$0.20
1135-W	Walnut	.24
1138	Red	.24
1138-1	Ivory	.20

Standard Package - Distributors Quantity 10 Knobs of a

# Modern Pointer Bar Knobs Brass Bushing

Such as used on intercomms and instruments. Attractive pattern, black finish. Set screws, 1/4" shaft, 23/4" long. Metal pointer can be removed if not wanted.

No.		Li	st Price
1130	Black		\$0.38
1130-W	Walnut		.38
meiew 10	Knobs of	. Type	to Roy

# Modern Pointer Bar Knobs Brass Bushing

For intercomms and instruments. Attractive pattern, black finish. Set screw, 1/4" shaft, 15/8" long. Metal pointer can be removed if not wanted.

No.	List Pric	
1131 Bla	ck \$0.3	
1131-W Wa	Inut .3	5





# Instrument Knob

A heavy duty knob for communication equipment, instruments, etc. Bakelite molded knob with pointer, 1/4" brass insert and set screw. 13/4" O.D. x 1/8" over-all height. Arrow is molded in knob.

No.	List Pric
1175 Black	\$0.3

# Streamline Pointer

Brass Bushing

Most popular pointer knob with brass insert for better mounting. 1/4" shaft, set screw type, 1 1/4" long. Used on radio instruments.

	s, appliances,	etc.
No.		List Pric
1170		\$0.2
1170-W	Walnut	.2
1172	Red	.3
1172-1		.3
tandard	Package - D	istributors

# Streamline Pointer Brass Bushing

Very popular pointer knob with brass insert for better mounting. 1/4" shaft, set screw type. 2"

iong.						
No.				Lis		rice
1171	Black				\$0	0.30
1171-W	Walnu	ıt.				.30
1173	Red					.36
1173-I	Ivory					.36
ntity 10		of	a	Type	to	Box

# Popular Bar Knob

Very popular knob on intercomms, instruments and appliances. Made of Bakelite with set screw. 1/4" hole. 15/8" long.

No.		List Price
1132	Walnut	\$0.20

### AND PACKAGES KNOB DISPLAYS G-C

Attractive merchandising displays help sell the radio knobs. Envelopes packaged in cellophane make a beautiful display.



List Price No. 1100-D Display 20 Env. Asst. Set Screw Knobs (2 to Env.) \$8

1102-D Display 12 Env. 1100; 8 Env. 1100-I Knobs. (2 to Env.) 8. 8.00

1105-D Display 12 Env. 1105; 8 Env. 1105-1 Knobs. (2 to Env.) 8.00 1109-D Display 12 Env. 1109; 8 Env. 1109-I Knobs. (2 to Env.) 8.

1110-D Display 12 Env. 1110; 8 Env. 1110-I Knobs. (2 to Env.) 8.

List Price 1115-D Display 20 Env. Asst. Midget Knobs.
(3 to Env.)
81136-D Display 20 Env. Asst. 8.00

1136-D Display 20 Env. Asst.
Type Pointer Knobs.
(2 to Env.) 8.00
1150-D Display 20 Env. Asst.
1153, 1155, 1156 and
1160 Knobs. 8.00
1151-D Display 20 Env. Asst.
1153, 1154, 1155 and
1156 Knobs. 8.00
1152-D Display 20 Env. Asst.
1151 and 1152 Knobs. 8.00
1157-D Display 20 Env. Asst.
1151 and 1152 Knobs. 8.00
1157-D Display 20 Env. Asst.
1156, 1157, 1158, 1159
and 1160 Knobs. 8.00

List Price 1176-D Display 20 Env. Asst. 1176, 1178 and 1180 Knuri Knobs. (2 to Env.) 8.00 1177-D Display 20 Env. Asst. 1177, 1179 and 1181 Set Screw Knobs.

(2 to Env.) 1184-D Display 20 Env. Asst. Walnut 1184, 1186, 1188, 1193 and 1197

Knobs, 8.00 1185-D Display 20 Env. Asst. Ivory 1185, 1187, 1189, 1194 and 1198 Knobs. 8.00 1191-D Display 20 Env. Asst. Auto Radio Knobs. (2 to Env.) 12.00









### KNOBS KNURL SHAFT PUSH-ON

# Popular Plastic Knob

18" diameter with 1/2" shank extension for 1/4" knurled shaft. No. 1153 Walnut 1154 Ivory List Price 1154 Variot 1154 Ivory 1150-D Display 20 Env. Asst. 1153, 1155, 1156 and 1160 Knobs 8.00

# Attractive Plastic Knob

18" diameter, flush type for 1/4" knurled shafts. List Price No. 1155 Walnut \$0.12 1155 Walnur 30.12 1156 Lvory .13 1151-D Display 20 Env. Asst. 1153, 1154, 1155 and 1156 Knobs 8.00

# Midget Type Plastic Knob 34" diameter with 3/8" shank extension for 1/4" knurled shafts. List Price

No. 1157 1158 Walnut 1158 Ivory .13 1157-D Display 20 Env. 1156, 1157, 1158, 1159 and 1160 Knobs 8.00 Standard Package - Distributors Quantity 10 Knobs of a Type to Box.

# Midget Type Plastic Knob

3/4" diameter flush type for 1/4" knurled shafts.

No.		List Price
1159	Walnut	\$0.12
1160	Ivory	.13



# Acorn Plastic Knob

For Midget Sets

 $\frac{3}{4}$ " diameter,  $\frac{1}{8}$ " shank extension for  $\frac{1}{4}$ " knurled shafts.

No.		List Price
1182	Walnut	\$0.12
1183	Ivory	.13



### Push-On Knurl Knobs Push-On Knurl Knobs

Large 18" diameter plastic knob, flush type for 14" knurled shaft.

No.		L	ist Price
1184	Walnut		\$0.12
1185	Ivery		.13
1184-D	Display	20 Env.	
		1186, 11	
119	93 and 1	197 Knob	s 8.00



Large 18" diameter plastic knob with 1/2" shank extension for

flush type for 74 kinds	ied silait.	√₄" Knuri	eg snarrs.	
		No.		List Price
No.	List Price	1186 V	Valnut	\$0.12
1184 Walnut	\$0.12		vory	.13
1185 Ivory	.13		isplay 20 E	
1184-D Display 20 Env.	,		Ivory 1185	5, 1187,
Asst. 1184, 1186,		1189	, 1194 and	
1193 and 1197 Kn		1198	Knobs	8.00
Standard Package - Dis	tributors Qu	antity 10 Ki	nobs of a	Type to Box



# Pointer Type Plastic Knob

18" diameter with 1/2" shank extension for 1/4" knurled shaft.

No.		List Price
1188	Walnut	\$0.12
1189	Ivory	.13



# Midget Type Plastic Knob

To match 1184 to 1189 series. 33" diameter, 1/2" shank extension for 1/4" knurled shafts.

No.		List Price
1197	Walnut	\$0.12
1198	ivory	.13



# Midget Type Plastic Knob

To match 1184 to 1189 series. 33" diameter, flush shank type for 1/4" knurled shafts.

No.		List Price
1193	Walnut	\$0.12
1194	Ivory	.13



# G-C KNOB PULLER

Here's what all servicemen need for removing radio knobs. You can easily remove those knobs that are hard to grip. Simply slip the G-C puller behind the knob and pull it off. Saves time, the cabinet and the knob. Have one in your shop and in your tool kit! Every service-

man should have this.	
No.	List Price
1063 Knob Puller	\$0.25
1063-D Display 24 Pullers	6.00



# Standard Package - Distributors Quantity 10 Knobs of a Type to Box.





### PUSH-ON KNOBS SPRING AND D-SHAFT

# Spring and D-Shaft Knobs Spring type plastic knob $\frac{18}{8}$ " diameter to fit $\frac{1}{4}$ " flat shafts. Has $\frac{1}{8}$ " extension shaft. List Price

No. 1151 Walnut 1152 Ivory 1152 Ivory .13 1152-D Display 20 Env. Asst. 1151, 1152 Knobs 8.00

# Spring and D-Shaft Knobs

Very popular D-shaft or flat shaft type plastic knob, 5%"

diametei	r.		diamete	1.	
No.		List Price	No.		List Price
1161	Walnut	\$0.12	1163	Walnut	\$0.13
1162			1164		.14
Standard	Package - Di	stributors Qu	antity 10	Knobs of a	Type to Box.

Spring and D-Shaft Knobs Very popular D-shaft or flat shaft type plastic knob, 3/4"

diameter. List Price No. 1163 Walnut \$0.13 .14 1164 Ivory

# Spring and D-Shaft Knobs

Large D-shaft or flat shaft type plastic knob, 1" diameter.

No.		List Price
1165	Walnut	\$0.14
1166	ivory	.15







### RADIO K N O B S AUTO G - C

# G-C AUTO RADIO KNOBS

Attractive set screw type autoradio knob that will fit in with any car interior. Knob 18" diam. 18" high. Available for 1/4" and 18" shafts. Brass bushing with set screw.

No.		Pric
1191	Pearl Gray, 1/4" shaft	\$0.3
1192	Pearl Gray, 1/4" shaft Maroon, 1/4" shaft	.3
1167	Pearl Gray, is" shaft	.3
	Maroon, ik" shaft	.3

# G-C AUTO RADIO KNOBS

Popular set screw type autoradio knob that can be used as a replacement on most sets. Knob 18" diam. x 1/8" high. Can be used for either 1/4" or 18" shafts with bushing included. List Price

Pearl Gray 1196 Maroon .30 1191-D Display 20 Env. Asst. Knobs (2 to Env.) 12.00 Standard Package - Distributors Quantity 10 Knobs of a Typ

# G-C AUTO RADIO KNOBS

Brass plated knob that can be used for general replacement on auto radios. Available for 1/4" and %" shafts. Set screw mounting.

No.			Li	st l	Price	
1169	1/4"			\$0	.30	
1174	3 "				.30	
Ala. 10	Knobe	06 2	Twne	to	Box.	

# G-C REDUCING BUSHINGS

Now you can get a reducing bushing for knobs and shafts that really works. Made of brass, split type, easy to use.

No.		Price
6751	Reduce 1/4" to 1/4"	
	Env. of 8	\$0.40
6751-D	Display of 20 Env.	8.00
6751-C	Reduce 1/4" to 1/8" per 144	6.50









# G-C MASTER-POINT

# 'Cathedral Tone' Phono Needle

Long-life, quality performance needle. Made with a special alloy tip to assure uniform reproduction. Has remarkable endurance on either light or heavier weight pick-up arms. Easy on the records and will give excellent reproduction. Each needle supplied in a cellophane wrapped card.

No.					L	ist Pric
1430	Each					\$0.75
1431-D	Display	of	12	No.	1430	9.00

# G-C MASTER-POINT 'Symphonic' Phono Needle

A better quality phonograph needle, especially designed to give excellent tone reproduction. Because of its design, is very easy on records and will give extra The tip is made of special long life. alloys which assure thousands of plays. True reproduction with minimum needle pressure on the record. Excellent for the home automatic record player.

No.				L	ist Price
1435	Each				1.00
1435-D	Display o	f 12	No. 1	1435	12.00

# G-C MASTER-POINT

# 'Concert Grand' Phono Needle

Our very finest needle. A phonograph needle that will bring out even the slightest tone and give scratch-free reproduction. The needle for the discriminating. Long life, with a special long-lasting, perfectly formed tip made from precious metal. Especially designed to give quiet, noise-free and natural, true reproduction. Pick up every tone with this specially designed "light touch" needle that is so easy on the records. Truly the needle of the Masters. Designed for use also on automatic record players. record players

No.					List I	Price
1436	Each				\$ 1	.50
1436-D	Display of	12	No	143	6 18	00



# G-C MASTER-POINT 'Juke Special' Phono Needle

The needle preferred by Juke Box operators. Has a perfectly formed tip made of precious metals so as to assure extra long life—even when used on equipment with heavy pick-up arms. Excellent tone reproduction. Guaranteed to give thousands of satisfactory plays. It will pay operators of Juke Box equipment and other automatic equipment to use this fine quality G-C "Juke Special." Buy this guaranteed needle of minimize needle replacements.

No.				List Price
1437	Each			\$ 1.00
1437-D	Display	of 12	No.	1437 12.00



# G-C MASTER-POINT LONG LIFE RECORDING STYLUS

The best cutting stylus made from processed alloy steel, that will give several hours of perfect cutting. Not to be confused with cheap short - lived stylus. Each needle mounted on cellophane wrapped card. Sell your customers the best so as to assure satisfaction.

No.					Li	ist Price
1433	Each					\$0.50
1434-D	Display	of	12	No.	1433	6.00



# G-C SERVICEMAN'S PHONO NEEDLE PACKET

"Sell a New Needle On the Job"

Just what every Serviceman should carry with him on every service call so he can profit by selling new needle replacements. Handy nim on every service call so he can profif by selling new needle replacements. Handy package containing ten assorted high quality C-C Master-Point Needles for all purposes. Packaged in attractive folder which protects the needle packages so that they are fresh and new when you make your sale. Packet contains 2 each G-C Needles No. 1436, 1435, 1430, 1437, and 2 each No. 1433 Recording Stylus. Save by buying this assortment and earn extra profit. (Standard carton 12 packets.)

List Price 1432 Packet 10 Needles \$9.50



# G-C RECORD LUBRICANT

"For All Phono Records"

Reduces the surface noise and prevents excessive wear on all type: of records. Also saves the neede. Make your records sound better and last longer by treating them with G-C Record Lubricant regularly. Also can be used as a pre-recording lubricant.

# Standard Carton 12 Bottles

No.	List Price
125-1 1-oz. Bottle	\$0.25
125-1-D Display 12 No. 125-1	3.00
125-2 2-oz. Bottle	.50
125-4 4-oz. Bottle 125-6 6-oz, Bottle	.75

# G-C REK-O-DOPE

"New Recording Lubricant Compound"

Compound"

A necessity when recording records. Apply Rek-O-Dope to the record before recording for best results. An all-purpose compound which cleans, lubricates and hardens the grooves on new recordings. Preserves new recordings and records and renews old records. Recordings treated with C-C Rek-O-Dope will give better tone and last longer. old records. Recordings tre with G-C Rek-O-Dope will better tone and last longer.

# Standard Carton 12 Bottles

No.		List Price
126-1	1-oz. Bottle	\$0.25
126-1-D	Display 12	7
	No. 126-1	3.00
126-2	2-oz. Bottle	.50
126-4	4-oz. Bottle	.75
126-6	6-oz. Bottle	.90

# G-C CORD CONNECTOR

Handy cord connector to connect phono motors to radio set. . . . Also handy for appliances, vacuum cleaners, sewing machines, etc.

No. **List Price** 868 Connector \$0.65

# G-C RECORD-TURNTABLE FELT

"Ready-Cut Pieces"

Replace worn out and "friction-less" felt on record turntable. You or your customers can not obtain good recordings or reproductions unless the record is held firmly in place on the turntable. Keep a supply of this special felt on hand for that extra profit job. Pieces cut round, center hole punched. Easy to apply with G-C Fabric to Metal Cement. (Page 4)

1 10 11101	or ecinemi, trage Tr
	List Price
71/8" Diameter	\$0.40
87/8" Diameter	.55
91/8" Diameter	.60
11 1/8" Diameter	.70
15 1/8" Diameter	1.20
	77/8" Diameter 87/8" Diameter 97/8" Diameter 117/8" Diameter

# **BROWN FELT - By the Yard**

List Price 1298 Brown Felt 36" Wide, per yd. \$5.00



# G-C PHONO TURNTABLE DRIVES

Rubber Replacement Drives

Exact duplicates for replacement of popular friction type phono turntable drives. Use G-C 35-2 Rubber to Metal Cement for cementing rubber to rim.

No. List Pric	ce
16 For General Industries	
RX-LX Motors \$0.2	5
*16-E Env. 2 No. 16 Drives .4	0
16-19-D Display of 32 Asst.	
Phono Drives 6.4	0
17 For Alliance Model	
and Motorola .2	5
*17-E Env. 2 No. 17 Drives .4	0
18 For R.C.A1	5
*18-E Env. 3 No. 18 Drives .4	0
19 For Philco, R.C.A., etc1	5
*19-E Env. 4 No. 19 Drives .4	0
* 20-E Detrola Rubber Drive .4	0
*20-1-£ Detrola Spring Drive .5	0
21-A For General Electric Models .1	5
*21-A-E Env. 2 No. 20-A .4	0
*22 R.C.A. RP-176, GE 809-J,	
large tire 1.0	0
23 R.C.A. RP-176, GE 809-J,	
rim drive .2	0
*23-E Env. 2 No. 23 Drives .4	0

\*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).

# G-E DETROLA SPRING DRIVE

For Part No. 50137

Genuine replacement for Detrola turntables. Spring drive made of best quality materials. Elastic tension with core inside. Used on Detrola, Utah and Trela

No.				Li	st Price
20-1-E	Detrola	Sprin	g	\$	0.50
20-1-D	Display	of 2	No.	20-1	10.00

## G-C PHONO DRIVES

G-C can supply phono drives for most any drive where a replacement is required. If you don't find the drive listed that you require, send G-C the make and model number of the turntable and the old drive if possible, and G-C will do all possible to supply you



# G-C PHONO NEEDLE AND PARTS CUP

Standard size bakelite molded replacement phono needle cup. Makes an excellent container to hold small parts, screws, nuts and bolts when working on sets. Prevents loss of parts.

List Price 1399 Phono Needle Cup \$0.10

1399-R Needle Cups,

# G-C RECORD CLEANING PAD

For all who use records, this specially treated pad is neces-sary to clean and remove dust and accumulation from records, without harming them. You can sell record users one of these pads.

1290 Size 4"x4" \$0.25 1291 Size 6"x6" 45 1291-D Display 12 No. 1291 5.40

# **G-C SHIELDED PHONO** PICK-UP WIRE

Handy packages of shielded phono pick-up wire, very handy for new installations or replacements. Enough for several jobs in each envelope.

\*1738-E Envelope \$0.40

# G-C PHONOGRAPH NEEDLE AND STYLUS SET SCREWS

"These Are Accurate Machined Screws, Precision Made"

Here's the hard-to-get replacement thumb set screws for pick-up arms and recording heads! Replacements for all popular types. Specially made round head, hardened machine screws. Buy a kit so as to have all 10 sizes on hand for those unexpected rush jobs and calls.

No.	List Price
1052	15 Assorted Stylus Screws \$ 1.50
*1052-	E Env. 7 Asst. Screws .40
1053	100 Asst. Stylus Screws 10.00
	INDIVIDUAL PHONO SCREW SPECIFICATIONS

\*P1 2-56 x 9/16" \$0.10 For Shure Bros. Pt. No. 30-132.

\*P2 2-64 x 3/4" For Astatic Pt. Nos. 3258, 3572, 3579 and cartridges numbered C-42; all "L" Cartridges, M-22, etc. R.C.A. Pt. No. 37045 and Seeburg Models. Shure Pt. No. 48-02 and cartridges No. 93-A, 96-A, 900, 900 PN, W56A, W57A, W58A, W59A and W56PN. Webster Pt. No. P9564 and cartridges C2, C4, C5, C6, D2, D3, D4 and D5.

\*P3 1-56 x 3/4"
For Astatic Pt. Nos. 3205, 3207 and 3206. Used on all "B" cartridges. Stromberg-Carlson SD-64, SD-149. Universal Pt. No. 3207 and Webster No. 26A2108.

\*P4 1-64 x 1 .15 For Rek-O-Kut Recorder Cutter No. MG625 and No. 8-SP, Webster Co. No. 26A2142.

\*P5 1-72 x 9/32" For R.C.A. No. 34432. .15

\*P6 1-72 x 29/32" For R.C.A. Nos. 33974, 3811, 33529, 31160, 12539. .10

\*P7 0-64 x 27/32" .15 For Webster Electric No. P4819-2. .15

\*P8 4-48 x 23/32" For Shure Model No. 30-76. \*P9 2-64 x 29/32" For R.C.A. Long Type; Astatic Pt. No. 3530 and cartridges 401-A; Webster cartridge No. C-3.

\*P10 1-64 x 3/4" For Audex D-32.

CARTRIDGE MOUNTING SCREWS
For mounting cartridges in Phono Pick-Up \*6005-E 4-36 x 1/4" Env. 60 \*6005-AE 4-40 x 1/4" Env. 60 \*Standard Jobber's Quantity 20 Env. Specify Box (X) or Card Display (D).



# G-C PHONO TURNTABLE SPRINGS

Needed by all servicemen. An assortment of he most popular type phono turntable prings. Assortments contain springs used by RCA, Philco, Seeburg, New Products, Oak, springs. Assortments solved RCA, Philoo, Seeburg, New Products, Oak, Zenith, Detrola and many others. Two assortments, one of smaller size springs and the other of larger types.

ı	No.							List	Price
ŀ	647	8	Kit	of	50 S	prings			\$2.25
	647	9	Kit	of 1	00 S	prings			4.00
	*648	0-E	Env	. 10	Smal	I Size	Springs		.40
	*648	1-8	Env.	. 8	Larg	er Size	e Spring	5	.40

\*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).

# **G-C PHONO TURNTABLE** MOTOR & GEAR LUBRICANT

New "Sta-Put" - Recommended by Mfgrs.

A new special lubricant for phonographs. Other lubricants will thin and run to the lowest point of gravity on the mechanism, but this is specially formulated so that the lubricant clings to the surface of the parts. Eliminate trouble on phono repairs by using the best. This lubricant insures long life to parts that are not lubricated often. parts that are not lubricated often

No.		List Price
1223	Tube	\$0.50
1223-D	Display 12 Tubes	6.00
122-2	2-oz. Bottle	.50

# G-C LUBE-REX "LUBRIPLATE" "Prevents Corrosion"

The best contact cleaner on the market. Fine The best contact cleaner on the market. Fine for attenuators, push-button switches, all-wave switches, contacts, etc. Cleans contacts and prevents corrosion. The only acceptable lubricant for Philco Mystery controls. Moisture repellent and rust preventing — fine for use on lucks, fishing reels, guns, dial mechanisms, phonograph equipment, etc. It is especially desirable since it clings to the metal and prevents corrosion.

and prevents corresion.				
No.		List Price		
1206	2-oz. Tube	\$0.50		
1206-D	Display 12 Tubes	6.00		
1209	2-oz. Bottle	.50		
1208	16-oz. Bottle	2.25		
	12 to Display			



# **G-C TOGGLE SWITCHES**

# Ball Handle

High grade switches specially made for controlling Radio Sets, Small Motors, etc. The best switches made for the purpose. Underwriters approved. Rated at 3 amps, 125 volts. Made by H & H for G-C. Nickel plated finish.

	,		
No.	Description	Shank Length	List Price
1300	S.P.S.T. S.P.S.T.	1/2 " 1 "	\$0.60
1301	S.P.D.T.	1/2 "	.80
1303	S.P.D.T. D.P.S.T.	1"	.80
1305	D.P.S.T.	1"	1.2
1306 1307	D.P.D.T. D.P.D.T.	1/2 "	1.30
			Standard

# G-C BAT HANDLE **TOGGLE SWITCHES**

# Tear Drop Style

Same as our regular toggle switch except that the handle is bat shaped. It is especially attractive for panel and instrument boards. 1/2" shank. Nickel plated. Made for G-C by H & H.

		Shank	List
No.	Description	Length	Price
1330	S.P.S.T.	1/2 "	\$0.60
1331	S.P.D.T.	1/2 "	.70
1332	D.P.S.T.	1/2 "	1.20
1333	D.P.D.T.	1/2 "	1.30

# G-C TOGGLE SWITCH OFF-ON PLATE

Fits Toggle Type Switches - Nickel Plated List Price 1329 On-Off Plate \$0.05

Package - Distributors Quantity 10 Switches of a Type to Box.



# G-C EXTRA HEAVY DUTY **POWER SWITCH**

For use in motors, projectors, transmitters, amplifiers, and movie equipment where heavy currents are carried. Made by H & H for G-C. Rated 10 amps, 125 volts. Three types, with neutral off in center. Size: 2" x 1" x 15%", sleeve 3/4" diam.

No.	Description	List Price
1352	D.P.D.T.	\$ 5.50
1353	3.P.D.T.	8.25
1354	4.P.D.T.	12.00

# G-C NEUTRAL CENTER SWITCH

Handy radio, appliance and tester switch with 3 positions, On-Off-On. Rated 15 amps, 110 volts;  $\frac{15}{32}$ " shank. Nickel

No.	Description	List Price
1308	S.P.D.T.	\$1.25
1309	D.P.D.T.	2.00



# **G-C ROTARY SWITCHES**

Best grade rotary switches especially made for replacements, or construction of new apparatus. Underwriters approved. Rated at 3 amps, 125 volts. Made by H & H for G-C. Shafts


1/2	long.		
		Shank	List
No.	Description	Length	Price
1320	S.P.S.T.	3/8"	\$0.75
1321	S.P.S.T.	1"	.85
1322	S.P.D.T.	3/8"	.95
1323	S.P.D.T.	1″	1.05
1324	D.P.S.T.	1"	1.45
1325	D.P.D.T.	3/8"	1.45
1326	D.P.D.T.	1"	1.55



# G-C HEAVY DUTY **POWER SWITCH**

D.P.S.T. toggle power switch rated 12 amps at 125 volts. Used on motors, appliances, photographic equipment, where a heavy duty switch is required. Made by H & H for G-C. Nickel plated.

No. List Price 1350 Toggle Switch \$1.50



# G-C HEAVY DUTY POWER SWITCH

Push button type D.P.S.T. heavy duty power switch rated 12 amps at 125 volts. Specially adaptable as a safety switch for transformers, racks and transmitters and high frequency work. Made by H & H for G-C. Nickel plated.

List Price 1351 Push Switch \$2.20 Standard Package - Distributors Quantity 10 Switches of a Type to Box.



# G-C BAT HANDLE TOGGLE SWITCH WITH WIRE LEADS

An excellent switch for vacuum cleaners, appliances, radio sets, etc. Nickel plated with wire leads. Underwriters approved, rated at 3 amps, 125 volts. Made for G-C by H. & H.

No. Description Length Price





# **G-C PUSH BUTTON SWITCH**

A two-circuit, slow make-and-quick-break momentary contact switch. One circuit is normally on and the other is off. Pushing the button reverses the circuits in use. Used on many testers and analyzers. Rated at 3 amps, 125 volts. Made by H & H for G-C. Shaft 5/8" long.

No.

List Price

List Price \$1.00 1340 Switch **G-C PLASTIC PUSH BUTTON** 

For 1340 Switch
Red or Black (Specify Color)
No. List Price 1343 Push Button \$0.30

# G-C HANDY SLIDE **SWITCH**

Very popular slide switch used on phonographs, tone controls, circuit controls, auto lights, electric trains, test instruments, etc. 1/2" wide, 1 1/8" center mounting

	No.	Description	List Price
	1355	S.P.S.T.	\$0.35
	1357	S.P.D.T.	.40
	1358	D.P.S.T.	.45
	1359	D.P.D.T.	.50
S	tandard	Package - Di	stributors Quan

# **G-C TOGGLE SWITCH**

S.P.S.T. appliance switch. Rated at 3 amps, 125 volts. Underwriters approved, open metal housing. Solder terminals. Made by Cutler-Hammer. Nickel plated.

No.		L	ist Price
1339	Toggle	Switch	\$0.40
ntity 10	Switches	of a Type	to Box.

# G-C PUSH-ON **PUSH-OFF SWITCH**

Very popular switch as used on vacuum cleaners, appliances and test equipment. Push once it's on, then push again it's off. Rated 3 amps at 125 volts. Made by H & H for G-C. Nickel plated.

No. Description List Price 1338 S.P.S.T. \$1.30



# G-C COATED SLEEVING

Improved Saturated Sleeving, lower price than regular spaghetti. Dielectric strength 2,000 volts. Used for general insulation and repair work. Colors: Black, Red, Yellow, Green and Blue. Specify color.

No.		List Price
	(All in 30" Lengths)	
525	No. 20, fit 20 wire	\$0.10
528	No. 17, fit 18 wire	.10
531	No. 14, fit 14 wire	.12
533	No. 12, fit 12 wire	.13
537	1/8" I.D.	.19
540	$\frac{3}{16}$ " I.D.	.25
543	1/4" I.D.	.31
546	3/8" I.D. (resist. size)	.44
547	$\frac{7}{16}$ " I.D.	.50
All si	zes available in continuous l	engths on

# G-C SPAGHETTI ON SPOOLS

"Approved by ASTM"

5000-Volt Dielectric Strength

Best grade varnished tubing put on convenient 20-ft. spools. Will fit wire from No. 12 to No. 18. Colors: Black, Red, Yellow, Green and Blue. Specify

No.		List Price
499	20-ft. Spool	\$1.75

# SPECIAL SIZES AND COLORS

**Prompt Delivery** 

Special sizes, colors and lengths are available in quantities of 1000 ft. or more. Please write for quotations on special requirements.

# G-C RADIO SPAGHETTI

"Approved by ASTM" 5000-Volt Material - 30" Lengths

High grade spaghetti for Radio-Television work. Average dielectric strength, 5000 volts. Very flexible. Smoothly coated with best grades of varnish. Material is approved by A.S.T.M. Colors: Black, Brown, Red, Green and Yellow. Specify color.

No.		List Price
	(All in 30" Lengths)	
500	No. 20, fit 20 wire	\$0.15
503	No. 17, fit 18 wire	.15
506	No. 14, fit 14 wire	.15
508	No. 12, fit 12 wire	.15
512	1/8" I.D.	.32
515	3/16" I.D.	.44
518	1/4" I.D.	.56
521	3/8" I.D. (resist. size)	.69
522	<sup>7</sup> / <sub>16</sub> " I.D.	.94
523	½" I.D.	1.15

All sizes available in continuous lengths on special orders of 1000 feet or more.



special order of 1000 feet or more.





## GENFLEX PLASTIC TUBING G-C

# G-C PLASTIC TUBING KITS

Handy kits of assorted colors and sizes. Ideal for experimenters and servicemen.

No.		List Price
635	Kit of 25 ft. Assorted	
	Sixes 18 to 10	
	Genflex Tubing	\$0.90
635-D	Display of 8 No. 635	
	Kits	\$7.20
636	Kit of 15 ft. Assorted	
	Sizes 10 to 2	
	Genflex Tubing	.90
636-D	Display of 8 No. 636	
	Kits	7.20

# "MADE OF EXTRUDED PLASTIC"

High grade extremely flexible plastic tubing for Radio and Electronic Insulation work. Highly resistant to cold or heat. High dielectric strength, average 8,000 volts. Tubing is put up in attractive individual boxes for easy handling. COLORS: BLACK, RED. GREEN and CLEAR (Specify Color)

		00-01101	DEADIC, IC	,			pecity co	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Cat.	B-S Gauge	Approx.	Stand. Pkg.	List Price	Cat.	B-S Gauge	Approx.	Stand. Pkg.	List Price
603	18	.042	20 ft.	\$0.80	613	8	1.133	15 ft.	\$0.80
605 607	16 14	.053	20 ft. 20 ft.	.80	616	6	.166	10 ft.	.80
609	12	.085	20 ft.	.80	617	4	.208	10 ft.	.80
611	10	.106	15 ft.	.80	620	2	.263	10 ft.	.80
	All sizes	available	in continuo	us lengths	on specia	al order	of 1.000	feet or more	







# G-C RADIO FRICTION TAPE

This narrow 3/8" tape was particularly made for radio work. It eliminates waste and tearing of tape. It saves time and is handy to carry with you.

No.		List Price
870	3/8" Narrow, 65 ft.	\$0.55

# G-C ASSORTED SPAGHETTI KIT

An assortment of 71/2" lengths of spaghetti sleeving. 26 lengths to the kit. Sizes include from No. 17 wire to 3/8 " I.D. A very handy bundle to have for repair jobs.

No.		List Price
550	Kit 26 Lengths	\$0.65
550-D	Display 8 Kits	5.20

# G-C No. 551 BARGAIN SPAGHETTI KIT

"A Box Full of Spaghetti"

Here's a buy you can't beat on a spaghetti assortment. A variety of sizes and colors are included of high grade varnish tubing. Put up in attractive box. This kit will pay for itself on the first few repair jobs.

No.			List	Price
551	Spaghetti	Kit	\$	1.25



# SPEEDEX-FENDER AND COWL AERIAL

# **New Low-Loss Super Auto Antenna**

Built and engineered for the best cars. Exclusive features. Full telescoping, lowloss polystyrene insulators, stainless steel top rod, Admirality brass tubing, triple chrome plating, smooth, positive slide contacts, universal adapter to fit all fenders, fits all cars, all radios — a beautiful aerial you will be proud of. Three sections, extends to 69". The best low-loss aerial made.

No. 7055 Speedex Fender Aerials (Standard Carton-10 Aerials) List Price \$7.50

# G-C FORD ROOF AERIAL

# Ford-Mercury Part No. 51A-18813-A1

Replacement aerial for all Ford and Mercury Roof Aerials of 1941-42-46-47-48 that operate from behind the dividing post of the windshield. Made of Admirality brass tubing with stainless steel extension rod, triple chrome plated. Free sliding with positive contacts insure noise-free reception. Easy to install, fits without any changes, replaces original aerial. Comes complete with knob and set screw.

No. List Price 7056 Ford Roof Aerial \$2.25 10 Aerials to Standard Carton

# G-C HUB CAP STATIC SPRING

Eliminates static noises caused by front wheels of cars. Springs have riveted metal points for firm, smooth contact.

List Price No. List Price 1058 Each \$0.11 1059 Box of 24 Springs 2.30

# G-C IGNITION SUPPRESSORS

G-C now offers a rugged assortment of bakelite auto radio ignition suppressors. All metal parts are made of brass and all terminals securely fastened in casings. All resistors are double-impregnated with a special moisture-proof compound to eliminate resistance variation due to moisture and weather. G-C suppressors are impervious to heat, oil, moisture and mild acids. Over 50,000 miles of operation.

No.		List Price	No.		List Price
(a)	1501 Bracket Type	\$0.30	(e)	1505 Screw Type,	
(b)	1502 Ford V8	.30		Universal	\$0.30
(c)	1503 Ford V8 Brusi		( <b>f</b> )	1506 Snap-on Type	.30
(0)	Type, 33, 34, 35 Car		(g)	1507 Distributor Typ	e .30
( <b>d</b> )	1504 Ford V8 Brusi Type, 36 to 40 Cars	h .30	(h)	1508 Cable Type for	.30

# G-C HIGH FIDELITY RECORDING WIRE

Finest quality stainless steel Recording Wire for true reproduction. Gives permanent recordings which can be replayed indefinitely. Easily erasable. Same wire as used by leading manufacturers of Wire Recorders. Supplied on standard RMA spools to fit all Wire Recorders. Plastic leaders included with each spool of wire

300013 (0	THE UIT THE MECONDERS. I	lastic leaders illeraded	With cach spo	OI OI WILE.
		List	Consumers	Dealers
No.		Price	Net	Net
5171	1-hour Spool	\$6.95	\$5.00	\$3.50
		, –	T	Ψ3.50
5172	1/2-hour Spool	4.18	3.00	2.10
5173	1/4-hour Spool	2.78	2.00	1.40
			2.00	1.10
5174	Plastic Leaders, for	Armour		
	Type Recorders, p	per pair .20	.16	.11
C176			70	40
5176	Empty Rewind Spoo	1.00	.70	.49





# G-C VACUUM CLEANER BELTS

"Made of Best Grade Live Rubber"

Display G-C Vacuum Cleaner Belts and make extra profit. Needed in every home—so sell to all your customers. Belts made of finest grade live rubber. Display the belts in your store and also carry an assortment with you when making service calls. Belts marked for identification.

# POPULAR CLEANER BELT DISPLAY ASSORTMENTS

No.	List Price
1010-D	Display 12 Assorted Belts—3 each cleaner belts types
	No. 7013, No. 7015, No. 7016 and No. 7017\$2.80
7010-D	Display 12 Flat Type Belts-3 each cleaner belts types
	No. 7012, No. 7013, No. 7014 and No. 7015
7011-D	Display 12 Round Type Belts-Used on Apex, Hoover,
	AMC and Kenmore; 4 each belts. No. 7016, No. 7017
	and No. 7018 3.00

# INDIVIDUAL RELTS AND DISPLAYS

	INDIVIDUAL RELIS AND DISPLATS	
*7012	Flat Belt-21/8" I.D. x 1/2" wide x 1/8" thick. Fits	
	Premier Duplex, Jr.; G.E.; AMC; Bee-Vac; Eureka,	
	G Models; Hamilton Beach, 8, 12, 14; Kenmore, BV	20
*7013	Types; Universal; Westinghouse	.20
-/013	Premier Duplex, G.E., Westinghouse, Royal, Universal,	
	Hamilton Beach, AMC, Airway, Apex, Eureka, Gray-	
	bar, Kirby, Regina, Scott-Fitzer, Sweeper Vac	.20
*7014	Flat Belt-31/2" I.D. x 1/2" wide x 5/32" thick. Fits	
	Airway, Apex, G.E., Kenmore, Premier, Singer	.25
•7015	Flat Belt-33/4" I.D. x 1/2" wide x 9/64" thick.	25
•7016	Round Belt—3" diam. x 5/16" thick. Fits Hoover,	.25
-7016	25. 26. 27. 80. 103. 150. 300, 305, 450, 475,	
	Pt. No. 44783; Apex, 129	.25
*7017	Round Belt-33/4" diam, x 1/4" thick. Fits Hoover	
	models 102, 105, 541, 543, 961, N. Special, Pt. No.	
	484-M	.25
*7018	Round Belt-33/4" diam. x 5/16" thick. Fits AMC,	
	Kenmore Commander, Hoover Models 60, 90, 575,	.25
#Standar	700, 725, 750, 800, 925, 930d Jobber's Quantity 12 to Display (add suffix D to	
- Statings	d Jobber 3 Quantity 12 to Display toda satrix D to	puri

# G-C RUBBER GROMMETS

Soft black rubber grommets such as used for protecting wire and cables going through chassis, panels, etc. These are also used for mounting condensers, tube sockets, phono motors, etc., to prevent shock and vibration.

No.		Α	В	С	D	E	List Price
	Env. 15 Asst						\$0.40
1040	Kit 50 Asst.						1.05
1041-G	Box of 144	7/16"	3/16"	7/32"	1/16"	5/16"	2.60
*1041-E I	Env. of 15	7/16"	3/16"	7/32"	1/16"	5/16"	.40
1041-2G	Box of 144	11/32"	1/8"	3/16"	1/16"	1/4"	2.10
*1041-2E I	Env. of 15	11/32"	1/8"	3/16"	1/16"	1/4"	.40
1042-G	Box of 144	9/16"	1/4"	1/4"	1/16"	3/8"	3.30
*1042-E I	Env. of 15	9/16"	1/4"	1/4"	1/16"	3/8"	.40
1043-G	Box of 144	5/8"	3/8"	1/4"	1/16"	1/2"	3.75
*1043-E	Env. of 15	5/8"	3/8"	1/4"	1/16"	1/2"	.40
1043-1G	Box of 144	13/16"	1/2"	11/32"	1/8"	5/8"	5.15
*1043-1E	Env. of 15	13/16"	1/2"	11/32"	1/8"	5/8"	.40

# G-C PURE GUM GROMMETS

Very soft live rubber grommets for shock and vibration dampening. For mounting tuning condensers, sockets, phonomotors, chassis, etc.

No.		A	В	С	D	E	Li:	
*7580-E	Env. of 15						\$0.	
7581 *7582-E	Kit of 100 Env. of 15	7/16"	3/16"	7/32"	1/16"	5/16	,	25 40
7582-C *7584-E	Box of 144 Env. of 15		3/16"	7/32" 1/4"	1/16"	5/16' 3/8"		05 40
	Box of 144		1/4"	1/4"	1/16"	3/8"		10
*7584-E	Env. of 15 Box of 144	9/16" 9/16"	1/4"	1/4"	1/16"	3/8"	4.	4

(For complete specifications and other listing of grommets, see Page 61.)

# New! STATIC CHASER

# G-C STATIC POWDER AND INJECTOR

(Pat. Pend.)

"Approved by Tire and Auto Manufacturers"

:Anti-Static Powder dissipates static which causes radio noise and contact shock. Minimizes auto radio static interference caused by friction of rotating parts, including wheels, brakes and tires. New powder should be blown into all inner tubes—especially helpful in the new synthetic type tires. Tire static powder kits include new easy-to-use injector for injecting G-C Wheel Static Powder into tire tubes without completely deflating the tires.

Tire static powder is blown into the tire inner tube under air pressure—as available at regular gasoline service stations. By using the new G-C special powder injector the new G-C tire static powder can be blown into the inner tube without completely deflating the tire. Merely reduce the tire air pressure 5 or 10 pounds, attach the injector to the tube valve stem, pour the contents of one envelope of G-C tire static powder into the injector. After replacing the cover on the injector, apply air pressure and adjust the tire to the proper pressure. The powder will automatically be properly blown and distributed into the inner tube.

	"It Really Works!"		
No.		List	Pric
5604	G-C Injector Only for G-C Static	Powder \$	1.5

5605 G-C Static Powder Packet for 5 Tires
(1 car)
1.00

5606 Kit of Injector and Static Powder

\$1.50

2.50





G-C INSULATING CAMBRIC

"Breakdown Voltage 10,000 Volts"
Dry yellow varnished cambric for field coils, transformers, chokes, resistors, motors, etc. Needed for many repair jobs to insulate

# G-C LAMINATED BAKELITE PANELS

Black laminated bakelite. Needed by all experimenters, amateurs and radio men for insulating parts, terminal strips, building sets, etc. 1/16" thick stock. Black color.

No. 190 6" x 6" x 1/1 191 6" x 12" x 1/1 192 12" x 12" x 1/1	6" 1.10
---	---------



"Fish Paper"

Fish paper has many uses around the shops for repair jobs where electrical insulation is required.

\$0.50 4.00



\$0.75 7.50 4.00

# G-C ATTACHMENT CAPS

parts and wires.
No.
549 Roll, over

Approved attachment caps. Made of rubber or bakelite body with brass blades and spring contacts. MODERN STREAMLINE CAP (a) No. 865 List Price \$0.25 SPRING ACTION BAKELITE CAP (b) No. 860 List Price \$0.25 SCREW BASE For Attachment Plugs (c) No. 867 List Price \$0.17

# G-C SPRING ACTION CUBE TAP

New type bakelite cube tap, with 3 outlets always available. It will stay in place because of spring action features. High qual-ity cube tap that will not go to

Brown Cube Tap \$0.30



# G-C CUBE CORD CONNECTOR

Bakelite cord connector to fit on end of cords. Make your own extensions with this cube connector.

List Price 863 Cube Connector \$0.25



# G-C BAKELITE SURFACE BLOCK

Brown bakelite convenience block to fasten to the wall, base boards or on the extension cord.

No.			List	Price
866	Surface	Block		\$0.50



# G-C RADIO CORD SETS

Handy replacement cord sets, ready to attach to radio sets and appliances. Made of approved brown parallel wire with plugs attached.

List Price 885 6 ft. Brown 886-P 71/2 ft. Brown

# **G-C EXTENSION CORDS**

G-C extension cords are made of approved wire ready to use with a plug on one end and a 3way tap on the other end.

List Price 6 ft. Brown 71/2 ft. Brown \$0.75

RUBBER BUTTON BUMPERS

The rubber bumpers require no



# **G-C CORD STRAIN RELIEFS**

Use G-C cord strain reliefs on chassis and appliances when replacing cords. It will prevent shorts and do a better job.

No. List Price

6675-E Env. of 4 Strain Reliefs 6675-D Display of 20 Pkgs. of 6675 \$0.40 8.00



# G-C FELT PADS AND **BUMPERS**

Assorted felt pads can be ce-mented to bottoms of cabinets, lamps, vases, etc., to prevent scratching.

No. \*1069-F 40 Asst. Pads in Env. **List Price** \$0.40



\$0.45

# G-C RUBBER FEET

Screw Type

A solid rubber foot for radio cabinets, tool kits, boxes, etc. Prevents scratching of furniture. Can be used with any type of screws, tacks or nails.

No. List Price
\*1075-A-Env. of 12 Asst. \$0.40
\*1075-B-EEnv. of 12 .40
(A) ½" Diam. (B) 3/16" High
\*1075-C-EEnv. of 10 .40
(A) ½" Diam. (B) ½" High
\*1075-F-Eenv. of 8 .40
(A) ½" Diam. (B) 5/16" High



Screw type chassis felt feet, such as used under radio cabinets, chassis, instruments, etc.

G-C CABINET FELT FEET

screws to mount. Simply slip into hole and bumper will stay there. Very popular on table model radio sets. Plastic and metal Type Screw List Price No. Type Screw List Price

\*1086-E Env. 4 Assorted \$0.40

\*1086-BE Env. 4 Sheet Metal .40

(A) ½" (B) 3/16" (C) ½"

\*1087-E Env. 4 6-32 Screw .40

(A) ¼" (B) 3/16" (C) ½"

\*1088-E Env. 4 Sheet Metal .40

(A) ¾" (B) ½" (C) ½"

\*1089-E Env. 4 10-32 Screw .40

(A) ¾" (B) ¼" (C) ½" List Price \*7596-E Env. of 10 \$0.40 (A) ½" (B) ½" (C) 3/16" (E) 3/16" \*7597-E Env. of 10 .40 (A) ½" (B) 7/16" (C) ¼" (E) ½" \*7598-E Env. of 8 .40 (A) ½" (B) 9/16" (C) ½" (E) 5/16" .40 (E) 1/4"



# G-C TACK BUMPERS

Handy tack bumpers of many uses. Can be used under radio cabinets, etc., to prevent scratching. Tack is molded into the rubber ready to use. 3/8" diam.

No. List Price \*1075-E Env. of 10 Tack Bumpers \$0.40

1077 Box of 100 Tack Bumpers

3.50



# G-C RUBBER CHASSIS MOUNT KITS

Soft rubber mounts for floating chassis, speakers and motors to prevent vibration, microphonic noises and to deaden sound on motors and machinery.

No. \*1038-E Env. of 10 Small Assorted No. 1030 Kit of 25 Assorted List Price \$0.40 List Price 1.80 (For detailed specifications and other sizes of Chassis Mounts, see Page 62.)



# G-C RUBBER KIT ASSORTMENT

Handy kit to keep in the shop. Contains various sizes of rubber grommets, chassis mounts, etc. An exceptional buy.

List Price 7600 Rubber Kit \$1.00

\*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).









# STANDARD TUBE SOCKETS **G-C BAKELITE SOCKETS**

High quality molded balelit sockets. High dielectric. Sockets have plated bronze contacts and will not corrode. Three grounding lugs are on metal base of each seeket, and are automatically arounded when the socket is installed. 11 "mounting centers. 1-3/32" mounting hole.

Standard R.M.A. Contact Spacings.
No.
List Price 1528
8-prong Octal Base \$0.15
1528-L 8-prong Loctal Type .20

**G-C WAFER SOCKETS** High grade laminated bakelite sockets with positive contacts. Std. specings.

		Mtg.	List
No.		Centers	Price
1534	4-prong	1-1/2"	\$0.15
1535	5-prong	1-1/2"	.15
1536	6-prong	1-1/2"	.15
1537	7-prong. small	1-1/2"	.15
1537-1	. 7-prong. large	1-1/2"	.18
1538	8-prong. Octal	1-5/16"	.18
	8-prong, Octal	1-1/2"	.18
	. 8-prong. Loctal		.20



# MINIATURE TUBE SOCKETS

# **G-C BAKELITE MINIATURE** SOCKET

For Miniature Tubes

High quality baselite model socket with netal saddle mounting. Made with phasphor bronze plated confects for 7-prong tubes. Standard "" mounting centers.

No.			List	Price	
540	Bakelite	Socket		\$0.25	

# **G-C WAFER MINIATURE** SOCKET

For Miniature Tubes

Made of baselite, high grade socials for the new miniature tube. Phosphor bronze contact, for 7-prong tubes. Standard %" mounting centers.

No.	Li	st Price
1541	Wafer Socket	\$0.15
1542	Wafer Socket with	
	grounding strap	.17



# G-C AUTO ANTENNA

PLUG Shielded positive connector plug same as used on Motorola and other auto radios.

No.			L	ist Price
1740	Shielded	Pin	Plug	\$0.15

# G-C ANTENNA CONNECTOR JACK

Shielded type jack to fit the 1740 plug for auto antenna and phonograph connection.

No.		List Price		
1741	Shielded Jack	\$0.25		
and India	handa Ourandida.	20 Country		



# G-C PHONO PLUG

Used on all types of phonograph con-nections, on RCA, Zenith, Philco and others. Can be used for auto radio connector.

No.				List	Price
1742	Mid	get P	in Plu	ig :	\$0.10
*1742-	E Env.	4 - 1	742		.40
1742-	M Per	1000	- 174	12	39.00
Spacific	Pov	(X)	01 0	and	Dien



# G-C PHONO JACK

Very popular jack used for phonograph attachments. To be used with No. 1742 plug. No. List Phono Jack \$0.15 1743 Phono Jack \$0.15 1743-E Env. 3 - 1743 .40 1743-M Per 1000 - 1743 98.00



# G-C EXTENSION JACK AND CONNECTOR

Special jack used in extending radio antenna cables and phonograph attachments. Will fit 1740 graph attachme or 1742 plugs.

Extension Jack List Price



# **G-C FUSE CONNECTOR**

Regular Type

Same as used on auto radios and other equipment. Completely assembled, ready to use.

**List Price** 1749 Reg. Fuse Connector \$0.20



# G-C JUMBO FUSE HOLDER

Large size fuse holder,  $2\frac{1}{2}$ " long x  $\frac{1}{2}$ " diameter.

List Price 1748 Jumbo Fuse Holder \$0.30



# G-C ANTENNA CONNECTOR

Used for connections on auto antenna and ground lines.

List Price 1747 Antenna Connector \$0.15



# G-C MOTOROLA LEAD **ADAPTER**

Adapter plug used to adapt a bayonet type of connector to motorola type.

No. 1745

Motorola Lead Adapter

**List Price** \$0.35



# G-C ADAPTER SHELL

Used to change the motorola type of fitting to a bayonet type connector.

No. List Price 1746 Adapter Shell \$0.10



# G-C ANTENNA CONNECTOR END

To be used with regular antenna connectors. Supplied complete with bushing.

No. 1750 List Price Antenna Connector End \$0.10



# G-C AUTO FUSE INSULATOR SLEEVE

Insulating sleeve to fit regular fuse holders.

**List Price** No. 6720-E Env. of 16 \$0.40 6720-D Display of 20 Env. 8.00





# G-C REPLACEMENT PARTS FOR ANTENNA AND FUSE CONNECTORS

No.		Lis	t Price
(a)	1791	Sleeve of Fuse Connector	\$0.05
	1791-C	Box of 144 No. 1791	7,20
(b)	1792	Sleeve of Antenna Connect	or .05
	1792-C	Box of 144 No. 1792	5.00
(c)	1793	End Piece for Antenna	
		and Fuse Connector	.04
	1793-C	Box of 144 No. 1793	7.20
(d)	6720	Auto Fuse Insulator Sleeve	.02
	6720-G	Box of 144 No. 6720	1.50
(e)	1796	Spring for Antenna	
		and Fuse Connector	.01
	1796-C	Box of 144 No. 1796	1.40

(f) 1795 Bakelite Bushing 1795-G Box of 144 No. 1795

# G-C SCREW TYPE TERMINAL STRIPS

Mounted on laminated bakelite strips rigidly constructed, terminals will not turn and short.

No.	No. of Contacts	List Price
1772	2	\$0.18
1773	3	.27
1774	4	.36
1775	5	.45
1776	6	.54
1777	7	.63
1778	8	.72
1779	9	.81

# G-C SOLDER TYPE TERMINAL STRIPS

Mounted on laminated bakelite strips. Lugs are securely fastened and will not turn.

No.	No. of Contacts	List Price
1781 1782	1	\$0.05
1783	3	.07
1784 1785	4 5	.11
1786 1787	6	.13
1788	8	.15
1789 1790	10	.18



# G-C ONE-INCH JEWEL SIGNAL LIGHT

Very popular on radio and electrical switch boards, signal devices, laboratory equipment, etc. Bulbs can be easily changed from the front by removing the jewel. Available in various bases as listed and jewel color of red, green, blue, amber, opal and clear. 1" mounting hole required. (Specify color of

No.	Type of Socket	Jewel Lis	t Price
7901	110-volt Candelabra	Facetted	\$1.40
7902	110-volt Candelabra	Smooth	1.40
7903	Miniature Bayonet	Facetted	1.40
7904	Miniature Bayonet	Smooth	1.40
7905	Miniature Screw	Facetted	1.40
7906	Miniature Screw	Smooth	1.40

# G-C 3/4-INCH JEWEL SIGNAL LIGHT

3/4" Signal Light that can be used for many purposes. Jewels can be removed from front of panel. Supplied in various bases as listed and facetted jewels in colors of red, green, blue, amber, opal and clear. 11/16" mounting hole required. (Specify color of jewel.)

No.	Type of Socket	List Price
7907	Miniature Screw	\$0.80
7908	Miniature Bayonet	.80
7909	110-volt Candelabra	.80

# G-C 1/2-INCH JEWEL SIGNAL LIGHT

Very popular 1/2" Signal Light. Jewel can be removed from the front. Supplied in various bases as listed and facetted jewels in colors of red, green, blue, amber, opal and clear. 7/16" mounting hole required. (Specify color of jewel.)

No.	Type of Socket	List Price
7910	Miniature Screw	\$0.35
7911	Miniature Bayonet	.40
7912	110-volt Candelabra	.40



## G-C PANEL JEWELS

Complete jewel assemblies available in 1", 3/4" and 1/2" diameter jewels in both smooth and facetted types. Holders are brass nickel plated supplied complete with nuts to fit panels up to 1/4" thick. Colors red, green, blue, amber, opal and clear. (Specify color desired.)

		Jewel	Mounting	List
No.	Diam.	Type	Hole	Price
7913	1/2 "	Facetted	7/16"	\$0.25
7914	1/2 "	Smooth	7/16"	.25
7915	3/4 "	Facetted	11/16"	.60
7916	1"	Facetted	1"	1.10

# G-C CLIP-ON PILOT LIGHT SOCKETS

Available in both types, clip up and clip down. Makes an ideal replacement socket. Cadmium plated.

No.	Type	List Price
7920	Min. Screw Clip Up	\$0.15
7921	Min. Screw Clip Down	.15
7922	Min. Bayonet Clip Up	.17
7923	Min. Bayonet Clip Dowr	.17
7924	110-volt Candelabra	
	Clip Up	.20
7925	110-volt Candelabra	
	Clip Down	.20

# G-C BRACKET-TYPE PILOT LIGHT SOCKETS

Available with bracket up or down, as listed, in various bases. Sturdy construction, cadmium plated.

No.	Type List Price
7926	Min. Screw Bracket Up \$0.15
7927	Min. Screw Bracket Down .15
7928	Min. Bayonet Bracket Up .17
7929	Min. Bayonet Bracket Down .17
7930	110-volt Candelabra
	Bracket Up .20
7931	110-volt Candelabra
	Bracket Down .20



# G-C PILOT LAMP INSTALLER

Unmounted sockets can be used for replacement or other purposes.

G-C UNMOUNTED

PILOT LIGHT SOCKETS

No.	Туре	List Price
7932	Min. Screw Base	\$0.15
7933	Min. Bayonet Base	.14
7934	110-volt Candelabra	.16

Make a hard job easy with this handy bulb installer. Made of rubber, will take all types of miniature, neon and candelabra lamp. Very handy in places that are hard to reach. Speeds up production and service work.

No.		List Price
7935	Pilot Lamp Installer	\$0.40
7025 D	Display of 12	4.90



# G-C MINIATURE TUBE-PIN STRAIGHTENER

Precision-constructed steel die designed for straightening pins on fragile miniature tubes of the 1S5, 6AK5, 9002 variety. Quickly aligns pins that have been bent on the production line or when removing tubes from sockets. Operation is entirely automatic and is performed by simply inserting tube within guide pillars and plugging die into die in base. Unit can be carried in tool box or can be fastened to the bench. Every Service Shop needs 3 or more of these straighteners. It will pay for itself in tubes saved.

Tube-Pin Straightener \$ 1.00 5191 5191-D Display of 12 12.00



#### G-C MICROPHONE **CHASSIS UNIT CONNECTOR**

Single contact male connector that is used on the chassis. This is used with our No. 7942 Female Connector. Made of brass, nickel plated. Supplied with washers and nuts.

No.			
7941	Chassis	Connector	

List Price \$0.35

#### G-C MICROPHONE CONNECTOR

Single Contact Male Type

This is a sturdy completely shielded single contact microphone connector. Made of brass, bright chrome plated with steel spring cord protector to pre-vent breakage of wire.

No.			List Price
7940	Single Contact	Male	

Connector

\$0.45

#### **G-C MICROPHONE CONNECTOR**

Single Contact Female Type

To be used with our Nos. 7940, 7941 and 7943 Male Connectors to make connections to microphones and ampli-Comes complete with coupling fiers. rings. Made of brass, chrome plated.

No.		List Price
7043	Charles Contract of the	

Single Contact Female Connector \$0.55







#### G-C MICROPHONE CONNECTOR

Closed Circuit Type

Same as our No. 7941 except the closed circuit type. It prevents open circuit noises when microphone is disconnected. It can be used with our No. 7942 Female Connector.

List Price No. 7943 Closed Circuit Connector \$0.55

#### G-C MICROPHONE CONNECTOR CAP

To protect connector on microphones and amplifiers. Seals against dirt and protects the thread against damage.

No.		List Price
7944	Connector Cap	\$0.50

#### **G-C SHAFT EXTENSIONS**

Popular 1/4" shaft extension with flat shaft for spring type push-on knobs.

No.		List Price
755	1/4 " w 1/4 " Lang Flat	

	Shaft Extension	\$0.35
6716	1/a" v 4" Long Pound	

Shaft Extension 35





#### G-C SHAFT COUPLINGS, EXTENSIONS AND REDUCERS

Accurately machined fittings made of brass and high grade insulating material for coupling and extending shafts of the same or different diameters. Made in as small dimensions as practical so as to use the minimum of space.

	BRASS FITTINGS		-	INSULATED FITTING	S
No.		List Price	No.	u	st Price
6701	14" to 14" coupling	\$0.25	6721	%" to %" coupling	\$0.25
6702	14" to %" coupling	.30	6722	14" to %" coupling	.30
6703	%" to 3/16" coupling		6723	14" to 3/16" coupling	.25
6704	%" to %" coupling	.30	6724	%" to %" coupling	.30
6705	" hole to "" shaft		6725	%" hole to %" shaft	
	extension	.30		extension	.30
6709	14" hole to %" shaft		6731	%" hole to %" shaft	
	extension and increase	r .30	1	extension and increaser	.30
6710	%" hole to ¼" shaft		6732	%" hole to " shaft	
	extension and reducer	.30	1	extension and reducer	.30
6711	%" hole to %" shaft		6733	%" hole to %" shaft	
	extension	.30	1	extension	.30
6712	¼" x 6" brass shaft	.20	6734	¼" x 6" fibre shaft	.30
6713	14" x 12" brass shaft	.35	6735	%" x 12" fibre shaft	.55
6714	%" x 6" brass shaft	.35	6736	" x 6" bakelite shaft	.60
6715	%" x 12" brass shaft	.60	6737	14" x 12" bakelite shaft	
6716	¼" hole x ¼" round		6738	%" x 6" [lbre shaft	.45
	shaft x 4" long	.35	6739	%" x 12" fibre shaft	.80

#### G-C REDUCING BUSHINGS

Now you can get a reducing bushing for knobs and shatts that really works. Made of brass, split type, easy to use.

								List P	rice
duce ¼"	to	3/16". En	v. of	8				\$	0.40
	splay of	splay of 20	splay of 20 Envelopes.	splay of 20 Envelopes	duce 4" to 3/18". Env. of 8				

#### G-C BRASS AND INSULATED SPACERS AND BUSHINGS

Spacers and Bushings needed for insulating and spacing of parts. Needed on chassis, sub panels, etc.

No.	Assortments List Price
6617	Hardware Lab. Jar 12 Assorted Spacers and Bushings\$0.65
*6760-E	
6762	15 Asst. Threaded Brass Bushings 6-32 thread, '4" to 4" long. 1.25
6763	15 Asst. Threaded Brass Bushings 8-32 thread, 4" to 4" long. 1.25
*6775 · E	
*6776-E	
*6779-E	
*6761-E	
*6765∙ E	
*6766-E	
*6769-E	Env. 6 %" x %" Metal Spacers
*Standa	rd Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).

	BF	ASS	Int Dates		INSULATED			
No. 6765 6766 6767 6768 6769 6770	0. D. ¼" ¼" ¼" ¾" ¾"		Ist Price Each \$0.04 .05 .05 .06 .05	No. 6775 6776 6777 6778 6779 6780	0.D. ¼" ¼" ¼" ¾" ¾"	Length 4" %" 4" 4" 4" 4"	List Price Each \$0.04 .05 .05 .06 .05	
6771	78 3/8 "	3/4"	.07	6781	3% "	%"	.07	

	THREAD	ED	BRASS	BUSHI	NGS	
Thread	List				Thread	
Size	Length	Eac	h No	o. <b>O</b> .[	D. Size	L

right.



FAST OPERATING TOOL. Fast operating precision made hand tool strips insulation from all types of wire. This stripper saves considerable time in Aviation industry, Automotive industry, Army, Navy, Signal Corps and Tank Corps. An ideal tool for Manufacturers, Electricians, Radio Men, Ignition Experts and Maintenance Men.

Speedex Strippers are made to strip wire sizes No. 8 to No. 30. Hardened Steel precision ground cutting blades are interchangeable and can be purchased separately.

EASY TO OPERATE. Speedex Wire Stripper can be used as a production tool on the bench or as a portable hand tool wherever needed. 750 to 1000 wires can be stripped per hour by girls or men.

#### AUTOMATIC MODELS

With "stay open feature" for stripping fine standard wires. Automatically holds jaws open until wire is removed. Strips all types fine stranded wire without crushing. Can also be used on solid wire. Has "on or off" mechanism so Automatic Model can be used as a Standard Model if desired.

#### FOR SIZES AS LISTED BELOW

No. 733-C 8 to 10 Wire No. 744-C 8 to 10 W	No. 733-A No. 733-B No. 733-C	10 to 18 Wire	No. 74 No. 74 No. 74	4-B 10 to	30 Wire 18 Wire 10 Wire
--	-------------------------------------	---------------	----------------------------	-----------	-------------------------------

Sizes below specially made for Stranded wires. Cutters made to fit Wire sizes as listed, for perfect stripping without marring flexible

No.	733-D 16,	18,	20,	22	Wire	5	
No.	733-E	14,	16,	18	Wire	s	
No.	733-F	10,	12,	14	Wire	s	
No.	733-G	For	No.	18	POS.	J	
		or	para	allel	wire	е	
No.	733-H For	the	new	300	ohn	n	
	Televi	sion	and	FM	twi	n	
		tran	smis	sion	line		
	Shippin	g W	/eigh	t 1	Lb.	Each	1

STANDARD MODELS

This is the most popular Speedex

Model and is satisfactory for 90%

of stripping jobs. Illustrated on the

No.	744-0	16,	18,	20,	22	Wire
No.	744-E		14,	16,	18	Wire
No.	744-F		10,	12,	14	Wire
No.	744-0	3	For	No.	18	POSJ
			or	para	allel	wire
No.	744-H	For				
		Televi				
						line.

Standard Carton 12 Strippers

STRIPS ALL TYPES OF WIRES





PATENTS PENDING



Handy Speedex Wire Stripper Kit comes complete with Wire Stripper and seven different size blades neatly put up in a special permanent steel box. Be ready to strip any size wire No. 8 to No. 30 with this kit. Very practical kit for the Radio Service Man, Electrician, Mechanic and Manufacturer. Kit is put up so that all parts are kept together in one box. Very handy kit for the tool box, home workshop, maintenance and production. Kits available with Automatic No. 744 Strippers or Regular No. 733 Strippers.



## G-C "SPEEDEX" REPLACEMENT BLADES

Fit Standard and Automatic Models

#### Blades Interchangeable

No.	Wire Sixes	Li	st Price
3W	12-to-20		\$1.50
3W-A	14-to-30		1.50
3W-B	10-to-18		1.50
3W-C	8-to-10		1.50
3W-D	16, 18, 20,	22	1.50
3W-E	14, 16, 18		1.50
3W-F	10, 12, 14		1.50
3W-C	Blades for Par No. 18 POSJ similar		1.50
3W-H	Blades for the	e new	
	300-ohm Tel		

mission line

## "SPEEDEX" STRIPPER BENCH HOLDER

"For the Factory or Service Bench"

Special Bench Holder that will hold any model Speedex Stripper. Makes a bench operated tool which is especially handy for stripping insulation from wires in production. With this holder a hand operated Speedex can be converted to strip up to 2,500 wires per hour. Made of steel.

No. List Price 755 Bench Holder \$3.75

# NEW "SPEEDEX" TRIG-O-MATIC CONVERSION PLATE

"Patent Pend."

With this plate you can convert any regular model Speedex Stripper to an Automatic Stay-Open Model. It's easy to install, simply remove the old plate and put this on. Will improve your old stripper and make it fully automatic.

No. List Price
756 Trig-O-Matic
Plate Only \$2.00

#### G-C SHUR-GRIP PLIER WRENCH

Here's a universal handy all-purpose plier wrench. This is something new and different from the average Grip Wrench. It works with a short pawl against the cam handle, giving it extra power. IT UNLOCKS WITHOUT SNAPPING THE FINGERS. Jaws are forged from alloy steel and specially heat treated for toughness and durability. It is a high quality tool.

No. Price Dealers
No. 7" ShurGrip \$3.50 \$1.80
770 10" Shur-

Grip 3.95 1.95

1.50

# G-C Ne-O-Lite





DISPLAY CARDS No. 5112-D 12 Ne-O-Lites No. 5100-D 20 Ne-O-Lites

INDIVIDUAL CARDS No. 5100 — With instructions for Bin and Counter Sales.



#### Instantly tests by glow both AC and DC circuits, 60 volts AC to 550 volts AC or DC.

A simple, safe, dependable electrical circuit tester—easy to use with a Neon Glow Lamp which varies in light intensity according to voltages. Traces all types of trouble, such as grounded lines, open circuits, short circuits, etc. Everyone can use the handy Ne-O-Lite Tester-Vest Pocket size. Used by Radio Men, Electricians, Mechanics, Home Owners, Maintenance Men, etc.

- Tests Cords, Appliances, Signals
- Tests Automotive Cables, Circuits
- Locates Blown Fuses
- Tests Electric Fences
- Tests Radios • Tests Armatures
- Tests Polarity

• Tests Spark Plugs

- List Price 10.00

Ne-O-Lite Mounted on Instruction Card Display 20 Ne-O-Lites Display 12 Ne-O-Lites No. 5100-D No. 5112-D

List Price \$ 0.50 List Price



#### G-C THERMO VOLT CIRCUIT TESTER

"For 15-60 Volts AC or DC"

Tester designed for use between 15 and 60 volts, either AC or DC. Used for testing thermostats, aircraft circuits and all lower voltage controls operating up to 60 volts. Also needed in aircraft, trains, 28-32 volt electrical systems, marine lighting, etc. Durable pocket type tester housed in a permanent plastic case. Equipped with long test leads. A necessity when installing automatic heating or air-conditioning equipment. Useful to the engineer, electrician, radio man, etc.

5150 Thermo-Volt Circuit Tester \$ 1.75 5150-D Display 6 Thermo-Volt Testers 10.50

#### G-C NEON GLOW LAMP

Genuine NE-T2 Neon Glow Lamp as used in test lights, testers, appliances, switches, etc. Can be used as a test light or indicating light.

List Price 717 17 Neon Lamp \$0.2 (Jobber's Quantity 100 Lamps) \$0.20

#### G-C RESISTOR FOR NEON LAMP

The resistor that is required to use with above Neon Glow Lamp for voltages 90 to 550 volts.

718 Neon Resistor \$0.10 (Jobber's Quantity 100 Resistors)

#### G-C LO-VOLT CIRCUIT TESTER

"For 0-15 Volts"

Low voltage tester for testing 0 to 15 volts, either AC or DC. Just the tester for making low voltage automotive tests on lighting and primary ignition circuits. Tests storage batteries, headlight wiring, generator out-put, etc. Also useful for testing bell circuits and control circuits operating at less than 15 volts. Supplied with screw-type bulb for easy replacement. A necessity for the mechanic or electrician.

No.	Lis	t Price
5125 5125-D	Lo-Volt Circuit Tester Display 6 Lo-Volt Testers	\$1.25 7.50
5126	Replacement Screw Type Bulb for No. 5125	.25
5127	Replacement Shield for Bulb for No. 5125	.15



#### G-C INSPECTION LIGHT Light Where You Want It "110 Volts AC or DC"

Just the light for service work in the field. Lights up those hard-to-see corners in chassis and refrigerators. Makes an excellent inspection lamp for production inspectors. Handy for coloring dial light bulbs. Dip bulb in coloring and job is done.

No.		P. C. A. D. J.
		List Price
705	Inspection Light	\$1.75
705-D	Display 6 Lights	\$10.50
704	Replacement Bulb for 705	.15
704-S	Clear Plastic Shield	.15

# GENERAL SERVICE KIT

#### G-C CARBON BRUSH KIT

Here's a kit every service man, electrician, radio and electrical shop needs. A complete assortment of carbon replacement brushes for vacuum cleaners, washing machines, ironers, pumps, fans, mixers, office appliances, cash registers, drills, barber equipment and other small motors.

Kit Contains 92 Brushes and 18 Springs

No List Price 7000 Brush Kit \$8.25

.15

# CHASS-EZ

#### New Wonder Tool to Make the Radio Service Man's Job Easier

The New G-C Wonder Tool

Here is the best and simplest Chassis Holder on the market to make your job easier. The simplicity of this holder is its chief merit. It can be installed in five seconds, it's easy to use and there are no parts to get lost. It's all one simple unit made of steel and nicely plated.

The tubes and undersides of the chassis are always open and accessible. This allows the service man more convenience in working on intermittent sets that must be set aside and played for a few hours.

Here is an opportunity to discard boxes and bottles and make your job simpler. Try one and you will buy several for your bench. It will fit over 90% of all straight or flanged chassis.

5207 Chass-Ez

\$3.65

**DEALER'S NET ONLY \$1.95** 

New Improved Model

# **G-C PHONO TURNTABLE STAND**

Here is just what you have been looking for. An adjustable, inexpensive stand to hold phono turntables while you are making repairs and adjustments. The new stand raises the turntable about 15 inches above the bench so you can easily look under the mechanism to check it while in operation. Then the unit can be easily pivoted on the swivel joints so that repairs can be made without removing the turntable from the stand. Easily adjusted to all sizes and types of phono turntables. Sturdily made of steel. Every service shop needs several of these stands.

5205

Phono Turntable Stand

List Price

\$6.65

**DEALER'S NET ONLY \$3.99** 

## **G-C RADIO JACKS**

Convenient Tool to Keep on the Bench

Another practical tool for the radio bench. Have you ever tried to prop up a set with boxes, old parts, batteries, etc.? If you have—then you will appreciate a pair of these CHASSIS JACKS. They are adjustable to fit any set, or any conditions. They are made of metal, and much superior to any type of wood props. They take very little space and are very convenient.

Service men should have at least two pairs of jacks on the bench. They will more than pay for themselves in saving time. After you once try these jacks they will become a part of your regular equipment.

List Price

711 Chassis Jacks, per pair \$1.95

DEALER'S NET ONLY \$1.17

## **G-C RADIO CHASSIS GUARDS**

"The Answer to the Radio Man's Problem!"

Inexpensive set of guards that will protect the chassis and tubes. When working on set, chassis can be turned in any position without damage to set or tubes. Adjustable to fit all sets. Easily applied. Install these on a set when you take it out of the cabinet and leave them on till you return the set. These guards protect the set and make it easy to carry the chassis.

List Price

709 Chassis Guards, complete, pair

DEALER'S NET ONLY \$1.35





#### G-C No. 5014 ALIGNMENT TOOL

This is the most popular alignment tool for most receivers. Made of Bone Fibre, combination tool. Consists of Screw Driver with metal nib, 1/4" Hex Wrench slotted and 1% " Hex Wrench on other end.

NI.		
No.		List Pric
5014	Tool	\$ 0.8
5014-D	Display of 12 Tools	10.2

#### G-C No. 5015 ALIGNMENT TOOL

Similar to our 5014 except supplied with heavy duty metal screw driver. Made of Bone Fibre, combination tool. Consists of Screw Driver with metal nib, \( \frac{h}{h} \) "Hex Wrench, \( \frac{1}{h} \) "4" Hex Wrench slotted, with metal Screw Driver on one end.

No.		List Price
5015	Tool	\$ 1.35
5015-D	Display of 12 Too	ols 16.20

#### G-C No. 5016 ALIGNMENT TOOL

Popular tool to be used in aligning sets with-out removing from cabinet. Has a short screw driver and a side wrench. Made of Bone Fibre, combination tool that can be used for most purposes. Consists of Screw Driver with metal nib, %" Hex Wrench, ¼" Hex Side Wrench and ¼" Hex End Wrench slotted.

No.		List Pric	e
5016	Tool	\$ 1.3	5
5016-D	Display of 12 Tools	16.2	0

#### G-C INSULATED HEX WRENCH AND DRIVER

Combination hex wrench and insulated screw driver. The screw driver may be extended from handle to provide extra long length. No metal parts, this is an all-fibre tool. Used to neutralize colls, condensers, etc.

No.			List Price
5005	Extends from	7-13"	\$0.75
5005-D	Display of 12	Tools	9.00
5006	Extends from	11-17"	1.00

#### **G-C NON-EXTENSION TYPE** WRENCH AND DRIVER

Same as above except screw driver is permanently attached in wrench. Length not adjustable. Overall length 6 inches.

No.			List	Price
5007	Tool		\$	0.40
5007-D	Display	12 No.	5007	4.80

Insul. Aligning Wrenches
Made of Rone Fibre Tubing. Hexed
full length inside, so end wrench can
be cut off when worn out, and tool is
as good as new or in. A very popular
all-around tool.

		Hex Size		List
No.	Length	Across Fla	ts Diam.	Price
5051	5"	5/16"	7/16"	\$0.30
5052	5"	1/4"	3/8"	.25
5053	6"	1/4"	3/8"	.35
5054	8"	1/4"	3/8"	.40
5055	12"	1/4"	3/8"	.50
5053-D	Display	of 12 No.	5053 Tools	s 4.20
5054-D	Display	of 12 No.	5054 Tool:	4.80

#### G-C ALIGNMENT WRENCH For Philco, RCA, Etc.

Excellent for neutralizing air trimmers on many models, RCA Victor, Phileo and others. Has 5/16" Hex Wrench on one end and metal hook on other end to adjust air trimmers.

No.		List	Price
5085	Tool	\$	1.50
CORS D	Display 12 Tools		10 00

#### G-C DUPLEX NO-METAL ALIGNMENT SCREW DRIVER

Made of Hard Bone Fibre or Polystyrene—'4" blade on one end and 'a" blade on other. 6" long. Very handy dual purpose alignment screw driver. Ends can be re-ground and used again.

#### G-C NO-METAL INSULATING ADJUSTMENT SCREW DRIVER

Made of black Bone Fibre. Indispensable for aligning all wave sets. Will give long service. Ends can

ne re-brone	1811,	
No. 5004	7" Long	List Price \$0.40
No. 5004-D	Display of 12 Tools	List Price 4.80
LOW-LOSS	POLYSTYRENE TYPE-Ideal	for U.H.F. Sets
No. 5008		List Price \$0.40
No. 5008-D	Display of 12 Tools	List Price 4.80

#### **G-C ALIGNMENT SCREW DRIVER**

Low Inductance Metal Tip Screw Driver made of Genflex material strong, durable, completely insu-lated. Very popular all around alignment tool. Made in two sizes 4" and 7 a." diameter.

No.		List Price
5000	1/4" Diam. x 6" Tool	\$0.40
5000-D	Display of 12 Tools	4.80
5088	7 32" Diam x 6" Tool	.40
5088-D	Display of 12 Tools	4.80

#### G-C DUPLEX ALIGNMENT SCREW DRIVER

Low Inductance Metal Tip on both ends made of Genflex material. One end is ¼" and other end is turned down to 7/32" diameter for small holes. Strong, durable, completely insulated tool.

No.		List Price
5001	Tool	\$0.75
5001-D	Display of 12 Tools	9.00
		_

#### G-C RCA ALIGNING TOOL

Made of 4" Bone Fibre, narrow screw driver on one end and screw nib inserted on other end. on RCA sets and others for coil and push button adjustments.

No.		List Price
5003	Tool	\$0.75
5003-D	Display of 12 Tools	9.00

#### G-C R.F., I.F. and PUSH-BUTTON ALIGNMENT TOOL

FOR BENDIX, RCA, ETC.

Used on the Latest Sets

A new specially designed tool for adjusting iron core
I.F. and R.F. ransformers, coils, alignment condensers, and push button times. Used on Bendix,
R.C.A. and others. Made of small diameter fibre.

Metal tip on one end, other end recessed tip.

No.		List Price
5087	Tool	\$0.7
5087-D	Display of 12 Tools	9.0



#### G-C DUPLEX INSULATED WRENCH ALIGNMENT TOOL

Made of Bone Fibre with ¼" Hex Metal Wrench one end and 5/16" Hex Metal Wrench on other end. This is a very durable all-around adjustment tool.

5017 Tool			\$ 1.25
3017-0	Display	12 Tools	15.00

#### **G-C ALLIGATOR AND** WRENCH ALIGNING TOOL

Made of 7/32" Bone Fibre with alligator on one end and %" metal Hex Wrench on other end. Very popular

No.		Lis	t Price
5012	Tool		\$0.50
5012-D	Display	12 Tools	6.00

#### G-C ALLIGATOR WRENCH AND SCREW DRIVER

For RCA, Philos and others. Made of 7/32" Bone Fibre and strong metal wrench on one end and metal screw driver tip on other end.

No.		Li	st Price
5011	Tool		\$0.50
5011-D	Display	12 Tools	6.00

#### G-C TRIMMER TOOL

Handy tool to adjust smallest size tinding condensers. Screw driver is 7/82" diameter and will fit small holes. Other end has a reinforced 5/16" hex nut wiench.

No.			List	Price
5067	Trimme	6" Lo	ng \$	1.00
5067-D	Disp. 12	No. 50	067	12.00



#### G-C WRENCH AND SCREW DRIVER ALIGNING TOOL

Made of 7/32" Bone Fibre with \( \frac{1}{6} \)" Hex Wrench on one end and Screw Driver with metal nib on other end. This is a very handy alignment tool and wrench.

No.			List Price
5013	Tool		\$ 0.85
5013-D	Display	12 Tools	10.20

#### G-C ALIGNING TOOL FOR **PUSH BUTTON TUNERS**

Required to adjust Push-Button Tun-ers. Socket Screw Driver made of best steel. Handle made of Bone Fibre.

No.		Lie	t Price
5018	Tool		\$0.75
5018-D	Display	12 Tools	9.00

#### **G-C ALIGNMENT TOOL FOR** PHILCO, RCA, ETC.

For neutralizing air trimmer condensers on all model sets. Made of 7/32" Fibre. Metal clip on end.

No.				List	Price
5086	Tool				\$0.60
5086-D	Displa	y 12	Tools	5	7.20

#### G-C BALANCING TOOL

A short neutralling tool for work in close quarters. Sets can be adjusted without removing from cabinets. A very handy tool.

No.			L	ist Price
5084	Tool			\$0.50
5084-D	Display	12	Tools	6.00



#### **G-C "STRATO" TUNING** WAND

Made of Genflex rod with brass cyl-inder on one end and iron core on other end, used for adjusting and checking coils. By inserting iron core end you increase the inductance and

inserting	brass	end	lowers	maua	tance
No.				List	Price
5002	Tool			S	1.00
5002-D	Disp	lay 1	2 Too	ls '	12.00

#### G-C TEST MALLET, SCREW DRIVER AND TUBE TAPPER

Handy tool made with insulated screw driver on one end and rubber mallet on other end. Yery handy for tapping tubes to find shorted or intermittent

No.		Li	st Pric
5081	Tool		\$0.6
5081-D	Display	12 Tools	7.8

#### G-C TEST PROBE

Handy new test probe to "dig in" and find the trouble. Fibre point on one end. Metal hook on other end. Excellent for locating loose connections and shorted parts.

No.		Lis	t Pric
5082	Tool		\$0.5
5082-D	Display 1	2 Tools	6.0

#### G-C SCREW DRIVERS

Insulated screw drivers for radio work No. 5056 for radio knobs, No. 5057 regular type for all-around radio use.

No.	Blade	<b>List Price</b>
5056	3" x 1/8" (Smal	1) \$0.25
5056-D	Display 12 No.	056 3.00
5057	3" x 3/16" (La	rge) .75



#### G-C CABLE EYELET TOOL

Inexpensive riveting tool for riveting parts to chassis and for turning eye-lets on dial cables and assemblies. Kit consists of a base which can be inserted in a vise and clincher punch for turning the rivets.

No.					List	Price
741	Tool					\$1.00
741-D	Display	of	8	-	741	8.00

#### **G-C MULTI-PURPOSE TOOL**

Specially made for adjusting neutral-ing padding condeners and iron core tuners and colls. One end has a screw driver and the other end a sleeve socket screw driver.

No.		Lis	st Price
5091	Tool		\$0.75
5091-D	Disp. 1	2 No. 5091	9.00

#### G-C BAKELITE 5/16" HEX WRENCH-SCREW DRIVER

Molded bakelite insulated wrench for radio work. 5/16" hex has reinforced brass collar to prevent breakage.

No.		Lis	t Price
5083	Tool		\$0.50
5083-D	Display	12 Tools	6.00

#### G-C ALIGNING TOOL

Specially designed for K-tran and I.F. transformers. Made of bone fibre, screw driver on one end.

No.		Li	st Price
5097	Tool		\$0.75
5097-D	Disp. 12	No. 5097	9.00



#### **Bakelite Neutralizing Tool**

U.S. Army TL-207

Made of Genuine Moided Bakelite. Combination screw driver and 5/18<sup>40</sup> hax wrench. Approved by U.S. Army Signal Corps. Very handy for aligning all types of receivers. Screw driver and wrench can be used separately.

No.		List P
5027	Tool	\$2

#### **G-C NEUTRALIZING AND ALIGNING TOOL**

U.S. Army TL-138-A

Approved tool for all-around radio tuning and aligning. 6" long, sturdily constructed.

No.		List Price
5098	Tool	\$ 1.00
5098-D	Disp.	12 No. 5098 12.00

#### **G-C NEUTRALIZING AND** ALIGNING TOOL

Approved by U.S. Army & Navy Made of bakelite, double-end aligning tool, 9/32" diameter x 6" long. Approved and used by Army-Navy. Western Electric and other manufacturers. No.

List Price 5099 Tool \$ 1.25
5099-D Disp. 12 No. 5099 15.00

#### **G-C NEUTRALIZING TOOL** U.S. Army TL-138-B

Handy short tool used by U.S. Stand Corps, U.S. Navy, Bendix, R.C.A. and others

No.				- 1	List	Price
5066	Tool				\$	1.50
5066-D	Disp.	12	No	. 506	6	18.00



#### G-C FLEXI-DRIVER

"Around-the-Corner" screw driver for radio work. Insulated tips prevent "shorts" and guide the blade over screws for easy tuning. Approved by U.S. Army and Navy.

No.		List	Price
5019	Tool	\$	2.00
5019-D	Display 6	Tools	12.00

#### Zenith Push-Button Wrench

Special wrench necessary to use in adjusting Zenith push-button radios. One side has a 5/16" hex wrench and the other a slot. Made of steel nickel

**List Price** 5094 Zenith Wrench \$0.17 5094-D Disp. 24 Wrenches 4.08

#### **G-C CONTACT ADJUSTER**

A handy tool to adjust contacts on switches, relays on pin ball machines and radio sets. Also an excellent tool for adjusting condenser plates, jack and switch contacts.

IAD.	E (S	T Price
5095	Contact Adjuster	\$0.17
5095-D	Display 24 Tools	4.08

#### G-C DIAL CABLE TOOL

A handy tool to aid in replacing worn out cables or cables slipped off of drums. Makes it easy to replace dial cord springs also. A necessity in cramped spaces around the dial.

No.	L	ist Price
5096	Dial Cable Tool	\$0.75
5096-D	Display 12 Tools	9.00



**Distributors!** The No. 5024 Kit should be carried by your salesmen since it is the ideal and complete kit for all users. Since the kit is complete it will help in selling all tools and kits.

#### G-C No. 5024 PROFESSIONAL ALIGNMENT KIT

#### A Complete Alignment and Neutralizing Kit in Leatherette Case

Kit contains all tools necessary to service any set. Handy to carry in roll type case. Used by Army and Navy as approved equipment. Preferred by all radio men as standard equipment. This is the best kit made for radio men. Kit contains the

1-5000	1-5011	15018	15035	15082
15001	15012	15019	15051	15083
15002	15013	15031	15053	1-5084
15003	15015	15032	1—5056	15085
15004	1—5016	15033	15057	15086
1-5005	1-5017	15034	1—5081	15087

Cat. No.

5024 Professional Alignment Kit in Roll Type Case

List Price \$19.95

#### G-C No. 5025 PROFESSIONAL ALIGNMENT KIT

#### A Complete Alignment and Neutralizing Kit in Steel Box

Kit contains every tool necessary to service any set. This is the most DeLuxe set on the market. The best there is. Kit contains the following tools:

1-5000	1—5011	1—5018	15035	1—5082
1-5001	1—5012	1-5019	15051	15083
15002	15013	1-5031	15053	15084
1-5003	1—5015	1-5032	1-5056	15085
1-5004	15016	15033	1-5057	15086
1-5005	1—5017	1-5034	15081	1-5087

5025 Professional Alignment Kit in Steel Box

List Price \$19.95









#### G-C NX ALIGNING KIT

An all-purpose kit, used by many Radio Men to neutralize most sets. Approved by U.S. Army and Navy. Very handy all-purpose aligning and neutral-izing kit. Fourteen different tool applications from five basic tools, some parts which telescope into each other to make the kit handy to use. Contains:

- —5004 Screw Driver —5011 Alligator Wrench —5017 Double End Wrench —5015 Combination Tool —5016 Combination Tool —Leatherette Case

- No. 5020 Kit

List Price \$6.50

#### G-C TE-45A **NEUTRALIZING KIT**

Very handy kit for balancing most radio re-ceivers. Used by many radio service men. Approved by U.S. Army Signal Corps. The all-purpose kit used by Signal Corps. Kit contains:

- -5" Small Screw Driver -5019 Flexi-Driver 1-5003 Tool
- 1—5000 Tool 2—5051 Tool 2—5052 Tool

1-Leatherette Case

No. 5021 Kit

List Price \$6.75

#### VEST POCKET ALIGNING KIT

A very handy all-purpose aligning kit. Handy to carry with you for quick adjustments on all types of sets. Four different tools designed for the six most popular types of adjustments. Kit contains:

- 1—5012 Alligator and Hex Wrench 1—5000 Screw Driver 1—5003 RCA Screw Driver 1—5004 Screw Driver

- 1---Leatherette Case
- No. 5022 Kit

List Price \$3.00





#### G-C No. 5026 ALIGNMENT KIT

Here's a new DeLuxe G-C Alignment Kit which includes the most popular tools for the service man together with the new Flexible Shaft Screw Driver and Tuning Wand. Tools are put up in Leatherette Roll Type Case making it easy to carry in your pocket. Fourteen different tools designed into seven basic tools, some parts which telescope into each other. This is a very universal and complete kit. Kit contains

- -5002 Tool -5004 Tool -5011 Tool
- No. 5026 Kit
- 1—5016 Tool 1—5017 Tool 1—5019 Tool

## 1-Leatherette Case

List Price \$7.50

#### G-C No. 5023 ALIGNMENT KIT

A very complete inexpensive kit that will take care of most sets. Put up in a handy, easy-to-carry roll-type case. Used by thousands of radio men. Contains seventeen tools designed into nine basic tools, some parts of which telescope into each other. Kit contains:

- 1—5001 Tool 1—5003 Tool 1—5004 Tool
- 1—5017 Tool 1—5053 Tool 1—5056 Tool 1—5057 Tool Leatherette Case
- No. 5023 Kit List Price \$6.25

GENERAL CEMENT MFG CO WAITS

World Radio History





#### **NEW! G-C WIRE STRIPPER**

Sensational 5-in-1 tool made of hardened steel. Is a wire stripper, scraper, cutter, screw driver and wire winder all in one. Save time by having one on your bench and one in your tool kit. A real tool!

No.		List Price
757	Wire Stripper	\$0.25
757-D	Display of 24 Strippers	6.00

#### G-C TUBE AND PARTS **EXTRACTOR**

TL-201

This handy tube extractor was originally designed by the U.S. Signal Corps as standard equipment. Now it's available to all. Skillfully constructed of spring steel, cadmium plated. Has rubber cushion on the prongs. it's a handy tool to have around.

10.			List	Pric
092	Tube	Extractor	\$	1.00

#### G-C SPEEDEX FUSE PULLERS

Inexpensive—non-slip fuse puller. Safe and handy for cartridge fuses. Laminated insulation construction of high di-electric material for extra strength and safety. Keeps the fingers away from dangerous high voltages. A necessity in every tool kit. List Price

140.		LIST Price
5525	Midget Size, for fuses	
	1/4" to 1/2" diameter	\$0.50
5525-D	Display 6 No. 5525 Pullers	3.00
5526	Pocket Size, for fuses 1/2" to	
	11/2" diameter. Voltages to	
	200 amps at 250 volts and	
	100 amps at 600 volts	1.00
5526-D	Display 6 No. 5526 Pullers	6.00

CUT WIRE AND SOLDER



#### G-C SOLDER IRON TIPS

Bright plated to resist corrosion. These tips are made of best grade hard-drawn copper. G-C tips will heat up fast and retain the heat for fast soldering.

No.	Diam. Long	List Price
724	1/4" x 3"	\$0.45
725	5/16" x 41/2"	.55
726	3/8" x 41/2"	.60
727	7/16" x 4"	.75

#### G-C SOLDERING COOLANT AND FLUX ATTACHMENT

Cools and Sets Solder Instantly (Patent Pending)

Here's a handy attachment that you can put on any soldering iron and speed up production and repairs. No waiting for solder to cool. Dip the brush in a coolant of water or alcohol and cool the solder instantly. Also can be used for soldering flux or paste. With this attachment it's just like having a helper to solder.

No.		List Price
720	Coolant Attachment	\$0.25
720-D	Display of 20 No. 720	5.00

#### NEW G-C SOLDERING WIRE COUPLERS

(Patent Pending)

Here's a handy assortment of wire connectors to resplice cut wires and solder again. Makes it handy to clip wires in testing and resoldering. Simply slip over wires to be connected and solder. Will really save time.


No.		L	ist Price
7500	Package of Con	nectors	\$0.40
7500-D	Display of 20 N	lo. 7500	8.00



#### G-C 8-PIECE **VEST POCKET SET**


An outstanding seller. Seven sockets, 1/4", 5/16", 11/32", 3/8", 7/16" Hex., 3/8" Round Knurled, 1/4" Square and 4" L Handle with two friction balls in baked enameled box.

No.				List I	Price
712	Vest	Pocket	Set	\$1	.40



The feature of the handle held together by friction ball securely holding 5 Hexagon Sockets, sizes 1/4", 5/16", 11/32", 3/8" and 7/16" is outstanding. Wood handle, orange enamel. Sockets plated.

No.		List Price
715	Slip-On Set	\$1.50



Here's something you've always wanted, an inspection mirror to see in the chassis and inspect coils, parts and connections. Made with a long handle, it will get into most any place and under anything. Order yours today.

No.		List Price
5090	Inspection Mirror	\$0.50
5090-D	Display of 12 Mirrors	6.00



#### G-C SWEDISH STEEL SPEAKER SHIMS

G-C SWEDISH STEEL SPEAKER SHIMS

A Permanent Tool that Makes Speaker Repairs Simple
Speaker shims are necessary to every service man to enable him to
properly adjust any type of a dynamic speaker. With our steel
shims, adjustments on speakers can be made in a few minutes and
satisfactory results are assured, where without shims much more
time is required. These shims are made of the best grade of
Swedish Steel, they are really very flexible and can be honestly
called a permanent tool. Four sizes are furnished in a handy goldlettered partitioned snap case, .004, .006, .008 and .010 in. With
these shims you get the thinnest shims and by a combination of
sizes you can have as thick as .0275 in. shims. Instructions included
with kit.
No.

No.			List Price
701	16 Shims.	Color-Coded, in a Kit	\$0.65
701-D	Display of	12 No. 701	7.80





#### G-C FIBRELOID SPEAKER SHIMS

A Very Handy Tool for Centering Voice Coils

This kit of Speaker Shims is made of specially tough and flexible Fibreloid (Celluloid) and is preferred for adjustments on certain types of speakers. Our kit consists of five different sizes that will take care of all speakers: .005, .0075, .010, .0125 and .015 inches. All sizes are colored and the different gauges are indicated on the attractive gold-lettered snap case supplied with this kit:

No.		List Price
702	Five Sizes—20 Shims to This Kit	\$0.60
702 D	Display of 12 No 702	7 20





#### G-C MASTER TEST LEAD REPLACEMENT WIRE

Replace worn out test lead wires with these 6000 volt extra flexible leads specially made for test leads. Red and black wire each 50" long, packed in cellophane envelopes.

No.		L	ist Price
049	Test Lead Wires		\$ 0.50
049-D	Display of 12 No. 5049		6.00
049-C	100-ft. *Spool Test Le	d Wire	5.00
	1000-ft. *Spool Test Le.		45.00
		Pod or Plack)	



The best test leads you can buy, 50" long, 6000 volt, heavy duty test prods, solderless type. Extra flexible leads run through the handles and are fastened under the knurled collar on the tips. Tips are insulated red and black colors and are removable, they are the

No. 5050 5050-D	Master Test Leads Display of 6 No. 5050	List Pri \$1.1 9.0



#### G-C TEST PRODS

"Solderless Type"
Handle is made of red or black non-breakable fibre material. Solderless tip is made of brass nickel plated

No. 5041 5042 5043 5044	Size and Color 5½"—Red 5½"—Black 7½"—Red 7¼"—Red 7¼"—Black	List Price \$0.40 .40 .50
-------------------------------------	---	------------------------------------

#### G-C LOW-LOSS DELUXE TEST PRODS

New low-loss Test Prods made of low-loss non breakable cellulose acetate material, moisture resist ant. Excellent for high voltage, low inductance Solderles type tip made of brass nickel plated.

No.	List	Price
5045	Red	\$0.50
5046	Black	.50
5045-D	Display 18 Prods, 9 Red-9 Black	9.00

#### G-C NEEDLE-POINT TEST PRODS

6" Test Prods are made of non-breakable plastic material available in red and black. Chuck tip and phono needle point can be removed. Chuck is made of brass nickel plated.

No.				List Price
7701	Needle	Point	Prod	\$0.50
7701-D	Display	of 12	No. 7701	6.00







#### G-C MODERN PHONE TIP PLUG

New streamlined safety tip plug adds safety and appearance to your old test leads. Fits standard phone tip jucks. Same as used on latest type instruments.

THE RELL COLLEGE	OHI LO.		
No.		Li	st Price
7704	Red Phone	Plug	\$0.50
7705	Black Phon	e Plug	.50

#### **Insulated Test Prod Tips**

Insulated with unbreakable plastic material, solderless type of test prod tip. Wire fastens under knurled nut. Made of brass nickel plated. Red and black colors.

No.		List Price
5061	Red Test Prod Tip	\$0.24
*5061-E	Env. 2 No. 5061	.40
5062	Black Test Prod Tip	.24
*5062-E	Env. 2 No. 5062	.40
		_

Solderless type plug for ends of cords, test leads and test prods. Wire fastens under knurled nut. Made of brass nickel plated.

G-C TEST PROD TIPS

1	Red Test Prod Tip Env. 2 No. 5061	\$0.24	No.		List Price
2	Black Test Prod Tip	.24		Test Prod Tip	\$0.12
	Env. 2 No. 5062	.40		Env. 3 No. 506	
*5	tandard Jobber's	Quantity 20	to Display	(D) or Box	(X).

#### G-C PHONO NEEDLE POINT TEST PROD CHUCK

Threaded type phono needle point chuck fits 4-20 thread. Supplied complete with needle made of brass

mener	Praced.				
No.			List	Pr	ice
7702	Threaded	Needle			
	Chuck			en.	1 5









#### **G-C HEAVY DUTY PHONE** TIP PLUG

Standard heavy duty plug same as used on test leads, prods. etc. Made of brass, nickel plated. Will push into 14" hole on test prode

No.				List	Price
7706	Heavy	Duty	Plug	:	\$0.15

#### **G-C STANDARD PHONE TIP**

Standard phone tip made of solid brass, end drilled out to receive wire. Bright nickel plated, Made according to RMA specifications.

No.	apecaracaerono.	List Price
6321-E	Env. of 8	\$0.40
6321-D	Disp. 20 Env.	6321 8.00
6321-C	Package of	144 5.85
6321-M	Package of 1	000 35.00

#### **G-C STANDARD PHONE TIP**


Standard phone tip made of drawn brass, bright nickel plated.

No.		List	Price
6320	Env. of 16		\$0.40
6320-D	Display of 20 Env.	No. 6320	8.00
6320-G	Package of 144		2.10
6320-M	Package of 1000		12.50
6629	Hardware Lab Jar	of 30	65

#### G-C PHONO NEEDLE POINT TEST PROD CHUCK

Push-on type phono needle point chuck will push into a 1/4" hole on test prods. Made of brass, nickel plated.

No.			List	Price
7703	Push-On	Needle		









#### G-C INSULATED PHONE TIP PLUG

Fits standard phone tip jacks, tip is made of brass and is insulated with low-loss plastic material. Specially suitable where minimum amount of metal can be exposed.

No.	List Price
7710	Red Insulated Tip \$0.15
7711	Black Insulated Tip .15

#### G-C INSULATED SPADE LUG

Tapered spade lug can be used on any size screw or terminal strip up to No. 10. Fits all banana plugs on receptacle end.

No.	L	ist Price
7712	Red Spade Lug	\$0.16
7713	Black Spade Lug	.16

#### G-C PHONO TIP **JACKS**

An outstanding phone tip jack used by leading test instrument manufacturers, Made with phosphor bronze springs that make positive contact. Made of brass, nickel plated. Fits ¼" hole and panels up to 5"h" thick.

No.				List	Price
7714	Phone	Tip	Jack	-	0.10

#### G-C INSULATED PHONE TIP JACKS

Insulated phone tip jacks same quality as our No. 7714, made with phosphor bronze springs. Insulated head is %" diam. Jack will fit \u03b4" hole and panels to \u03b4" thick.

No.	List Price
7715	Red Phone Tip Jack \$0.20
7716	Black Phone Tip Jack .20











#### Spring Banana Pluq

Insulated Solderless Type
No metal parts are exposed
around the handle of the
spring non-collapsible banana
plug. Spring action prongs
give maximum area of contact. Connection of wire is
made to internal solderless
fastener. Handle is highly
polished, metal parts nickel
plated.
No.
List Price

7730 Red Banana Plug \$0.25 7731 Black Banana Plug .25

#### Spring Banana Plug

Insulated Handle

On this high-grade banana plug, connection is made by a side screw. Spring pronus give maximum area of contact. Handle is highly polished and metal parts nickel plated.

List Price 7732 Red Banana Plug \$0.20 7733 Black Banana Plug

#### Banana Pin Plugs

Approved silver plated plugs. Can be used for many pur-poses. Ideal for multiple plug-sand cords, Straight shank, small type. Can be riveted or soldered.

List Price s \$0.40 No. \*6400 Env. 10 Plugs JACKS FOR 6400 PLUGS

\*6401 Env. 4 Jacks \$0.40
\*Standard Jobber's Quantity
20 Env. Specify Box (X)
or Card Display (D).

#### Spring Banana Plug

Used extensively for plug-in coils, terminal strips, etc. Shank is threaded 6-32, supplied complete with lug and nut. Brass nickel plated.

List Price 7736 Banana Plug \$0.12

#### Spring Banana Plua

This is identical to our 7736 plug except it is made with a female 6-32 thread on end. Supplied with soldering lug and screw

List Price

\$0.12









7737 Banana Plug

#### G-C BANANA JACK

Standard banana pin jack will fit all jacks. Made of brass, nickel plated. Fits 1/4" hole. Supplied with nut and lug.

NO.		
7740	Banana Jack	

List Price

.40

7741 Red Banana Jack 7742 Block Banana Jack \*Standard Jobber's Quantity 20 Envelopes.

#### INSULATED BANANA JACK

Standard banana jack, insulated with high lustre plastic. Fits 1/4" hole and panels to 3/8" thick. Supplied complete with nut and

List Price
\$0.15
.15

#### G-C RCA PIN PLUG AND JACK

Used on various types of RCA equipment but adaptable to all sets and purposes. A fine auto-radio antenna

connecti	or.	
No.	L	st Price
1742	Midget Pin Plug	\$ 0.10
1742-E	Env. of 4 - 1742	.40
1742-M	Per 1000 - 1742	39.00
1743	Midget Shielded Jack	.15
1743-E	Env. of 3 - 1743	.40
1743-M	Per 1000 - 1743	98.00
	D (V) C	Disease

#### Combination Banana Plug and Phone Tip Jack

INSULATED

Insulated combination jack that will fit all standard banana pins and phone tip plugs. Made of brass with phosphor bronze springs, insures poaltive contact. Nickel plated, Will fit & noise and panels to %" thick.

No. 7744	Red Combination Jack	List Price \$0.20
7745	Black Combination Jack	.20
(D).		









#### G-C ALLIGATOR CLIPS

Very popular alligator clip, accurately made for use on test equipment, bat-teries, etc. Insulated with polished plastic handles. Solder type. Nickel plasted

No.		List Pr
5064	Red Insulated Clip	\$0
5064-E	Env. 2 - 5064	
5065	Black Insulated Clip	
SOAS.E	Emu 2 - 5065	

#### G-C ALLIGATOR CLIP

Non-insulated, very popular alligator clip used on all types of equipment, batteries, etc. Accurately made with strong spring. Solder type. Nickel

lated.		
No.	L	ist Price
5063	Non-Insulated	
	Clip	\$0.12

\*5063-E Env. 3 No. 5063 \*Standard Jobber's Quantity 20 Envelopes

#### G-C INSULATED ALLIGATOR CLIP

Very popular screw-type alligator clip, insulated with bright plastic handle. Wire can be fastened under screw.

No.		List Price	
7750 <sub>5</sub>	Black Ins. Clip	\$0.25	
7751	Red Ins. Clip	.25	
Specify	Box (X) or	Card Display	į

#### G-C ALLIGATOR CLIP

"Screw Type"

Very handy screw-type alligator clip used by radio men, experimenters and engineers. Wire can be quickly fastened under the screw.

No.		List Price
7752	Alligator Clip	\$0.18
(D).		









#### G-C WEE-PEE-WEE CLIP

A new very popular clip, smaller than ever. Ideal for coils and high frequency work. Made of phosphor bronze, it is light weight and thin

No List Price 7755 Wee-Pee-Wee Clip \$6.25

#### GC PEE-WEE CLIP

Very popular small test clip for radio, ignition and electrical work. Interlocking jaws insure positive contact

No.		List Price
7756	Pee-Wee Clip	\$0.10

#### G-C CROCODILE CLIP

Very handy for test work in close quarters. Has exclusive features of nesting teeth that give solid contact along entire length of jaw. Steel cadmium plated.

Cucamin	m pinten,	
No.		List Price
7757	Crocodile Clip	\$0.20

#### G-C FAHNESTOCK AMMETER CONNECTOR

Very handy for connecting auto radios to animeter screws. Makes positive contact in the fastest and easiest way, Simply clip on the screw and it's there to stay.

No.		List Price
6307	Each	\$0.1
6307-C	Box of 144	14.6











#### G-C FAHNESTOCK CLIPS

Very popular Fahnestock Clips insure positive contacts. Used on batteries, antenna leads, antenna loops, temporary connections and used by experimenters and engineers. Made of spring brass, will give long life.

#### **Small Size Clip**

1/2" Lang x 7/32" Wide Will take up to No. 16 wire, No. 6 mtg. hole. No. List Price 6301 Each \$0.03 6301-G Box 144 2.10

#### **Medium Size Clip**

3/4" Long x 5/16" Wide Will take up to No. 14 wire, No. 6 mtg. hole. No. List Price 6302 Each \$0.03 6302-G Box 144 2.25

#### Large Size Clip

1-1/16" Long x 3/8" Wide No. 8 Mounting Hole No. List Price 6303 Each \$0.04 6303-C Box 144 2.40

#### **Medium Size with** Solder Lug

3/4" Long x 5/16" Wide No. 6 Mounting Hole No. List Price 6306 Each \$0.04 6306-G Box 144 3.10 For additional listings on Fahnestock Clips-including displays-see Page 57.

#### **Double Type Clip** 11/2" Long x 5/16" Wide

No. 6 Mounting Hole No. List Price 6304 Each \$0.14 6304-G Box 144 19.45





7808

G - C RADIO BATTERY PLUGS

7807

7806

No. 7803 List Price \$0.11

7804

3-prong large plug for 45-volt "B" portable batteries, such as Eveready No. 482, etc

List Price \$0.25

3-prong plug with Fahnestock Clips, for standard 4½-volt "C" batteries, such as Eveready 771, etc.

List Price \$0.40 No. 7805

5-prong plug with Fahnestock Clips, for standard 221/2-volt "C" batteries, such as Eveready 768, etc.

List Price \$0.11 No. 7806 2-prong plug for portable  $4\frac{1}{2}$ -volt "A" batteries, such as Eveready 746, etc.

No. 7807 List Price \$0.11

3-prong small plug for 45-volt "B" portable batteries, such as Eveready 482, 738, etc.

List Price \$0.11 No. 7808

2-prong small plug for 1½-volt "A" portable batteries, such as Eveready 742, etc.

No. 7809 List Price \$0.13

4-prong large plug for combination  $1\frac{1}{2}$ -volt "A" and 90-volt "B" portable packs, such as Eveready 748, etc.

No. 7810

7809

7810

List Price \$0.11

7812

2-prong plug for 6-volt portable "A" batteries, such as Eveready 747, 718, etc.

7811

No. 7811 List Price \$0.13

4-prong plug for combination 6-volt "A" and 90-volt "B" portable packs, such as Burgess 2F4B60, etc.

No. 7812 List Price \$0.11

2-prong plug with guide pin for 71/2-volt portable "A" batteries, such as Burgess G5, etc.



7813

7803

7814

7815

7805

7816

7817

7818

List Price \$0.11

7819

7821

7822

List Price \$0.13

4-prong small plug for combination 1½-volt
"A" and 63-volt, 75-volt or 90-volt "B"
portable batteries, such as Burgess 6FA60,
4GA42, Philco P60A41, etc.

No. 7814 List Price \$0.22

8-prong plug with guide pin, for combination 7½-volt "A" and 63-volt or 90-volt "B" portable packs, such as Burgess D5A60, Philco P841, P87, Sky Chief models, etc.

List Price \$0.09 No. 7815

Male snap-fastener for connecting to negative terminal of miniature 67½-volt "B" portable batteries, such as Eveready No. 467 Minimax, Burgess XX-45, etc.

No. 7816

Female snap-fastener for connecting to positive terminal of miniature 67½-volt "B" portable batteries, such as Burgess XX-45, Eveready No. 467 Minimax, etc.

No. 7817 List Price \$0.25

3-prong large plug with Fahnestock Clips, for standard 45-volt "B" batteries.

No. 7818

List Price \$0.20 2-prong plug with Fahnestock Clips for standard and portable 1 1/2-volt "A" batteries.

List Price \$0.13 No. 7819

4-prong large plug for combination 6V "A" and 75V "B" battery packs such as Burgess C4B50, Zenith Z-675, etc.

No. 7820

7820

List Price \$0.16

5-prong large plug for combination 6V "A" and 90V "B" battery packs such as Burgess F4B60, Zenith Z-659, etc.

No. 7821 List Price \$0.13

4-prong small plug, which has three thin pins and one thick pin, for combination 6V "A" and 90V "B" battery packs such as Burgess 2F4A60, Philco P60A8F4, etc.

List Price \$0.22

8-prong octal plug for combination 11/2-volt and 90-volt portable "AB" packs, such as Zenith Z-9-B, Burgess 4FA60, General P60A-



P9403, etc.

No. 7824

No. 7825

7823

7824

2-prong plug with Fahnestock clips for standard 3-volt "A" batteries, such as Rayovac

2-prong plug without clips for standard 3-

volt "A" batteries, such as Rayovac P9403,

4-prong small plug with eccentrically spaced

pins, for combination "AB" battery packs, such as Usalite AB-671, Philco P60A110, etc.

7825

7826

7827

7828

7829 No. 7829

batteries.

7830 7831

No. 7823

List Price \$0.20

List Price \$0.13

No. 7826

List Price \$0.11 3-prong plug, which has two thin pins and one thick pin, for standard 41/2-volt "C" one thick pin, for standard  $4\frac{1}{2}$ -volt batteries, such as Eveready 771, etc.

List Price \$0.22

5-prong plug for standard 221/2-volt "C" battery, such as Eveready 768, etc. Same as our No. 7805 except without Fahnestock clips.

No. 7827 List Price \$0.22 List Price \$0.11

7-prong large plug for combination 135-volt "B" and 9-volt "C" batteries, such as used on Philco 37-33, 37-38, 38-33 and 38-38 battery receivers and type 9068, etc.

No. 7828 List Price \$0.27

Special 8-prong large plug for combination 135-volt "B" and 131/2-volt "C" batteries, such as used on Philco Models 34, 34A, 39 and 39A battery receivers, etc.

No. 7830

List Price \$0.11 2-prong plug with large pins, one thin and one thick. Used extensively in portable

List Price \$0.22 No. 7831

5-prong small plug, including guide pin, for combination 11/2-volt "A" and 75-volt or 90volt "B" portable batteries.

#### BATTERY PLUG KITS RADIO

Battery plugs are used on all portable and farm radios, test equipment and apparatus using plug-in batteries.

Servicemen! It will pay you to have an assortment of G-C Battery Plugs on hand so you can make prompt repairs. Assortments supplied with a sturdy, slide-in, drawer-type metal box that holds all your plug requirements. Furnished complete with handy reference chart which gives data on each plug.

Kit 50 Assorted Plugs in Cardboard Box

7800

7801 Kit 100 Assorted Plugs in Metal Box

List Price \$12.00

5.50









A grand assortment of screws, nuts, lugs, clips, washers, clamps, caps and all types of Radio Parts that you need in your everyday work. Just dig in and find it. Thousands of pieces in a box.

List Price

6500 Hell Box Assortment in Metal Box ENVELOPE ASSORTMENTS \*6056-E Env. Asst'd Hdwe. \$3.25

(As above except smaller quantities.)
\*Standard Jobber's Quantity 20 Envelopes.
Specify Box (X) or Card Display (D).

#### G-C HANDY DIAL AND KNOB REPAIR KIT

Assortment of knob springs, set screws, dial springs, idler pulleys and drive rubbers. A handy kit to take on the job.

No.		List Price
1015	70-piece Repair Kit	\$2.25
1016	150-piece Repair Kit	4.50

#### G-C PHONO SPRING KIT

Kit contains assorted springs same as are used on phono turntables. With this kit you can replace the broken or weak spring without waiting or delay in service. Kit contains springs same as used on most phono turntables.

No.	List Price
6478	Kit of 50 Phono Springs \$2.25
6479	Kit of 100 Phono Springs 4.00



#### G-C STEEL RACKS

An excellent steel rack to hold small bottles, parts and jars, and keep your place in order. 20" long; shelves 21/4" wide. Will fit 2-oz. No. 4002 bottle listed below.

4010	Steel Rack for 20 2-oz. Jars	\$1.75
4012	Steel Rack for 40 2-oz. Jars	2.50

#### G-C STEEL STOCK CABINETS

Ideal steel drawer-type cabinet for radio parts, etc. Made so cabinets can be stacked on top of each other. Size, 131/2" long, 6" wide, 4" high.

No.		List Price
4001	Cabinet	\$2.50

#### G-C SERVICEMAN'S HARDWARE ASSORTMENT

Inexpensive, easy way to get a complete assortment of the necessary hardware items reeded in everyday repair work. Two separate assortments similar to those supplied in larger Hardware Laboratory Assortment except smaller quantities. No. 1 assortment is similar to No. 6601 and No. 2 is similar to No. 6602 assortment. (See page 50.) Items packaged in handy envelopes for easy accessibility.

No. 6603-D List Price \$8.00 No. 1 Assortment 6603-2-D No. 2 Assortment 8.00





#### G-C HARDWARE AND PARTS **GLASS JARS**

Wide mouth jars, ideal for storing small radio parts, screws, nuts, etc. Complete with caps.

•		
No.		List Price
4002	2∞ox. Jar	\$0.12
4004	4-ox. Jar	20
4008	8-ox. Jar	.25
4009	16-ox. Jar	.35

12 Each Size to Standard Carton

#### G-C STAPLE DRIVER **STAPLES**

Hardened Steel, Best quality staples in cartridge form to fit Staple Drivers. Lacquer coated, rust-proof steel.

No.					List P	rice
		 		-		

430 Approx. 250 Staples to Box \$0.60

#### G-C MACHINE SCREW AND NUT **ASSORTMENT**

Handy assortment of 4-36, 6-32, 8-32 and 10-32 screws and nuts. A very handy kit.

List Price \*6038-EEnv. 25 Screws, 25 Nuts \$0.40

#### G-C THREADED STEEL RODS

Needed threaded steel rod for servicing, repairing and designing new equipment. Package contains 6-32 and 8-32 threaded rod.

List Price \*6665·EPkg. 6-32 and 8-32 Rod \$0.40

#### G-C VENTILATING **PLUGS**

Ideal ventilating plug for chassis, amplifiers, racks, transmitters, etc. Just snap into a 1-inch hole.

No.	List Price
*1709EEnv. of 4 Plugs	\$0.40

\*Standard Jobber's Quantity 20 Envelopes. Specify Box (X) or Card Display (D).

#### G-C INSULATED BELL STAPLES

Saddle-type insulated staples for holding wires in place and out of the way.

No.	List Price
	Fig. 1, 3/16" x ½"
1751	Box of 50, No. 1 \$0.20
1752	Box of 100, No. 1 .35
	Fig. 2, 3/16" x 5/8"
1753	Box of 50, No. 2 .20
1754	Box of 100, No. 2 .35
	Fig. 3, 3/16" x 3/4"
1755	Box of 50, No. 3 .20
1756	Box of 100, No. 3 .35
	Fig. 5, 1/4" x 5/8"
1757	Box of 50, No. 5 .20
1758	Box of 100, No. 5 .35
	Fig. 6, 1/4" x 3/4"
1759	Box of 100, No. 6 .35
	Fig. 7, 1/4" x 7/8"
1760	Box of 100, No. 7 .35
	Extra Large Cable Size
1761	Fig. 10, 3/8" x 3/4" Box of 100, No. 10 .65
Standard	d Carton 20 Boxes of 50 Staples or 10 Boxes of 100 Staples





#### Cat. No. 6604

DeLuxe Hardware Laboratory, 40 Jars on one rack, contains both assortments.

List Pr ce	\$26.00
Dealer's Net Only	15.60

#### Cat. No. 6601

Hardware Laboratory, 20 Jars as listed.

List Price	\$13.00
Dealer's Net Only	7.80

#### Cat. No. 6602

Hardware Laboratory, 20 Jars as listed.

List Price	\$13.00
Dealer's Net Only	7.80

# New G-C

## COMPLETE HARDWARE LABORATORY

Here is a complete Electronic Hardware Rack that contains over 2,100 essential Electronic Hardware items, packed in clear glass jars with screw caps.

#### HEAVY STEEL RACK IS FREE!

The ideal Lab for Radio Service Shops, Factories, Experimental and Research Labs, Home Work Shops and Hobby Shops.

## No. 6601 Hardware Rack Assortment Contains:

	A 3 3 0 1 1 1 1 C 1 1 C 1 1 C 1 1 C 1 1 C 1 C	
No.	List Price	
6605	Asstd. 6-32, 8-32, 10-32 Knob	
	Set Screws	
6606	Asstd. Hex Nuts, 4-36 and 6-32 sizes	
6607	Asstd. Hex Nuts, 8-32 and	
	10-32 sizes	
6608	Asstd. Sheet Metal Screws,	
	sizes No. 4 and 6	
6609	Asstd. Sheet Metal Screws,	
	sizes No. 8 and 10	
6610	Asstd. Machine Screws,	
0010	4-36 and 6-32 sizes	
6611	Asstd. Machine Screws,	
0011	8-32 and 10-32 sizes	
6612	Asstd. Steel Washers,	
	No. 4 and 6 sizes	
6613	Asstd. Steel Washers,	
	No. 8 and 10 sizes	
6614	Asstd. Lock Washers,	
	No. 4, 6, 8 and 10 sizes65	
6615	Asstd, Mounting Nuts for	
	Volume Controls	
6616	Asstd. Extension Springs65	
6617	Asstd. Brass and Insulated	
0017	Bushings and Spacers	
6618	Asstd. Soldering Lugs	
6619	Asstd. Knob Springs	
6620	Asstd. Trimounts	
6621		
	Asstd. Dial Cord Clips	
6622	Asstd. Rivets and Eyelets65	
6623	Asstd. Felt Pads for Cabinets65	
6624	Asstd. Tack Bumpers	
	JOBBERS' JAR REPLACEMENT	
		ľ

#### No. 6602 Hardware Rack Assortment Contains:

	No.	List	Price
	6625	Asstd. Grommets, small size \$	0.65
	6626	Asstd. Grommets, large size	.65
	6627	Asstd. Acorn Nuts	.65
	6628	Asstd. Rack Screws and Cup Washers	.65
	6629	Asstd. Phone Tips	.65
	6630	Asstd. Speed Nuts	.65
	6631	Asstd. Ornamental Head Screws.	.65
	6632	Asstd. Escutcheon Plate Screws	.65
	6633	Asstd. Wood Screws	.65
	6634	Asstd. Fibre Washers	.65
	6635	Asstd. Grid Caps	.65
	6636	Asstd. "C" Washers	.65
	6637	Asstd. Hairpin Spring Clamps	.65
	6638	Asstd. Dial Pulleys	.65
	6639	Asstd. Fahnestock Clips	.65
	6640	Asstd. Voice Coil Dust Felts	.65
	6641	Asstd. Knob Felts	.65
	6642	Asstd. Cotter Pins	.65
	6643	Asstd. Compression Springs	.65
	6644	Asstd. Cable Holder Clamps	.65
17	S, 12	EACH TO CARTON	

# MULTIPLE SELLIN Month

#### **G-C HEXAGON KEY WRENCHES**

Essential key wrenches for every repair man. Made of special alloy steel properly hardened. Used on knobs, dials, phono needles, motors, pulleys, etc.

	HEX KEY WRENCHES	
No.	L	ist Price
5030	Env. 4 Assorted Wrenches	\$0.40
5030-D	Display 20 No. 5030	8.00
5029	Kit 6 Assorted Wrenches in	
	Leatherette Case	.75
5029-D	Display 16 No. 5029 Kits	12.00
5029-A		r
	No. 1/4" to 3/8" Set Screws	40
	and No. 8 to 1/4" Cap Screws	.40
	-D Display 20 No. 5029-A	8.00
5031	No. 4 Set Screw Wrench	.11
5032	No. 5 and 6 Set Screw Wrence	h .11
5033	No. 8 Set Screw, No. 4	
	Cap Screw	.11
5034	No. 10 Set Screw, No. 5 - 6	
	Cap Screw	.11
5035	1/4" Set Screw, No. 8 Cap Scr	ew .11
5036	5 " Set Screw, No. 8 Cap Scr	ew .12
5037	3/8" Set Screw, No. 1/4"	
	Cap Screw	.12
5038	3 " Set Screw, No. 16"	
	Cap Screw	.14

## BRISTO KEY WRENCHES Spline Type

Very popular "Bristo" or "Spline" type wrenches as used on phono needles, motors, pulleys, knobs, etc. Made of alloy steel, properly hardened.


No.		List Price
5069	Env. 4 Assorted Wrenches	\$0.40
5069-D	Display of 20 No. 5069	8.00
5070	Kit of 6 Assorted Wrenches in Leatherette Case	.75
5070-D	Display of 16 No. 5070 Kits	12.00
5071	No. 4 Set Screw	.11
5071-A	No. 5 Set Screw	.11
5072	No. 6 Set Screw	.11
5073	No. 8 Set Screw, No. 4 Cap Screw	.11
5074	No. 10 Set Screw, No. 5 - 6 Cap Screw	.11
5075	No. 1/4" Set Screw, No. 8 Cap Screw	.11
5076	No. %" Set Screw, No. 10 Cap Screw	.12
5077	No. 3/8" Set Screw, No. 1/4" Cap Screw	.12
5078	No. 18 Set Screw, No. 18 Cap Screw	.14

#### NEW G-C SPEAKER SHIM KIT


Here's a kit of shim stock that you can use for repairing and centering any type of cone the "new way". A generous supply of both celluloid and bronze shim stock is included in various widths and thicknesses to take care of any cone adjustments. Shim stock can be used for spacers in centering or for wrapping around pole piece to center properly and reposition the cone. It will true up cones out of shape if cone is moistened and allowed to dry with shims in place. A kit will more than pay for itself on the first job and will last a long time. Instructions included.

No. 7720 Kit of Celluloid and Bronze Shim Stock.

List Price \$2.00











## G-C RADIO KNOB SET SCREWS - Continued



Set Screws, 6-32 x 1/4"	6073-E	20	6073	30	6073-G	2.40	6073-M	14.50
Set Screws, 8-32 x 1/8"	6074-E	20	6074	30	6074-G	3.15	6074-M	19.00
Set Screws, 8-32 x 3/16"	6075-E	20	6075	30	6075-G	2.25	6075-M	13.50
Set Screws, 8-32 x 1/4"	6076-E	20	6076	30	6076-G	2.30	6076-M	13.75
Set Screws, 8-32 x 1/2"	6077-E	20	6077	30	6077-G	2.65	6077-M	15.75
Set Screws, 10-32 x 3/16"	6078-E	20	6078	30	6078-G	2.40	6078-M	14.50
Set Screws, 10-32 x 1/4"	6079-E	20	6079	30	6079-C	2.65	6079-M	15.75



#### G-C BRISTO SET SCREWS HARDENED STEEL - SPLINE TYPE - HEADLESS One Wrench Included In Each Envelope Package



Assorted Lengths, 4-36	7175-E	4				
Assorted Lengths, 6-32	7180-E	4				
Assorted Lengths, 8-32	7185-E	4				
Bristo Set Screws, 4-36 x 1/8"			7176-G	14.50	7176-M	87.00
Bristo Set Screws, 6-32 x 1/8"			7181-G	15.30	7181-M	91.70
Bristo Set Screws, 6-32 x 3/16"		T)	7182-G	15.65	7182-M	94.00
Bristo Set Screws, 8-32 x 1/8"			7186-G	15.65	7186-M	94.00
Bristo Set Screws, 8-32 x 3/16"			7187-G	16.10	7187-M	96.35



#### G-C ALLEN HEX SET SCREWS

STEEL - HARDENED - HEADLESS One Wrench Included in Each Envelope Package



Assorted Lengths, 4-36	7190-E	4				- 41
Assorted Lengths, 6-32	7195-E	4				
Assorted Lengths, 8-32	7200-E	4				
Hex Set Screws, 4-36 x 1/8"			7191-G	14.50	7191-M	87.00
Hex Set Screws, 6-32 x 1/8"			7196-G	15.30	7196-M	91.70
Hex Set Screws, 6-32 x 3/16"			7197-G	15.65	7197-M	94.00
Hex Set Screws, 8-32 x 1/8"			7201-G	15.65	7201-M	94.00
Hex Set Screws, 8-32 x 3/16"			7202-G	16.10	7202-M	96.35






#### G-C HEXAGON NUTS STEEL - NICKEL PLATED





Assorted Hex Nut	S		293-E	45						
Assorted 4-36 and	d 6-32 Nuts				6606	60				
Assorted 8-32 and 10-32 Nuts					6607	60				
Thread	Width	Thickness								
2-56	3/16"	1/16"	7225-E	40			7225-G	1.05	7225-M	6.25
3-48	3/16"	1/16"	7226-E	40			7226-G	1.05	7226-M	6.25
4-36	1/4"	3/32"	6041-E	50	6045	80	6041-G	1.00	6041-M	6.00
4-40	1/4"	3/32"	6041-AE	50	6041-A	80	6041-AG	1.00	6041-AM	6.00
5-40	5/16"	7/64"			6045-B	75	6045-BG	1.10	6045-BM	6.50
6-32	1/4"	3/32"	6042-E	45	6046	75	6042-G	1.10	6042-M	6.50
6-32	5/16"	7/64"					7230-G	1.10	7230-M	6.50
8-32	1/4"	3/32"	6043-E	40	6047	60	6043-G	1.20	6043-M	7.25
8-32	5/16"	1/8"					7233-G	1.20	7233-M	7.25
10-32	3/8"	5/64"	6044-E	35	6048	50	6044-G	1.35	6044-M	8.00
1/4-20	7/16"	3/16"					7235-G	2.00	7235-M	12.00
5/16-32	7/16"	3/32"					7236-G	2.90	7236-M	17.35
3/8-32	9/16"	3/32"	6050-AE	20			6050-AG	2.45	6050-AM	14.60
7/16-27	9/16"	1/8"					7238-G	5.30	7238-M	31.90
15/32-32	9/16"	5/64"	6050-BE	15			6050-BG	6.30	6050-BM	43.80
	30 Envelop	as to Display Cond	(D) D ()	V) I	Anala UDU an	11VII A4	Ann David Misses			

20 Envelopes to Display Card (D) or Box (X) - Mark "D" or "X" After Part Number NOTE — SPECIAL QUANTITY DISCOUNTS ON LARGER BULK QUANTITIES. On 1,000 to 4,999 Regular Discount Applies, "Schedule A". On 5,000 to 9,999 use "Schedule B" Discounts. On 10,000 and over use "Schedule C" Discounts.



20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number

NOTE — SPECIAL QUANTITY DISCOUNTS ON LARGER BULK QUANTITIES. On 1,000 to 4,999 Regular Discount Applies, "Schedule A"On 5,000 to 9,999 use "Schedule B" Discounts. On 10,000 and over use "Schedule C" Discounts.



#### 4-IN-I CARD DISPLAY 20 ENVELOPES TO A CARD

When Card is wanted Specify "D" after Part Na.

#### DISPLAY BOX

20 ENVELOPES TO A BOX When Box Display is wanted Specify "X" after Part Na.

#### PLASTIC ENVELOPES

Transparent and Unbreakable 40c List Price

## GLASS JARS

Part No.

For Hardware Racks 65c List Price

Quantity

in Jar

## BOXES OF 144 BOXES OF 1000

(One Gross) Specify "G" after Part Na. Part No.

Specify "M" after Part Na.

List Price List Price Part No.



DESCRIPTION AND SPECIFICATIONS

#### in Env. G-C METAL WASHERS

Quantity



		Con Miles										
Assorted Met	al Washers			6150-E	100							
Assorted No.	4 and No. 6	5 Washers				6612	135					
Assorted No.	8 and No. 10	) Washers				6613	100					
Screw Size	Hole Size	O.D.	Thickness									
No. 4	1/8"	9/32"	1/32"	6154-E	100	6154	150	6154-G	.60	6154-M	2.50	
No. 6	5/32"	3/8"	1/32"	6155-E	80	6155	125	6155-G	.65	6155-M	3.95	
No. 8	3/16"	7/16"	1/32"	6156-E	80	6156	100	6156-G	.70	6156-M	2.25	
No. 10	13/64"	3/8"	1/32"					7306-G	.70	7306-M	2.35	
No. 10	13/64"	7/16"	1/32"					7307-G	.70	7307-M	2.35	
No. 10	13/64"	1/2"	.049	6157-E	75	6157	100	6157-G	.70	6157-M	2.35	
No. 12	.228	7/16"	.021					7308-G	.70	7308-M	2.75	
No. 1/4"	9/32"	5/8"	1/16"	6158-E	75			6158-G	.70	6158-M	3.25	
No. 1/4"	17/64"	1/2"	1/16"					7311-G	.70	7311-M	3.25	
No. 5/16"	5/16"	11/16"	1/16"					7312-G	.70	7312-M	3.50	
No. 3/8"	3/8"	11/16"	1/16"					7313-G	.70	7313-M	3.75	



## G-C LOCK WASHERS

#### INTERNAL LOCK WASHERS



Assorted Lock Washers, All Types		1717-E	65	6614	90				
Assorted Internal Lock Washers		7320-E	60						
Screw Size	O.D.								
Internal Lock Washers, No. 2		7322-E	45			7322-G	1.15	7322-M	7.00
Internal Lock Washers, No. 3						7323-G	1.00	7323-M	6.00
Internal Lock Washers, No. 4						7324-G	.75	7324-M	4.50
Internal Lock Washers, No. 6	9/32"	7326-E	60			7326-G	.75	7326-M	4.50
Internal Lock Washers, No. 8	21/64"	7328-E	60			7328-G	.75	7328-M	4.50
Internal Lock Washers, No. 10	3/8"	7330-E	60			7330-G	.80	7330-M	4.75
Internal Lock Washers, No. 1/4"	9/16"					7332-G	1.00	7332-M	6.00
Internal Lock Washers, No. 5/16"	19/32"					7333-G	1.25	7333-M	7.50
Internal Lock Washers, No. 3/8"	11/16"			6508	50	7334-G	1.75	7334-M	10.50
Internal Lock Washers, No. 3/8"	9/16"					7335-G	1.75	7335-M	10.50
Internal Lock Washers, No. 15/32"	19/32"					7338-G	2.30	7338-M	13.75
						A STATE OF THE STA			

#### EXTERNAL LOCK WASHERS

Assorted External Lock Washers		7350-E	60				
External Lock Washers, No. 4				 7354-G	.75	7354-M	4.50
External Lock Washers, No. 6		7356-E	60	7356-G	.75	7356-M	4.50
External Lock Washers, No. 8		7358-E	60	7358-G	.75	7358-M	4.50
External Lock Washers, No. 10				7360-G	.80	7360-M	4.75
External Lock Washers, No. 1/4"	1/2"			7361-G	1.00	7361-M	6.00
External Lock Washers, No. 3/8"	11/16"			7363-G	1.75	7363-M	10.50


(3)	S

S	PLI	тт	YPE	LOCK	WASH	ERS

Assorted Split 7	Type Lock Was	hers	6502-E	60			== 1			
Screw Size	O.D.	Thickness								
No. 4	3/16"	1/32"	6503-E	65	6503	100	6503-G	.70	6503-M	3.75
No. 6	15/64"	1/32"	6504-E	65	6504	100	6504-G	.70	6504-M	3.25
No. 8	15/64"	.025	6505-E	55	6505	90	6505-C	.75	6505-M	3.00
No. 10	5/16"	.050	6506-E	50	6506	90	6506-G	.75	6506-M	2.50
No. 1/4"	7/16"	5/64"	6507-E	50	6507	80	6507-G	.80	6507-M	3.75

20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number






9999		100	差 🌡		कार है				
THE REST	7	565	10/6	· th					
		1	10	PN E 60 6-02			ALC:		
4-IN-1 CARD DISPLAY DISPLAY	BOX	PLAS	TIC	GLASS	JARS	BOXES O	F 144	BOXES OF	1000
20 ENVELOPES TO A CARD 20 ENVELOPES T		ENVEL	OPES		ware Racks	(One G	ross)	Specify "M"	
When Card is wanted When Box Display Specify "D" after Part No. Specify "X" after		Transpare Unbreakab List Price		List Price	65c	Specify "G Part N			
DESCRIPTION AND SPECIFICATION		Part No.	Quantity in Env.	Part No.	Quantity in Jar	Part No.	List Price	Part No.	List Price
A							0		
	G-C EX			E WAS	HERS		9		
Assorted Extruded and Flat Fibre Washer Assorted Extruded Fibre Washers	rs	6512-l							
	ew Size								
7 5 5	. 6	6525-	E 40	6525	65	6525-G	1.65	6525-M	10.00
	. 8	6526-	E 30	6526	65	6526-C	1.65		10.00
1/10 .233 .170 .032	. 10	6527-		6527	65	6527-G	1.65	6527-M 6528-M	10.00
1/2 .5/5 .250	4" Shaft	6528-		6528 6529	50 50	6528-G 6529-G	2.00	6529-M	12.00
5/8" .437 .380 .031 3/	8" Shaft	6529-	E 20	6529	50	0329-0	2.00	0)29-101	12.00
THE BEST OF THE BE	G-C SN	AP BU	TTON	HOLE F	PLUGS			90	
MAN.									
Assorted Hole Plugs  No. 1710 Asst. 50 Plugs in Box List	Price \$2.45	1716-	E 10						
Ventilating Plugs, 1" Hole Size	riice wa. 17	1709-	E 4			1709-G	16.25	1709-M	97.00
For Hole Dia. A B C	D								
1/4" 13/32" 1/4" 17/6	4" 5/64"	1711-	AE 10			1711-AG	4.40	1711-AM	26.50
5/16" 7/16" 1/4" 21/6	4" 1/16"	1711-	BE 10			1711-BG	4.40	1711-BM	
3/8" 17/32" 3/8" 25/6	4" 5/64"	1711-	E 10			1711-G	4.40	1711-M	26.50
1/2" 21/32" 17/64" 17/3	2" 5/64"	1712-	E 8			1712-G	6.35	1712-M	38.00
5/8" 51/64" 9/32" 41/6	4" 5/64"	1713-	E 6			1713-G	6.35	1713-M	38.00
3/4" 15/16" 19/64" 49/6	4" 3/32"	1714-				1714-G	6.35	1714-M	38.00
1" 1-5/32" 19/64" 1-1/3	2" 5/64"	1715-				1715-AG		1715-AM 1715-BM	
1-1/8" 1-5/16" 11/32" 1-9/6		1715				1715-BG	10.25	1715-BM	64.25
1-1/4" 1-7/16" 5/16"1-17/6	3/32"	1715-	-E 4			1/15-6	10.70	1713-101	04.23
B	G-0	SNAP	-IN TR	IMOUN	ITS	N es	<b>(1)</b>	0 0	
₩ A →				,		<u> </u>	15 db	& B	
140. 1120 / 1551: 100 / 1	Price \$1.20		-E 25	6620	45				
Assorted Trimounts		1719	-E 2)	0020	7.7				
To Fit Hole A B		1721	-E 25	-		1721-G	2.10	1721-M	12.25
1/8" 9/32" 3/1 1/8" 9/32" 13/6		1722		-		1722-G	1.75	1722-M	10.50
		1723				1723-G	1.75	1723-M	10.50
		1724				1724-G	2.10	1724-M	12.25
.136 23/64" 9/3 5/32" 3/16" x 11/32" 25/6		1726				1726-G	2.65	1726-M	16.00
5/32" 3/16" x 11/32" 21/3		1727				1727-G	2.20	1727-M	13.25
PT D					. Au	N A	-		
B - C	(	G-C DIA	AL COR	D CLIP	5				
Assorted Dial Cable Clips		6220	-E 45	6621	75				16.7
Used On Cord No. A B	С								
75 - 75A 1/8" 7/64"	3/32"	6221				6221-G	1.25	6221-M	7.50
74 - 74L 1/4" 5/32"	5/32"	6222				6222-G	1.25	6222-M	7.50
73 - 73X 3/16" 9/64"	3/16"	6223	3-E 45			6223-G	1.25	6223-M	7.50
<b>X A</b> O	۵					B K	1	A A	
6/A 25 B & 6	F	G-C SO	LDERIN	G LUG	SS ©	н 🖒	K	JL OF	М
No. 1020 100 Asst. Solder Lugs List	Price \$0.9	0							
Assorted Soldering Lugs		1019	9-E 45	6618	3 75				
	ngth								
	/16"	7441	I-E 30			7441-G	1.45	7441-M	8.75
O	/16"	7442				7442-G	1.45	7442-M	8.75
Solder Lugs, No. 10 A 11	/16"	1021		_		1021-A		1021-AN	
3,	/32"	102				1021-B		1021-BN 7445-M	8.75
Solder Lugs, No. 8 B 23	/32"	7445			`	7445-G	1.45	1443-IVI	0.13
		(Contin	ued on N	ext Page	2)				

(Continued on Next Page)

20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number





1	999			曲		11.0		-			6	A MINE	
	100	100	1			San Andrews		. 5					100
							io I	13	6-17) N		48		100
4-IN-1 CAR	n nispla	Y	DISPLA	Y BOX	7	PLAST	10	GLAS	S JARS	BOXES	F 144	BOXES OF	1000
,20 ENVELOPE		1		ES TO A BO	х	ENVELO Transparen	PES		ware Racks	(One G		Specify "M	
When Card Specify "D" o				play is want after Part N		Unbreakable List Price		List Pric	e 65c	Specify "C			
DES	CRIPTION	AND SP	ECIFICAT	IONS			Quantity in Env.	Part No.	Quantity in Jar	Part No.	List Pri <b>c</b> e	Part No.	List Price
		6		-		G-C DIA		LEYS	0	3)			
Assorted Dia	al Pulleys	W	H	ь		6057-E	6	6638	12		100		
A	В (	/8"	D (Groov	ve Width)	7	6057-AI	E 8			6057-AG	4.60	6057-AM	27.45
		/64"	1/8"			6057-BE				6057-BG	6.10	6057-BM	
		116"	3/32"			6057-GI				6057-GG	5.85	6057-GM	
		65	1/16"			6057-CE				6057-CG 6057-FG	9.00	6057-CM	
	.128 5,	/32"_	.050			6057-FE				0057-FG	16.75	0037-FIVI	
FI F	F	,	3	4	t	G-C KNOB	SPRIN		<b>是</b> E			9	9
K1 K		<b>K</b> 4	К5	K6 K	65	1040 5	20	((10		8 K9	K10	K11	K12
Assorted Kr No. 1050	nob Springs Kit of 35		rc 1:	st Price \$0	70	1049-E	20	6619	35				
No. 1050	Kit of 100			st Price \$1									
Fig. No.	Width		Length	For Knot Shaft Dian									
K1	9/32" Lis		7/16"	1/4"	,	6460-E	20			6460-G	2.10	6460-M	12.25
K2	9/32" He		7/16"	1/4"		6461-E	20			6461-G	2.45	6461-M	14.75
K3	9/32"		5/16"	1/4"	0	6462-E	20			6462-G	2.25	6462-M	13.50
K4	3/8"		5/32" 13/32"	1/4"		6463-E	15			6463-G 6464-G	3.55 4.90	6463-M	21.25
K5 K6	7/32" 9/32"		3/8"	1/4"		6465-E	10			6465-G	4.40	6465-M	26.50
K6-S	9/32"		1/4"	1/4"		6466-E	10			6466-G	4.60	6466-M	27.50
K7	9/32"		1/2"	1/4"		6467-E	20			6467-G	3.75	6467-M	22.50
K8	9/32"		3/8"	1/4"		6468-E	10			6468-G 6469-G	5.55 5.55	6468-M	33.25 33.25
K9 K10	3/8"		3/8"	1/4"	_	6469-E	10			6470-G	2.25	6470-M	13.50
K10	3/8"		7/16"	1/4"	-	6471-E	20	-		6471-G	2.50	6471-M	15.00
K12	3/8"		7/16"	3/16"		6472-E	20			6472-G	2.75	6472-M	16.50
CIN	TOWN.					l Listings on					00 0	0	0
<del>                                      </del>	- c	G-(		DRIVE	TE					O SPRIN	GS ()		
Asst. Regul						1054-E		6616	15				
Asst. Small No. 1055				ist Price \$	1 10	1054-SI	E 10						
No. 1056													
Asst. Large			, ,			6421-E	8						
Asst. Small				NI LIA	D	6420-E	10						
A 1/8"	B C 1/2" 1/4	Wire ".01		No. List	O5	6450-E	10	-		6450-G	3.85	6450-M	23.00
1/8"	1" 3/4				.06	6451-E				6451-G	5.25	6451-M	31.50
3/16"	1" 5/8				.06	6452-E				6452-G	5.00	6452-M	29.75
	-3/8" 1"				.06	6453-E		-		6453-G 6454-G	5.10	6453-M 6454-M	30.50 41.50
1/4" 1.	-1/2" 1" 2" 1-1/				.08	6454-E 6455-E		-		6455-G	9.35	6455-M	56.00
		His Is a life		(Additio	nal	Listings on D	Dial Drive				60		
	TR	- В - С -	4	G	,-C	PHONO	GKAPI	1 SPKI	NGS	0	0		
No. 6478	Kit of 50			ist Price \$								-	
No. 6479 Asst. Small	Kit of 100 Phono Turnt		-	ist Price \$	4.00	6480-E	10						-
Asst. Large	Phono Turnt		rings	114		6481-E	8						
— A 9/64"	7/16"		C 1/8"	Wire Size						7535-G	6.40	7535-M	38.50
5/32"	3/4"		1/2"	.016						7537-G 7539-G	5.15	7537-M 7539-M	30.75 34.00
- 3/16" 3/16"	19/32'		13/32" 3/4"	.014						7543-G	5.65 6.65	7543-M	40.00
1/8"	19/32"		11/32"	.006						7544-G	6.95	7544-M 7545-M	41.75
5/32" 15/64"	1-1/16"		3/4" -1/4"	.010						7545-G 7546-G	7.35	7546-M	44.00
3/16"	9/16"		1/4" 9/16"	.033						7547-G 7548-G	4.65 9.35	7547-M 7548-M	28.00 56.00
1/2"	1-5/16"				tiona	Listings on	Phono !	Springs of	n Page 29)	fter Part Nu		1 / J-0-IVI	30.00
		20	Envelopes	to Display	Caro	(D) or Box	(X) —	Mark "D	" or "X" A	ofter Part Nu	mber		



4-IN-I CARD DISPLAY 20 ENVELOPES TO A CARD When Card is wanted Specify "D" after Part No.

DISPLAY BOX 20 ENVELOPES TO A BOX When Box Display is wanted Specify "X" after Part No.

PLASTIC ENVELOPES Transparent and Unbreakable 40c List Price

Part No.

For Hardware Racks

65c List Price Part No. Quantity in Jar

BOXES OF 144

(One Gross) Specify "G" after Part No. Part No. List Price

BOXES OF 1000 Specify "M" after Part No:

Part No. List Price

# WWW WWW

DESCRIPTION AND SPECIFICATIONS

### in Env. G-C COMPRESSION SPRINGS

Quantity

		36	2					533			
Asst. Small Co				6430-E	20	6643	30				
Asst. Large Co	ompression S	Springs		6431-E	15						
O.D.	Length	Wire Size	No. of Coils								
7/64"	5/32"	.012	3		-		_	7476.6	1 45	747614	
.121	1/4"	.015	6		-			7476-G	1.45	7476-M	8.75
.145	19/32"	.012	10					7477-G	1.45	7477-M	8.75
.175	11/16"	.016	9					7478-G	1.45	7478-M	8.75
.175	1-1/4"							7479-G	1.45	7479-M	8.75
		.014	17					7480-G	1.95	7480-M	11.75
.195	7/16"	.024	6					7481-G	1.95	7481-M	11.75
.203	25/32"	.022	11					7482-G	2.20	7482-M	13.25
.243	7/8"	.020	11		1			7483-G	2.45	7483-M	14.75
17/64"	1/2"	.016	6	U				7484-G	1.95	7484-M	11.75
9/32"	1-1/4"	.023	17					7485-G	1.90	7485-M	11.50
5/16"	1"	.020	14					7486-G	1.75	7486-M	10.50
5/16"	1-1/2"	.016	9					7487-G	2.20	7487-M	13.25
.320	13/32"	.016	5		1			7488-G	1.95	7488-M	11.75
.320	13/32"	.026	3					7489-G	1.70	7489-M	10.25
.330	15/32"	.030	5					7490-G	1.95	7490-M	11.75
11/32"	5/8"	.029	7					7491-G	2.20	7491-M	13.25
11/32"	11/32"	.038	3					7492-G	1.95	7492-M	11.75
3/8"	11/16"	.022	7					7493-G	1.25	7493-M	7.50
25/64"	5/16"	.048	3					7494-G	2.40	7494-M	14.50
.491	1"	.039	8					7495-G	2.75	7495-M	
19/32" x					-			1175-0	2.13	1777-101	16.50
5/16"	1-1/2"	.040	7	Tapered				7496-G	2.90	7496-M	17.50
1" x 11/16"	13/16"	.079	4	Tapered				7497-G	3.15	7497-M	19.00




### G-C BRASS EYELETS





Asst. Rivets and	d Eyzlets		1027-E	55	6622	85				
Asst. Eyelets an	d Clamps		1028-E	60						
Eyelet Assortment			6900-E	55						
Shank Dia.	Length Under Head	Head Dia.								
.087	1/8"	.145					7251-G	.60	7251-M	3.50
.087	5/32"	.145					7252-G	.65	7252-M	3.75
.087	7/32"	.145					7253-G	.75	7253-M	4.50
.087	11/32"	.180					7254-G	.95	7254-M	5.75
.123	5/32"	.197		Î			7257-G	.75	7257-M	4.50
.123	7/32"	.195					7259-G	.85	7259-M	5.00
.123	1/4"	.195					7260-G	.90	7260-M	5.50
.123	9/32"	.195					7261-G	.95	7261-M	5.75
.125	5/16"	.289					7264-G	2.50	7264-M	15.00
.127	15/32"	.222					7265-G	1.90	7265-M	11.50
.133	11/64"	.225					7266-G	.85	7266-M	5.00
.150	1/8"	.250					7267-G	.90	7267-M	5.25
.150	5/16"	.250					7268-G	1.10	7268-M	6.50
.182	3/16"	.315					7269-G	.55	7269-M	3.25
.182	7/32"	.285					7270-G	1.15	7270-M	7.00
.182	11/32"	.285					7271-G	1.60	7271-M	9.50
.210	3/16"	.395					7272-G	1.90	7272-M	11.50
.213	3/16"	.345					7273-G	1.25	7273-M	7.50
.248	7/32"	.380					7274-G	1.55	7274-M	9.25

20 Envelopes to Display Card (D) or Box (X) - Mark "D" or "X" After Part Number





4-IN-I CARD DISPLAY 20 ENVELOPES TO A CARD When Card is wanted Specify "D" after Part No.

DISPLAY BOX 20 ENVELOPES TO A BOX When Box Display is wanted Specify "X" after Part No.

PLASTIC **ENVELOPES** 

Transparent and Unbreakable 40c List Price Quantity

No.

GLASS JARS For Hardware Racks

Quantity

in Jar

List Price

No.

(One Gross) Specify "G" after 65c Part No.

BOXES OF 1000 Specify "M" after Part No.

List Price Part No. List Price Part No.



DESCRIPTION AND SPECIFICATIONS

#### G-C PURE GUM GROMMETS

in Env.

Very soft live rubber grommets for shock and vibration dampening. For mounting tuning condensers, sockets, phono motors, chassis, etc.



Assorted Pi	ure Gum C	irommets			7580-E	15				
No. 7581	Kit of 10	0 Asst. Gro								
			List P	rice \$2.25						
Α	В	С	D	Е						
7/16"	3/16"	7/32"	1/16"	5/16"	7582-E	15	7582-G	3.05	7582-M	18.25
9/16"	1/4"	1/4"	1/16"	3/8"	7584-E	15	7584-G	4.10	7584-M	24.50



#### G-C RUBBER CHASSIS MOUNTS



Assorted	Chassis Moi	unts			1038-E	10										
No. 1030	Kit 25 A	sst. Chassi	s Mounts													
			List P	rice \$1.80												
Α	В	С	D	E		-										
3/4"	5/32"	7/32"	1/2"	1/4"				7571-G	7.80	7571-M	46.75					
3/4"	1/8"	3/8"	1/2"	1/4"	1031-E	8		1031-G	7.10	1031-M	42.50					
3/4"		1/2"		5/16"				7573-G	6.35	7573-M	38.00					
3/4"	7/16"	1/2"	7/16"	3/16"	1032-E	6		1032-G	8.30	1032-M	49.75					
3/4"	11/16"	3/4"	7/16"	3/16"	1033-E	4		1033-G	11.65	1033-M	70.00					
3/4"		9/32"		1/4"	1037-E	8		1037-G	6.55	1037-M	39.25					
1"	3/8"	1/2"	1/2"	1/4"	1034-E	4		1034-G	12.15	1034-M	73.00					
1-1/4"	11/16"	7/8"	1/2"	5/16"	1035-E	2		1035-G	21.90	1035-M	131.50					
1-1/4"		3/8"		1/4"	1036-E	2		1036-G	11.70	1036-M	70.00					
			10	an Addition	al Listings on	(Con Additional Listings on Charge Mounts on Page 22)										

(See Additional Listings on Chassis Mounts on Page 32

0	0	

#### G-C RADIO DIAL DRIVES








	0	0-6	KADIO D	IAL	DRIVES		
Small Dial Drives			1024-SE	5			
Large Dial Drives			1024-LE	5			
No. 1024 Env.	10 Asst. Radio [	Dial Drives List Price \$0.80					
	25 Asst. Drives	List Price \$1.50					
No. 1026 Box	100 Asst. Drives	List Price \$6.00					
O.D.	1.D.	Thickness			FOR SET MODELS		
19/32"	5/16"	5/16"	1 - E	5	Atwater-Kent Small Part No. 1568L	1-M	42.00
13/16"	5/16"	5/16"	2-E	5	A-K Large, for Gear Part No. 17961	2-M	52.50
1/2"	7/32"	11/32"	3-E	5	Stewart-Warner 113, 114 Converter	3-M	44.00
19/32"	5/16"	7/16"	4-E	5	Kennedy 26, 34, 36 and Wells- Gardner 2-22 Series, Brush Part No. 106245	4-M	55.00
1-3/32"	27/32"	3/16"	5-E	5	Stewart-Warner 105-120, RCA	5-M	37.50
41/64"	7/32"	3/8"	6-E	5	RCA All Numbers	6-M	47.50
5/8"	7/32"	5/16"	7-E	5	Stewart-Warner 102-104	7-M	47.50
13/16"	9/16"	3/16"	8-E	5	Stewart-Warner 105-120, Small	8-M	36.50
3/4"	7/16"	1/4"	9-E	5	Atwater-Kent Part No. 27333 for Models 456, 655Q, 768Q, 978Q	9-M	36.50
1-3/8"	1-1/8"	3/16"	10-E	5	Stewart-Warner 126	10-M	36.50
2-11/32"	1-31/32"	5/32"	11-E	5	Large Atwater-Kent for Part No. 27332 for Models 465Q, 655Q, 768Q, 978O General Industries	11-M	55.00
	Special Grooved		· 12-E	5	Emerson-Majestic Grooved Rubber fits 1/4" Shaft	12-M	63.75
19/32"	5/16"	1/4"	13-E	5	Small A-K for Part. No. 27332	13-M	35.00
2-3/4"	2-3/8"	1/4"	15-E	2	Philco Part No. 42-2346	15-M	88.50
	20 Envelor	nes to Display Card	D) or Boy (X	$\alpha = 1$	Mark "D" or "X" After Part Number		

20 Envelopes to Display Card (D) or Box (X) — Mark "D" or "X" After Part Number



20 Envelopes to Display Card (D) or Box (X) - Mark "D" or "X" After Part Number

### DISPLAYS FOR G-C CEMENTS AND CHEMICALS



G-C COMPLETE CHEMICAL DISPLAY 70" Wide, 74" High, 21" Deep



G-C "NARROW" CHEMICAL DISPLAY 33" Wide, 74" High, 21" Deep

# Radio Parts

WIRE RACK HARDWARE DISPLAY 9" Wide, 24" High



G-C "HEX-VIEW" DISPLAY 33" Wide, 78" High




MANHATTAN RADIO & EQUIPMENT INC. 1732 Grand Ava. KANSAS CITY, M.O.



G-C REVOLVING HARDWARE DISPLAY 26" Wide, 26" High World Radio History

# DISPLAYS FOR G-C HARDWARE TOOLS AND PARTS



G-C "WALL-VIEW" DISPLAY 36" Wide, 67" High, 10" Deep