



## Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand *                | Dynabook   | Logo |                      |
|------------------------|--|------|----------------------|
| Company name *         | Dynabook Europe GmbH                                     |      | alama a farancia far |
| Contact information *  | Stresemannallee 4b, 41460 Neuss                          |      | dynabook             |
| e-mail address         |  |      | ,                    |
| Internet site *        | http://emea.dynabook.com/generic/environmental-managemen | nt/  |                      |
| Additional information |  |      |                      |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
| Type of product *  | Notebook Computer  |  |  |  |  |  |
| Commercial name *  | Satellite C50-H/SATELLITE PRO C50-H                          |  |  |  |  |  |
| Model number *   | PYS33/34/35  |  |  |  |  |  |
| Issue date *   | 2020/9/10  |  |  |  |  |  |
| Intended market *  | ☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other |  |  |  |  |  |
| Additional information   |  |  |  |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

| Model number * | PYS33/34/35 | Logo |            |
|----------------|-------------|------|------------|
| Issue date *   | 2020/9/10   |      | • dynabook |

| Product 6 | Product environmental attributes - Legal requirements  |             |         |  |  |
|-----------|--|-------------|---------|--|--|
| Item      | -  | Yes         | No n.a. |  |  |
| P1        | Hazardous substances and preparations  |             |         |  |  |
| P1.1*     | Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)   | $\boxtimes$ |         |  |  |
| P1.2*     | Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.  |             |         |  |  |
| P1.3*     | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.       |             |         |  |  |
| P1.4*     | Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).  |             |         |  |  |
| P1.5*     | Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).   | e 🔀         |         |  |  |
| P1.6*     | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.   | k 🔀         |         |  |  |
| P1.7*     | REACH Article 33 information about substances in articles is available at (add URL or mail contact):<br>http://emea.dynabook.com/generic/environmental-management/   | $\boxtimes$ |         |  |  |
| P2        | Batteries  |             |         |  |  |
| P2.1*     | If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)   |             |         |  |  |
| P2.2*     | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legareference)  | l 🔀         |         |  |  |
| P2.3*     | Batteries and accumulators are readily removable. (See legal reference)  |             |         |  |  |
| P3        | Conformity verification & Eco design (ErP)   |             |         |  |  |
| P3.1*     | The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): <a href="http://emea.dynabook.com/generic/product-conformity">http://emea.dynabook.com/generic/product-conformity</a> |             |         |  |  |
| P3.2*     | The product complies with the Eco design requirements for energy-related products, (see legal reference).  | $\boxtimes$ |         |  |  |
|           | Required information is;  given in item P15 or added to this document,  available at (add URL):  http://emea.dynabook.com/generic/environmental-management/  |             |         |  |  |
| P5        | Product packaging  |             |         |  |  |
| P5.1*     | Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  | $\boxtimes$ |         |  |  |
| P5.2*     | The packaging materials are marked with abbreviations and numbers indicating the nature of the material (used (see legal reference).   | s)          |         |  |  |
| P5.3*     | The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.   |             |         |  |  |
| P6        | Treatment information  |             |         |  |  |
| P6.1*     | Information for recyclers/treatment facilities is available (see legal reference).   | $\boxtimes$ |         |  |  |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | PYS33/34/35 | Logo |             |
|----------------|-------------|------|-------------|
| Issue date *   | 2020/9/10   |      | •• dynabook |

|        | t environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design  | Require                | ment        | met               |
|--------|--|------------------------|-------------|-------------------|
| Item   | *=mandatory to fill in. Additional information regarding each item may be found under P14.   | Yes                    | No          | n.a.              |
| P7     | Design Disassembly, recycling  |                        |             |                   |
| P7.1*  | Parts that have to be treated separately are easily separable  | $\square$              | П           | П                 |
| P7.2*  | Plastic materials in covers/housing have no surface coating.   |                        | $\boxtimes$ |                   |
| P7.3*  | Plastic parts > 100 g consist of one material or of easily separable materials.  | $\overline{\boxtimes}$ |             |                   |
| P7.4*  | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.  | $\overline{\boxtimes}$ |             | $\overline{\Box}$ |
| P7.5   | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.   |                        |             |                   |
| P7.6*  | Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  |                        |             |                   |
|        | Product lifetime   |                        |             |                   |
| P7.7*  | Upgrading can be done e.g. with processor, memory, cards or drives   | $\boxtimes$            |             |                   |
| P7.8*  | Upgrading can be done using commonly available tools   | $\boxtimes$            |             |                   |
| P7.9.  | Spare parts are available after end of production for: 5 years   |                        |             |                   |
| P7.10  | Service is available after end of production for: See P15  |                        |             |                   |
|        | Material and substance requirements  |                        |             |                   |
| P7.11* | Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: PC+ABS Material type: Material type:   |                        |             |                   |
| P7.12  | Insulation materials of external electrical cables are PVC free.   |                        | $\boxtimes$ |                   |
| P7.13  | Insulation materials of internal electrical cables are PVC free.   |                        |             |                   |
| P7.14  | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. |                        |             |                   |
| P7.15  | Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See <sup>5</sup> NOTE B2)  |                        | $\boxtimes$ |                   |
| P7.16  | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:  Marking: FR(40)   |                        |             |                   |
| P7.17  | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name:, CAS #:   |                        |             |                   |
|        | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(40)   | $\boxtimes$            |             |                   |
| P7.18  | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "  |                        |             |                   |
|        | Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)   | $\boxtimes$            |             |                   |
| P7.19  | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)  |                        |             |                   |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

| Model number * | PYS33/34/35 | Logo |              |
|----------------|-------------|------|--------------|
| Issue date *   | 2020/9/10   |      | • • dynabook |

| Product environmental attributes - Market requirements (continued)   |  |  |                             |                             | Requir   |                  | nt met |             |
|--|--|--|-----------------------------|-----------------------------|--|------------------|--------|-------------|
| Item   |  |  |                             |                             |  | Yes              | No     | n.a.        |
| D7.00*   |  | tance requirements                                 |                             |                             | <b>.</b>   | <u> </u>         |        |             |
| P7.20*   | Postconsumer recy  | cled plastic material c                            | ontent is used in the p     | roduct (See NOTE B6         | ):   |                  | Ш      | Ш           |
|  | a) Of total plastic                                      | parts' weight > 25 g,                              |                             |                             | content (calculated as a   |                  |        |             |
|  |  | total plastic by weight                            | r) is <b>10.65</b> %.       |                             |  |                  |        |             |
|  | or<br>b) The weight of                                   | ne weight of recycled material is <b>63. 21</b> g. |                             |                             |  |                  |        |             |
| P7.21*   | Biobased plastic m                                       | aterial content is used                            | I in the product (See N     | OTE B7):                    |  |                  |        |             |
| If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. |  |  |                             |                             |  | :                |        |             |
|  | or b) The weight of the biobased plastic material is g.  |  |                             |                             |  |                  |        |             |
| P7.22*   | Light sources are fr                                     |  | less than 0,1 mg/lamp       | num mercury content p       | er lamp: mg  |                  |        |             |
| P8   | Batteries  | •  | •                           | ,                           | 1  |                  |        |             |
| P8.1*  | Battery chemical co                                      | omposition: Main ba                                | ttery: Li-ion               |                             |  |                  |        |             |
| P9   | Energy consumpt  | ion (See NOTE B8)                                  |                             |                             |  |                  |        |             |
| P9.1   | For the product the                                      | following power level                              | s or energy consumpti       | ons are reported:           |  |                  |        |             |
| Energy mo  | ode *  | Power level at<br>100 V AC                         | Power level at<br>115 V AC  | Power level at<br>230 V AC  | Reference/Standard modes and test meth                                       |                  | у      |             |
| charger plu  | power supply /<br>ugged in the wall<br>disconnected from | 0.09 W   | 0.09 W                      | 0.09 W                      | EN 50563   |                  |        |             |
| PTEC * Typical En  | ergy Consumption   | W  | W                           | W                           |  |                  |        |             |
| Power_in_  | Off  | Category1: 0.5 W                                   | Category1: 0.5 W            | Category1: 0.5 W            | ENERGY STAR Prog<br>Requirements - Pro<br>Specification for Co               | duct             | •      |             |
| Power_in_  | Sleep  | Category1: 0.7 W                                   | Category1: 0.7 W            | Category1: 0.7 W            | ENERGY STAR Pro<br>Requirements - Pro<br>Specification for Co                | duct             | 5      |             |
| Power_in_  | Long_Idle  | Category1: 2.4 W                                   | Category1: 2.5 W            | Category1: 2.7 W            | ENERGY STAR Pro<br>Requirements - Pro<br>Specification for Co                | duct             | 5      |             |
| Power_in_  | Short_Idle   | Category1: 4.5 W                                   | Category1: 4.6 W            | Category1: 4.7 W            | ENERGY STAR Pro<br>Requirements - Pro<br>Specification for Co                | duct<br>omputers | 3      |             |
|  | ergy Consumption   | Category1: 17.3<br>kWh/year                        | Category1: 17.4<br>kWh/year | Category1: 17.9<br>kWh/year | ENERGY STAR Pro<br>Requirements - Pro<br>Specification for Co<br>Version 8.0 | duct             | ;      |             |
| External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI   |  |  |                             |                             |  |                  |        |             |
| Display resolution *: megapixels   |  |  |                             |                             |  |                  |        |             |
| Default time to enter energy save mode: AC mode: 10(to Display off), 15(to Sleep) minutes  |  |  |                             |                             |  |                  |        |             |
| P9.2* Information about the energy save function is provided with the product.   |  |  |                             |                             | •  | $\boxtimes$      |        |             |
| P9.3   | Energy efficiency c                                      | lass (monitors only):                              |                             |                             |  | ·                | ·      | $\boxtimes$ |

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

| Model number * | PYS33/34/35 | Logo |            |
|----------------|-------------|------|------------|
| Issue date *   | 2020/9/10   |      | • dynabook |

| Product | environmental                                       | attributes - Market requirements (conti  | nued)   | Require      | ment n   | net         |
|---------|---|--|---|--------------|----------|-------------|
| Item    |   |  |   | Yes          | No r     | n.a.        |
| P10     | Emissions   |  |   |              |          |             |
|         | Noise emission                                      | <ul> <li>Declared according to ISO 9296 (See NOTE)</li> </ul>  | E B9)   |              |          |             |
| P10.1   | Mode  | Mode description   | Statistical upper limit A-weighted sound $L_{WA,c}$ (B)   | oower level, |          |             |
|         | Idle  | * ISO7779 Idle   | * 2.5   |              |          |             |
|         | Operation   | * ISO7779 Operation-HDD  | *   |              | X        | 1           |
|         | Other mode  | ISO7779 ODD (When ODD operates)  |   |              |          | 1           |
|         | Other mode  | When cooling fan operates (Fan max.)   | 3.1   |              |          |             |
|         | Measured accor                                      | rding to: ISO 7779 ECMA-74 Other (only if not covered by   | by ECMA-74)   |              |          |             |
|         | Electromagneti                                      | ic emissions   |   |              |          |             |
| P10.4   | Computer displation program(s):                     | ay meets the requirement for low frequency elec-   | ctromagnetic fields of the following voluntary  |              |          |             |
| P12     |   | r computing products   |   |              |          |             |
| P12.1*  | The display mee                                     | ets the ergonomic requirements of ISO 9241-30  | 7 for visual display technologies.  |              |          | $\boxtimes$ |
| P12.2*  | The physical inp                                    | out device meets the requirements of ISO 9995  | and ISO 9241-410.   |              |          | $\boxtimes$ |
| P13     |   | documentation  |   |              |          |             |
| P13.1*  | Product packagi<br>Product packagi                  | ing material type(s): Cardboard weight (kg): ing material type(s): EPE weight (kg): ing material type(s): PP weight (kg):  | 0.032<br>0.003  |              |          |             |
| Diach   |   | ing material type(s): PE weight (kg):  | 0.016   |              |          |             |
| P13.2*  |   | primary packaging is free from PVC.  |   | $\boxtimes$  |          |             |
| P13.3*  | For product prim                                    | nary corrugated fiberboard packaging, specify the  | ne contained percentage of minimum post-  |              |          |             |
| P13.4*  |   | rered fiber content: 76 % or user and product documentation (tick box):  |   |              |          | _           |
| F 13.4  |   | Paper , Other .  |   |              | l        |             |
| P13.5   |   | mplete this item if paper documentation used) ct documentation on paper media is chlorine-fre pecify:  | ee:   |              |          |             |
|         | Totally chlorine-                                   | free   |   |              |          |             |
|         | Elemental chlori                                    |  |   | Ħ            |          |             |
|         | Processed chlor                                     | rine-free  |   | H            |          |             |
| P14     | Voluntary prog                                      | rams   |   |              |          |             |
| P14.1   |   | ets the requirements of the following voluntary  © Criteria version: 8.0  Criteria version:  | program(s): Date: 2020-09-02 Product category Date: Product category Date: Product category     | y:           |          |             |
| P15     |   | rmation (See NOTE B10)   |   |              |          |             |
| P9      |   | mption of computer products; description of  | the tested product configuration:   |              |          |             |
| P7.10   |   | depends on service agreement.  |   |              |          |             |
| P9      |   | cy information published on The Eco Declaratio<br>eeting ENERGY STAR® specifications. Use of   |   |              |          |             |
| P10     |   | nformation published on The Eco Declaration re<br>haracteristics of models with different configura  |   | standard     |          |             |
| P7.19   | The definition of substances.                       | f plastic parts in this item does not include cable  | es in harmonization with TCO. AC cable con  | nmonly inclu | ides R40 | )           |
|         | Dynabook provi<br>warranties for a<br>Dynabook does | tained in this document is approximate and pro<br>des this information without warranties of any k<br>particular purpose.<br>not warrant that the content will be error free. A<br>wledge at the time of completion, and Dynaboo | ind neither expressed nor implied including a<br>All information in this document is provided t | o the best o |          |             |

NOTE B9 A Guidance document on Acoustic Noise is available;

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

## Legal references Europe Annex B2

| Reference  | Declaration item       |
|--|------------------------|
| Directive 2011/65/EU (RoHS Directive)*  * Specific exemptions apply for certain products and applications.   | P1.1, P3.1             |
| Regulation (EC) 1907/2006 (REACH Regulation), annex XVII   | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)  | P1.3, P5.3             |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002   | P1.5                   |
| Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.   | P2.1, P2.2, P2,3, P8.1 |
| Directive 2014/35/EU (Low Voltage Directive)   | P3.1                   |
| Directive 2014/30/EU (EMC Directive)   | P3.1                   |
| Directive 2014/53/EU (RE Directive)  | P3.1                   |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions  | P3.1, P3.2             |
| COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers   | P2.4, P2.5             |
| Regulation (EC) No 1272/2008 (CLP Regulation)  | P7.19                  |
| Directive 2004/12/EC (Packaging Directive)   | P5.1                   |
| Decision 97/129/EC (Secondary packaging legislation)   | P5.2                   |
| Directive 2012/19/EU (WEEE directive)  | P6.1                   |
| Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.  |                        |
| Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State. |                        |