


## Overview

- \* Supports 802.11ac standard - 3 times faster than wireless N speeds
- \* Simultaneous 2.4GHz 450 Mbps and 5GHz 1300 Mbps connections for 1.75Gbps of total available bandwidth
- \* USB Port - easily shares files & media with networked devices or remotely via FTP server
- \* Guest Network Access - provides secure Wi-Fi access for guests sharing your home or office network
- \* Easy setup and management with Tether App



## The New WiFi Standard for an Advanced Online Experience

The Archer C7 is a fast 802.11ac router with incredible range. It's better than many routers that are twice as expensive. This advanced WiFi is designed for high-traffic online activities and can help to run applications at triple the speed of the previous 802.11n standard.\*






The Archer C7 operates both the 2.4GHz and 5GHz bands, ensuring amazing wireless performance. Simple tasks like sending e-mails or web browsing can be handled by the 2.4GHz band while bandwidth intensive tasks like online gaming or HD video streaming can be processed by the 5GHz band – all at the same time.

450 Mbps  
2.4GHz Band  


1300 Mbps  
5GHz Band  


### External Antennas with Dual Band WiFi Greatly Expand Wireless Coverage

Three external antennas with advanced connection technology allow you to maintain impressive speeds. With antennas serving both the 2.4GHz and 5GHz band, you can enjoy incredible wireless coverage and reliability in any part of your large home or office.



5GHz

The crystal clean 5GHz band is ideal for HD streaming and gaming, creating a blazing-fast network.

2.4GHz

The 2.4GHz band provide stable and strong WiFi signal for everyday tasks, like browsing and surfing.



A USB 2.0 port makes the Archer C7 a truly resourceful gateway. Share a hard drive full of media through your home network, or via an ftp server whenever you're away.

FTP Server  
Media Server  
Storage Sharing

## Full Gigabit Wired Connections for Ultrafast Data Transfer Speeds

With one Gigabit WAN port and four Gigabit LAN ports, speeds can be up to 10× faster than standard Ethernet connections. The Archer C7 is a powerful hub to support a robust and extremely fast wired network.



## TP-Link OneMesh™ : Flexibly Create a Whole-Home WiFi

OneMesh™ is a simple way to form a Mesh network with a single WiFi name for seamless whole-home coverage. Just connect a OneMesh™ range extender to a OneMesh™ router. No more searching around for a stable connection.\*\*



### WiFi Dead-Zone Killer

Eliminate weak signal areas with WiFi coverage for the whole house



### Smart Roaming

Uninterrupted streaming when moving around your home



### One WiFi Name

No more switching WiFi network names



### Unified Management

Manage the whole-home WiFi by managing the central node via Tether app/Web UI

### Traditional Router with Extender

- Wi-Fi
- Router
- Extender



### OneMesh™ Router + Range Extender

- Wi-Fi
- ✓ Whole Home



## Enjoy a Mesh Network with Your Existing Router

Want a Mesh network? Hesitate on whether to replace your existing router and buy a Mesh set?  
TP-Link OneMesh™ resolves your dilemma.



### Parental Controls

Manage when and how connected devices can access the Internet



### IPv6 Supported

Supports IPv6, the next generation of Internet protocol, helping you to future-proof your network.



### Quality of Service

Prioritizes devices or applications to give faster performance where you need it.

### Note:

\*Maximum wireless transmission rates are the physical rates derived from IEEE Standard 802.11 specifications. Range and coverage specifications along with the number of connected devices were defined according to test results under normal usage conditions. Actual wireless transmission rate, wireless coverage, and number of connected devices are not guaranteed, and will vary as a result of 1) environmental factors, including building materials, physical objects and obstacles, 2) network conditions, including local interference, volume and density of traffic, product location, network complexity, and network overhead and 3) client limitations, including rated performance, location, connection quality, and client condition.

\*\*Seamless roaming/No-Drop Wi-Fi refers to the Wi-Fi roaming that supports IEEE 802.11 k/v/r protocol, helping connected devices search and shift from one AP to another within 0.3 second. Clients need to support 802.11 k/v/r and may require additional setup. Performance may vary depending on the client device.

### Get more information

Do you have any question about the Archer C7?

Contact us now via [Live Chat](#) or [sales@router-switch.com](mailto:sales@router-switch.com)

## Specification

Archer C7 Specification	
Wireless	
Standards	<b>Wi-Fi 5</b> IEEE 802.11ac/n/a 5 GHz IEEE 802.11n/b/g 2.4 GHz
WiFi Speeds	<b>AC1750</b> 5 GHz: 1300 Mbps (802.11ac) 2.4 GHz: 450 Mbps (802.11n)
WiFi Range	<b>3 Bedroom Houses</b> 3x Fixed High-Performance Antennas Multiple antennas form a signal-boosting array to cover more directions and large areas
WiFi Capacity	<b>Medium</b> Dual-Band Allocate devices to different bands for optimal performance
Working Modes	Router Mode Access Point Mode
Hardware	

<b>Processor</b>	Qualcomm CPU
<b>Ethernet Ports</b>	1× Gigabit WAN Port 4× Gigabit LAN Ports
<b>USB Support</b>	1× USB 2.0 Port  Supported Partition Formats: NTFS, FAT32  Supported Functions: FTP Server Media Server Samba Server
<b>Buttons</b>	Wi-Fi On/Off Button Power On/Off Button WPS/Reset Button
<b>Power</b>	12 V 1.5 A
<b>Security</b>	
<b>WiFi Encryption</b>	WPA WPA2 WPA/WPA2-Enterprise (802.1x)
<b>Network Security</b>	SPI Firewall Access Control IP & MAC Binding Application Layer Gateway
<b>Guest Network</b>	1× 5 GHz Guest Network 1× 2.4 GHz Guest Network
<b>VPN Server</b>	OpenVPN PPTP
<b>Software</b>	
<b>Protocols</b>	IPv4 IPv6
<b>OneMesh™</b>	OneMesh™ Supported Without replacing your existing devices or buying a whole new WiFi ecosystem, OneMesh™ helps you create a more flexible network that covers your entire home with TP-Link OneMesh™ products.
<b>Parental Controls</b>	URL Filtering Time Controls
<b>WAN Types</b>	Dynamic IP Static IP PPPoE PPTP L2TP
<b>Quality of Service</b>	QoS by Device
<b>Cloud Service</b>	OTA Firmware Upgrade TP-Link ID DDNS
<b>NAT Forwarding</b>	Port Forwarding Port Triggering DMZ UPnP
<b>IPTV</b>	IGMP Proxy IGMP Snooping Bridge Tag VLAN



DHCP	Address Reservation DHCP Client List Server
DDNS	TP-Link NO-IP DynDNS
Management	Tether App Webpage
Physical	
Dimensions (W×D×H)	9.6 × 6.4 × 1.3 in (243 × 160.6 × 32.5 mm)
Package Contents	Wi-Fi Router Archer C7 Power Adapter RJ45 Ethernet Cable Quick Installation Guide
Other	
System Requirements	Internet Explorer 11+, Firefox 12.0+, Chrome 20.0+, Safari 4.0+, or other JavaScript-enabled browser Cable or DSL Modem (if needed) Subscription with an internet service provider (for internet access)
Certifications	FCC, CE, RoHS
Environment	Operating Temperature: 0 ~40 (32 ~104 ) Storage Temperature: -40 ~70 (-40 ~158 ) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing
Test Data	
WiFi Transmission Power	CE: <20dBm(2.4GHz) <23dBm(5GHz) FCC: <30dBm
WiFi Reception Sensitivity	5GHz: 11a 6Mbps-96dBm 11a 54Mbps: -79dBm 11ac HT20: -71dBm 11ac HT40: -66dBm 11ac HT80: -63dBm 2.4GHz: 11g 54M: -77dBm 11n HT20: -74dBm 11n HT40: -72dBm

## Want to Buy

- Order Now
- Get a Quote

## Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of [Cisco](#), [Huawei](#), [HPE](#), [Dell](#), [Hikvision](#), [Juniper](#), [Fortinet](#), etc.



200+



18,000+



\$20,000,000



50%-98%



100%

## Contact Us

---

- Tel: +1-626-655-0998 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)
- Email: [sales@router-switch.com](mailto:sales@router-switch.com)