

Insigna

Sign lighting worthy of a Hollywood premiere



LSL24 with Flood Optic



LSL24 with Shaping Optic

Insigna

Insigna introduces the "linear era" in floodlighting, with the power to light up an entire building or billboard with maximum lighting and energy efficiencies. This unique, cool-running fixture is configured in a single row, and features wide-spread beam patterns, amazing output, sealed optics, and a remote driver. Insigna comes in shorter versions for smaller wall washing, canopy lighting, and architectural detail illumination.


For most updated performance & ordering information visit us at ameriux.com.

Features & Specs

- 121W, 161W, 242W, 322W
- Up to 29,570 Lm
- Extruded aluminum enclosure
- Sealed LED modules
- IP67 rated
- Up to 150° tilt
- 0-10V dimming
- Internal louver or baffle option available for FL versions
- Twelve available beam distributions

Models

- Insigna 3 LED Module (LSL18)
- Insigna 4 LED Module (LSL24)
- Insigna 6 LED Module (LSL36)
- Insigna 8 LED Module (LSL48)






Mounting Options

Mast Mount (MM) and Tenon Mount (TM)





Direct Mount (DM)





Optics

Shaping Optic Beam Distributions



Horizontal medium flood, 32°



Square flood, 37°



Horizontal medium spot, 31°



Square spot, 36°



Horizontal wide flood, 54°



Vertical medium flood,



Horizontal wide spot, 46°



Vertical medium spot,







Vertical wide flood, 54°



Vertical wide spot, 46°

Flood Optic Beam Distribution



FLC distribution pattern, 60°

Accessories

Extended glare shield (EGS)



Company Certifications





















