




A brand of **legrand**

VENTILATION SOLUTIONS



**STRONG
RELIABLE
QUIET**

WHY VENTILATION IS SO IMPORTANT

It is important to understand what contributes to poor indoor air quality and the potential affects and harm that can be caused by poor ventilation in a home. Poor ventilation can cause a number of problems such as condensation, mould, allergies, dust mites and air pollutants (odours). These can potentially lead to structural building issues and health problems for residents. A properly ventilated home can create a safe, comfortable and healthier environment.



MOISTURE that is not properly ventilated can cause mildew and mold formation, which can potentially lead to structural and health problems. Exhaust ventilation solutions from HPM remove humidity at the source to help maintain the optimal humidity balance of 40 to 60 percent.



OFF-GASSING from construction materials, carpeting, adhesives and synthetic materials—as well as solvents from common household cleaners—can accumulate in tightly built homes.




PARTICULATES from dust, allergens, pet dander, and more can contribute to poor indoor air quality up to 100 times dirtier than outside air. With a properly ventilated home, you create a more enjoyable, comfortable, and healthier environment.



COOKING EFFLUENTS from food preparation can infiltrate the whole house in minutes. Grease, oils and aromas settle permanently into carpets, furniture, clothing and other surfaces. Kitchen ventilation solutions help eliminate cooking effluents for a cleaner, more comfortable and healthier environment.


VENTILATION SOLUTIONS FOR EVERY ROOM




FANLIGHT NON-DUCTED
Combined 200mm ceiling fan and light
R620LED, R620 page [28]



CEILING EXHAUST FANS NON-DUCTED
Low profile ceiling exhaust fans with round or square grille
EF200RDWE, EF200RDMS, EF200SQWE page [20]
EF250RDWE, EF250RDMS, EF250SQWE page [22]




IN-LINE EXHAUST FAN
Fan motor is mounted inside roofspace. This connects two locations so air conditioning can be shared
EFIL100SQWE, EFIL150SQWE page [26]




INSTANT HEAT
1, 2 or 4 lamp exhaust fan and light
BH1WE, BH2NDWE, BH4NDMS page [34]



WALL/CEILING EXHAUST FANS 100MM
With or without time delay optional mounting kits for ducting through walls
EF100SQWE, EF100RDWE, EF100, RDWE page [14]



CEILING FANS
3 or 4 blades with quick-fit wiring
White Aluminum, 430 Series, 304 Series, Rattan Series page [52]



INSTANT HEAT - DUCTED
2 or 4 lamp ducted centrifugal exhaust fans and light
R622D2, BH4DWE page [42]



CEILING EXHAUST FANS DUCTED
Ducted centrifugal fan
EFD01RDWE, EFD01RDMS, EFD01RSQWE page [24]



WALL/CEILING EXHAUST FANS 150MM
Heavy duty models with optional window mounting kits
EF150SQWE, EF150SQSWE, EF150RDWE, R621/BA page [16]



WALL EXHAUST FANS WITH AUTOSHUTTERS
Heavy duty models with optional window mounting kits
EFS150SQWE, EFS150SQSWE, R621/9A page [18]



CEILING SWEEP FANS


CLASSIC STREAMLINE DESIGN

We believe fans should be designed to be timeless and discreet.

Whether you're in the tropics, the outback, the suburbs, or remote New Zealand, we want to keep you cool and comfortable without costing you a fortune.

So we've designed and engineered our fans in Australia to provide maximum performance for minimum energy consumption. We've also focused on making them easier to install.

Simple, reliable and good value for money; you can't beat that.






Summer and Winter mode switch



ENERGY-SAVING TIP

By optimising air flow, ceiling fans can significantly reduce air-conditioning and heating bills.

GUIDE TO CHOOSING THE RIGHT FAN

ROOM DIMENSIONS	Up to 12m ²	12 - 27m ²	27+m ²
			
SUGGESTED FAN SIZE	900mm	1200mm	1400mm
RECOMMENDATIONS	Ideal for lounge rooms, living areas and master bedrooms	Ideal for medium to small rooms	Ideal for kitchens, dining rooms, kids bedrooms and offices

SUMMER & WINTER MODES EXPLAINED

We've added a simple toggle switch on all our fans so it's easy to switch between Summer mode for the warmer months and Winter mode for the cooler months. This optimises the fan's performance and increases comfort.



SUMMER MODE

In the warmer months, you want the blades to rotate clockwise to push cool air down. This creates a wind chill effect and evaporates perspiration from skin to keep everyone comfortable.




WINTER MODE

In the cooler months, you want the blades to rotate counter-clockwise at a low speed to pull air up. A gentle updraft will push warm air, which naturally rises to the ceiling, down along the walls to the floor to keep everyone snug.

REGULATION REQUIREMENT

The Australian & New Zealand Standard implies that the fan be installed at least 2.1m from the floor and the blades of the fan at least 300mm from the nearest wall.

FEATURES OVERVIEW



DESIGN FEATURES



QUICK-FIT WIRING

For super fast installation
No need to bring up the fan on the ladder



REMOTE CONTROL

Compatible with all models
Perfect for retrofit installations



PRE-WIRED REPLACEABLE DOWNRODS

For easy extension



LIGHT ADAPTABLE

For convenience and space-saving



QUICK-FIT BLADES

For less hassle and rapid fit-off



MAXIMUM AIRFLOW

Enables maximum cooling whilst
maintaining quiet operation



HANG-SURE & J-HOOK MODELS

For level and inclined ceilings




AUSTRALIAN DESIGNED & ENGINEERED

For quality guaranteed


WALL CONTROLLER

FAN ONLY



The HPM ceiling sweep fan comes complete with a capacitive 3-speed controller on a wall plate with standard 84mm fixing centres. Please refer to instructions supplied with the speed controller for installation.

FAN WITH LIGHT



If installing a light kit then you will require additional components (not supplied):
Excel Life 2-gang grid plate [ED770/2GPLWE] Excel Life wall switch [EM770WE]

ED770/1GPLWE



EM3FC



If intending to use a remote control kit [not supplied] then do not mount the wall plate.

MOUNTING OPTIONS



J-HOOK MOUNTING

Suitable for level ceiling only




HANG-SURE MOUNTING

Suitable for all ceiling types including inclined ceilings up to a 20° angle

ROD LENGTH

LENGTH	STANDARD		MEDIUM (750mm)		LONG (1500mm)	
	A	B	A	B	A	B
HANGSURE	300mm	345mm	915mm	960mm	1665mm	1710mm
J HOOK	335mm	380mm	950mm	995mm	1700mm	1745mm



OPTIONAL ACCESSORIES

REMOTE CONTROL KIT*

- (CFREMOTEJ / CFREMOTEH)
- 2, 4 & 6 hour timer
- Low, Med & High fan speed
- Low, Med & High light
- Compatible with all models
- Wall bracket included



OYSTER LIGHT KIT

- (CFOLWE / CFOLBS)
 - Available in White (WE) and Brushed Stainless Steel (BS)
 - Compatible with the entire range
 - Easy fit-off
- (Note: globe not included)



CLIPPER LIGHT KIT

- (CFCLWE / CFCLBS)
 - Available in White (WE) and Brushed Stainless Steel (BS)
 - Compatible with the entire range
 - Easy fit-off
- (Note: globe not included)



LED DIMMABLE CLIPPER LIGHT KIT

- (CFOLLEDWE / CFOLLEDBS)
 - Available in White (WE) and Brushed Stainless Steel (BS)
 - Compatible with the entire range
 - Easy fit-off
- (Note: globe not included)



WHITE ALUMINIUM SERIES

This ceiling fan is unobtrusive and blends into the ceiling. Featuring white aluminium blades, this ceiling fan is excellent for the budget conscious. It's simple, reliable and great value for money.

Main applications
Perfect for residential – commercial – hotels

Why 3 or 4 blade?
This is a question of aesthetic preference. Both 3 and 4 blade fans perform equally well.



RECOMMENDED ACCESSORIES

LED Dimmable Light Kit	Clipper Light Kit	Oyster Light Kit	Remote Control Kit	Grid & Plate	Dimmer
<p>CFOLLEDWE (White) CFOLLEDBS (Brushed Stainless Steel)</p> <p>Compatible with the entire range. Easy fit-off.</p>	<p>CFCLWE (White)</p>	<p>CFOLWE (White)</p>	<p>CFREMOTEH (Hang-sure) CFREMOTEJ (J-Hook)</p>	<p>ED770/2GPLWE</p>	<p>EM400A3PWE</p>
				<p>Recommended when using light kits - insert the fan controller (included in box with fan) and dimmer mechanism in one plate.</p>	

Power	55W (900mm)	65W (1200 & 1400mm)
Number of blades	3 or 4	
Mounting options	J-hook or Hang-sure	
Construction	White aluminium blades	
Operation	Reversible summer and winter	
Inclusions	Excel Life fan controller 3-speed white	
Remote controller compatible	J-hook (CFREMOTEJ), Hang-sure (CFREMOTEH)	
Light adaptable	LED Clipper light or Oyster light kits available	
Product codes	J-hook	Hang-sure
3-blade 900mm	CF9JWE	CF9HWE
3-blade 1200mm	CF12JWE	CF12HWE
3-blade 1400mm	CF14JWE	CF14HWE
4-blade 1200mm	CF12J4WE	CF12H4WE
4-blade 1400mm	CF14J4WE	CF14H4WE

UP TO MAX AIRFLOW 11,040m³/h

65W POWERFUL MOTOR


HPM REMOTE COMPATIBLE

FAST CONNECT WIRING


FAN CONTROLLER 3 SPEED

3 YEAR WARRANTY


CF9HWE



CF12H4WE



CF14H4WE



430 STAINLESS STEEL SERIES

These 430 stainless steel ceiling fans have the smart look of stainless steel without the hefty price tag. Featuring quick-fit 430 stainless steel blades for good corrosion resistance, this ceiling fan is ideal for budget builds and renovations.



Main applications
Perfect for residential – commercial – hotels


RECOMMENDED ACCESSORIES

LED Dimmable Light Kit	Clipper Light Kit	Oyster Light Kit	Remote Control Kit	Grid & Plate	Dimmer
CFOLLEDWE (White) CFOLLEDBS (Brushed Stainless Steel)	CFCLBS (Brushed Stainless Steel)	CFOLBS (Brushed Stainless Steel)	CFREMOTEH (Hang-sure) CFREMOTEJ (J-Hook)	ED770/2GPLWE EM400A3PWE	
Compatible with the entire range. Easy fit-off.					


Recommended when using light kits - insert the fan controller (included in box with fan) and dimmer mechanism in one plate.

Power	55W (900mm)	65W (1200 & 1400mm)
Number of blades	3	
Mounting options	J-hook or Hang-sure	
Construction	Stainless steel blades	
Operation	Reversible summer and winter	
Inclusions	Excel Life fan controller 3-speed white	
Remote controller compatible	J-hook (CFREMOTEJ), Hang-sure (CFREMOTEH)	
Light adaptable	LED Clipper light or Oyster light kits available	
Product codes	J-hook	Hang-sure
3-blade 900mm	CF9JBS	CF9HBS
3-blade 1200mm	CF12JBS	CF12HBS
3-blade 1400mm	CF14JBS	CF14HBS


CF9HBS



CF12HBS



CF14HBS



UP TO MAX AIRFLOW 11,040m³/h

65W POWERFUL MOTOR

HPM REMOTE COMPATIBLE

FAST CONNECT WIRING

FAN CONTROLLER 3 SPEED

3 YEAR WARRANTY



RATTAN SERIES

Reminiscent of colonial romance, the rattan fan adds a wisp of decorative flair to Queenslanders, homesteads and federation style homes. They can also add a remarkable textural touch - a joyful juxtaposition - to modern, minimalist interiors.

Main applications

Perfect for residential
- commercial - hotels



RECOMMENDED ACCESSORIES

LED Dimmable
Light Kit



CFOLLEDWE
(White)
CFOLLEDBS
(Brushed
Stainless Steel)

Compatible with
the entire range.
Easy fit-off.

Clipper
Light Kit



CFCLWE
(White)

Oyster
Light Kit



CFOLWE
(White)

Remote
Control Kit



CFREMOTEH
(Hang-sure)
CFREMOTEJ
(J-Hook)

Grid & Plate



ED770/2GPLWE


Dimmer



EM400A3PWE

Recommended when using light kits - insert
the fan controller (included in box with fan)
and dimmer mechanism in one plate.

Power	65W
Number of blades	4
Mounting options	Hang-sure
Construction	White timber and rattan blades
Operation	Reversible summer and winter
Inclusions	Excel Life fan controller 3-speed white
Remote controller compatible	J-hook (CFREMOTEJ), Hang-sure (CFREMOTEH)
Light adaptable	LED clipper light or Oyster light kits available
Product code	Hang-sure 4-blade 1300mm CF13HAW



UP TO
MAX
AIRFLOW
780m³/h

FAST
CONNECT
WIRING

WHITE
RATTAN
BLADES

FAN
CONTROLLER
3 SPEED

3 YEAR
WARRANTY



ACCESSORIES

	CAT NO	FINISH	DIAMETER (MM)
Light Kits	CFOLWE	White	245mm
	CFOLBS	Brushed Stainless Steel	245mm
	CFCLWE	White	190mm
	CFCLBS	Brushed Stainless Steel	190mm
	CFOLLEDWE	White	190mm
	CFOLLEDBS	Brushed Stainless Steel	190mm

	CAT NO	MOUNTING	FINISH	LENGTH
Downrods	CFDR750HWE	Hang-sure	White	750mm
	CFDR750JWE	J-Hook	White	750mm
	CFDR750HBS	Hang-sure	Brushed Stainless Steel	750mm
	CFDR750JBS	J-Hook	Brushed Stainless Steel	750mm
	CFDR1500HWE	Hang-sure	White	1500mm
	CFDR1500JWE	J-Hook	White	1500mm

	CAT NO	DESCRIPTION	FINISH
Replacement Blade Sets	CFBL9WE	Single blade for CF9HWE & CF9JWE	White
	CFBL9BS	Single blade for CF9HBS & CF9JBS	430 Stainless Steel
	CFBL12WE	Single blade for CF12HWE, CF12JWE, CF12H4WE & CF12J4WE	White
	CFBL12BS	Single blade for CF12HBS & CF12JBS	430 Stainless Steel
	CFBL14WE	Single blade for CF14HWE, CF14JWE, CF14H4WE & CF14J4WE	White
	CFBL14BS	Single blade for CF14HBS & CF14JBS	430 Stainless Steel
	CFBL12304	Single blade for CF12H304 & CF12J304	304 Stainless Steel
	CFBL14304	Single blade for CF14H304 & CF14J304	304 Stainless Steel

	CAT NO	DESCRIPTION
Remote Control	CFREMOTEH	Remote control kit for Hang-sure Ceiling Fans
	CFREMOTEJ	Remote control kit for J-Hook Ceiling Fans

RANGE OVERVIEW

	CAT NO	DIAMETER (MM)	MOUNTING	FINISH	BLADES	MAXIMUM AIRFLOW (M ³ /H)	RPM HIGH / MEDIUM / LOW
Aluminium Series	CF9HWE	900	Hang-sure	White	3	4,920	H360, M260, L160
	CF9JWE	900	J-Hook	White	3	4,920	H360, M260, L160
	CF12HWE	1200	Hang-sure	White	3	10,020	H320, M260, L150
	CF12JWE	1200	J-Hook	White	3	10,020	H320, M260, L150
	CF12H4WE	1200	Hang-sure	White	4	10,800	H290, M220, L125
	CF12J4WE	1200	J-Hook	White	4	10,800	H290, M220, L125
	CF14HWE	1400	Hang-sure	White	3	11,040	H280, M210, L115
	CF14JWE	1400	J-Hook	White	3	11,040	H280, M210, L115
	CF14H4WE	1400	Hang-sure	White	4	11,880	H255, M185, L105
	CF14J4WE	1400	J-Hook	White	4	11,880	H255, M185, L105
430 Stainless Steel Series	CF9HBS	900	Hang-sure	430 Stainless Steel	3	4,920	H360, M260, L160
	CF9JBS	900	J-Hook	430 Stainless Steel	3	4,920	H360, M260, L160
	CF12HBS	1200	Hang-sure	430 Stainless Steel	3	10,020	H320, M260, L150
	CF12JBS	1200	J-Hook	430 Stainless Steel	3	10,020	H320, M260, L150
	CF14HBS	1400	Hang-sure	430 Stainless Steel	3	11,040	H280, M210, L115
	CF14JBS	1400	J-Hook	430 Stainless Steel	3	11,040	H280, M210, L115
Rattan Series	CF13HAW	1300	Hang-sure	Rattan White	4	7,800	H200, M150, L85



A brand of  legrand®



Disclaimer: The information provided in this document is intended for informational purposes only has been prepared and reviewed with all reasonable care, believed to be correct at the time of printing. Legrand Australia and New Zealand may also make improvements and/or changes in the products, pricing and/or programs described in this information at any time without notice.

Legrand Australia
Building 4 Nexus Industry Park
43-47 Lyn Pde Prestons NSW 2170
1300 369 777
www.hpm.com.au

HPML0893

02/2018