SYLVANIA Lamps

Natural[™] Series A15

TruWave Technology™

TruWave Technology offers the best alternative to natural light by mimicking the natural light spectrum, all while saving energy.

Benefits and Features

- Controls blue wavelengths for lower glare and reduced eye strain to improve readability and supports an improved sleep-wake cycle
- Perfect fit where clean light color rendering is needed for seeing realistic, vivid colors without sacrificing light output
- Properly saturates red to make building spaces and flesh tones accurate and vibrant, without oversaturating (which compromises energy efficiency)
- Exceptional color quality without the loss of efficacy typical of most 90+ CRI solutions
- Up to 82 LPW
- 2700K and 5000K color temperatures
- CRI 90+ for exceptional color quality

Electrical

- 120Vac
- Power factor >0.90
- Dimmable down to 10%

Rated Life

- 15,000 hours (L₇₀)

- 5 year limited lamp warranty (3 hours per day operation)

Ambient Operating Range

-4°F to 113°F (-20°C to 45°C)



Wattage Comparison

Traditional Source	Traditional System Wattage	LED System Wattage	Energy Savings
Incandescent	40	5.5	\$57
Incandescent	60	8	\$86

Certifications and Listings

- cULus

- FCC*

RoHS

ENERGY STAR®

Lead Free

- California Title 20

*FCC Title 47 CFR, Part 15 Subpart B Class B















Specification Data

Catalog #	Туре
Project	
Comments	
Prepared by	

Ordering Guide


LED	XX	A15	X	DIM	9	XX	XX	13Y	TL	BL2
LED	Wattage	Lamp Type	Blank = Medium Base	DIM =	CRI	Color Temperature	Bulb Finish	Lamp Life	TL = Natural	BL2 = 2PK Blister
	5.5 = 5.5 Watts	A15	C = Candelabra Base	Dimmable	9 = 90	27 = 2700K	CL = Clear	13Y = 13 Year Life	with TruWave	
	8 = 8 Watts					50 = 5000K	F = Frosted		Technology™	


Ordering Information

Item	Ordering	Power	Base	Input	Average Life	Typical Lumens				
Number	Abbreviation	(W)	Type	Voltage	(hrs)	(lm)	CCT	CRI	LPW	CEC
40761	LED5.5A15DIM927CL13YTLBL2 8/CS 2/SKU	5.5	E26	120V	15,000	450	2700K	90+	82	Yes
40762	LED5.5A15DIM927F13YTLBL2 8/CS 2/SKU	5.5	E26	120V	15,000	450	2700K	90+	82	Yes
40774	LED5.5A15CDIM927CL13YTLBL2 8/CS 2/SKU	5.5	E12	120V	15,000	450	2700K	90+	82	Yes
40775	LED5.5A15DIM950F13YTLBL2 8/CS 2/SKU	5.5	E26	120V	15,000	450	5000K	90+	82	Yes
40763	LED8A15DIM927F13YTLBL2 8/CS 2/SKU	8	E26	120V	15,000	800	2700K	90+	63	Yes
40776	LED8A15DIM950F13YTLBL2 8/CS 2/SKU	8	E26	120V	15,000	800	5000K	90+	63	Yes


Physical Information

	(A) Height inches (mm)	(B) Diameter inches (mm)
A15 E12 Base	3.43 (87)	1.85 (47)
A15 E26 Base	3.39 (86)	1.85 (47)





Color Quality Comparison



LEDVANCE LLC 200 Ballardvale Street Wilmington, MA 01887 USA Phone 1-800-LIGHTBULB (1-800-544-4828) www.sylvania.com

SYLVANIA and LEDVANCE are registered trademarks.

All other trademarks are those of their respective owners.

Licensee of product trademark SYLVANIA in general lighting.

Specifications subject to change without notice.





