



Nothing but HEAVY DUTY.™

NEWS



INTRODUCING THE NEW SDS-PLUS HAMMER RANGE

NEW
MILWAUKEE®
CONCRETE
VIBRATOR



SEE PAGES 18-19

NEW
STEEL
STORAGE.



SEE PAGES 28-29

NEW
CARBIDE
SAWZALL™
BLADES



SEE PAGE 15

NEW
MILWAUKEE®
OUTDOOR
EQUIPMENT



SEE PAGES 44-45

MILWAUKEE® M18 FUEL POWER PACKS

ART.# 4933479533
M18 FPP2Y2-503X

INCLUDES:

- 1x M18 FPD2 - M18 FUEL™ percussion drill
- 1x M18 FSAG125X - M18 FUEL™ 125 mm angle grinder with slide switch

KIT INCLUDES:



M18 FUEL



ART.# 4933479535
M18 FPP4A2-553P

INCLUDES:

- 1x M18 FPD2 - M18 FUEL™ percussion drill
- 1x M18 FHX - M18 FUEL™ 4-mode 26 mm SDS-Plus hammer with FIXTEC™
- 1x M18 FMTIW2F12 - M18 FUEL™ 1/2" mid-torque impact wrench with friction ring
- 1x M18 FSAG125X - M18 FUEL™ 125 mm angle grinder with slide switch

KIT INCLUDES:



M18 FUEL



ART.# 4933479536
M18 FPP4B2-533P

INCLUDES:

- 1x M18 FPD2 - M18 FUEL™ percussion drill
- 1x M18 FID2 - M18 FUEL™ 1/4" Hex impact driver
- 1x M18 FHX - M18 FUEL™ 4-mode 26 mm SDS-Plus hammer with FIXTEC™
- 1x M18 ONEFSAG125XB - M18 FUEL™ ONE-KEY™ 125 mm braking angle grinder with slide switch

KIT INCLUDES:



M18 FUEL



ART.# 4933479534
M18 FPP3M-553P

INCLUDES:

- 1x M18 ONEFHIWF34 - M18 FUEL™ ONE-KEY™ 3/4" high torque impact wrench with friction ring
- 1x M18 GG - M18™ grease gun
- 1x M18 FSAG125X - M18 FUEL™ 125 mm angle grinder with slide switch

KIT INCLUDES:



M18 FUEL



M12 FUEL TRADE UP

1 BUY ONE SELECTED M12 FUEL KIT
2 GET ONE TRADE ESSENTIAL FREE (AND REPEAT)



1 BUY ONE OF THESE KITS 2 CHOOSE ONE OF THESE FOR FREE

M12 FIWF12-422X ART.# 4933464616	M12 CH-602X ART.# 4933451510	M12 FDDXKIT-202X ART.# 4933464979	M12 FCOT-422X ART.# 4933464619	M12 PAL-O FREE ART.# 4933478226	M12 SI-O FREE ART.# 4933459760
M12 FDGS-422B ART.# 4933471436	M12 FPD-602X ART.# 4933459806	M12 FDGA-422B ART.# 4933471439	M12 FQID-202X ART.# 4933464973	M12 JSSP-O FREE ART.# 4933448380	M12 HV-O FREE ART.# 4933448390
M12 FMT-422X ART.# 4933472239	M12 FBS64-402C ART.# 4933478441	M12 FID-202X ART.# 4933459823	M12 FIW38-422X ART.# 4933464613		

MILWAUKEE® M12 FUEL LIMITED EDITION POWER PACK

ART.# 4933480555
M12 FPP7A-624P

AVAILABLE FROM MARCH 2022

INCLUDES:

- 1x M12 FCOT - M12 FUEL™ sub compact multi-material cut off tool
- 1x M12 FID - M12 FUEL™ sub compact 1/4" Hex impact driver
- 1x M12 CH - M12 FUEL™ sub compact SDS-Plus hammer
- 1x M12 FPD - M12 FUEL™ sub compact percussion drill
- 1x M12 FMT - M12 FUEL™ sub compact multi-tool
- 1x M12 PAL - M12™ pivot area light
- 1x M12 JS - M12™ sub compact jigsaw

KIT INCLUDES:



M18 PERFORMANCE DRIVEN TRADE FOCUSED - SYSTEM WIDE



ONE SYSTEM OVER 215 TOOLS

M18 FUEL



M18 FPD2-502X 4933464264
M18 FDD2-502X 4933464267
M18 FID2-502X 4933464088
M18 FQID-502X 4933451790
M18 FHIW12-502X F: 4933459696 P: 4933459693
M18 FIW212-502X F: 4933478444 P: 4933478447
NEW M18 FMTW2F38-0X 4933479153
M18 FMTIW212-502X F: 4933478450 P: 4933478453
M18 FSGC-202X 4933459199
M18 FCVL-0 4933478185



M18 FDC-502X 4933459107
M18 CRAD2-0X 4933471641
M18 FRAD2-0 4933471207
M18 FPM-0X 4933459719
NEW M18 FHX-552X 4933478899
M18 CHM-121C 4933471284
NEW M18 ONEFHPX-552X 4933478496
M18 FCVN12-551 4933479597
M18 FCVN24-551 4933479600
M18 FDCPF-201C Ø 10: 4933459685* Ø 8: 4933459683*
M18 FSDC-502 Ø 10: 4933459707* Ø 13: 4933459708* Ø 16: 4933459710



NEW M18 FN15GA-0X 4933478091
M18 FN16GA-202X 4933478092
M18 FNCS18GS-202X 4933471940
M18 FN18GS-202X 4933471407
M18 FFN-502C 4933471404
M18 FFNS-502C 4933478302
M18 FFN21-0C 4933478993
M18 FTR8-0X 4933479073
M18 FPPT-0 4933471952
M18 FAP180-502X 4933451550
M18 FPOVCL-0 4933478187
M18 FBPV-0 4933464483



M18 FLAG230XPDB-121C 4933464115
M18 FHSAG150XPDB-0X 4933471085
M18 FHSAG150XB-0X 4933471084
M18 FHSAG125XPDB-552X 4933471080
M18 FSAGF125XB-0X 4933478436
M18 FMCS66-121C 4933472111
M18 FMCS-502X 4933459193
M18 CBS125-502C 4933448195
M18 FBS85-202C 4933471497
SEE THE FULL ANGLE GRINDER RANGE ON PAGES 26-27



M18 CCS55-502X 4933451376
M18 FCSG66-121C 4933471195
M18 FCSRH66-0 4933471444
M18 FMS190-0 4933459619
M18 FMS254-0 4933451729
M18 FMT-502X 4933478492
M18 FHT45-802 4933480113
M18 CHT-0 4933459346
M18 FOPH-0 4933464954
M18 FBL-0 4933459825



M18 FJS-502X 4933464727
M18 FBJS-502X 4933464800
M18 FHZ-502X 4933459885
M18 FSX-121C 4933464484
M18 FSZ-502X 4933478291
M18 FMDDP-502C 4933451012
M18 FCHS-121 4933464223
M18 FCHSC-121 4933471442
NEW M18 FCHS35-122 4933479679
M18 FAC-0 4933472166

M18 BRUSHLESS



M18 CBLPD-402C 4933464537
M18 CBLDD-402C 4933464539
M18 CBLID-402C 4933464534
M18 BLPD2-502X 4933464517
M18 BLDD2-502X 4933464515
M18 BLID2-502X 4933464520
M18 BLCS66-502X 4933464590
M18 BLHX-502X 4933478892
M18 BLTRC-522X 4933471151
M18 BLLT-0 4933472218
M18 BLHPTXL-502C 4933479441


ONEKEY



M18 ONEID2-502X 4933464091
M18 ONEIW12-502X F: 4933451374 P: 4933451372
M18 ONEPD2-502X 4933464527
M18 ONEDD2-502X 4933464525
M18 ONEFHIW12-502X F: 4933459727 P: 4933459725
M18 ONEFHIWF1-802X 4933459733
M18 ONEFHIWF34-502X 4933459730
M18 ONEFHIWH716-0X 4933479152
M18 ONEFPRT-202X 4933478602



M18 ONEBLHPT-302C 4933478306
M18 FTS210-121B 4933464225
M18 FMS305-121 4933471122
M18 FCOS230-121 4933471697
M18 ONEFSZ-502X 4933478294
M18 ONEFHIWF1DS-121C 4933472072
M18 ONEFSAG125XPDB-502X 4933478435
M18 ONEFLAG230XPDB-122C 4933478783



M18 FCSSM-121 4933478407
M18 FSSM-121 4933471410
M18 FPT2-121C 4933478597
M18 HDCT-202C 4933471950
M18 ONEHCC
M18 ONEFHPX-552X 4933478496
M18 ONEFHX-552X 4933478504
M18 FHM-121C 4933464894
NEW M18™ MODULAR PIPELINE INSPECTION SYSTEM

M18



M18 PRCDAB+ 4933472112
HD18 AG-402C Ø 115: 4933441300 Ø 125: 4933441507
M18 BPD-402C 4933443520
M18 BDD-402C 4933443565
M18 BID-402C 4933443580
M18 BIW-402C ½": 4933443607 ¾": 4933443600
M18 BHG-502C 4933459772
HD18 SG-0 4933417820



HD18 HX-402C 4933441280
M18 BH-402C 4933443330
M18 BRAID-0 4933447891
M18 BRAIW-0 4933447899
HD18 CS-402B 4933441400
M18 SMS216-0 4933446780
M18 BMS12-0 4933447925
M18 BMS20-0 4933447935



M18 BMT-421C 4933446210
C18 RAD-0 4933427189
M18 BOS125-502B 4933464229
M18 BP-402C 4933451114
C18 PCG/310C-201B 4933441310
C18 PCG-201B 400 ml: 4933441812 600 ml: 4933441808
M18 GG-201C 4933440490
M18 BJS-402C 4933451389
M18 BSX-402C 4933447285



M18 BTP-0 4933471494
M18 AF-0 4933451022
M18 CV-0 4933459204
M18 RC-0 4933446639
M12-M18 JSSP-0 4933459275
M18 BPPFH-401 4933464962
M18 VC2-0 4933464029
SEE ALL M18™ LIGHTS ON PAGE 32-35

M12
PORTABLE PRODUCTIVITY
TRADE FOCUSED
SYSTEM WIDE



ONE SYSTEM
OVER
95
TOOLS



ONE KEY



M12 ONEFTR38-201C
4933464967

M12 ONEFTR12-201C
4933464970

M12 PL-201C
4933478615



SEE ALL M12 LIGHTS
ON PAGES 32-35

M12 FUEL™



REDLITHIUM™

PACKOUT™

MODULAR STORAGE SYSTEM

OVER 100 POSSIBLE COMBINATIONS

VERSATILE, DURABLE

The MILWAUKEE® PACKOUT™ modular storage system revolutionises tool transportation, organisation and storage. Designed to provide users with the ability to interchange and interlock a wide assortment of heavy duty tool boxes, organisers and storage totes in multiple different configurations.



TRY OUR NEW
PACKOUT™ BUILDER
TO CREATE YOUR IDEAL KIT

packout.milwaukeeeurope.eu

NEW

ART.# 4932478161

PACKOUT™ ROLLING TOOL CHEST



FEATURES:

- Dual stack top allows to transport 2 PACKOUT™ stacks onto the jobsite.
- 23 cm all-terrain wheels for easy rolling through rough jobsite terrain.
- Industrial grade extension handle supports up to 113 kg.
- Protective lid seal helps prevent damage to the tools from water and jobsite debris.
- Extra storage capacity for large tools and jobsite materials.
- Constructed with impact resistant polymers for jobsite durability.
- Part of the PACKOUT™ modular storage system.



NEW

ART.# 4932479957

PACKOUT™ STARTER SET



FEATURES:

- 1 x PACKOUT™ trolley box
- 1 x PACKOUT™ 2-drawers tool box
- 1 x PACKOUT™ slim organiser



SYSTEM STARTERS



PACKOUT™
Trolley box
4932464078



PACKOUT™
2 Wheeled Cart
4932472131



PACKOUT™
Flat Trolley
4932471068

BOXES



PACKOUT™
2 Drawer Tool Box
4932472129



PACKOUT™
3 Drawer Tool Box
4932472130



PACKOUT™
Box
4932464080



PACKOUT™
Large box
4932464079



PACKOUT™
Crate
4932471724



PACKOUT™
Compact Tool Box
4932471723



PACKOUT™
Hard Cooler
4932471722



PACKOUT™
Hard Cooler
4932471722

SOFT STORAGE



PACKOUT™
Tote toolbag 25 cm
4932464084



PACKOUT™
Tote toolbag 40 cm
4932464085



PACKOUT™
Organiser
4932464082



PACKOUT™
Compact organiser
4932464083



PACKOUT™
Compact slim organiser
4932471065



PACKOUT™
Slim organiser
4932471064

ORGANISERS



PACKOUT™
Backpack
4932471131



PACKOUT™
Jobsite cooler
4932471132



PACKOUT™
Tech bag
4932471130



PACKOUT™
Tote toolbag 50 cm
4932464086



PACKOUT™
Duffel bag 15"/38 cm
4932471066



PACKOUT™
Duffel bag 20"/50 cm
4932471067

SYSTEM ATTACHMENTS



PACKOUT™
Customisable
Work Surface
4932472128



PACKOUT™
Dividers for 3-Drawer
Tool Box
4932479105



PACKOUT™
Dividers for 2-Drawer
Tool Box
4932479105




PACKOUT™
Racking System KIT
4932478711



PACKOUT™
Racking System - Single Shelf
4932478711



Vertical E-Track for
PACKOUT Racking
System 50 cm - 2 pcs
4932478996



PACKOUT™
Mounting Plate
4932471638

POWER TOOLS



M18 PACKOUT™
Area Light Charger
4933478120




M18 PACKOUT™
Radio Charger
4933472112



FUEL
PACKOUT™
Wet / Dry Vacuum
4933478187



PACKOUT™
Drawers Foam Insert
4932479157



PACKOUT™
Foam insert
4932471428



PACKOUT™
Foam Trolley insert
4932471927

FROM FRAME TO FINISH.

NO NONSENSE NAILING & STAPLING

SOLUTIONS FROM MILWAUKEE®.

**CONSISTENT
CLEAN NAIL HOLES** IN A VARIETY AND MIXTURE
OF TIMBER, INCLUDING
SOFT AND HARD WOODS

Introducing the NEW MILWAUKEE® M18 FUEL™ 15 & 16 gauge Angled Finishing Nailers (M18 FN15GA & M18 FN16GA) with improved design, reduced recoil for greater nailing performance, better balance and over-all feel with enhanced ergonomics, and a better line of sight for improved accuracy for the user. This fires up to 1200 nailers per charge giving you prolonged productivity all day.


**ZERO
RAMP-UP
TIME** FROM TRIGGER
TO NAIL DELIVERED
IN 0.05 SECONDS

**COMPACT
SIZE** FOR EASE OF ACCESS
IN TIGHT SPACES
AND CORNERS.

**FRAMING
NAILERS**

MILWAUKEE® M18 FUEL™ Framing Nailers deliver the ability to power nails in to engineered timber in record time, 3 nails per second with a rate of 800 nailers per charge. All within a completely cordless and no gas package giving you 100% productivity all day.

**M18 FUEL 34°
FRAMING NAILER**


M18 FNN

**M18 FUEL 34° FRAMING
NAILER WITH SINGLE
SHOT**


M18 FNNS

**M18 FUEL 21° FRAMING
NAILER**


M18 FNN21

**M12 SUB COMPACT
PALM NAILER**


C12 PN

APPLICATIONS

CUT ROOFS / FLOOR JOISTS

STUD WALLS / DECKING

**FINISHING
NAILERS**

From molding to skirting the MILWAUKEE® finishing nailer range has you covered with our finishing nailers you can fire up to 1200 nails instantly with zero ramp-up time whilst keeping consistent, clean holes. All this productivity comes packaged within a more compact size and enhanced ergonomics, powered by M18 FUEL™ technology.

**M18 FUEL 18 GS
FINISH NAILER**


M18 FN18GS

**NEW
M18 FUEL 16 GA ANGLED
NAIL FINISH NAILER**


M18 FN16GA

**NEW
M18 FUEL 15 GA ANGLED
NAIL FINISH NAILER**


M18 FN15GA

APPLICATIONS

 SKIRTING BOARDS /
MOLDING / FLOORING

 DECK RAILINGS /
STAIRCASES / DOOR CASING

 WINDOW CASING /
CABINET MAKING

STAPLERS

Deliver perfectly seat staples in to a variety of materials including hard and soft woods. The MILWAUKEE® stapler range fires up to 1200 staples with Zero ramp-up time within a compact form.

**M18 FUEL NARROW
CROWN STAPLER**


M18 FNCS18GS

**M12 SUB COMPACT
STAPLER**


M12 BST

APPLICATIONS

FABRIC / PLASTIC SHEETING

BEADING / FASCIAS & SOFFITS

BRAD NAILS, 18 GAUGE

Dimensions (mm)	Total length (mm)	Nail angle	Material	Pack quantity	Article Number
1.05 x 1.25	16	0°	Resin coated, Galvanised	10,000	4932459124
1.05 x 1.25	19	0°		10,000	4932459125
1.05 x 1.25	25	0°		5,000	4932459126
1.05 x 1.25	30	0°		5,000	4932459127
1.05 x 1.25	32	0°		5,000	4932459128
1.05 x 1.25	40	0°		5,000	4932459129
1.05 x 1.25	45	0°		4,000	4932459130
1.05 x 1.25	50	0°		4,000	4932459131
1.05 x 1.25	16	0°		10,000	4932459132
1.05 x 1.25	19	0°		10,000	4932459133
1.05 x 1.25	25	0°	5,000	4932459134	
1.05 x 1.25	30	0°	5,000	4932459135	
1.05 x 1.25	32	0°	Stainless / Rust free	5,000	4932459136
1.05 x 1.25	40	0°		5,000	4932459137
1.05 x 1.25	45	0°		4,000	4932459138
1.05 x 1.25	50	0°		4,000	4932459139

FOR USE WITH M18 FN18GS.

FINISH NAILS, 16 GAUGE

Dimensions (mm)	Total length (mm)	Nail angle	Material	Pack quantity	Article Number
1.50 x 1.65	32	20°	Galvanised	2,000	4932459140
1.50 x 1.65	38	20°		2,000	4932459141
1.50 x 1.65	45	20°		2,000	4932459142
1.50 x 1.65	50	20°		2,000	4932459143
1.50 x 1.65	64	20°		2,000	4932459144

FOR USE WITH M18 FN16GA.

FRAMING NAILS, 20°, ROUND HEAD

Shank diameter (mm)	Total length (mm)	Nail angle	Material	Pack quantity	Article Number
2.8	65	20°	Ring shank	3,000	4932479949
2.8	75	20°		2,000	4932479950
3.1	80	20°		2,000	4932479951
3.1	90	20°		2,000	4932479952
2.8	65	20°	Ring shank, Galvanised	3,000	4932479953
3.1	75	20°		2,000	4932479954
3.1	80	20°		2,000	4932479955
3.1	90	20°		2,000	4932479956

FOR USE WITH M18 FFN21.

FRAMING NAILS, 34°, D HEAD

Shank diameter (mm)	Total length (mm)	Nail angle	Material	Pack quantity	Article Number
2.8	50	34°	Ring shank	4,000	4932478396
2.8	63	34°		4,000	4932478397
2.8	75	34°		4,000	4932478398
2.8	80	34°		3,000	4932478399
3.1	90	34°		3,000	4932478400
2.8	63	34°	Ring shank, Galvanised	4,000	4932478401
2.8	75	34°		4,000	4932478402
3.1	80	34°		3,000	4932478403
3.1	90	34°		3,000	4932478404

FOR USE WITH M18 FFN.

NARROW CROWN STAPLES

Dimensions (mm)	Total length (mm)	Width (mm)	Material	Pack quantity	Article Number
1.05 x 1.25	15	5.7	Resin coated, Galvanised	9,200	4932478389
1.05 x 1.25	20	5.7		9,200	4932478390
1.05 x 1.25	25	5.7		4,600	4932478391
1.05 x 1.25	30	5.7		4,600	4932478392
1.05 x 1.25	32	5.7		4,600	4932478393
1.05 x 1.25	36	5.7		4,600	4932478394

FOR USE WITH M18 FNCS18GS.

FINE WIRE STAPLES

Dimensions (mm)	Total length (mm)	Width (mm)	Material	Pack quantity	Article Number
0.5 x 1.27	6	10.6	Galvanised	9,200	4932459145
0.5 x 1.27	8	10.6		9,200	4932459146
0.5 x 1.27	14	10.6		4,600	4932459147

FOR USE WITH M12 BST.


M12™ M18 FUEL™

NAILER & STAPLER SELECTION GUIDE.



PART OF THE MILWAUKEE®
CARPENTRY RANGE



NO NONSENSE NAILING & STAPLING

MILWAUKEE® is committed to providing professionals with a full line of cordless frame to finish nailing and stapling solutions. Our battery-powered nailers and staplers deliver pneumatic performance without the hassle of running hoses and compressors or keeping up with the maintenance and cost of gas cartridges. MILWAUKEE® nailing and stapling solutions set a new standard for cordless performance.

NO GAS CARTRIDGES

NO RAMP-UP TIME

NO MISFIRE NAILING

*can increase capacity with magazine extension and link to this accessory



A FULL RANGE OF NAILS AND STAPLES IS ALSO AVAILABLE AT MILWAUKEETOOL.EU FOR MORE INFORMATION VISIT OUR WEBSITE, SEE THE 2022/23 ACCESSORIES CATALOGUE OR SEE PAGE 11 FOR MORE INFORMATION.

FRAMING NAILERS

M18 FFN-502C



M18 FUEL
34° FRAMING
NAILER
4933471404

M18 FNN21-0C



M18 FUEL
21° FRAMING NAILER
4933478993

COLLATION ANGLE (°)	30 - 34	20 - 22
FASTENER LENGTH (mm)	50 - 90	50 - 90
FASTENER THICKNESS (mm)	2.9 - 3.3	2.9 - 3.3
FASTENER HEAD / CROWN WIDTH (mm)	D-HEAD / 7.4	ROUND HEAD / 7.4
MAGAZINE CAPACITY*	51 NAILS	51 NAILS
FIRE RATE (PER CHARGE)	700 (M18 B5 battery pack)	700 (M18 B5 battery pack)
MATERIALS	HARDWOOD, SOFTWOOD, ENGINEERED TIMBER	HARDWOOD, SOFTWOOD, ENGINEERED TIMBER
KIT INCLUDES	2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox	No batteries supplied, No charger supplied, Kitbox
APPLICATIONS	CUT ROOFS, FLOOR JOISTS, STUD WALLS, DECKING	



FINISHING NAILERS

M18 FN18GS-202X



M18 FUEL
18 GS FINISH NAILER
4933471407

M18 FN16GA-202X



M18 FUEL
16 GA ANGLED
NAIL FINISH NAILER
4933478092

M18 FN15GA-0X



M18 FUEL
15 GA ANGLED
NAIL FINISH NAILER
4933478091

STRAIGHT	20	34	STRAIGHT	STRAIGHT
16 - 54	32 - 63	32 - 63	9.5 - 38	6 - 14
1.2	1.6	1.8	1.2	1.2
2.0	2.8	3.2	5.7	10.6
110 NAILS	110 NAILS	110 NAILS	108 STAPLES	89 STAPLES
1200 (M18 B2 battery pack)	1200 (M18 B2 battery pack)	1200 (M18 B2 battery pack)	1200 (M18 B2 battery pack)	2000 (M12 B2 battery pack)
HARDWOOD, SOFTWOOD, PLYWOOD, CHIPBOARD, MDF	HARDWOOD, SOFTWOOD, PLYWOOD, CHIPBOARD, MDF	HARDWOOD, SOFTWOOD, PLYWOOD, CHIPBOARD, MDF	HARDWOOD, SOFTWOOD, PLYWOOD, CHIPBOARD, MDF, PLASTIC, FABRIC	HARDWOOD, SOFTWOOD, PLYWOOD, CHIPBOARD, MDF, PLASTIC, FABRIC
2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box	2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box	No batteries supplied, No charger supplied, HD Box	2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box	2 x M12 B2 Battery packs, C12 C Charger, HD Box
SKIRTING BOARDS, MOLDING, FLOORING, DECK RAILINGS, STAIRCASES, DOOR & WINDOW CASING, CABINET MAKING			FABRIC, PLASTIC, BEADING, FASCIAS & SOFFITS	



CIRCULAR SAW BLADE TWIN PACKS

FEATURES:

- Anti-friction PTFE coating prevents sticking and friction, resulting in faster cuts whilst resisting corrosion
- Laser cut technology reduces wobble and vibration, increasing cutting accuracy, with minimised blade noise level
- Cobalt infused carbide extends lifetime and maintains tip sharpness

CIRCULAR SAW BLADE TWIN PACKS FOR HAND HELD CIRCULAR SAWS

Description	Pack quantity	ART.#
165 x 5/8" Twin pack set 2 x 165x5/8"x24 tooth, fast cut wood blade (4932471311)	2	4932479836
165 x 5/8" Twin pack set 1 x 165x5/8"x24 tooth, fast cut wood blade (4932471311) + 1 x 165x5/8"x40 tooth, clean cut wood blade (4932471312)	2	4932479837
190 x 30 mm Twin pack set 1 x 190x30x24 tooth, fast cut wood blade (4932471300) + 1 x 190x30x48 tooth, clean cut wood blade (4932471380)	2	4932479574
190 x 30 mm Twin pack set 2 x 190x30x24 tooth, fast cut wood blade (4932471300)	2	4932479804

CIRCULAR SAW BLADE TWIN PACKS FOR MITRE SAWS

Description	Pack quantity	ART.#
216 x 30 mm Twin pack set 1 x 216x30x48 tooth, fast cut wood blade (4932471316) + 1 x 216x30x60 tooth, clean cut wood blade (4932471317)	2	4932479575
254 x 30 mm Twin pack set 1 x 254x30x60 tooth, fast cut wood blade (4932471320) + 1 x 254x30x80 tooth, clean cut aluminium blade (4932471318)	2	4932479576

OMT BLADES

FEATURES:

- No components or adaptors required
- Fast blade changes
- 100% power transmission from tool to accessory
- Wood and wood & metal blades available in 5pcs

STARLOCK

Description	ART.#
Wood blade set (5pc) 2 x 48906001 35mm wood plunge cut blade, 2 x 48906011 35mm soft and hard wood plunge cut blade with 3 cut tooth geometry, 1 x 48906021 35mm wood and nails Bi-Metal plunge cut blade	48906114
Wood and metal blade set (5pc) 1 x 48906011 35mm soft and hardwood plunge cut blade with 3 cut tooth geometry, 2 x 48906021 35mm wood and nails Bi-Metal plunge cut blade, 2 x 48906031 28mm multi material plunge cut blade	48906115
Renovation set (8pc) 2 x multi mat. 28mm plunge cut blade, 2 x multi mat. 43mm plunge cut blade, 1 x grout removal 2.2mm carbide blade, 1 x 3X cutting knife, 1 x rasp carbide grit, 1 x flexible scraper 52mm	48906088
General multi-tool blade set (11pc) 2 x 35 mm plunge cut blade, 2 x 65 mm plunge cut blade, 1 x 65 mm 3C fast plunge cut blade, 2 x multi mat. 28 mm plunge cut blade, 2 x multi mat. 43 mm plunge cut blade, 1 x multi mat. 85 mm seg. flush cut blade, 1 x firm scraper 52 mm	48906090

THE CARBIDE SAWZALL™ RANGE

LONGER LIFE IN THE TOUGHEST APPLICATIONS

TORCH™

NITRUS CARBIDE

THIS SPECIAL CARBIDE NITRUS BLEND IS DESIGNED TO CUT 3X LONGER THAN EXISTING STANDARD CARBIDE TEETH BLADES.

Blade length (mm)	Tooth pitch	Tooth per inch	Pack quantity	Minimum order quantity	ART.#
150	3.6	7	1	1	48005261
			5		48005561
230	3.6	7	1	1	48005262
			5		48005562

THE TORCH™

CARBIDE TEETH

BEST FOR CAST IRON AND ALL THICK METAL DEMOLITION. UP TO 50X MORE LIFE COMPARED TO BI-METAL BLADES.

Blade length (mm)	Tooth pitch	Tooth per inch	Pack quantity	Minimum order quantity	ART.#
150	3.6	7	1	1	48005201
			5		48005501
230	3.6	7	1	1	48005202
			5		48005502

AX™

CARBIDE TEETH

BEST FOR WOOD / NAILS / HARDENED FASTNERS DEMOLITION.

Blade length (mm)	Tooth pitch	Tooth per inch	Pack quantity	Minimum order quantity	ART.#
150	5	5	1	1	48005221
			5		48005521
230	5	5	1	1	48005226
			5		48005526

WRECKER™

CARBIDE TEETH

BEST FOR MULTI MATERIAL DEMOLITION (WOOD WITH NAILS OR HARDENED FASTNERS, CAST IRON AND THICK METAL).

Blade length (mm)	Tooth pitch	Tooth per inch	Pack quantity	Minimum order quantity	ART.#
150	4.2	6	1	1	48005221
			5		48005521
230	4.2	6	1	1	48005226
			5		48005526

MULTI-MATERIAL DRILLBITS

2 CUTTER CARBIDE TIP

- Allows drilling into concrete, bricks, roof tiles, cinderblocks, thin metal, ceramic, tiles, wood, PVC, aluminium, drywall, mortar and plywood
- Very popular drill bits for plumbers because of the versatility

WHITE FLUTE

- To identify the drill bit easily in the users toolbox
- First to market with a white flute

HEX SHANK

- To use with an impact driver and all types of 3 jaw chucks tool like a (percussion) drill driver
- Ensures a safe grip also in standard 3 jaw chucks



Diameter (mm)	Total length (mm)	Working length (mm)	ART.#
3	90	45	4932471091
4	90	45	4932471092
5	100	50	4932471093
5.5	100	50	4932471094
5.5	150	90	4932471095
6	100	50	4932471096
6	150	90	4932471097
6	200	140	4932471098
6	400	340	4932471099
6.5	150	100	4932471100
6.5	200	140	4932471101
6.5	400	340	4932471102

Diameter (mm)	Total length (mm)	Working length (mm)	ART.#
7	100	50	4932471103
8	120	60	4932471104
8	260	200	4932471105
8	400	340	4932471106
10	120	60	4932471107
10	260	200	4932471108
10	400	340	4932471109
12	150	90	4932471110
12	260	260	4932471111
Multi material set (8pc) 0 4 x 90 mm, 0 5 / 5 / 6 / 6 x 100 mm, 0 8 / 10 x 120 mm, 0 12 x 150 mm			4932471112
Multi material set (8pc) 0 4 x 90mm, 0 5 / 5.5 / 5.5 x 100mm, 0 6 / 7 x 100mm, 0 8 / 10 x 120mm			4932471113

RIGHT ANGLE ATTACHMENT

IMPACT RATED suitable to use with latest 18V impact drivers as well as cordless drill drivers.

INTERNAL SHOCK ZONE™ and advanced gear design for excellent power transmission and impact durability.

for all **1/4" HEX** drilling and driving accessories.



Description	ART.#
Counter display SHOCKWAVE™ Right Angle Attachment set (11pc) 1 x Right Angle Attachment, 1 x PH2, 1 x PZ1 / 2 x PZ2 / 1 x PZ3, 1 x TX10 / 1 x TX15 / 1 x TX20 / 1 x TX25 / 1 x TX30	4932471274

SCREWDRIVING BITS

ULTIMATE FIT, BEST DURABILITY MILWAUKEE® SHOCKWAVE™ IMPACT DUTY driver bits are engineered to be the most durable, best fitting driver bits on the market. The WEAR GUARD TIP™ is laser hardened to create an outer shield that protects the fit over the life of the bit. The SHOCK ZONE™ is optimised for each tip type and length of driver bit, absorbing peak torque and preventing breaking.



ART.# 4932478620 ELECTRICIANS SCISSORS

CUT, STRIP, CRIMP.



FEATURES



CABLE CUTTING GROOVE FOR GREATER LEVERAGE.



ROUNDED GROOVE ALLOWS FOR EASY WIRE STRIPPING.



CABLE CRIMPER ALLOWS CRIMPS UP TO 6 MM.

VDE TRI-LOBE SCREWDRIVERS



TRI-LOBE HANDLE

- High leverage handle
- Comfortably exert maximum leverage



PERMANENT ID MARKING

- Will not wear away
- Allows users to accurately select correct driver



ELECTRIC SLIM SHAFT

- To allow access to tight holes

POUCHABLE HANDLE

- Ultimate portability – Easily insert and remove from pouches

INTEGRATED LANYARD HOLE

- For easy attachment to a safety system



Description	ART.#
Tri-Lobe VDE Screwdriver, Slotted 0,4X3X75	4932478712
Tri-Lobe VDE Screwdriver, Slotted 0,5X3X100	4932478713
Tri-Lobe VDE Slim Screwdriver, Slotted 0,6X3,5X100	4932478714
Tri-Lobe VDE Slim Screwdriver Slotted 0.8X4X100	4932478715
Tri-Lobe VDE Slim Screwdriver Slotted 1.0X5.5X125	4932478716
Tri-Lobe VDE Slim Screwdriver, Slotted 1,2X6,5X150	4932478717
Tri-Lobe VDE Screwdriver, Slotted 1,6X8X175	4932478718
TESTER 0,5X3X140mm	4932478719
Tri-Lobe VDE Slim Screwdriver PH0 X60	4932478720
Tri-Lobe VDE Slim Screwdriver PH1 X80	4932478721
Tri-Lobe VDE Slim Screwdriver PH2 X100	4932478722
Tri-Lobe VDE Slim Screwdriver PH3 X150	4932478723
Tri-Lobe VDE Slim Screwdriver PZ0 X60	4932478724
Tri-Lobe VDE Slim Screwdriver PZ1 X80	4932478725
Tri-Lobe VDE Slim Screwdriver PZ2 X100	4932478726
Tri-Lobe VDE Slim Screwdriver PZ3 X150	4932478727
Tri-Lobe VDE Slim Screwdriver T10 X60	4932478728
Tri-Lobe VDE Slim Screwdriver T15 X75	4932478729
Tri-Lobe VDE Slim Screwdriver T20 X100	4932478730
Tri-Lobe VDE Slim Screwdriver T25 X100	4932478731
Tri-Lobe VDE Slim Screwdriver T30 X100	4932478732
Tri-Lobe VDE Slim Screwdriver PH/S L1 X80	4932478733
Tri-Lobe VDE Slim Screwdriver PH/ SL2 X100	4932478734
Tri-Lobe VDE Slim Screwdriver PZ/ SL1 X80	4932478735



SCAN HERE TO VIEW AVAILABLE PPE



MILWAUKEE® VIBRATORS

BUILD YOUR KIT

CHOOSE YOUR CONCRETE VIBRATOR

	Slabs	Footings	Columns	Walls
MXF CVBP	✓ ✓ ✓	✓ ✓	✓	✓
M18 FCVN-12*	✓	✓ ✓	X	X
M18 FCVN-24*	X	✓	✓ ✓ ✓	✓ ✓ ✓

*Heads and shafts are not exchangeable!

CHOOSE YOUR CONCRETE VIBRATOR HEAD

- To choose the perfect head diameter you must consider the needed radius of influence as well as the distance between the rebar
- MILWAUKEE® provides a range of different sizes to give you the perfect solution for every application

	Diameter (mm)	ART.#	
Concrete Vibrator Heads	25	4932479839	
	38	4932478612	
	50	4932478613	
	63	4932479840	

CHOOSE THE RIGHT SHAFT FOR YOUR CONCRETE BACKPACK VIBRATOR

	Slabs	Footings	Columns	Walls	Diameter (mm)	ART.#	
MXF CVS-2 m	✓ ✓ ✓	✓ ✓ ✓	X	X	25	4932478611	
MXF CVS-3 m	✓ ✓ ✓	✓ ✓ ✓	✓	✓	38	4932479612	
MXF CVS-4 m	✓	✓	✓ ✓ ✓	✓ ✓ ✓	50	4932478610	
MXF CVS-6.4 m	X	X	X	X	63	4932479613	
	✓ ✓ ✓ Perfect	✓ ✓ Good	✓ Acceptable	X Not Recommended			

MX FUEL™ BACKPACK CONCRETE VIBRATOR

MXF CVBP-602 | ART.# 4933479591 (Also available as a 0-version)

NEW

FEATURES:

- Ideal solution when working on larger areas, delivering AC like performance without the hassle of laying cables or having the need for a AC socket on the jobsite
- It has the power to push up to Ø 63 mm head at over 11,200 VPM for optimal consolidation, even in the stiffest concrete
- The push-button start delivers instant power, eliminating the repetitive motions of a pull start and reducing downtime, allowing you to get jobs done faster without sacrificing the power and run time you expect
- The modular design makes it easy to remove the backpack harness for walls and columns
- It can accept shafts up to 6.4 m long and heads up to Ø 63 mm without sacrificing power
- The wireless remote gives you the ability to turn the machine on from up to 9 m away when using long shafts
- MX FUEL™ POWERSTATE™ brushless motor, REDLINK PLUS™ electronics and REDLITHIUM™ battery pack deliver superior performance, durability and run time for high demand applications
- ONE-KEY™ tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention
- Supplied with remote control
- System attachments, heads and shafts are available separately
- Compatible with M18™ SWITCH TANK™ 15 l s sprayer

MODULAR. WIRELESS. CONVENIENT.



KIT INCLUDES:



M18 FUEL™ NEEDLE CONCRETE VIBRATORS

FEATURES:

- 1.2 m whip length execution recommended for footings or small flatwork (M18 FCVN12)
- 2.4 m whip length execution recommended for walls or columns (M18 FCVN24)
- 25 mm² head design and 12,500 VPM for a improved consolidation power
- Power to consolidate up to one concrete truck (8 m³) on a single M18™ 5.5 HIGH OUTPUT™ battery
- Variable speed trigger
- Hang hook, when tool not in use

MODULAR. WIRELESS. CONVENIENT.

 M18 FCVN12-551
 ART.# 4933479597 (Also available as a 0-version)

M18 FUEL™ NEEDLE CONCRETE VIBRATOR 1.2 M



KIT INCLUDES:


 M18 FCVN24-551
 ART.# 4933479600 (Also available as a 0-version)

M18 FUEL™ NEEDLE CONCRETE VIBRATOR 2.4 M



KIT INCLUDES:


REDLITHIUM™

26 MM SDS-PLUS HAMMERS

NEW M18 BLHX-502X | ART.# 4933478892 (also available as 0 version)

M18 BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER

FEATURES:

- Powerful hammer mechanism and the brushless motor design delivers 2.3 J of impact energy
- Compact, ergonomic design for increased end user comfort
- FIXTEC™ system for keyless chuck changing
- All metal gear case
- 4-mode operation
- Anti-vibration side handle
- Compatible with M18 CDEX dust extractor

KIT INCLUDES:



FIXTEC™

AVAILABLE WITHOUT FIXTEC™

M18 BLH-502X
ART.# 4933478894



NEW M18 FHX-552X | ART.# 4933478889 (also available as 0 version)

M18 FUEL 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™

FEATURES:

- Powerful hammer mechanism delivers 2.5 J of impact energy at low 12.9 m/s² vibrations
- Drills up to 125 ø10 x 50 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations
- FIXTEC™ system for keyless chuck changing between SDS-Plus and 13 mm metal chuck
- All metal gear case - optimum seating of the gears for enhanced tool life
- 4-mode operation: rotary hammer, hammer only, rotation only and selectable work position of the chisel (variolock) for maximum versatility
- Compatible with M18 FCDDEXL or M18 FDDEXL dust extractors



KIT INCLUDES:



FIXTEC™

AVAILABLE WITHOUT FIXTEC™

M18 FH-0X
ART.# 4933478500



NEW M18 ONEFHX-552X | ART.# 4933478504
WITH ONE KEY™

KIT INCLUDES:



AVAILABLE WITHOUT FIXTEC™

M18 ONEFH-0X
ART.# 4933478886



PAIR WITH

NEW M18 FDDEXL-0 | ART.# 4933478508

M18 FUEL DEDICATED DUST EXTRACTION FOR 26 MM SDS-PLUS HAMMERS

- Designed to collect dust efficiently with automatic operation from the tools on/ off trigger switch
- AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an on-tool dust extractor, which increases the air flow efficiency as well as the filter life time

KIT INCLUDES:



NEW M18 FCDDEXL-0 | ART.# 4933478507

M18 FUEL DEDICATED DUST EXTRACTION FOR 26 MM SDS-PLUS HAMMERS

- Designed to collect dust efficiently with automatic operation from the tools on/ off trigger switch
- The highly efficient HEPA filter collects 99.97 % of airborne particles down to 0.3 microns

KIT INCLUDES:



DEDICATED DUST EXTRACTOR KIT

NEW M18 ONEFHXDDEL-552C | ART.# 4933478506

M18 4-MODE 26 MM SDS-PLUS HAMMER WITH DUST EXTRACTOR

FEATURES:

- M18 ONEFHX - M18 FUEL™ 4-mode 26 mm SDS-Plus hammer with FIXTEC™ chuck and ONE-KEY™
- M18 FDDEXL - M18™ dedicated dust extraction for 26 mm SDS-Plus hammer with AUTOPULSE™

KIT INCLUDES:



FIXTEC™

COMING SOON 32 MM SDS-PLUS HAMMERS

NEW M18 ONEFHPX-552X | ART.# 4933478496

M18 FUEL 4-MODE 32 MM SDS-PLUS HAMMER WITH FIXTEC™

FEATURES:

- Hardest hitting cordless SDS-Plus hammer in its class. Powerful hammer mechanism delivers 5.0 J (EPTA) of impact energy at low 6.9 m/s² vibrations
- Drills up to 10 Ø18 x 100 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools.
- ONE-KEY™ also features a remote locking functionality
- FIXTEC™ system for keyless chuck changing between SDS-Plus and 13 mm metal chuck
- All metal gear case - optimum seating of the gears for enhanced tool life
- 4-mode operation: rotary hammer, hammer only, rotation only and selectable work position of the chisel (variolock) for maximum versatility
- Compatible with M18 FPDDEXL dust extractor

KIT INCLUDES:



FIXTEC™

AVAILABLE WITHOUT FIXTEC™

M18 ONEFHP-0X ART.# 4933478884



PAIR WITH

NEW M18 FPDDEXL-0 | ART.# 4933478509

M18 FUEL DEDICATED DUST EXTRACTION FOR 32 MM SDS-PLUS HAMMERS

FEATURES:

- AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an on-tool dust extractor, which increases the air flow efficiency as well as the filter life time
- The highly efficient HEPA filter collects 99.97 % of airborne particles down to 0.3 microns
- Translucent dust box allows user to see the current level of dust inside as well as when the dust box is full
- Dust box with vacuum port allows user to attach to large dust extractors to suction out dust from the box



DEDICATED DUST EXTRACTOR KIT

NEW M18 ONEFPHXDDEL-552C | ART.# 4933478498

M18 FUEL 4 MODE 32MM SDS-PLUS HAMMER WITH EXTRACTOR

FEATURES:

- M18 ONEFHPX - M18 FUEL™ high performance 4-mode 32 mm SDSPlus hammer with ONE-KEY™ and FIXTEC™ chuck
- M18 FPDDEXL - Dedicated dust extraction for M18 FUEL™ 32 mm
- SDS-Plus hammers with AUTOPULSE

KIT INCLUDES:



DISCOVER THE HAMMER RANGE SDS-PLUS & SDS-MAX

SCAN HERE TO VIEW AVAILABLE PPE



M12 H-402C **M12** CH-602X **M18** BH-402C **HD18** HX-402C **NEW M18** BLHX-502X **NEW M18** FHX-552X **NEW M18** ONEFHX-552X **M18** ONEFHPX-552X **M18** CHM-121C **M18** FHM-121C

Technology	M12		SDS-PLUS			SDS-PLUS			SDS-MAX	
	Brushed	FUEL™	Brushed	Brushed	Brushless	FUEL™	FUEL™	FUEL™	FUEL™	FUEL™
ONE-KEY™	X	X	X	X	X	X	✓	✓	X	✓
FIXTEC™	X	✓	X	✓	✓	✓	✓	✓	X	X
Also available without FIXTEC™	X	X	X	X	✓	✓	✓	✓	X	X
Mechanical clutch	X	X	X	✓	X	✓	✓	✓	✓	✓
AUTOSTOP™ e-clutch	X	X	X	X	X	✓	✓	✓	X	✓
Blow energy (EPTA) (J)	0.9	1.1	1.2	2.4	2.3	2.5	2.5	5.0	6.1	11.0
Optimal drilling capacity (mm)	Ø5.5 - 10	Ø5.5 - 12 Max Ø13	Ø5.5 - 13 Max Ø16	Ø6 - 18 Max Ø24	Ø6 - 18 Max Ø26	Ø6 - 20 Max Ø26	Ø6 - 20 Max Ø26	Ø8 - 24 Max Ø32	Ø16 - 32, Max Ø40 Core bit Ø100	Ø65, Max Ø45 Core bit Ø150
Vibration drilling (m/s²)	6.7	4.4	10.3	12.2	8.9	12.9	12.9	6.9	10.6	9.4
Vibration chiseling (m/s²)	X	X	X	7.4	9.5	14.2	14.2	7.4	9.6	7.8
Weight with battery pack (kg)	1.8	1.9	2.5	3.7	3.5	4.5	4.5	5.2	7.1	10.2
Kit includes	2 x M12 B4 Battery packs, C12 C Charger, Kitbox	2 x M12 B6 Battery packs, C12 C Charger, Kitbox	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox	2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box	1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox	1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox
ART.#	4933441164	4933451510	4933443330	4933441280	4933478892	4933478889	4933478504	4933478496	4933471284	4933464894



FIXING HAMMERS, IDEAL FOR TIGHT SPACES AND ALL-DAY USE.



BALANCED PERFORMANCE WEIGHT RATIO. IDEAL FOR LIGHT CHISELING APPLICATIONS.



EXCELLENT PERFORMANCE, IDEAL FOR REPETITIVE AND FAST DRILLING.



FOR HEAVY DUTY APPLICATIONS, IDEAL FOR PLUMBING OR FORMWORK.



FOR THE MORE DEMANDING, HEAVY-DUTY APPLICATIONS. INCLUDING DRY CORING AND MEDIUM DUTY CHIPPING IN BOTH CONCRETE BLOCK AND REINFORCED CONCRETE.

DUST EXTRACTORS

M12 UDEL-201B
ART.# 4933471461

Fits all MILWAUKEE® SDS-plus and the majority of competitor's hammers between 41-61 mm neck size.

M18 CDEX-O
ART.# 4933447450

M18 FCDDEXL-O
M18 FDDEXL-O
FOR MORE INFORMATION SEE PAGES 20-21

M18 FPDDEXL-O
4933478509

PHDE72
ART.# 4932430480

"TO BE USED WITH DUST EXTRACTORS" (SEE PAGE 24)



NEW NEXT GENERATION



- TARGET TIP TECHNOLOGY**
- FULL CARBIDE TIP** FOR BEST PERFORMANCE
- SHARPER ANGLED TIP** IMPROVED REBAR PERFORMANCE

SDS-PLUS MX4™ DRILL BIT SET (5 PC)

DESCRIPTION	ART.#
SDS-Plus MX4™ drill bit set (5pc)	4932352833
CONTENTS	Ø 5 / 6 x 115 mm, Ø 6 / 8 x 165 mm, Ø 10 x 165 mm



SDS-PLUS MX4™ DRILL BIT SETS (7 PC)

DESCRIPTION	CONTENTS	ART.#
SDS-Plus MX4™ drill bit set (7pc)	Ø 5 / 6 x 115 mm, Ø 6 / 8 / 8 / 10 / 12 x 165 mm	4932478626
SDS-Plus MX4™ drill bit set (7pc)	Ø 5.5 / 6 x 115 mm, Ø 5 / 5.5 / 6 / 8 / 10 x 165 mm	4932478627



NEW M12 AUN-0 | ART.# 4932479461 (Available as a 0-version only)

M12 AIR-TIP™ UTILITY NOZZLE
FEATURES:

- The M12™ powered utility nozzle is a great accessory that is designed to clean jobsite debris on short and medium hair carpeted surfaces
- The universal reception fits to all MILWAUKEE® M12™ and M18™ cordless vacs and covers most common hose sizes (ø 31.8 mm, 47.6 mm and 63.5 mm)
- The M12™ powered brush with a 152 mm cleaning width gives a better cleaning than non-powered standard nozzles
- The curved skid plate on the M12™ powered floor tool rotates, allowing for easy back and forth motion, for a more enjoyable user experience
- Tool-less roller change for ease of troubleshooting
- LED light bar on the front of the unit lights up the cleaning pathway for better visibility
- Compatible with AIR-TIP™ trade focussed vacuum accessories


 FITS ALL
MILWAUKEE®
 M12™ AND M18™
 CORDLESS VACS

TO BE USED WITH:

 M18 FPOVCL-0
 ART.# 4933478187

**M18 FUEL PACKOUT™
 WET / DRY VACUUM**
FEATURES:

- Delivers up to 30 minutes of run time on a HIGH OUTPUT™ 8.0 Ah battery pack in high mode and over 50 minutes in low mode
- 117 mbar max. vacuum/ 1416 l/min air volume


KIT INCLUDES:

NEW RCS | ART.# 4932478965

REMOTE CONTROL SOCKET AND CONTROLLER KIT
FEATURES:

- The MILWAUKEE® remote control socket and controller kit starts up AC devices with the push of a button
- Thanks to the Bluetooth® technology, the remote pairs to the socket in less than 3 seconds and it has a connection range of up to 30 m


TO BE USED WITH

AS 42 MAC | ART.# 4933459418

**42 L M-CLASS DUST
 EXTRACTOR**
FEATURES:

- Compact 42 litre tank for site/workshop use
- 4500 litres/min airflow with 250 mbar suction



AS 30 MAC | ART.# 4933459415

**30 L M-CLASS DUST
 EXTRACTOR**
FEATURES:

- Compact 30 litre tank for site/workshop use
- 4500 litres/min airflow with 250 mbar suction



AS 30 LAC | ART.# 4933459411

**30 L L-CLASS DUST
 EXTRACTOR**
FEATURES:

- Compact 30 litre tank for site/workshop use
- 4500 litres/min airflow with 250 mbar suction




AS 2-250 ELOP | ART.# 4933447480

**25 L L-CLASS DUST
 EXTRACTOR**
FEATURES:

- Compact 25 litre tank for site/workshop use
- 1000 W motor power with over 210 mbar suction


DIAMOND CUP WHEELS
PREMIUM SPEEDCROSS™

PROFESSIONAL

 SDCW = SPEEDCROSS Diamond Cup Wheel
 U = Universal
 A = Abrasive
 SF = Special Fine
 SC = Special Coarse
 UG = Universal Grinding Disc

 DCW = Diamond Cup Wheel

 U = Universal
 UT = Universal Turbo Rim


Application	SPEEDCROSS™				DCWU	DCWUT
	SDCWU	SDCWA	SDCWSF	SDCWSC		
Hard Concrete	✓ ✓ ✓				✓ ✓	✓ ✓
Green & Soft Concrete		✓ ✓ ✓				
General Building Materials	✓ ✓ ✓				✓ ✓	✓ ✓
Lime / Sandstone (Hard)	✓ ✓ ✓	✓ ✓ ✓			✓ ✓	✓ ✓
Lime / Sandstone (Abrasive)		✓ ✓ ✓				
Aerated concrete blocks	✓ ✓	✓ ✓ ✓			✓	
Plaster / Gips		✓ ✓ ✓				
Tile Adhesive		✓ ✓ ✓				
Screed		✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓		
Natural Stone / Granite / Granite / Marmor	✓ ✓ ✓				✓	✓ ✓ ✓
Porphyry	✓ ✓ ✓				✓	✓ ✓
Bitumen			✓ ✓	✓ ✓ ✓		
Thermoplastic Coatings			✓ ✓	✓ ✓ ✓		
Epoxy resin coatings / Glues			✓ ✓ ✓	✓ ✓ ✓		
Acrylic Paint/ Coatings			✓ ✓ ✓	✓ ✓		

	Type	Diameter (mm)	Bore size (mm)	No. of segments (mm)	Cup wheel height (mm)	Segment height (mm)	ART.#
1	SDCWU 100	100	22.23	16	21	5	4932430080
2	SDCWU 125	125	22.23	16	21	5	4932430081
3	SDCWA 125	125	22.23	16	21	5	4932479093
4	SDCWSC 125	125	22.23	6	18.5	4/7	4932451188
5	SDCWSF 125	125	22.23	117 Diamond Pads	21	3.3	4932479094
6	SDCWUG 125	125	22.23	Fine Grit	21		4932480219
7	DCWU 100	100	22.23	16	21	5	4932451185
8	DCWU 125	125	22.23	20	21	5	4932451186
9	DCWUT 125	125	22.23	Turbo	21	5	4932451187

DISCOVER THE ANGLE GRINDER RANGE

SCAN HERE TO VIEW AVAILABLE PPE



	M18	M18	M18	M18	M18	M18	M18 FUEL	M18	M18	M18	M18	M18	M18	M18
	AG-125-402C	FSAG125X-OX	FSAG125XB-502X	ONEFSAG125XB-OX	ONEFSAG125XPDB-502X	FSAGV125XB-OX	FSAGV125XPDB-OX	FSAGF125XB-OX	FSAGF125XPDB-OX	FHSAG125XB-552X	FHSAG125XPDB-552X	FLAG230XPDB-121C	ONEFLAG230XPDB-122C	
No load speed (rpm)	9,000	8,500	8,500	8,500	8,500	3,500 – 8,500	3,500 – 8,500	8,500	8,500	9,000	9,000	6,600	6,600	
Disc diameter (mm)	125	125	125	125	125	125	125	125	125	125	125	230	230	
Other disc diameters available	115	115	X	X	X	115	115	X	X	150	150	180	X	
Weight with battery pack (kg)	2.2	2.7	2.7	2.7	2.7	2.7	2.7	2.6	2.6	3.4	3.4	5.3	5.3	
Brake	X	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Anti-kickback protection	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Switch type	Paddle (deadman) switch	Slide switch	Slide switch	Slide switch	Paddle (deadman) switch	Slide switch	Paddle (deadman) switch	Slide switch	Paddle (deadman) switch	Slide lock-on switch	Paddle (deadman) switch	Paddle (deadman) switch	Paddle (deadman) switch	
FIXTEC™	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Cutting guard clip	X	✓	✓	✓	✓	✓	✓	X	X	X	X	X	✓	
Kit included	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	No batteries supplied, No charger supplied, HD Box	No batteries supplied, No charger supplied, HD Box	No batteries supplied, No charger supplied, HD Box	No batteries supplied, No charger supplied, HD Box	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box	1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox	2 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox	
ART.#	4933441507	4933478428	4933478430	4933478433	4933478435	4933478436	4933478437	4933478438	4933478439	4933471079	4933471080	4933464115	4933478783	


Application



CUT-OFF TOOL



BEVELLING, CUTTING & CLEANING UP WELDS



BEVELLING, CUTTING & CLEANING UP WELDS



BEVELLING, CUTTING & CLEANING UP WELDS



REGULATED SITES. BEVELLING, CUTTING & CLEANING UP WELDS



LARGE MATERIALS. SURFACE PREP, BEVELLING & CUTTING

FLAP GRINDING DISCS

PERFECT FOR USE WITH VARIABLE SPEED ANGLE GRINDERS

CERAMIC FLAP DISCS

Flap Disc Cera Turbo XL

Type	Disc diameter (mm)	Grit	Bore size (mm)	Backing pad	ART.#
SLC50/115mm G40	115	40	22.2	Natural fibre	4932478946
SLC50/115mm G60	115	60	22.2	Natural fibre	4932478947
SLC50/115mm G80	115	80	22.2	Natural fibre	4932478948
SLC50/125mm G40	125	40	22.2	Natural fibre	4932478949
SLC50/125mm G60	125	60	22.2	Natural fibre	4932478950
SLC50/125mm G80	125	80	22.2	Natural fibre	4932478951

ALUMINIUM FLAP DISCS

Type	Disc diameter (mm)	Grit	Bore size (mm)	Backing pad	ART.#
SLC50/115mm G40	115	40	22.2	Natural fibre	4932479089
SLC50/115mm G60	115	60	22.2	Natural fibre	4932479090
SLC50/125mm G40	125	40	22.2	Natural fibre	4932479091
SLC50/125mm G60	125	60	22.2	Natural fibre	4932479092

NEW M18 ONEFLAG230XPDB-122C | ART.# 4933478783

M18 FUEL 230 MM LARGE BRAKING GRINDER WITH ONE-KEY™

FEATURES:

- Delivering corded performance similar to a 2200 W grinder
- ONE-KEY™ enables tool locking, tracking & security
- RAPIDSTOP™ for fastest disc brake in less than 3 seconds and best user protection
- Non-lockable safety paddle switch with line-lock-out function to prevent automatic start up
- Anti-vibration side handle for lower vibration
- FIXTEC™ nut for tool-free wheel change
- Keyless guard for great cutting capacity and fast guard adjustment without using a key
- Removable dust screen to prevent debris entrance, prolonging motor life

KIT INCLUDES:



ONE-KEY™

RAPID STOP

ART.# 4932451490
230 MM X 1.9 MM SCS
41 PRO+ THIN METAL
CUTTING DISC



REDLITHIUM™
HIGH OUTPUT
BATTERY TECHNOLOGY

REDLITHIUM™

STEEL STORAGE



NEW ART.# 4932478849

78 CM (30") STEEL ROLLING CABINET

RECESSED, SMOOTH ABS WORKTOP

with screwdriver holes and additional storage compartments

PEG BOARD

with hooks and tool holders

30KG RATED, SOFT-CLOSE DRAWERS

45 kg/90 kg on the bottom

SHOCK-ABSORBING CORNER BUMPERS

POWER TOOL ORGANISER



DEDICATED SPACE FOR MOUNTING ANY MILWAUKEE® M18™/M12™ CHARGER

compatible with all MILWAUKEE® chargers

MAGNETIC POWER CENTRE

ANTI-TILT PROTECTION

only 1 drawer can be open at a time

125 MM INDUSTRIAL CASTERS

2x fixed, 2x swivelling

ALSO AVAILABLE:

ART.# 4932478850

30" STEEL TOP CHEST

FEATURES:

- Integrated bottle storage
- Additional storage capacity



FOAM INSERTS

ART.# 4932479825

3/8" RATCHET AND SOCKET FOAM INSERT

CONTENTS:

- ø 6, 8, 10, 14 mm M14 diamond tile drill bits



Diamond Max	Pack quantity	ART.#
Trilobe Screwdriver Foam Insert	23	4932479830
1/4" Ratchet and Socket Set Foam Insert	28	4932479824
1/2" Ratchet and Socket Set Foam Insert	28	4932479826
MAX BITE™ Flex Head Ratcheting Spanner Set Foam Insert	15	4932479829
MAX BITE™ Combination Spanner Set Foam Insert	15	4932479827
MAX BITE™ Ratcheting Combination Spanner Set Foam Insert	15	4932479828

NEW ART.# 4932478852 + 4932478854

117 CM (46") HIGH CAPACITY STEEL CABINET & TOP CHEST

GLOSSY FINISH

easy to clean

WORK TOP DRAWER

for using a laptop or making notes

45 KG RATED, SOFT-CLOSE DRAWERS

(90 kg for the bottom drawer)

DURABLE ANGLE FRAME

1100 kg total load capacity

POWER TOOL & BATTERY ORGANISER

in bottom two drawers



PEG BOARD ON THE BACK WALL

allows for an easy access to the most used tools

SAFETY DRAWER

locked separately for storing personal items, keys, wallet, documents, etc.

2X IN-BUILT POWER CENTRE

for charging batteries directly on the cabinet

150 MM INDUSTRIAL CASTERS

2x fixed, 2x swivelling

ART.# 4932478852

46" HIGH CAPACITY STEEL CABINET

ART.# 4932478854

46" HIGH CAPACITY STEEL TOP CHEST

NEW ART.# 4932478856

102 CM (40") STEEL WORK CART

BUILT-IN STORAGE COMPARTMENTS, SCREWDRIVER HOLDERS, STORAGE CUPS

ensure a good organisation and easy access to most used tools and parts

MAGNETIC POWER CENTRE

for charging batteries directly on the work cart

2X MOVEABLE SHELVES

for storing bottles, sprays and other equipment

CORNER BUMPERS

90 KG RATED SLIDING BOTTOM SHELF

for easier access to bulky items like air compressors or tool boxes



FOLDABLE REAR SHELF

22 kg weight capacity

V-GROOVES

to hold material when cutting or measuring

45 KG RATED SOFT CLOSE DRAWER

ADJUSTABLE STORAGE BAR

for paper towels, spool wires

125 MM INDUSTRIAL CASTERS

2x fixed, 2x swivelling

DURABLE ANGLE FRAME

315 kg total load capacity

NEW M18 ONEFHIWF1D-121C | ART.# 4933471756 (Also available as 0-version)

M18 FUEL ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL



FEATURES:

- The M18 FUEL™ D-Handle high torque impact wrench with a 150 mm extended anvil delivers 2576 Nm of fastening torque replacing AC, petrol or pneumatic solutions
- Delivers up to 2711 Nm of nut-busting torque that enables bolts up to M42 to be unfastened
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- The integrated blow counting sensor enhances the consistent repeatability of the chosen torque setting
- ONE-KEY™ tool control enables wireless tool customisation for increased productivity and consistent results, and tracking & security which offers a cloud-based inventory management platform that supports both location tracking and theft prevention
- Lug Nut Mode when enabled through ONE-KEY™ will automatically shut the tool off when it comes into the range of 475 Nm - 610 Nm to prevent over-tightening of lug nuts.
- Tri-LEDs deliver high definition lighting to increase workspace visibility


DELIVERS 2576 Nm OF FASTENING TORQUE



IN SHORT ANVIL:

M18 ONEFHIWF1S-121C
ART.# 4933472072 (Also available as a 0-version)

KIT INCLUDES:



KIT INCLUDES:



REDLITHIUM™

RATCHET AND SOCKET SETS

MOST VERSATILE SOCKETS. ANTI-ROLL WRENCH READY.

1/4", 3/8" & 1/2" DRIVE SOCKETS



DRIVE RATCHETS

90 TOOTH RATCHETING
for 4° arc swing



ERGONOMIC HANDLE DESIGN
for comfortable use

SLIM PROFILE HEAD
for better accessibility

FLUSH DIRECTIONAL LEVER
does not add bulk to head of the ratchet

CHROME COATING
for high quality look & easy cleaning

DRIVE SOCKETS

STAMPED SIZES

FOUR FLAT™ SIDES
Anti-Roll Wrench-Ready



CHROME PLATED

Description	ART.#
Metric 1/4" ratchet + socket set (28 pc)	4932464943
Metric & imperial 1/4" ratchet + socket set (50pc)	4932464944
Metric 3/8" ratchet + socket set (32 pc)	4932464945
Metric & imperial 3/8" ratchet + socket set (56 pc)	4932464946
Metric 1/2" ratchet + socket set (28 pc)	4932471864
Metric 1/4" ratchet + socket set (28 pc) in PACKOUT™ compact slim organiser	4932478812
Metric 3/8" ratchet + socket set (32 pc) in PACKOUT™ compact slim organiser	4932478813

GET THE RIGHT IMPACT WRENCH FOR THE JOB



COMPACT

MID TORQUE

HIGH PERFORMANCE

M12 FUEL	M18	M18 FUEL					
		ONE-KEY	ONE-KEY	ONE-KEY	ONE-KEY	ONE-KEY	ONE-KEY
339 Nm	240 Nm	339 Nm	745 Nm	1356 Nm	1627 Nm	2033 Nm	2576 Nm
M16*	M16*	M18*	M20*	M33*	M33*	M42*	M42*
M12 FIWF12-422X ART.# 4933464616	M18 BIW12-402C ART.# 4933443607	M18 FIW2F12-502X ART.# 4933478444	M18 FMTIW2F38-0X ART.# 4933479153	M18 ONEFHIWF12-502X / M18 FHIWF12-502X ART.# 4933459727 ART.# 4933459696	M18 ONEFHIWF34-502X ART.# 4933459730	M18 ONEFHIWF1-802X ART.# 4933459733	M18 ONEFHIWF1D-121C ART.# 4933471756

SMALL METRIC BOLTS

Engine works, small cars



RUBBER SLEEVE FOR M12 FIWF
ART.# 4932478758

SMALL TO MEDIUM METRIC BOLTS

Tyre change on cars



RUBBER SLEEVE FOR M18 FIW2F
ART.# 4932478770

MEDIUM TO LARGE METRIC BOLTS


Designed for soft joint applications, better for lug nut applications



RUBBER SLEEVE FOR M18 FMTIW2F
ART.# 4932478771

LARGE METRIC BOLTS

Tyre change on heavy trucks, under the truck



RUBBER SLEEVE FOR M18 ONEFHIWF1
ART.# 4932478760

EXTRA LARGE METRIC BOLTS

For the full range of MILWAUKEE® impact wrenches and sockets visit milwaukeeetool.eu

*Recommended max bolt size

REDLITHIUM™

REDLITHIUM™ BATTERY TECHNOLOGY

TRUEVIEW™ HIGH DEFINITION LIGHTING

**DELIVERS CONSISTENT BEAM,
OPTIMISED COLOUR TEMPERATURE
AND TRUE REPRESENTATION OF
COLOURS & DETAILS.**

**BUILT TO WITHSTAND THE TOUGHEST CONDITIONS
ON AND OFF THE JOBSITE.**

MILWAUKEE® lights combine the best cordless battery and LED technology delivering convenient, portable solutions that increase productivity and safety. TRUEVIEW™ high definition output delivers consistent beam, optimised colour temperature and true representation of colours & details.

ALL OUR MILWAUKEE® LIGHTS ARE DESIGNED TO:

ADAPT

Industrial portable lighting TRUEVIEW™ offers professionals the ability to bring light directly to their work as well as control the beam intensity and direction for greater productivity on the jobsite.

PORTABILITY



MAGNETIC ATTACHMENT



QUICK & EASY SET UP, ADJUSTABLE HEIGHT



ROTATING AND PIVOTING HEADS FOR MAXIMUM COVERAGE



PROTECTIVE BITE ZONE



PERFORM

Through the use of high quality LEDs, MILWAUKEE® designed optics and REDLITHIUM™ battery packs, TRUEVIEW™ industrial LED lights shine brighter and last longer.



MAX. 27,000 LUMEN OUTPUT



EXTENDED RUN TIME WITH 2 BATTERY PACKS



ALL-DAY RUN TIME*

* Dependent on mode selection and based on 10 hour work day

SURVIVE

Reinforced, impact resistant housing and lenses stand up to the challenges of industrial use.

Superior temperature management protects LEDs throughout their life.

INGRESS PROTECTION READY



IMPACT RESISTANT LENS



CHEMICAL RESISTANT LENS



**FOR MORE INFORMATION
SCAN HERE**



FOR AUTOMOTIVE MAINTENANCE AND SERVICE TRADES


NEW L4 SL550-301 | ART.# 4933478869

USB RECHARGEABLE STICK LIGHT

FEATURES:

- TRUEVIEW™ high definition lighting with up to 550 lumens
- Up to 5 hours of run time on USB REDLITHIUM™ 3.0 Ah battery pack
- The 3-in-1 stick light features 3 selection functions for precision focusing during inspection, task or directional lighting that allows for full control of the beam output and intensity in any position
- 220° vertical light head rotations with single or both panel light option for convenient directional lighting
- Magnetic attachment for hands-free use and hook attachment for secure storage
- Conveniently charge REDLITHIUM™ USB battery internally with USB-C cable from USB power source or AC outlet (wall plug not included)

KIT INCLUDES:



REDLITHIUM™ USB
550 LUMENS
IP54

SINGLE PANEL		
High	550 Lumens	2 hr
Low	250 Lumens	5 hr
DUAL PANEL		
High	550 Lumens	2 hr
Low	250 Lumens	5 hr
INSPECTION		
High	250 Lumens	2 hr
Low	250 Lumens	5 hr


NEW M12 CML-401 | ART.# 4933479366

M12 LED COLOUR MATCHING LIGHT

FEATURES:

- High definition lighting with up to 1000 lumens
- 98+ colour rendering index for use to identify accurate and reliable colour recognition
- Featuring 5 different colour temperatures, for end users to replicate real sunlight requirements
- Up to 12 hours of run time on M12™ 4.0 Ah battery pack
- IP54 rated for water and dust resistant and 2 m impact resistant
- Magnetic attachment for hands-free use

KIT INCLUDES:



1000 LUMENS
IP54

COLOUR		
27 35 45 55 65	High	1000 Lumens
	Medium	600 Lumens
	Low	300 Lumens

NEW

M12 UCL-0 | ART.# 4933478868

M12 UNDERCARRIAGE LIGHT

FEATURES:

- TRUEVIEW™ high definition lighting with up to 1200 lumens
- Up to 15 hours of run time on M12™ 4.0 Ah battery pack
- Designed for the on-the-go needs of automotive maintenance and service trades
- Dual joints swivel 300° horizontally and 180° vertically to ensure full undercarriage illumination coverage
- Magnetic base for mounting applications & 30 cm magnetic storage tray to hold nuts & bolts
- Highly durable and impact resistant design to withstand drops up to 2 m
- Resistances to most common chemicals found in auto shops
- Low battery indicator, light flashes when battery pack is low on charge

KIT INCLUDES:



1200 LUMENS

High	1200 Lumens	5 hr
Medium	800 Lumens	8 hr
Low	600 Lumens	15 hr

M12 UHL-0 | ART.# 4933459432

M12 LED UNDERHOOD LIGHT

FEATURES:

- Mounting hooks extend 119 cm - 196 cm (47" - 77") covering wide cars and trucks
- Rubber gripping surface for maximum hold
- FINISHGUARD™ hooks provide lasting protection against scratches to a vehicle's finish
- Stainless hook allows to hang the light bar independently from the carrier

1350 LUMENS

IP54

High	1350 Lumens	4 hr
Low	600 Lumens	6 hr

HIGH OUTPUT LIGHTING RANGE

FLASH LIGHTS

feature sliding beam focus, adjustable and rotating head, various light output modes including spot, flood, and strobe.

<p>IP24 750 LUMENS</p> <p>M12 SLED-0 4933451261 M12</p>	<p>IP54 1250 LUMENS</p> <p>M18 SLED-0 4933459159 M18</p>	<p>IP24 220 LUMENS</p> <p>M12 SL-0 4932430178 M12</p>
<p>IP24 300 LUMENS</p> <p>M18 IL-0 4932430564 M18</p>	<p>IP54 120 LUMENS</p> <p>M18 TLED-0 4932430361 M18</p>	<p>IP54 120 LUMENS</p> <p>M12 TLED-0 4932430360 M12</p>

SITE LIGHTS

provide maximum 360 degrees coverage regardless of whether task, area or overhead site lighting is required.

<p>2200 LUMENS</p> <p>M18 TAL-0 4933464134 M18</p>	<p>IP54 4400 LUMENS</p> <p>M18 ONESLSP-0 4933459155 M18</p>
<p>IP54 9000 LUMENS</p> <p>M18 ONESLDP-0 4933459160 M18</p>	<p>7700 LUMENS</p> <p>HOBL 7000 4933464126</p>

AVAILABLE FOR ALL TRADES

SCAN HERE TO VIEW OUR LATEST PRODUCT VIDEOS



FLOOD LIGHTS

are versatile to adapt to any job site, they stick, clamp or hang on almost anything and can be carried to cast light in multiple orientations.



<p>IP54 1000 LUMENS</p> <p>M12 AL-0 4933451394 M12</p>	<p>IP54 700 LUMENS</p> <p>M12 PAL-0 4933478226 M12</p>	<p>IP54 1500 LUMENS</p> <p>M18 PAL-0 4933464105 M18</p>	<p>IP54 3000 LUMENS</p> <p>M18 POALC-0 4933478120 M18</p>
<p>NEW 4000 LUMENS</p> <p>M18 HOAL-0 4933478118 M18</p>	<p>IP54 1500 LUMENS</p> <p>M18 AL-0 4932430392 M18</p>	<p>IP24 400 LUMENS</p> <p>M12 LL-0 4932430562 M12</p>	<p>IP24 700 LUMENS</p> <p>M18 LL-0 4932430563 M18</p>

TASK LIGHTS

are specifically built to tackle challenging task and trade-specific lighting demands without compromising light quality and durability.

TRANSPORT

<p>IP54 1350 LUMENS</p> <p>M12 UHL-0 4933459432 M12</p>	<p>NEW IP67 1200 LUMENS</p> <p>M12 UCL-0 4933478868 M12</p>	<p>IP54 1000 LUMENS</p> <p>M12 CML-401 4933479366 M12</p>
--	--	--

UTILITY

<p>IP56 2500 LUMENS</p> <p>M18 UBL-0 4933459433 M18</p>	<p>IP67 5400 LUMENS</p> <p>M18 ONERSAL-0 4933459431 M18</p>
--	--

TOWER LIGHTS

deploy in seconds and provide light overhead to reduce shadows in the workspace.

<p>27,000 LUMENS IP55</p> <p>MXF TL-601 4933471844 MX FUEL</p>	<p>1400 LUMENS</p> <p>M12 SAL-0 4933464823 M12</p>
<p>IP34 6000 LUMENS</p> <p>M18 HOSALC-0 4933478116 M18</p>	<p>IP54 2000 LUMENS</p> <p>M18 SAL-0 4933451246 M18</p>

PERSONAL LIGHTING RANGE

<p>REDLITHIUM USB</p> <p>ALL DAY RUN TIME* RECHARGEABLE WHERE THE TASK MAKES SIZE CRITICAL ALKALINE PRO-STANDARD FOR END USERS</p> <p>REDLITHIUM™ USB LIGHTS NOW AVAILABLE WITH L4 B3 BATTERY</p>			
<p>475 LUMENS</p> <p>L4 HL-301 4933479764</p>	<p>IP54 600 LUMENS</p> <p>L4 HL-VIS-301 4933479768</p>	<p>IP54 600 LUMENS</p> <p>L4 HLRP-301 4933479767</p>	<p>IP54 450 LUMENS</p> <p>IR HL450 4933478587</p>
<p>IP54 550 LUMENS</p> <p>L4 SL550-301 4933478869</p>	<p>IP67 800 LUMENS</p> <p>L4 FMLED-301 4933479770</p>	<p>500 LUMENS</p> <p>L4 PWL-301 4933479765</p>	<p>IP67 250 LUMENS</p> <p>IR PL250 4933478705</p>
<p>IP54 550 LUMENS</p> <p>L4 FFL-301 4933479766</p>	<p>IP67 1100 LUMENS</p> <p>L4 TMLED-301 4933479769</p>	<p>IP54 445 LUMENS</p> <p>L4 FL-301 4933479763</p>	<p>IP67 500 LUMENS</p> <p>IR FL500 4933478586</p>
<p>IP54 300 LUMENS</p> <p>FL-LED 4933464824</p>	<p>IP64 310 LUMENS</p> <p>ISHL-LED 4933478112 ZONE 0</p>	<p>IP67 325 LUMENS</p> <p>ML-LED 4933464825</p>	<p>IP67 100 LUMENS</p> <p>IPL-LED 4933459440</p>
<p>IP54 350 LUMENS</p> <p>HL2-LED 4933471286</p>	<p>IP54 450 LUMENS</p> <p>HL-SF 4933471388</p>		

NEW MPS | ART.# 4933472022

MILWAUKEE® PIPE STAND
FEATURES:

- World's first pipe stand, that is flat foldable, which allows for easier transportation and more efficient storage
- Able to clamp materials, such as pipe, strut, channel, angled iron and other materials, up to 165 mm or 6"
- The MILWAUKEE® pipe stand can be used with threaders, angle grinders, sawzalls, hackzalls, metal circular saws and various other tools
- Removable shelf allow the user to easily install and remove the bottom material shelf as they like
- Different jaws for different materials available. MPS-SSJ for stainless steel and MPS-NCJ for soft materials, such as pvc. MPS-RJ, delivered standard with the tool, is a jaw for universal use


 CLAMP MATERIAL
UP TO **165 MM**

 MPS-NCJ
**NEOPRANE COATED
JAWS > SOFT
MATERIALS**
ART.# 4932478924

 MPS-RJ
**ORIGINAL
REPLACEMENT JAWS**
ART.# 4932478923

 MPS-SSJ
**STAINLESS STEEL JAWS
> HARD MATERIALS**
ART.# 4932478925

 MPS-RS
**REMOVABLE SHELF
> STORAGE PLACE
UNDERNEATH STAND**
ART.# 4932478926

**M18 FUEL™ PIPE
THREADER 2"**
4933478597

**M18 FUEL™ PIPE
THREADER 2"**

SAWZALL™ RANGE

**M12™ AND M18™
BANDSAWS**

TCT CARBIDE HOLESAWS



The best-in-class Holesaw for Stainless Steel, the Carbide teeth ensure this model of Holesaw outperforms standard bi metal Holesaws by 10 times the amount. Featuring automatic, effortless plug ejection and a safety stop collar that prevents over-drilling, the Carbide Holesaw delivers greater durability and ensures best product lifetime.

10X MORE LIFE IN STAINLESS STEEL

 Carbide teeth holesaws outperform
Bi Metal holesaws by 10 times

EXTRA DEEP

 25 mm cutting depth allows for
drilling in sheet material and pipes

**PLUG
EJECTION**
Extra ejection slot

**ONE SOLID
PIECE DESIGN**

 Reduces wobble and
vibration for accurate
drilling

EJECTOR SPRING

 automatic, effortless plug
ejection

**SAFETY STOP
COLLAR**

 Prevents over drilling for
best safety

**3 FLAT SECURE
GRIP**

 No slipping and maximum
torque transmission

ART.# 4932479058

**TCT CARBIDE
HOLESAW 4PC SET**
CONTENTS:

- ø 16, 20, 25, 32 mm TCT carbide holesaws with hex key



Diameter (mm)	ART.#
16	4932479033
18	4932479034
19	4932479035
20	4932479036
22	4932479037
24	4932479038
25	4932479039

29	4932479040
30	4932479041
32	4932479042
35	4932479043
38	4932479044
40	4932479045
44	4932479046
45	4932479047
50	4932479048
51	4932479049
54	4932479050
60	4932479051
64	4932479052
70	4932479053
76	4932479054
80	4932479055
85	4932479056
102	4932479057

Diameter (mm)	ART.#
29	4932479040
30	4932479041
32	4932479042
35	4932479043
38	4932479044
40	4932479045
44	4932479046
45	4932479047
50	4932479048
51	4932479049
54	4932479050
60	4932479051
64	4932479052
70	4932479053
76	4932479054
80	4932479055
85	4932479056
102	4932479057

NEW M12 AF-0 | ART.# 4933478228 (Available as 0-version only)
M12 AIR FAN

FEATURES:

- Three speed settings for optimised air flow up to 12.4 m³ per minute
- High efficient 150 mm blade diameter generate a maximum air flow speed of 600 m/min
- The 360° head rotation allow an unlimited directional airflow
- Boundless hanging and mounting possibilities with the integrated magnets, key holes, hooks and pass through holes
- Two hours run time on speed three with an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Lightweight and compact design for easy manoeuvre in tight spaces

KIT INCLUDES:




NEW M18 FXP-0C | ART.# 4933479436 (Also available as 0-version)
M18 FUEL PIPE EXPANDER

FEATURES:

- Auto-rotating heads from 9.9 mm to 50 mm provide the most accurate, one-handed expansions
- Most compact 50 mm battery powered pipe expander
- Compatible with all existing M12™ and M18™ expansion heads up to 50 mm
- Fast solution for 50 mm Q&E installations
- Two speed settings: one for up to 32 mm and one for 40 mm and above
- On board LED light for illumination in low lit working conditions
- Ideal solution for 40 mm and 50 mm expansions

KIT INCLUDES:



NEW M18 FXP-H10502C | ART.# 4933479437
M18 FUEL PIPE EXPANDER 10 BAR

INCLUDES:
 10 bar heads 32/ 40/ 50 mm



NEW M18 FXP-H06502C | ART.# 4933479438
M18 FUEL PIPE EXPANDER 6 BAR

INCLUDES:
 6 bar heads 32/ 40/ 50 mm



M18 ONEBLXPXL-502C ART.# 4933464299
M18 ONEKEY FORCE LOGIC™ UPONOR™ Q&E HYDRAULIC PIPE EXPANDING TOOL



HD18 PXP-H06202C ART.# 4933441771
M18 UPONOR™ Q&E EXPANSION TOOL
 Included heads 16/20/25/32 mm



M12 FXP-110202C ART.# 4933472020
M12 FUEL SUB COMPACT UPONOR™ Q&E EXPANSION TOOL
 Included 10 Bar heads 16 / 20 / 25 mm



FOR MORE DETAILS AND CORRESPONDING HEADS VISIT WWW.MILWAUKEETOOL.EU

REDLITHIUM™

MILWAUKEE® LASER RANGE



ALL DAY RUNTIME | HIGH INTENSITY GREEN DIODE | FAST & VERSATILE SETUP | RECHARGEABLE GREEN LASERS | 4X BETTER VISIBILITY vs RED LASERS



	M12 M12 GREEN 360° 3 PLANE LASER	M12 M12 GREEN CROSS LINE LASER WITH PLUMB POINTS	REDLITHIUM USB USB RECHARGEABLE GREEN CROSS LINE LASER WITH PLUMB POINTS	REDLITHIUM USB USB RECHARGEABLE GREEN CROSS LINE LASER
LASER RANGE	38 m	38 m	30 m	30 m
POINT TRANSFER	✓	✓	✓	
PLUMB	✓	✓	✓	
ALIGN	✓	✓	✓	✓
REFERENCE	✓	✓	✓	✓
LEVEL	✓	✓	✓	✓
WALL SQUARE	✓			
360 DEGREE LAYOUT	✓			
RUN TIME (H)	15+	15+	8+	8+

L4 B3 | ART.# 4933478311
USB RECHARGEABLE 3.0 AH BATTERY


1X
 REDLITHIUM™
 3.0 USB BATTERY =
 UP TO

6,000
 ALKALINE BATTERIES*

NEW M12 3PLKIT-401P | ART.# 4933478960 (Also available as 0-version)
M12 GREEN 360° 3 PLANE LASER ACCESSORIES KIT

CONTENTS:

- M12 3PL - M12™ green 360° 3 plane laser
- HIVIST - HI-VIS target plate
- LLD50 - Detector
- LM360 -360° laser mount
- TRP120 - Tripod
- Track clip



STUD TAPE

INDUSTRY'S MOST DURABLE TAPE



LENGTH	ART.#
5 M	4932471626
5 M/16 ft	4932471628
8 M	4932471627
8 M/26 ft	4932471629

EXO 360 RIP & WEAR RESISTANT BLADE TECHNOLOGY

24 M IMPACT RESISTANT

FINGER STOP

STRAIGHT STANDOUT

DUAL SIDE PRINT

MAGNETIC

33 MM BLADE WIDTH

4 M STANDOUT

PREMIUM WIDE BLADE



DUAL SIDE PRINT
FINGER STOP
STRAIGHT STANDOUT
33 MM BLADE WIDTH

LENGTH	ART.#
Premium Wide Blade 5 M	4932471815
Premium Wide Blade 8 M	4932471816

4 M STANDOUT

PREMIUM MAGNETIC



MAGNETIC
DUAL SIDE PRINT
FINGER STOP
27 MM BLADE WIDTH

LENGTH	ART.#
5 M	4932464599
8 M	4932464600
10 M/33 ft	4932464601

3.4 M STANDOUT

AUTOLOCK



5-POINT REINFORCED FRAME
NYLON BLADE COATING
25 MM BLADE WIDTH

LENGTH	ART.#
5 M	4932464663
5 M/16 ft	4932464665
8 M	4932464664
8 M/26 ft	4932464666

2.8 M STANDOUT

PRO COMPACT



5-POINT REINFORCED FRAME
NYLON BLADE COATING
25 MM BLADE WIDTH

LENGTH	ART.#
5 M	4932459593
5 M/16 ft	4932459595
8 M	4932459594
8 M/26 ft	4932459596

2.8 M STANDOUT

SLIMLINE



NYLON BLADE COATING
25 MM BLADE WIDTH

LENGTH	ART.#
5 M	48227706
5 M/16 ft	48227717
8 M	48227708
8 M/26 ft	48227726

2 M STANDOUT

STEP UP WITH MILWAUKEE® TAPES

DIGITAL LEVEL

THE INDUSTRIES MOST ACCURATE DIGITAL LEVEL

WORLD'S FIRST RECHARGEABLE DIGITAL LEVEL

REDLITHIUM USB

ENHANCED VISUAL & AUDIO SIGNALS

AUTO MODE - Screen automatically adjusts to the environment based on the amount of light

PIN MODE

Quickly set and save any measurement with 360°. Dynamic readout - Delivers enhanced graphics when approaching the target Accurate to: 0°, 90°, 03° and 1°-89°/10.

EXPANDABLE LEVEL

FRAME MORE. NO MAINTENANCE

Frame up to 366 cm with laser etched measurements

FULL GRIP FRAME

for improved ergonomics

SHARPSITE VIAL TECHNOLOGY™

improves the readability of the vial

PRECISION MILLED MEASURING SURFACE

provides accuracy in all working positions



SPECIALITY LEVELS

REDSTICK™ DIGITAL

LENGTH	ART.#
60 CM	4933471978
120 CM	4933471979

REDSTICK™ CONCRETE

LENGTH	ART.#
60 CM	4932459893
120 CM	4932459894
180 CM	4932459895

REDSTICK™ EXPANDABLE

LENGTH	ART.#
200 CM - 366 CM	4932471355




ALL-METAL REINFORCED BACKBONE™

Strong and durable frame, all metal reinforced BACKBONE™



SHARPSITE™ VIAL TECHNOLOGY
Best Readability

SHARPSITE™ vial technology improves the readability of the vial



AMPLIFIED RARE-EARTH MAGNETS
Amplified rare earth magnets for maximum holding power (only magnetic levels)



30 YEARS ACCURACY GUARANTEE
JAHRE GENAUIGKEITSGARANTIE
ANS DE PRÉCISION GARANTIE
① www.milwaukeetool.eu

REDSTICK™ BACKBONE

LENGTH	ART.#
40 CM	4932459060
60 CM	4932459062
80 CM	4932459064
100 CM	4932459066
120 CM	4932459068
180 CM	4932459070
200 CM	4932459072
240 CM	4932459074

LENGTH	ART.#
40 CM	4932459061
60 CM	4932459063
80 CM	4932459065
100 CM	4932459067
120 CM	4932459069
180 CM	4932459071
200 CM	4932459073
240 CM	4932459075

REDSTICK™ COMPACT

LENGTH	ART.#
40 CM	4932459078
60 CM	4932459080
80 CM	4932459082
100 CM	4932459084
120 CM	4932459086
180 CM	4932459088

LENGTH	ART.#
40 CM	4932459079
60 CM	4932459081
80 CM	4932459083
100 CM	4932459085
120 CM	4932459087
180 CM	4932459089

Please note: the all metal reinforced BACKBONE™ feature is not included in this particular model.

A FULL RANGE OF LEVELS IS ALSO AVAILABLE AT MILWAUKEETOOL.EU
FOR MORE INFORMATION VISIT OUR WEBSITE OR OUR NEW ACCESSORIES AND HANDTOOLS CATALOGUE.

HI-VIS CUT LEVEL 1/A GLOVES


Description	ART.#
Hi-Vis Cut Level 1/A Gloves - S/7	4932479916
Hi-Vis Cut Level 1/A Gloves - M/8	4932479917
Hi-Vis Cut Level 1/A Gloves - L/9	4932479918
Hi-Vis Cut Level 1/A Gloves - XL/10	4932479919
Hi-Vis Cut Level 1/A Gloves - XXL/11	4932479920

HI-VIS CUT LEVEL 2/B GLOVES


Description	ART.#
Hi-Vis Cut Level 2/B Gloves - S/7	4932479921
Hi-Vis Cut Level 2/B Gloves - M/8	4932479922
Hi-Vis Cut Level 2/B Gloves - L/9	4932479923
Hi-Vis Cut Level 2/B Gloves - XL/10	4932479924
Hi-Vis Cut Level 2/B Gloves - XXL/11	4932479925

HI-VIS CUT LEVEL 4/D GLOVES


Description	ART.#
Hi-Vis Cut Level 4/D Gloves - S/7	4932479926
Hi-Vis Cut Level 4/D Gloves - M/8	4932479927
Hi-Vis Cut Level 4/D Gloves - L/9	4932479928
Hi-Vis Cut Level 4/D Gloves - XL/10	4932479929
Hi-Vis Cut Level 4/D Gloves - XXL/11	4932479930

HI-VIS CUT LEVEL 5/E GLOVES


Description	ART.#
Hi-Vis Cut Level 5/E Gloves - S/7	4932479931
Hi-Vis Cut Level 5/E Gloves - M/8	4932479932
Hi-Vis Cut Level 5/E Gloves - L/9	4932479933
Hi-Vis Cut Level 5/E Gloves - XL/10	4932479934
Hi-Vis Cut Level 5/E Gloves - XXL/11	4932479935

CUT LEVEL 2/B GLOVES


Description	ART.#
Cut Level 2/B Gloves - S/7	4932479906
Cut Level 2/B Gloves - M/8	4932479907
Cut Level 2/B Gloves - L/9	4932479908
Cut Level 2/B Gloves - XL/10	4932479909
Cut Level 2/B Gloves - XXL/11	4932479910

CUT LEVEL 4/D GLOVES


Description	ART.#
Cut Level 4/D Gloves - S/7	4932479911
Cut Level 4/D Gloves - M/8	4932479912
Cut Level 4/D Gloves - L/9	4932479913
Cut Level 4/D Gloves - XL/10	4932479914
Cut Level 4/D Gloves - XXL/11	4932479915

HAND PROTECTION



SCAN THE QR CODE TO
SEE THE FULL MILWAUKEE
GLOVES RANGE

STAY SAFE.
STAY PRODUCTIVE.


IMPACT CUT LEVEL 3/C GLOVES


Description	ART.#
Impact Cut Level 3/C Gloves - S/7	4932479724
Impact Cut Level 3/C Gloves - M/8	4932478127
Impact Cut Level 3/C Gloves - L/9	4932478128
Impact Cut Level 3/C Gloves - XL/10	4932478129
Impact Cut Level 3/C Gloves - XXL/11	4932478130

IMPACT CUT LEVEL 5/E GLOVES


Description	ART.#
Impact Cut Level 5/E Gloves - S/7	4932479725
Impact Cut Level 5/E Gloves - M/8	4932479570
Impact Cut Level 5/E Gloves - L/9	4932479571
Impact Cut Level 5/E Gloves - XL/10	4932479572
Impact Cut Level 5/E Gloves - XXL/11	4932479573

ALL
DAY
COMFORT


SAFETY GLASSES

Safety Glasses are the lightest within the range and are ideal for a long-time everyday wear. The possibility to remove the nose bridge makes them perfect to fit over respirators.



DESCRIPTION	Premium clear safety glasses with gasket	Premium polarised safety glasses with gasket	Performance clear safety glasses	Performance tinted safety glasses	Clear safety glasses	Tinted safety glasses
ART.#	4932471885	4932471886	4932471883	4932471884	4932471881	4932471882

NEW TO MILWAUKEE®

VIEW OUR OPE RANGE


NEW M18 F2LM53-122 | ART.# 4933479585 (Also available as a 0-version)

M18 FUEL DUAL BATTERY SELF-PROPELLED LAWN MOWER 53 CM

FEATURES:

- 53 cm steel deck and blade design paired with M18 FUEL™ technology deliver best-in-class quality of cut
- Instant start in tall grass, outstanding peak power and start up torque to complete demanding applications
- 3-in-1 grass management system to mulch, bag, or rear side discharge
- Automatic blade speed adjustment to the required power for more efficiency
- Adjustable self-propelled mechanism with 5 speed settings delivers up to 6.4 km/h cutting speed
- Active speed management paddle delivers ultimate user control
- Runs on 2 x 18V batteries for outstanding power and performance
- Cuts areas up to 2000 m² on a single charge of two M18™ HIGH OUTPUT™ 12.0 Ah battery packs
- Front and side headlights deliver 180° visibility for increased awareness & precision
- 7-position, single point cutting height adjustment from 2.5 – 10 cm to cover a range of grass types
- Folding handles and upright storage for easy and compact transportation
- Includes mulch plug, 70 litre bag and a rear side discharge shoot

CUTS AREAS UP TO 2000 M²


KIT INCLUDES:

MOWER BLADE 53 CM (21")
ART.# 4932479818

MOWER BLADE HP 53 CM (21")
ART.# 4932479819

LAWN MOWER COVER 53 CM (21")
ART.# 4932479821

REDLITHIUM™
NEW M18 FCHS35-122 | ART.# 4933479679 (Also available as a 0-version)

M18 FUEL CHAINSAW WITH 35 CM BAR

FEATURES:

- Delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- Maintains speed in tough application without bogging down
- It cuts up to 150 pieces of 100 mm x 100 mm pine on a full charge of an M18™ HIGH OUTPUT™ 12.0 Ah battery pack
- High strength all metal gearing delivers best in class torque
- Variable speed trigger allows the user to have full control over the power curve, giving instantaneous throttle response to reach full speed in under one second
- All metal bucking spikes allows the user increased leverage when cutting
- No-spill oil reservoir with easy to access tank and clear viewing window
- Supplied with 80cc of oil, chain tool and bar cover

 UP TO
150
CUTS

KIT INCLUDES:

14' 356 MM SAW CHAIN FOR M18 FCHS35
ART.# 4932479820

ALSO AVAILABLE:

M18 FCHS-121 ART.# 4933464223

M18 FUEL CHAINSAW WITH 40 CM BAR


KIT INCLUDES:


M18 FCHSC-121 ART.# 4933471442

M18 FUEL CHAINSAW WITH 30 CM BAR


KIT INCLUDES:

REDLITHIUM™

NEW M18 FHT45-802 | ART.# 4933480113 (Also available as 0-version)
M18 FUEL HEDGE TRIMMER 45 CM

FEATURES:

- 45 cm blade for more flexibility and the power to cut 19 mm branches
- Sustains power under load without bogging down
- Up to 2 hours run time with an M18™ HIGH OUTPUT™ 8.0 Ah battery pack
- All-metal gear case fully encloses and completely protects the gear drive system from jobsite abuse
- Blade tip guard to protect the blades and prevent accidental damage of fences or other objects
- Bail handle placement and weight distribution provide the best combination of balance and control

CUTS UP TO
19 MM
 BRANCHES



KIT INCLUDES:



REDLITHIUM™

NEW M12 FHT20-402 | ART.# 4933479676 (Also available as 0-version)
M12 FUEL HEDGE TRIMMER 20 CM

FEATURES:

- 20 cm blade ideal for small detail work like trimming overgrowth or topiary of hedges, shrubs and small bushes
- Power to cut up to 1 cm branches
- Delivers fast and precise cuts for upmost productivity
- All metal gear case for increased durability
- Slim ergonomic gripping area for outstanding control in tight to reach areas
- Well balanced and low weight for better control and effortless cutting in multiple positions
- Blade tip guard to protect the blades and prevent accidental damage of other objects
- Fuel gauge displays remaining charge
- Complete with protective blade cover when not in use

CUTS UP TO
1 CM
 BRANCHES



KIT INCLUDES:



REDLITHIUM™

ALSO AVAILABLE:

M12 FHS-602X ART.# 4933472212
M12 FUEL HATCHET™ PRUNING SAW

KIT INCLUDES:



M18 BLLT-0 ART.# 4933472218
M18 BRUSHLESS LINE TRIMMER

KIT INCLUDES:




M18 FBL-0 ART.# 4933459825
M18 FUEL BLOWER

KIT INCLUDES:



M18 CHT-0 ART.# 4933459346
M18 FUEL HEDGE TRIMMER

KIT INCLUDES:



REDLITHIUM™

SWITCH TANK™

INTERCHANGEABLE SPRAYER AND WATER SUPPLY SYSTEM

The M18™ SWITCH TANK™ 15 l backpack sprayer delivers the industry's first interchangeable tank design to eliminate cross-chemical contamination and lower cost of ownership. Battery-powered means no manual pumping.

INTERCHANGEABLE TANKS, NO MANUAL PUMPING.

15 l backpack concrete sprayer

15 l backpack chemical sprayer

M18 BPFP-CST | ART.# 4933464964
SWITCH TANK™ 15 l CHEMICAL SPRAYER

M18 BPFP-CCST | ART.# 4933471371
SWITCH TANK™ 15 l CONCRETE SPRAYER

M18 BPFP-WST | ART.# 4933464965
SWITCH TANK™ 15 l WATER SUPPLY



KIT INCLUDES:



M18 BPFPH-401 | ART.# 4933464962
M18 SWITCH TANK™ POWER BASE
 (Also available as a bare unit)

REDLITHIUM™

QUIK-LOK™
 ATTACHMENT SYSTEM

M18 FOPH-0 | ART.# 4933464954
M18 FUEL OUTDOOR POWER HEAD WITH QUIK-LOK™
 (Available as bare unit only)

M18 FOPHLTKIT-0 | ART.# 4933464956
M18 FUEL OUTDOOR POWER HEAD LINE TRIMMER KIT
 (Available as bare unit only)



M18 FOPH-EA ART.# 4932464958
EDGER ATTACHMENT

M18 FOPH-LTA ART.# 4932464955
LINE TRIMMER ATTACHMENT

M18 FOPH-HTA ART.# 4932464959
HEDGE TRIMMER ATTACHMENT

M18 FOPH-CSA ART.# 4932464957
CHAIN SAW ATTACHMENT

M18 FOPH-EXA ART.# 4932464960
EXTENSION ATTACHMENT

REDLITHIUM™

STAY UP TO DATE WITH MILWAUKEE®



FOLLOW
US ON
INSTAGRAM



FOLLOW US
ON LINKEDIN



SUBSCRIBE
TO OUR
YOUTUBE
CHANNEL



SIGN UP TO OUR EMAIL NEWSLETTER

Techtronic Industries Middle East & Africa FZCO
JAFZA Showroom, S3A1SR07, JAFZA South
P.O. Box: 61254
Dubai, United Arab Emirates
Tel.: +971 4 884 1648
Fax.: +971 4 884 1704

www.milwaukeetool.eu

All data incl. service and warranty conditions as well as product range are subject to change without notice. Pictures not binding.
No liability for printing errors or mistakes. Copyright 2021 - Milwaukee Electric Tool

9122H1