# **Panasonic**

# COMMERCIAL FOOD SERVICES PRODUCT CATALOGUE



2022

# **WELCOME** TO THE RANGE OF COMMERCIAL FOOD SERVICE PRODUCTS FROM PANASONIC

Whilst you are probably aware of the Panasonic brand, what you probably didn't know is that Panasonic have been supplying commercial kitchens with products for over 50 years. We have been supplying international customers with a wide range of Commercial Food Service products, specifically designed to meet the needs of the Hospitality industry.

Based on our success globally including Europe, North America, Japan, China and other parts of Asia. Panasonic is now bringing some of these ranges to Australia for the Food Service and Hospitality market.


Panasonic has a long history of producing quality products and in 2018 celebrated our 100 year anniversary since foundation. This longevity has been built on the back of long relationships with the market and working pro-actively with our customers to build a better future.

The Commercial Food Services division has a dedicated B2B team that will manage the launch of an exciting new future for the Panasonic brand.

We will be talking to you, our customers, on expanding the range in the future and hope you enjoy using our products.



### **WHY PANASONIC**



Panasonic prides itself on producing premium products that are built to last, essential in a commercial kitchen environment. We build-in unique design features, conduct extensive testing and manage strict quality assessment procedures, that have resulted in a solid track record of performing in any conditions. We don't compromise on quality.

To ensure a dedicated B2B approach, we operate from within the Hussmann Australia Pty Ltd (a Panasonic company), a market leader in the manufacture and supply of supermarket fridge and freezer cabinets across Australia. In Sydney we have over 17,000 sq metres of factory/warehouse where we keep a vast range of parts and extensive stock to support fast turnaround orders and speedy repairs. It is this network and warehousing capacity that enables us to maximise our reach for service and support.

We are dedicated to the long term position of Panasonic Commercial Food Service products, so much so that we offer up to 2 years warranty on parts for our commercial series refrigeration range, backed up with a nation-wide service team and a unique in-field warranty on our microwaves, where any issues or delays in repairing your microwave will be covered by a loan machine until the repairs can be completed!

So with this network and experience we promise to deliver: Quality, Innovation and Experience.

And we guarantee it!

# **Panasonic**

# Commercial Refrigerators HP SERIES UPRIGHT & UNDERBENCH

- Pillarless Design
  - Effective utilisation of full space
  - Large items can be stored easily
- Standard Equipped Forced Evaporation System
- Tested in 43°C Environment
- Single Phase (Easy Installation)
- Smaller Size but Larger Capacity
- Various Width on Single Door Split and 2 Door Split



### **UPRIGHT COMMERCIAL REFRIGERATORS**



**SINGLE SPLIT DOOR** SRR-681HP(AUS)

EXTERNAL DIMENSIONS: W620 x D800 x H1995mm\*

CAPACITY: 483L

WEIGHT: 105kg



**SINGLE SPLIT DOOR** SRR-781HP(AUS)

EXTERNAL DIMENSIONS: W745 x D800 x H1995mm\*

CAPACITY: 610L

WEIGHT: 110kg



2 DOOR SPLIT DOOR SRR-1281HP(AUS)

EXTERNAL DIMENSIONS: W1210 x D800 x H1995mm\*

CAPACITY: 1080L

WEIGHT: 160kg



2 DOOR SPLIT DOOR SRR-1581HP(AUS)

EXTERNAL DIMENSIONS: W1460 x D800 x H1995mm\*

CAPACITY: 1329L

WEIGHT: 180kg



3 DOOR SPLIT DOOR SRR-1881HP(AUS)

EXTERNAL DIMENSIONS: W1800 x D800 x H1995mm\*

CAPACITY: 1669L

WEIGHT: 200kg

\* Heights shown are with Castors. +75mm for legs (uprights), +20mm for legs (underbench) as an option. Depths exclude door handles.







Forced Evaporation



220-240V/50HZ Single Phase



Heater Defrost



Castors Standard (Leg Option)



Left Door Opening Model Available (on request)



2 Year Parts & Labour Warranty

### **UNDERBENCH COMMERCIAL REFRIGERATORS**

#### SLIMLINE TYPE







#### 2 DOOR TYPE SUR-1261HP(AUH)

**EXTERNAL DIMENSIONS:** W1200 x D600 x H850mm\* CAPACITY: 214L

WEIGHT: 78kg

WEIGHT: 86kg

#### 2 DOOR TYPE SUR-1561HP(AUH)

**EXTERNAL DIMENSIONS:** W1500 x D600 x H850mm\* CAPACITY: 296L

#### 3 DOOR TYPE SUR-1861HP(AUH)

**EXTERNAL DIMENSIONS:** W1800 x D600 x H850mm\* CAPACITY: 377L WEIGHT: 99kg

#### LARGE CAPACITY TYPE







#### **2 DOOR TYPE** SUR-1271HP(AUS)

EXTERNAL DIMENSIONS: W1200 x D750 x H850mm\*

> CAPACITY: 280L WEIGHT: 84kg

#### 2 DOOR TYPE SUR-1571HP(AUS)

EXTERNAL DIMENSIONS: W1500 x D750 x H850mm\*

CAPACITY: 393L

WEIGHT: 95kg

#### **3 DOOR TYPE** SUR-1871HP(AUS)

**EXTERNAL DIMENSIONS:** W1800 x D750 x H850mm\*

CAPACITY: 495L

WEIGHT: 110kg

\* Heights shown are with Castors. +75mm for legs (uprights), +20mm for legs (underbench) as an option. Depths exclude door handles.





**Forced Evaporation** 



220-240V/50HZ **Single Phase** 



LED Lighting



**Defrost** 



**Castors Standard** (Legs Optional)



### **UNDERBENCH FRIDGES WITH GLASS DOORS**

#### SLIMLINE TYPE







### UNDERBENCH WITH GLASS DOORS

BR-1261HP(AUH)
EXTERNAL DIMENSIONS:
W1200 × D600 × H850mm\*
CAPACITY: 214L
WEIGHT: 88Kg

### UNDERBENCH WITH GLASS DOORS

BR-1561HP(AUH)
EXTERNAL DIMENSIONS:
W1500 × D600 × H850mm\*
CAPACITY: 296L
WEIGHT: 96Kg

### UNDERBENCH WITH GLASS DOORS

BR-1861HP(AUH)
EXTERNAL DIMENSIONS:
W1800 × D600 × H850mm\*
CAPACITY: 377L
WEIGHT: 114Kg

#### LARGE CAPACITY TYPE



# UNDERBENCH WITH GLASS DOORS

BR-1271HP(AUH)
EXTERNAL DIMENSIONS:
W1200 × D750 × H850mm\*
CAPACITY: 280L
WEIGHT: 94Kq



## UNDERBENCH WITH GLASS DOORS

BR-1571HP(AUH)
EXTERNAL DIMENSIONS:
W1500 × D750 × H850mm\*
CAPACITY: 393L
WEIGHT: 105Kq



## UNDERBENCH WITH GLASS DOORS

BR-1871HP(AUH)
EXTERNAL DIMENSIONS:
W1800 × D750 × H850mm\*
CAPACITY: 495L
WEIGHT: 125Kq

\* Heights shown are with Castors. +75mm for legs (uprights), +20mm for legs (underbench) as an option. Depths exclude door handles.







Forced Evaporation



220-240V/50HZ Single Phase



LED Lighting



Castors Standard (Legs Optional)



2 Year Parts & Labour Warranty

### **UNDERBENCH FRIDGES WITH DRAWERS**

#### DRAWER TYPE



#### **UNDERBENCH WITH SOLID DOORS**

SUR-1271HP(AUH)-NN **EXTERNAL DIMENSIONS:** W1200 × D750 × H850mm\* CAPACITY: 91L WEIGHT: 94Kg



#### **UNDERBENCH WITH SOLID DOORS**

SUR-1571HP(AUH)-NN **EXTERNAL DIMENSIONS:** W1500 × D750 × H850mm\* CAPACITY: 138L WEIGHT: 105Kg



#### **UNDERBENCH WITH SOLID DOORS**

SUR-1871HP(AUH)-NNN **EXTERNAL DIMENSIONS:** W1800 × D750 × H850mm\* CAPACITY: 155L WEIGHT: 125Kg

#### **DOOR & DRAWER TYPE**



#### **UNDERBENCH WITH SOLID DOORS**

SUR-1271HP(AUH)-DW **EXTERNAL DIMENSIONS:** W1200 × D750 × H850mm\* CAPACITY: 185L WEIGHT: 99Kg



#### **UNDERBENCH WITH SOLID DOORS**

SUR-1571HP(AUH)-DW **EXTERNAL DIMENSIONS:** W1500 × D750 × H850mm\* CAPACITY: 264L WEIGHT: 110Kg



#### **UNDERBENCH WITH SOLID DOORS**

SUR-1871HP(AUH)-DWW EXTERNAL DIMENSIONS: W1800 × D750 × H850mm\* CAPACITY: 267L WEIGHT: 140Kg

<sup>\*</sup> Heights shown are with Castors. +75mm for legs (uprights), +20mm for legs (underbench) as an option. Depths exclude door handles.





**Castors Standard** (Legs Optional) Warranty









1271

1571

### PIZZA/SALAD PREP BENCH



#### PIZZA/SALAD PREP BENCH

SUR-1871HPZ-(AUH)

EXTERNAL DIMENSIONS: W1800 × D750 × H1030mm\*

CAPACITY: 495L

WEIGHT: 140Kg

#### **KEY FEATURES**

- No centre pillar for large item storage
- High-quality stainless steel
- Smaller size but larger capacity
- Operational under 43°C
- Designed for easy cleaning
- Anti-bacteria handles and shelves
- Detachable refrigeration system
- Wide temperature setting (-8~+10°C)
- Single metal top cover for easy operation
- Removable 300mm x 15mm thick cutting board
- · Castors as standard
- 2 year parts and labour warranty
- 2 Part top cover
- Hinged lid



\* Heights shown are with Castors. +75mm for legs (uprights), +20mm for legs (underbench) as an option. Depths exclude door handles.



Centre-Pillarless Design



Forced Evaporation



220-240V/50HZ Single Phase



LED Lighting



Heater Defrost



Castors Standard (Legs Optional)



Year Parts & Labour Warranty

# HUSSMANN®

# Grab'n Go

- Multi use Open Deck
- R-290 Refrigerant
- Night blinds Included
- 3M1 Refrigeration Rating for Food & Beverage use (ex SGN141)
- Self-contained
- Available in Various Widths





### **GRAB-N-GO CABINETS**



**SELF CONTAINED UPRIGHT CHILLER CABINET** HITMS-10/14/19/26\*

**EXTERNAL DIMENSIONS:** W 1020/1330/1960/2600 D860 x H2090mm



#### **MULTI-DECK SELF CONTAINED CHILLER CABINET H1A\***

**EXTERNAL DIMENSIONS:** W1243 x D895 x H2065mm

> CAPACITY: 720L WEIGHT: 193kg





**BEVERAGE UNIT SGN141s\* EXTERNAL DIMENSIONS:** 

> W650 x D719 x H1400mm CAPACITY: 189L

WEIGHT: 90kg









**LED Canopy** Lighting



**Ticket Strips** 



**Galvanised** Base

Page 12



Digital Controller



Blinds



# **Panasonic**

# Commercial Freezers HP SERIES UPRIGHT & UNDERBENCH

- Pillarless Design
  - Effective utilisation of full space
  - Large items can be stored easily
- Standard Equipped Forced Evaporation System
- Tested in 43°C Environment
- Single Phase (Easy Installation)
- Smaller Size but Larger Capacity
- Various Width on Single Door Split and 2 Door Split



### **UPRIGHT COMMERCIAL FREEZER**



**SINGLE SPLIT DOOR** SRF-681HP(AUS)

EXTERNAL DIMENSIONS: W620 x D800 x H1995mm\*

CAPACITY: 483L

WEIGHT: 110kg



**SINGLE SPLIT DOOR** SRF-781HP(AUS)

EXTERNAL DIMENSIONS: W745 x D800 x H1995mm\*

CAPACITY: 610L

WEIGHT: 115kg



2 DOOR SPLIT DOOR SRF-1281HP(AUS)

EXTERNAL DIMENSIONS: W1210 x D800 x H1995mm\*

CAPACITY: 1080L

WEIGHT: 165kg



2 DOOR SPLIT DOOR SRF-1581HP(AUS)

EXTERNAL DIMENSIONS: W1460 x D800 x H1995mm\*

CAPACITY: 1329L

WEIGHT: 185kg



3 DOOR SPLIT DOOR SRF-1881HP(AUS)

EXTERNAL DIMENSIONS: W1800 x D800 x H1995mm\*

CAPACITY: 1669L

WEIGHT: 205kg

\* Heights shown are with Castors. +75mm for legs (uprights), +20mm for legs (underbench) as an option. Depths exclude door handles.



Centre-Pillarless Design



Forced Evaporation



220-240V/50HZ Single Phase



Heater Defrost



Castors Standard (Legs Optional)



Left Door Opening Model Available (on request)



### **UNDERBENCH COMMERCIAL FREEZER**



#### 2 DOOR TYPE SUF-1271HP(AUS)

EXTERNAL DIMENSIONS: W1200 x D750 x H850mm\* CAPACITY: 280L

WEIGHT: 84kg



#### 2 DOOR TYPE SUF-1571HP(AUS)

EXTERNAL DIMENSIONS: W1500 x D750 x H850mm\*

CAPACITY: 393L

WEIGHT: 95kg



#### 3 DOOR TYPE SUF-1871HP(AUS)

EXTERNAL DIMENSIONS: W1800 x D750 x H850mm\*

CAPACITY: 495L

WEIGHT: 110kg

\* Heights shown are with Castors. +75mm for legs (uprights), +20mm for legs (underbench) as an option. Depths exclude door handles.





Forced Evaporation



220-240V/50HZ Single Phase



Heater Defrost



Castors Standard (Legs Optional)





# **Panasonic**

# Microwaves

- Range of Light, Medium and Heavy Duty Options
- Only Manufacturer of Both Magnetrons and Microwaves
- Extensive Quality Control Testing
- Internationally used across the Food Service Sector

Stackable and Compact



### MICROWAVE OVENS, WHICH ONE'S RIGHT FOR ME?

#### MICROWAVES FOR REHEATING AND DEFROSTING











**LIGHT DUTY CONSUMER PRODUCT** NN-SF574S

FOOD COURTS • CAFÉS

**UP TO 15 TIMES PER DAY** 



#### **MEDIUM DUTY** NE-1037

**RESTAURANTS • HOTELS • CLUBS** LARGE CAFÉS • BISTROS

UP TO 100 TIMES PER DAY



**HEAVY DUTY** NE-1878 & NE-1853

QSR • CATERING GROUPS LARGE KITCHENS

100 TO 200 TIMES PER DAY

#### MICROWAVES FOR FAST COOKING AND GRILLING





frozen pizza in 2.5min



**NE-C1275 & NE-SCV2** MICROWAVE | GRILL | BAKE CAFES • BISTROS • RESTAURANTS

The ideal solution to cook, toast, bake, grill and reheat a wide range of fresh or frozen foods, such as toasted sandwiches, pastries or pizza, in fact anything needing a crisped, browned finish.

### MICROWAVES WITH **INVERTER** TECHNOLOGY - DISCOVER THE DIFFERENCE


#### **INVERTER V/S CONVENTIONAL MICROWAVES**

Conventional microwaves repeatedly turn power on and off in order to maintain the power level. As a result, the food heats or defrosts unevenly or is even overcooked. Inverter microwaves, by contrast vary the power level leading to optimal cooking and defrosting results.

#### **INVERTER MICROWAVES CAN USE UP TO 6.3% LESS ENERGY**

With Inverter microwaves, because the power output actually varies, you can save up to 6.3% on energy consumption\*, which is good for the environment and great for your wallet.

\* Compared to NE-1853 (2650W Inverter microwave compared to 2830W LC type microwave). Excludes NN-SF574



Conventional

Inverter

### LIGHT DUTY CONSUMER MICROWAVE OVEN



# FLATBED INVERTER MICROWAVE

NN-SF574S

1000W MICROWAVE

EXTERNAL DIMENSIONS:

W529 x H326 x D422mm

CAVITY DIMENSIONS: W354 x H230 x D338mm

CAPACITY: 27L

COMMERCIAL WARRANTY:

6 months

#### **KEY FEATURES**

#### FLATBED TECHNOLOGY

Panasonic's Flatbed technology with no turntable, provides 31% more cooking area than a conventional turntable model and is super simple to clean up microwave messes. Plus you can also utilise the whole surface space meaning rectangular dishes will fit with ease.

### INVERTER TECHNOLOGY WITH PRECISE POWER CONTROL

Softening hard food such as ice cream, chocolate and cheese proves easy with the dedicated 'melt & soften' function.

#### • SIMPLE, MODERN DESIGN

Featuring a stainless steel panel and frameless design the NN-SF574 integrates into any kitchen.

#### • 16 MENU OPTIONS

With 16 Pre-programed menu options, the microwave will do the thinking for you and determine the time and power settings required - so all you need to do is press 'start'.

Inverter	Yes
Outside Dimensions	Approx. W529 x H326 x D422 mm
Oven Cavity Dimensions	Approx. W354 xH230 x D338 mm
Cavity Volume	27 L
Microwave Power	1,000W
Net Weight	Approx. 11.7 kg

### MEDIUM DUTY MICROWAVE OVEN



# MEDIUM DUTY MICROWAVE

NE-1037

1000W MICROWAVE

**EXTERNAL DIMENSIONS:** 

W510 x D360 x H306mm

**CAVITY DIMENSIONS:** 

W330 x D330 x H205mm

CAPACITY: 22L

WEIGHT: 18.6kg

WARRANTY:

1 Year On-site

#### **KEY FEATURES**

- Side Open
- Programmable Memory Pads
- 3 Power Levels
- 3 Stage Cooking
- x2 Double Quantity Pad
- 10 Preset Menu Programs
- Programmable Lock
- Stainless Steel Cabinet &Cavity
- Increase Durability Door Hinge
- Flat Cavity
- Space Saving with Only 360mm Depth

Output Power Power Source		1000W	
		240V, 50Hz Single Phase	
Plug Type		10amp	
Required Pow	er	6.6A 1490W	
Material	Face of Door/Base	Stainless Steel	
	Cabinet	Stainless Steel	
	Cavity	Stainless Steel	
	Base plate	Sealed-in ceramic	
Door Design		Side Open	
Program	Power Level	3 Levels	
	Memory	10 programs	
	Stage Cooking	3 stages	
	Memory lock	Yes	
	Multiple quantity keys	Yes (X2 for 2 dishes)	

#### **OPTIONAL ACCESSORY**

**Trim Kit** - 96E14-006.



### **HEAVY DUTY INVERTER MICROWAVE OVEN**



# ALL METAL DOOR INVERTER MICROWAVE

NF-1878

1800W MICROWAVE

EXTERNAL DIMENSIONS:

W422 x D476 x H337mm

CAVITY DIMENSIONS: W330 x D310 x H175mm

CAPACITY: 18L

WEIGHT: 17.5kg

WARRANTY: 2 Year On-site

#### **KEY FEATURES**

#### • FULL METAL DOOR

Full metal door design with no inner door film means it is ideal for easy cleaning and longer lifespan.

#### SPLATTER SHIELD DETECTION

Automatically stops the unit when the ceiling plate is not in place, preventing damage to the cavity (comes with two shields).

#### EVEN HEATING

You can cook, reheat or defrost your food without creating cold spots or overcooking edges.

#### • ENERGY SAVING

Saves up to 6.3% on energy consumption (compared to Panasonic NE-1853).

#### • FEATHER LIGHT... ALMOST

Lighter and more portable unit (40% less heavy compared to Panasonic NE-1853).

#### COMPACT DESIGN

Thanks to its compact design, the unit is stackable - saving you a valuable space in your kitchen.

Power Source Plug Type Required Power		230-240V, 50Hz Single Phase 15amp 11.6A 2650W					
				Material	Face of Door/Base	Stainless Steel	
					Cabinet	Stainless Steel	
	Cavity	Stainless Steel					
	Base plate	Sealed-in ceramic					
Door Design		Side Open					
Program	Power Level	10 Levels					
	Memory	30 programs					
	Stage Cooking	5 stages					
	Memory lock	Yes					
	Multiple quantity keys	Yes (X2 for 2 dishes, X3 for 3 dishes					
Display		LCD					
Oven Lamp	)	LED					
Stackable		Yes					

### **HEAVY DUTY MICROWAVE OVEN**



### HEAVY DUTY MICROWAVE

NE-1853

1800W MICROWAVE

EXTERNAL DIMENSIONS:

W422 x D508 x H377mm

**CAVITY DIMENSIONS:** 

W330 x D3108 x H175mm

CAPACITY: 18L

WEIGHT: 30kg

WARRANTY:

2 Year On-site

#### **KEY FEATURES**

- 1800W of Cooking Power
- 2 Magnetrons
- Dual Power Feed for More Consistent, Even Cooking
- Side Open
- Programmable Memory Pads
- 15 power Levels
- 5 Stage Cooking
- Easy Extension Pad +10s/+20s
- 30 Preset Menu Programs
- · Programmable Lock
- Easy to Clean Air Filter
- Stainless Steel Cabinet & Cavity
- Removable Ceiling Splatter Shield
- Energy Efficient LED Lighting & LCD Display

Power Source Plug Type Required Power		240V, 50Hz Single Phase 15amp 12.3A 2830W				
				Material	Face of Door/Base	Stainless Steel
					Cabinet	Stainless Steel
	Cavity	Stainless Steel				
	Base plate	Sealed-in ceramic				
Door Design		Side Open				
Program	Power Level	15 Levels				
	Memory	30 programs				
	Stage Cooking	5 stages				
	Memory lock	Yes				
	Multiple quantity keys	Yes (X2 for 2 dishes, X3 for 3 dishes)				
Display		LCD				
Oven Lam	)	LED				
Stackable		Yes				

#### OPTIONAL ACCESSORY

**Microsave® Liner** - NE-CPS2A - Minimises cleaning time and extends the microwave's lifespan by providing total protection for the cavity, roof, sides, back and base.



#### **HEAVY DUTY COMBINATION MICROWAVE OVEN**



# HEAVY DUTY COMBINATION MICROWAVE

NE-C1275

1150W MICROWAVE 1800W CONVECTION OVEN 1800W GRILL

EXTERNAL DIMENSIONS:

W600 x D484 x H383mm

**CAVITY DIMENSIONS:** 

W406 x D336 x H217mm

CAPACITY: 29.6L

WEIGHT: 41kg

WARRANTY:

2 Year On-site

#### **KEY FEATURES**

- 1800W Convection Oven, 1800W Grill, 1150W Microwave
- High speed Fan Grill and Grill Convection functions for faster browning results
- Combination Options include: Microwave + Grill; Microwave + Convection; Microwave + Fan Grill; and Microwave + Grill Convection
- Preset Combi keys offer 5 popular combination options which can be selected with one touch
- Microwave has 6 power levels. Dual emission bottom energy feed ensures even heating
- Convection oven settings range from 100°C 250°C
- 4 element Quartz Grill with 2 power levels and recessed elements
- Three fast 'Preheat' settings up to 240°C on continuous standby (will maintain temperature for up to 4 hours of non use).
- 2 shelf positions
- Up to 99 programs available, each can be preset with up to 3 stages of combination or single cooking cycles
- Programmable manually or via SD Memory Card and your Personal Computer
- Fast cool feature to quickly reduce oven temperature for easy cleaning and low temperature cooking
- Beep tone option and clean air filter reminder
- Program lock

Power Source	230-240V / 50Hz, Single phase
Plug Type	15amp
Power Requirement	2900W 12.2A
Power Supply	AUS/NZ
Frequency	2450 MHz
Net Weight	41kg (inc accessories)
Cubic Capacity	29.6 litres (1 cu.ft)
Output Power	
Microwave	1150w
Grill	1800w
Convection Oven	1800w
MICROWAVE	
Power Levels	6
Timer	
High, Medium	Up to 15 mins
Low, Simmer, Defrost, Stand	Up to 1 hour
CONVECTION OVEN	
Temperature Range	100°C - 250°C
Timer	Up to 1 hour 40 mins
GRILL	
Timer (min)	Up to 1 hour
Power Levels	2

### FAST COOK CONVECTION MICROWAVE OVEN



### FAST COOK CONVECTION MICROWAVE

NE-SCV2

1200W MICROWAVE 1350W CONVECTION OVEN 1800W GRILL

**EXTERNAL DIMENSIONS:** 

W474 x D565 x H412mm

CAVITY DIMENSIONS: W270 x D330 x H110mm

CAPACITY: 10L

WEIGHT: 38.1kg

WARRANTY: 2 Year On-site

#### **KEY FEATURES**

#### • MULTI-FUNCTION CONVECTION COOKING

The ideal solution to cook, toast, bake, grill and reheat a wide range of fresh or frozen foods, such as toasted sandwiches, pastries or pizza, in fact anything needing a crisped, browned finish.

#### SPACE SAVING DESIGN

Maximum flexibility as it easily fits on a small worktop. Stackable unit allows you to add a second unit without using additional bench space

#### • EFFICIENT PERFORMANCES

Speed convection with twin inverter technology ensures great results with minimum time

#### OPTIMUM COOKING MADE EASY

Panasonic exclusive Twin Inverter technology cooks food evenly with no cold spots, always providing optimum cooking results

#### VENTLESS COOKING OPERATION

With the built in catalytic converter

#### • EASY TO CLEAN CAVITY

Reduce cleaning times and simplify maintenance thanks to the Ceramic Base Tray

#### MENU FLEXIBILITY

The SD Card allows rapid menu changes and updates for up to 999 cooking menu settings. In addition you food images can be loaded onto the control panel to be used as buttons.

Power Consumption	230-240V, 50HZ, Single Phase, 16amp
Plug Type	20amp
High Frequency Output	1200 to OW / Switchable in 9 steps
Convection Heater Output	1350W Temperature adjustable 180 to 250°
Grill Heater Output	1800W (2 Step Switchable)
Preheat Adjustment Range	150°C (standby Preheat) 180°C, 250°C
Memory Capacity	10 to 1,000
Weight	Approx 37.4kg
Door Opening Direction	Vertical

# **Panasonic**

# Rice Cookers

- Uniform Cooking by Triple Coil
- Micro Switch Control for More Durability
- Double Thermal Fuse for Superior Safety
- Product Compliant to Australian Standards





### **COMMERCIAL RICE COOKERS**



#### 40 CUP RICE COOKER SR-GA721F

DIMENSIONS:

W466 x D558 x H366mm

CAPACITY: 7.2L

WARRANTY:

1 Year



DIMENSIONS: W466 x D558 x H338mm

CAPACITY: 5.4L

WARRANTY:

1 Year





#### 23 CUP RICE COOKER SR-GA421F

DIMENSIONS:

W367 x D424 x H289mm

CAPACITY: 4.2L

WARRANTY:

1 Year

#### **TECHNICAL SPECIFICATIONS**

Model number	SR-GA721F	SR-GA541F	SR-GA421F
Power	240V/ 15A	240V/ 10A	240V/ 10A
Pans	Non-stick pan	Non-stick pan	Non-stick pan
Rice cooking	Yes	Yes	Yes
Keep warm	5hr	5hr	5hr
Weight	15.0kg	13.5kg	6.4kg







Micro Switch Control for More Durability\*



Double Thermal Fuse for Superior Safety



Stainless Steel Lid



Cooks Any Style of Rice

### **COMMERCIAL RICE COOKERS**



#### **20 CUP** RICE COOKER

SR-UH36

DIMENSIONS: W428 x D384 x H347mm

CAPACITY: 3.6L

WARRANTY: 1 Year

#### **KEY FEATURES**

- Hinged lid with silicone seal
- 360° Double keep warm function
- 12 Hours keep warm technology enables rice cooking neither overcooked nor undercooked
- Triple Micro switch for Safety
- Glass wool insulation
- Anodised aluminium pan
- Stainless steel lid
- 1400W
- Cooks up to 2kg of rice

Model number	SR-UH36
Power Source	230V/10A
Power Consumption	1400W
Pan Thickness	1.95mm
Rice cooking	Yes
Keep warm	12hr
Weight	8.2kg





Vent



Collector











for Safety

# Contact Details

### Hussmann Australia Pty. Ltd.

(ACN: 002 366 887) a Panasonic Company

#### Address

66 Glendenning Road, Glendenning, NSW 2761

#### **Phone**

02 8805 0400

www.hussmann.com.au

#### **Customer Service**

1300 198 476
Panasonic@hussmann.com

#### **Accounts & Administration**

02 8805 0400 au\_accounts@hussmann.com

#### Warranty

02 8805 0440 warranty.aus@hussmann.com

#### McAlpine Hussman Ltd. New Zealand

#### Address

2-6 Niall Burgess Road Mt Wellington, Auckland 1060

#### **Phone**

0800 473 374

#### **Email**

commercialnz@hussmann.com

www.mcalpinehussmann.co.nz