



Digital Addressable Lighting Interface (DALI) enables emergency fitting, light fixtures and controllers from different manufacturers to be combined to create a customized control system, hence reducing wiring requirements and the need for a stand-alone system for Emergency Lighting.

The Razor Quick Mount comes complete with DALI enabled circuitry to be used in any DALI based solution.

RAZOR QUICK MOUNT - DALI

- Quick mount, surface or wall edgelite exit.
- DALI Monitored.
- Maintained operation.
- Replaceable easy fit, quick release decals.
- 24M viewing distance.
- High temperature Nickel Metal Hydride battery.
- Total power consumption 2.3W.

Environmental Consequences of Cadmium

NiCd batteries contain cadmium, which is a toxic heavy metal and requires special care during battery disposal.

The sale of nickel-cadmium batteries has now been banned within the European Union except specialist used including emergency lighting.

Under the same EU directive, used industrial nickel-cadmium batteries must be collected by their producers in order to be recycled in dedicated facilities.

Cadmium, being a heavy metal, can cause substantial pollution when landfilled or incinerated.

All Ektor products are Cadmium free.

Ordering Information

Code	Description	Product Number	Power	Carton Qty.	Weight (Net/ Gross)
2655	EV-RAZOR-24M-QM-DALI	9336462026557	2.3W	4	5.94 Kg / 7.04 Kg
2650	EV-RAZOR-24M-QM	9336462026502	2.3W	4	5.22 Kg / 6.84 Kg

Operational Information

General				Battery	
Voltage (V)	220-240V	Viewing Distance	24M	Battery Type	NiMH
Frequency (Hz)	50/60	Classification	N/A	Battery Code	1931
Max. Ambient Temp.	40°C	Mounting Type	Surface Mounted		
Class	2	Lamp Code	2954	Charger Type	Trickle
Wiring	Hardwired	IP Rating	IP20	Charging Time	16 Hours
		Duration	2 hours	Charger Operation	Continuous

Compliance

Test Type	Laboratory	Test Report Number	Date of Issue
Radio Interference	Light Lab International	LL0800901E	16/01/2008
Temperature and Duration	Light Lab International	LL0909604T	13/05/2009
Luminance and Colour	Light Lab International	LL12796	28/05/2009

Accessories and Spare Parts

Code	Description	Code	Description
1913	EV-RODMOUNT	1931	EV-MH3.6v 4500mAh
2954	EV-RAZOR-LED-24M-SLIDE-SM	2957	EV-RAZOR-24M-DIFF
2959	Razor 24m Running Man Decal		

Construction and Dimensions

Body	ABS Plastic Body	Gear Tray	N/A
Diffuser	Acrylic	Lens	PVC
Cut Out	N/A		

