


Who are Bosch?



"I have always acted according to the principle that it is better to lose money than trust. The integrity of my promises, the belief in the value of my products and in my word of honour have always had a higher priority to me than a transitory profit."

Robert Bosch, 1921

For over 130 years, the Bosch name has been synonymous with engineering excellence. Our home appliances are renowned for their quality, reliability and performance which derives from our inherent, unflagging commitment and the painstaking thoroughness with which every unit is made. As you would expect from Bosch, there are no gimmicks or frills with our products - just pure, clean lines and beautiful, functional simplicity that will enhance any kitchen.

The values that shaped Robert Bosch's vision for his new company in 1886 are the same principles that guide the business today; never lose the trust of your customers, look after your staff and partners and change things for the better. It's what has kept Bosch at the forefront of the home appliance industry and what will keep it there in the future.

Follow us to learn more on:











Contents

Customer service	2-3
Energy Labels	4-5
Home Connect	6-9
Home Laundry	10-29
Introducing the Bosch laundry range	10-17
Washing machines	18-24
Washer dryers	25
Tumble dryers	26-29
Dishwashers	30-39
Introducing the Bosch dishwasher range	30-34
60cm dishwashers	35-38
Slimline dishwashers	39

Refrigeration	40-63
Introducing the Bosch refrigeration range	40-45
Fridge freezers	46-53
Fridges	54-56
Freezers	57
Undercounter fridges, freezers and fridge freezers	58
Multi-door fridge freezers	60
American fridge freezers	61
Wine coolers	62-63

Small appliances	64-89
Introducing the Bosch	64-65
vacuum cleaner range	
Vacuum cleaners	66-69
Microwaves	70
Food preparation	71-77
Handheld blenders	78-79
Hand mixers	80
Kettles & toasters	81-85
Tassimo coffee machines	86-88
Filter coffee machines	89
Installation Drawings & Accessories	90-93



Peace of mind from Bosch



Customer Service

Trust Bosch Home Appliances Customer Service to help you with the following:

- Offer product advice on using your appliance or help with choosing a new Bosch appliance
- Register your appliances and extend the warranty
- Arrange a repair for your appliance by a Bosch engineer
- Locate and buy replacement spare parts and accessories

We're available seven days a week. You can call us on:

UK: 0344 892 8979 IE: 01450 2655



Our advisors are available Monday to Friday 8am to 6pm, Saturday 9am to 5pm and Sunday 9am to 4pm. Calls are charged at the basic rate, please check with your telephone service provider for exact charges. In some areas, we may use an approved service partner and the process may vary for repairs carried out by our service partners.

Please note that due to the implications of COVID-19, our contact hours and service availability are subject to change. For the latest information and updates on our services, please visit our COVID-19 Service Update page at https://www.bosch-home. co.uk/coronavirus. Republic of Ireland customers should visit: https://www.bosch-home.ie/coronavirus.

Prefer to receive help online?

You can also visit: https://www.bosch-home.co.uk/customer**service/get-support** to quickly find support online. We cover questions about usage and maintenance of your appliance, as well as tips on getting started and installing your new appliances. You can also book a repair visit, manage your existing bookings

Republic of Ireland customers should visit: https://www.boschhome.ie/customer-service/get-support.

Repair Service

If your Bosch appliance needs a repair, we're here to help. Equipped to repair your appliance on the first visit, our team of locally based engineers are employed and trained by Bosch, which gives them unrivalled knowledge and expertise to repair our appliances.



You can easily book, and manage your engineer visit online at: https://www.bosch-home.co.uk/customer-service/repair**service** or via our call centre (see contact details above). Republic of Ireland customers should visit: https://www.bosch-home.ie/ customer-service/repair-service.

Warranties, Accessories and Spare Parts

Warranty Options

Understand more about the warranty options.

Your Bosch appliances are supplied with a two-year manufacturer's warranty as standard, but you also have the option to extend this warranty to a total of five years for added peace of mind with the Bosch Extended Warranty. Learn more about your options by speaking to one of our experienced advisors or by visiting our website: https://www.bosch-home. co.uk/customer-service/care-protection-and-parts/boschextended-warranty.

Republic of Ireland customers should visit: https://www.boschhome.co.uk/customer-service/care-protection-and-parts/ bosch-extended-warranty.

Register my appliance

Receive product updates instantly.

We advise that you register your appliances so we can contact you about any product updates. You can visit:

www.registermyappliance.org.uk for further information. Any appliances you register will then be automatically registered for their two-year manufacturer's warranty, and you'll also have the option to extend your warranty further on eligible appliances by purchasing the Bosch Extended Warranty. Choose to register your appliance online or by calling us.

Cleaning and Care, Cookware and Other Accessories

Tested and approved products.

You can find everything you need for any appliance on the Bosch online store. It's here you'll find our tested and approved cleaning and care products, along with other accessories, ranging from a glass holder for your new dishwasher to a TeppanYaki for your

Shop online at:

UK: https://www.bosch-home.co.uk/store IE: https://www.bosch-home.ie/store

Spare Parts

Genuine Bosch parts, not copies.

Bosch keeps a comprehensive range of replacement spare parts for up to 10 years. You can browse our exploded view diagrams in our store or speak to an advisor on the phone to help you locate and buy the spare parts you need.

Shop online at:

UK: https://www.bosch-home.co.uk/customer-service/ spare-parts-search

IE: https://www.bosch-home.ie/customer-service/spareparts-search



The New Energy Label

Technological development over the past few years has resulted in a higher concentration of products that are carrying labels with a value of A+ or better. Consequently, the label with the A+++ to D scale had not been fulfilling its original function as an aid for making purchasing decisions as well as it had done formerly. Other basic conditions like user behaviour have also changed. That's why it was time to adapt the energy label. The first appliances to have the new label are washing machines, washer-dryers, dishwashers, cooling appliances and wine cabinets. The new label has been appearing on these products since 1st March 2021.

The most significant change in the new energy labels is the elimination of the energy efficiency plus classes, for example A+++. Classification is now from A to G. New methods are also being used for measuring energy consumption and determining the label class. The new specifications take into account real-life usage of the product as much as possible and reflect average consumer behaviour. This means for example, that energy consumption for washing machines, washer dryers and dishwashers is no longer specified by year, but per 100 operating cycles of the particular appliance.

The duration of the label programme to be tested is also specified for these products. In the case of washing machines and washer dryers, there is even a maximum programme duration that must not be exceeded.

The test programme for labelling washing machines and washer-dryers has also changed. The new "Eco 40-60" programme can now be found on the control panel. In addition, these devices now have an even higher washing performance requirement, as well as a minimum requirement for the rinsing effect. For dishwashers, the components of the standard place setting has also changed to reflect modern usage. For these and other reasons, it is not possible to directly convert the old (A+++ to D) efficiency classes to the new classes. In addition, you will be able to access further product information directly via a QR code that is displayed on the energy label. The QR code forwards you to a data sheet relating to the appliance. For more information on the new energy label, please visit: https://www.bosch-home.co.uk/experience-bosch/energy-labels.

Look out for the new energy efficiency class icons throughout our brochure and on our product pages.



Bosch SMS8YCI01E A B C D E F G 65 kWh / 100 3

Sample energy label for dishwashers:

The energy efficiency class for dishwashers continues to be based on the "Eco" programme. However, the test standard has been changed. For example, coffee cups, stainless-steel pots, and plastic utensils will be used to determine cleaning and drying performance to better reflect actual usage behaviour. What's new is the specification of the duration of the Eco programme. This programme is especially eco-friendly, is ideal for normally soiled dishes and is the most efficient programme in terms of "energy and water consumption". However, for resource-saving cleaning (with less consumption of electricity, water and detergent), you have to give these components a certain amount of time to develop their full effect. As with washing machines and washerdryers, energy consumption will be based on 100 cleaning cycles.

Key

- 1 QR code
- 2 Energy efficiency class
- 3 Energy consumption in kWh/100 operating cycles (in Eco programme)
- 4 Number of standard place settings for the Eco programme
- 5 Water consumption in litres/operating cycle (in Eco programme)
- 6 Duration of the "Eco" programme
- 7 Noise emissions expressed in dB(A) re 1 PW and noise emission class

Sample energy label for washing machines:


One of the major changes in the energy label for washing machines is the change in the test programme to which all label values refer. Like, for example, the energy consumption which will be based on 100 wash cycles. The new "Eco 40-60"* programme is suitable for cleaning normally soiled fabrics made of cotton, linen or mixed fibres which, based on their care symbol, are washable at 40°C or 60°C. The fabrics named may be combined in this wash cycle. The "Eco 40-60" programme is the most efficient programme in the combination "energy and water consumption".

Key

- 1 QR code
- 2 Energy efficiency class**
- 3 Weighted energy consumption** in kWh/100 operating cycles (in Eco 40-60 programme)
- 4 Maximum load capacity
- 5 Duration of "Eco 40-60" programme
- 6 Weighted water consumption** in litres/operating cycle (in Eco 40-60 programme)
- 7 Spin efficiency class**
- 8 Noise emissions during spin cycle expressed in dB(A) re 1 PW and noise emission class** Values apply to quarter, half and full loads

^{*} Eco 40-60 In order to achieve optimal energy efficiency, an optimal washing temperature is defined for this programme. This temperature can't be changed by the customer. The actual washing temperature is specified in the user manual and, depending on the load size, may deviate from the selected washing temperature for reasons of saving energy. Washing performance complies with legal requirements.

**Values apply to quarter, half and full loads.



ENERG



From controlling your Home Connect Serie 8 oven with your voice, to getting notifications when your laundry is ready, our more helpful smart appliances mean less things to think about and more time to spend on something else. Bosch Home Appliances with Home Connect ensure your home is ready for the future, today.

How you can use your Home Connect app.

- 105 - 105		11				MyBosch
Oven	Washer & dryer	Fridge freezers	Dishwasher	Fully automatic coffee machine	Hob & hoods	Services
Seasonal recipe specials.	Programme assistant – help find the right wash or dry programme for your fabrics.	Smart storage guide/object recognition.	Easy Start in three steps to choose the perfect wash.	Coffee playlist.	Filter saturation & replacement - Let the hood notify you when the filter needs replacing.	Keep your appliance updated with regular software updates.
Voice Control - Sticky hands? Ask Alexa or Google to adjust the temperature and more.	Additional stain programmes.	Check to see if you need more milk from the supermarket.	Receive tablet, rinse aid and salt level notifications via the app, so you never run out.	Coffee world - Make a coffee from your favourite destination.	Hob-hood control - Ensure the hood starts whenever you use the hob.	User manual.
Send recipe settings directly to your oven.	MyTime - Adjust washing time.	Inventory manager Add fridge contents and use by dates, to better manage your food consumption.	Keep your dishwasher in top condition - Receive automatic tablet and cleaning bundles via smart finish subscription.	MyCoffee - Add your personal coffee to MyCoffee for fast easy coffee your way.	Remote setting & monitoring.	Remote Diagnostics.
Programme notifications. Adjust oven settings on the go.	Smart drying - washer and dryer connected for perfect results every time.	Warning notifications when the freezer door has been left open.	Easily set your hard water settings to prolong the life of your dishwasher.	Notification when your beans and water levels are getting low.		
*Home Connect is availabl	Programme notifications.	Easily change to holiday mode, most efficient mode while you're away.				

Why not try the app?

Experience it yourself: download the free Home Connect app and try Home Connect, even if you don't have an appliance.































Voice control services based on Amazon Alexa will allow you to connect and control your appliances in your home simply by speaking to Alexa. Along with the ability to use Alexa with many other partners from Drop and IFTTT, the possibilities are endless.

Once Home Connect devices are set up you can control your oven, dishwasher, coffee machine, washing machine and tumble dryer. All you'll need to do is simply ask:



Alexa will then continue to guide you through. Search for Home Connect in the Skills area of the Alexa app.

Google Assistant

With the Google Assistant, users can get the best out of Google and connected home appliances with Home Connect. Just say, "Hey Google" to get started. You can check to see if you need more milk from the supermarket and even stay notified on the go with compatible wearable devices.



Simply control your kitchen appliances with voice control, from your dishwasher and washing machine to your hood and oven.

You'll be able to turn the appliances on and off, but also query Google Assistant about when the appliance will be done and what programme is running.

Helpful Home Appliances

The future has arrived and it's knocking on your front door. Home Connect brings smart technology to your appliances and lets you control them with your phone or tablet.

So, whether you want to turn the oven on to cook your dinner when you're on your way home, or check what's in your fridge while you're at the shops, you'll be in complete control.

Simple to set up, simple to use.

There's no need to worry if you're not a technical genius. We've made sure Home Connect is simple and straightforward to set up. If you do need a helping hand, you can call our Customer Service team on: **0344 892 8979** to speak to a dedicated Home Connect operator. You'll find the Home Connect app just as easy to use. There are lots of pre-set options to get you started quickly, and everything is set out logically and clearly.


Relax - we're invented for life.

Home Connect uses the same security protocol as online banking, so you can enjoy extra peace of mind when you're using your Bosch appliances. Our app has TUV Trusted App certification, and all of our Home Connect appliances are Wi-Fi certified by the Wi-Fi Alliance.



Setting up your home appliance and adjusting the product to suit your needs is easier with the Home Connect app.

To find out more, scan the QR code.



Peace of mind with Home Connect

My Cookbook

My Cookbook makes it guick and easy to find the perfect recipe for any occasion. Create unlimited personalised collections and name them however you please. Summer Lunches, Quick Bites, Dinner Party – it's all up to your imagination. Take your pick from more than 1000 recipes from our database and add them to your personal cookbook.



Smart Finish

Your Home Connect enabled dishwasher will let the Smart Finish service app know when you run a dishwashing cycle. With this intelligence, Finish will know when you're near to running out of dishwasher tablets and they will directly deliver a new pack only when you need them. Just simply set the number of tablets you currently have and select your ongoing reorder level. Afterwards, you can sit down and relax, because everything else will happen automatically.





Know when you're getting low on detergent

Your i-DOS washing machine uses the water hardness and fill level to determine how much detergent and fabric softener is required to get a perfectly clean result.

And so that you never run out of detergent, the Home Connect app sends you a timely reminder when your detergent is running low.



Remote Delayed Start*

Adjust the settings on your appliance from any room in your house, or even when you're out and about. So, if you're delayed while you're out? That's fine. You can simply adjust the settings from wherever you are and, if the food has already started cooking, you can simply press "pause". The oven will lower the temperature until you start it again, so your meal isn't ruined. Different levels of Remote Delayed Start allow you different levels of flexibility.

*Available on selected models.

Introducing the Bosch laundry range.

Energy and water-saving technologies across our latest laundry appliances give you peace of mind when washing and drying your clothes. To help you choose the right appliance, we have divided them into three categories.



Serie 8

Perfection in every detail, our Serie 8 range stands out from the crowd with superior quality, results and first-class design. Discover cutting-edge features and extras such as i-DOS automatic dosing system and targeted AntiStain programmes to take the guesswork out of stain removal. Our 4D Wash function ensures highly efficient usage of water and detergent guaranteeing spotless results. Monitor and control your wash remotely with our Home Connect models, developed to give you complete control over your washing.

Serie 6

Our **Serie 6** models offer advanced features to make life easier. **i-DOS** doses each load with millilitre precision, which not only delivers outstanding results but a host of savings. **SpeedPerfect** allows you to wash up to 65% faster** without compromising results.

Serie 4

Easy to operate with family in mind, our **Serie 4** range truly understands your requirements. Practical and straightforward to use, these appliances combine easy operation with stylish design. These models benefit from the **Reload** function, which allows you to open the door throughout most of the cycle so you can add or remove items at any time.

Laundry functions explained.

(Check model for available functions)



VarioDrum

Select the programme for your wash and the droplet-shaped drum structure and asymmetrical paddles will adjust the drum movements to powerful or gentle.



EcoSilence Drive

Bosch EcoSilence Drive washing machines come with a 10-year guarantee.



Agua Stop

This security gives you peace of mind that the water will stop in the unlikely event of a leak.



i-DOS

i-DOS automatically senses exactly the right amount of detergent and water to use, as well as the correct temperature, whatever your load, adapting to the fabrics, level of soiling and weight of the load.



AllergyPlus

Hygienic washing results that kill 99,99% of common germs*.



Reload

Simply pause the cycle and the machine will automatically adjust the water. This allows you to add or remove items of any size to your wash.



Timer Time Delay

Have your laundry ready when you need it. Just delay the start of your programme with one simple button.



AntiVibration Design

A spiral design on the side of the washing machine that increases stability and reduces vibration. This makes for a quieter machine with improved sound dampening.



Canacity

Our freestanding washing machines have a drum capacity of up to 10kg, perfect for those busy households.



Home Connect

Home appliances with smart connectivity. The Easy Start Guide function removes the guesswork by recommending the right programme to you – directly from your mobile device. Also if you wish, Push Notifications can be sent from your washing machine directly to your mobile device.



SpeedPerfect

Wash up to 65%** faster without compromising results. SpeedPerfect can be used in combination with most other programmes, all loads and textiles.

4D Wash

A combination of the direct water spray and an extra spin wash enables the most efficient and effective use of water and detergent, even when the drum is fully loaded. Achieve spotless laundry results every time.

Intensive Plus

For heavily soiled laundry, sometimes additional treatment is needed. Intensive Plus gives a boost to your cleaning performance by adding an extra wash for approximately 30 minutes. Providing you with brilliant results even on the most challenging clothes.

*Bosch washing machines with the 'AllergyPlus' wash programme at 40° and 60° fulfill scientifically recommended conditions for 99,99% of germ reduction for Enterococcus Hirae and Pseudomonas Aeruginosa, according to Honisch et al. 2014, "Impact of wash cycle time, temperature and detergent formulation on the hygiene effectiveness of domestic laundering." Conducted by University Rhine-Waal.

**Difference between the duration of Easy Care Programme 40°C and the duration of Easy Care Programme 40°C in combination with SpeedPerfect option.

Lookout for the new energy efficience class icons throughout our brochure and on our product pages.





Bosch integrated technology for a peaceful washing experience.

Enjoy the quiet life.

The modern world is noisy enough, so it's good to know that Bosch technology can help make the home environment a little oasis of calm with our **EcoSilence Drive™**.

The right wash for the right stain.

The AntiStain Plus System easily removes up to 16 of the most stubborn stains, helping you to easily get perfect washing results. The washing machine automatically adjusts the temperature, drum movement and soaking time to meet the demands of the relevant stains before your chosen programme starts.

Less rock and roll.

We've also created **AntiVibration** technology to cut down noise. The sidewalls of the washing machine feature a spiral design that increases stability and reduces vibrations. Improved sound insulation and low noise shock absorbers further dampen the noise.

SpeedPerfect.

With **SpeedPerfect** you can reduce your washing time by up to 65%* without compromising results. SpeedPerfect can be used in combination with most of the programmes, all loads and textiles. For example, by selecting the mix programme in combination with **SpeedPerfect** you can thoroughly wash up to 4kg of mixed load in just 41 minutes.

*Difference between the duration of Easy Care Programme 40°C and the duration of Easy Care Programme 40°C in combination with $\bf SpeedPerfect$ option.



Everything's just right with i-DOS.



i-DOS


Too much detergent or too little can lead to poor washing results. i-DOS automatically senses exactly the right amount of detergent and water to use, as well as the correct temperature.











Whether it's a quick sports wash or a full weekly load, sensors within the automatic dosing system determine the amount and type of clothes within each load and set the correct temperature and amount of detergent required for perfect results.

Model shown for illustrative purposes only

The perfect dose every time.

It's easier than you might think to get the detergent dose wrong when doing the laundry. Thanks to i-DOS, it's no longer a worry. The automatic dosing system from Bosch uses the optimum amount of detergent for every wash whatever the size of your load.



Too much? Too little? Just right with i-DOS.

Once activated, the i-DOS system measures the detergent automatically, to the nearest millilitre. Sensors inside the washing machine detect the type of fabric, the load volume in the drum and the degree of soiling, and adjust the detergent to the optimum dose accordingly. In this way, you'll achieve the best results for your clothes, whilst **saving detergent** and water.

Too much.

Using too much detergent – even by a little – leads to **significantly higher** water and energy consumption when washing. Visible detergent residues can be left on clothing, which can trigger skin irritation and allergies.

Too little.

Using too little detergent can lead to poorer washing results. Stains won't be completely removed and could be left on clothes permanently. Insufficient detergent can also result in discolouration and unpleasant odours.

Washer dryers



Convenience for small spaces.

Our washer dryers not only wash flawlessly, they also dry perfectly – all in one appliance. An ideal solution for people with high standards but not much space.

Wash & dry in one.

Now you can wash and dry a load thoroughly in just one hour. This programme is suitable for lightly soiled clothes and for washing and drying heat resistant textiles, such as cottons or linen.

Washer dryer functions explained.

(Check model for available functions)



Iron Assist

Iron Assist makes ironing easier. It sprays a natural mist that permeates preheated textiles and visibly smooths your laundry. This extra steam treatment reduces or even eliminates the need to iron dried garments.



AutoDry

With AutoDry sensor technology you can ensure gentle and precise drying results. AutoDry automatically knows when your load is perfectly dry by constantly measuring the humidity, protecting your clothes against overheating.



WrinkleGuard

Thanks to WrinkleGuard you'll reduce the size of your ironing pile! The drum will continue to move dry laundry for a period of time after the cycle has finished, so clothes are cooled gradually and don't wrinkle when they are still warm.



EcoSilence Drive™

Bosch EcoSilence Drive™ washing machines come with a 10-year guarantee.



SpeedPerfect

Wash up to 65%* faster without compromising results. SpeedPerfect can be used in combination with most other programmes, all loads and textiles.



Capacity

Our freestanding washer dryers have a drum capacity of up to 10kg, perfect for those busy households. Wash and dry up to 6 kg of items in one go or wash up to 10 kg.

*Difference between the duration of Easy Care Programme 40°C and the duration of Easy Care Programme 40°C in combination with **SpeedPerfect** option.



To stay at their best, different clothes need to be washed in different ways. With the Bosch Home Connect app, simply tell your washing machine what's in the load and it will work out the perfect programme. It will even tell you if there's an item that should come out and be washed a different way.

Serie 8

WAX28EH1GB



DESIGN FAMILY	SERIE 8
MODEL	WAX28EH1GB
KEY FEATURES	
Home Connect	•
i-DOS detergent dosing system	•
SpeedPerfect	•
Reload facility	•
Stain Removal system	AntiStain Plus (16)
EcoSilence Drive	•
AntiVibration design	•
Reduced ironing option Reduced noise option	•
4D Wash system	•
Intensive Plus	
Consumption indicator	EcoBar Plus
ADDITIONAL FEATURES	20024 1 10
Time delay Child lock	24 hours
Drum interior light	•
Safety	AquaStop
	мциастор
PROGRAMMES / FUNCTIONS	
Eco 40-60	•
Cottons	•
Super Quick 15/30	•
Hygiene Plus AllergyPlus	•
Easy-care	•
Mixed Load	:
Wool	•
Delicates/Silk	•
Sportswear	
Dark Wash/EasyCare plus/Jeans	
Shirts and blouses	•
Duvet/ Down wear	•
Towels	
Curtains	
Auto programmme	•
Memory programme	•
Drum Clean	•
Extra Rinse	•
Pre Wash	•
Rinse/Spin	•
Rinse hold	•
Spin/Drain	•
Single Rinse	•
Soak	•
Variable Temperature/Variable Spin	•
PERFORMANCE / TECHNICAL INFORMATION	
Energy efficiency class ¹	A B
Load capacity (kg)	1-10
Energy ² / Water ³ (kWh / litres)	56/59
Programme duration ⁴ (h:mm)	3:58
Maximum spin speed (rpm) ⁵	1400
Spin efficiency class	В
Noise level (dB(A) re 1 pW)	71
Noise emission class	A
Dimensions of the product (H \times W \times D) (inc. door porthole) (mm)	848 x 598 x 590 (632)
Door opening angle	180°

WASHER













ТҮРЕ	WASHER	WASHER	WASHER	WASHER
DESIGN FAMILY	SERIE 8	SERIE 8	SERIE 8	SERIE 8
MODEL	WAX32GH4GB	WAX32M81GB	WAV28EH3GB	WAV28MH4GB
KEY FEATURES				
Home Connect	•	•	•	•
i-DOS detergent dosing system		-	•	•
SpeedPerfect	•	•	•	•
Reload facility	•	•	•	•
Stain Removal system	AntiStain Plus (16)	AntiStain (4)	AntiStain Plus (16)	AntiStain (4)
EcoSilence Drive	•	•	•	•
AntiVibration design	•	•	•	•
Reduced ironing option Reduced noise option	•		•	
4D Wash system	:	•		•
Intensive Plus		•	•	•
Consumption indicator	EcoBar Plus	EcoBar Plus	EcoBar Plus	EcoBar Plus
ADDITIONAL FEATURES	Ecobal Flab	Esopai Flas	Essistantias	Eddidi Filib
Time delay	24 hours	24 hours	24 hours	24 hours
Child lock	•	•	•	•
Drum interior light	•	•	•	•
Safety	Multiple Water Protection	Multiple Water Protection	AquaStop	Multiple Water Protection
PROGRAMMES / FUNCTIONS				
Eco 40-60	•	•	•	•
Cottons	•	•	•	•
Super Quick 15/30	•	•	•	•
Hygiene Plus		•		
AllergyPlus	•	-	•	•
Easy-care	•	•	•	•
Mixed Load	•	•	•	•
Wool	•	•	•	•
Delicates/Silk	•	•	•	•
Sportswear	•	•	•	•
Dark Wash/EasyCare plus/ Jeans	•	•	•	•
Shirts and blouses	•	•	•	•
Duvet/ Down wear	-	· · · · · · · · · · · · · · · · · · ·	•	•
Towels Curtains	•	·	•	•
Auto programmme		-	•	
Memory programme	•		•	
Drum Clean	•	•	•	•
Extra Rinse		•	•	•
Pre Wash	•	•	•	•
Rinse/Spin	•	-	•	•
Rinse hold	•	•	•	•
Spin/Drain		•	-	
Single Rinse	-	•	-	-
Soak	•	-	•	•
Variable Temperature/Variable Spin	•	•	•	•
PERFORMANCE / TECHNICAL INFORMATION				
Energy efficiency class ¹	A C	A B	A A	A A
Load capacity (kg)	1-10	1-10	1-9	1-9
Energy² / Water³ (kWh / litres)	67 / 49	59 / 47	48 / 48	48 / 48
Programme duration ⁴ (h:mm)	3:55	3:59	3:44	3:44
Maximum spin speed (rpm) ⁵	1600	1600	1400	1400
Spin efficiency class	Α	A	В	В
Noise level (dB(A) re 1 pW)	72	72	69	69
Noise emission class	A	A	A	A
Dimensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 590 (632)	848 x 598 x 590 (632)	848 x 598 x 590 (632)	848 x 598 x 590 (632)
Door opening angle	180°	171°	180°	171°

Home Connect

 $^{^1}$ On an energy-efficiency class scale from A to G 2 Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme) 3 Water consumption in litres/operating cycle (using Eco 40-60 programme) 4 Duration of Eco 40-60 programme ⁵ The specified value is rounded. **Data valid in this table as of April 2022.** Subject to modification without prior notice









ТҮРЕ	WASHER	WASHER	WASHER	WASHER
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6	SERIE 6
MODEL	WAL28PH1GB	WGG256M1GB	WGG245S1GB	WGG25401GB
KEY FEATURES				
Home Connect	•	•	-	
i-DOS detergent dosing system SpeedPerfect	•	•	•	•
Reload facility	•	:	:	:
Stain Removal system	AntiStain (4) via app	AntiStain (4)	AntiStain (4)	AntiStain (4)
EcoSilence Drive	•	•	•	•
AntiVibration design	•	•	•	•
Reduced ironing option	•	•	•	•
Reduced noise option	•	-	-	-
4D Wash system	· ·	•	·	-
Intensive Plus Consumption indicator	EcoBar Plus	EcoBar Plus	-	-
ADDITIONAL FEATURES	Ecobar Flus	Ecobal Hus		
Time delay	24 hours	24 hours	24 hours	24 hours
Child lock	24 Hours	24110015	24 Hours	24110015
Drum interior light		•	-	-
Safety	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection
PROGRAMMES / FUNCTIONS				
Eco 40-60	•	•	•	
Cottons	•	•	•	•
Super Quick 15/30	•	•	•	•
Hygiene Plus		•	•	•
AllergyPlus	•	-	-	-
Easy-care	•	•	•	•
Mixed Load	•	•	•	•
Wool Delicates/Silk	•	•	•	•
Sportswear	•	:	•	•
Dark Wash/EasyCare plus/ Jeans	· · · · · · · · · · · · · · · · · · ·	-/-/•	-/-/•	-/-/•
Shirts and blouses	-		-	
Duvet/ Down wear	-	•/-	• / -	•/-
Waterproofs	-	-	-	-
Towels	•	•	•	-
Curtains	•	•	•	•
Auto programmme	•		•	· · · · · · · · · · · · · · · · · · ·
Memory programme Drum Clean	•	•	•	•
Extra Rinse	•			
Pre Wash	•	•	•	•
Rinse/Spin	-	•	-	•
Rinse hold	•	•	•	•
Spin/Drain	•	•	•	•
Single Rinse	•	•	•	•
Soak Variable Temperature/Variable Spin	•	•	•	•
PERFORMANCE / TECHNICAL INFORMATION				
Energy efficiency class ¹	å C	Å B	Å C	å C
Load capacity (kg)	1 - 10	1-10	1 - 10	1-10
Energy ² / Water ³ (kWh / litres)	67 / 47	59 / 47	67 / 47	67 / 47
Programme duration ⁴ (h:mm)	3:50	3:59	3:50	3:50
Maximum spin speed (rpm) ⁵	1400 B	1600	1400 B	1400 B
Spin efficiency class Noise level (dB(A) re 1 pW)	В 75	A 74	75	75
Noise emission class	75	74 B	75	ло В
Dimensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 590 (632)	848 x 598 x 590 (636)	845 x 597 x 588 (632)	845 x 597 x 588 (632)
Door opening angle	171°	165°	160°	160°















TYPE	WASHER	WASHER	WASHER	WASHER
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6	SERIE 6
MODEL	WAU28P89GB	WAU28RH9GB	WGG244ARGB	WGG244A9GB
(EY FEATURES				
lome Connect	•	•	-	
DOS detergent dosing system	•	-	•	•
peedPerfect	•	•	•	•
eload facility	•	•	•	•
ain Removal system	AntiStain (4) via app	AntiStain (4)	AntiStain (4)	AntiStain (4)
coSilence Drive	•	•	•	•
atiVibration design educed ironing option	•	•	•	•
duced noise option	•	:	•	• • • • • • • • • • • • • • • • • • •
) Wash system		·		
tensive Plus		-	-	
onsumption indicator	EcoBar Plus	EcoBar Plus	- -	
DDITIONAL FEATURES	Loodii i ius	Loodal 1 lus		
ime delay	24 hours	24 hours	24 hours	24 hours
hild lock	•	•	•	•
rum interior light	•	•	•	•
ıfety	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection
ROGRAMMES / FUNCTIONS				
o 40-60			•	•
ottons	•	•	•	•
per Quick 15/30	•	•	•	•
rgiene Plus	•	•	•	•
lergyPlus			-	-
isy-care	•	•	•	•
xed Load	•	•	•	•
ool	•	•	•	•
elicates/Silk	•	•	•	•
portswear	•	-	•	•
ark Wash/EasyCare plus/ Jeans		•	•	•
hirts and blouses	*	•	•	•
uvet/ Down wear	*	· · · · · · · · · · · · · · · · · · ·	•	•
aterproofs	-	•	-	-
wels	-	-	-	-
ırtains		· · · · · · · · · · · · · · · · · · ·		<u>-</u>
uto programmme	•	_	•	•
emory programme rum Clean	:	•	•	
tra Rinse	:	:	<u> </u>	<u>.</u>
re Wash		•	•	•
nse/Spin		•	•	•
nse hold	•	•	•	•
in/Drain	•	•	•	•
ngle Rinse	•	•	•	•
ak	-	-	-	-
riable Temperature/Variable Spin	•	•	•	•
ERFORMANCE / TECHNICAL INFORMATION				
ergy efficiency class ¹	A A	A A	A A	A
ad capacity (kg)				
	1 - 9 46 / 48	1-9 46/48	1 - 9 46 / 48	1 - 9 46 / 48
ergy² / Water³ (kWh / litres) ogramme duration⁴ (h:mm)	46 / 48 3:48	46 / 48 3:48	46 / 48 3:48	46 / 48 3:48
ximum spin speed (rpm) ^s	1400	1400	1400	1400
in efficiency class	B	B	1400 B	B
in enciency class sise level (dB(A) re 1 pW)	71	71	71	71
ise emission class	A	Α	Α	A
mensions of the product (H x W x D) (inc. door porthole) (mm)	845 x 598 x 590 (633)	848 x 598 x 590 (632)	848 x 598 x 590 (636)	848 x 598 x 590 (636)
	171°	171°	171°	171°

¹ On an energy-efficiency class scale from A to G² Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme) ³ Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴ Duration of Eco 40-60 programme

⁵ The specified value is rounded. **Data valid in this table as of April 2022.** Subject to modification without prior notice.

 $For full \ specification \ details, please \ log \ onto \ our \ website \ and \ download \ a full \ specification \ sheet.$

^{**}On an energy-efficiency class scale from A to G ** Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme)

**Water consumption in litres/operating cycle (using Eco 40-60 programme) **Duration of Eco 40-60 programme

⁵ The specified value is rounded. **Data valid in this table as of April 2022.** Subject to modification without prior notice.

For full specification details, please log onto our website and download a full specification sheet. 5 Year Warranty Promotion dates 01.04.21 – 31.03.22. T&C's apply. Online registration required. Selected models only.







ТҮРЕ	WASHER	WASHER	WASHER
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6
MODEL	WGG2449RGB	WGG2440XGB	WGG24409GB
KEY FEATURES			
Home Connect			
DOS detergent dosing system		-	
peedPerfect	•	•	•
eload facility	•	•	•
tain Removal system	AntiStain (4)	AntiStain (4)	AntiStain (4)
coSilence Drive	•	•	•
ntiVibration design	•	•	•
educed ironing option	•	•	•
educed noise option		_	
D Wash system			
tensive Plus		·	
onsumption indicator		·	
DDITIONAL FEATURES			
	241-	241	241
me delay	24 hours	24 hours	24 hours
hild lock	•	•	•
rum interior light	•		
afety	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection
PROGRAMMES / FUNCTIONS			
co 40-60	•	•	•
ottons	•	•	•
per Quick 15/30	•	•	•
/giene Plus	•	•	•
lergyPlus			
asy-care	•	•	•
ixed Load	•	•	•
/ool	•	•	•
elicates/Silk	•	•	•
portswear	•	•	•
ark Wash/EasyCare plus/ Jeans	•	-/-/•	-/-/●
hirts and blouses	-		
uvet/ Down wear	•	•/-	•/-
owels		<u>.</u>	:
urtains			
uto programmme			
emory programme		·	
rum Clean		•	•
ttra Rinse	•	•	•
re Wash	•	•	•
inse/Spin	·		•
inse/opin	•	•	:
pin/Drain	•	:	•
ingle Rinse	:	•	
ngie kinse oak	•	•	•
riable Temperature/Variable Spin	•	•	•
		•	•
PERFORMANCE / TECHNICAL INFORMATION			
nergy efficiency class¹	A A	A A	A
oad capacity (kg)	1-9	1-9	1-9
ergy ² / Water ³ (kWh / litres)	46/48	46 / 48	46 / 48
rogramme duration ⁴ (h:mm)	3:48	3:48	3:48
		3:48 1400	3:48 1400
aximum spin speed (rpm) ⁵	1400		
oin efficiency class	B 74	B 71	B 71
vise level (dB(A) re 1 pW)	71	71	71
oise emission class	A	A	A
imensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 590 (636)	848 x 598 x 590 (636)	848 x 598 x 590 (636)
soor opening angle	165°	165°	165°

- Door opening angle

- ¹ On an energy-efficiency class scale from A to G ² Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme) ³ Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴ Duration of Eco 40-60 programme ⁵ The specified value is rounded. **Data valid in this table as of April 2022.** Subject to modification without prior notice.









ГУРЕ	WASHER	WASHER	WASHER	WASHER
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4
ODEL	WGG04409GB	WAN28209GB	WAN282X1GB	WAN28281GB
EY FEATURES			SILVER INOX	
ome Connect	-	-	-	-
DOS detergent dosing system	-	-		-
peedPerfect	•	•	•	•
eload facility	•	•	•	•
ain Removal system	-	-	-	-
coSilence Drive	•	-	•	•
ntiVibration design	•	•	•	•
educed ironing option	•	•	-	-
educed noise option	-	-	•	•
D Wash system	-	-	-	-
tensive Plus	-	•	-	•
onsumption indicator	•	-	-	-
DDITIONAL FEATURES				
	041	241	241	0.11
ime delay	24 hours	24 hours	24 hours	24 hours
hild lock	•	•	•	•
rum interior light	M IC I W . B . C	M IS I W I B I I S	M IS I W I B I S	M IC I W - D I - C
afety	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection
PROGRAMMES / FUNCTIONS				
co 40-60	•	•	•	•
ottons	•	•	•	•
uper Quick 15/30	•	•	•	•
ygiene Plus	•			
lergyPlus		•	•	•
asy-care	•	•	•	•
lixed Load	•	•	•	•
/ool	•	•	•	•
elicates/Silk	•	•	•	•
portswear	•	•	•	•
ark Wash/EasyCare plus/ Jeans	•	•	•	•
hirts and blouses	-	•	•	•
uvet/ Down wear	-	-	-	-
owels	-	-	-	-
urtains	-	-	-	-
uto programmme	-	-	-	-
emory programme	-	-	-	-
rum Clean	•	-	-	-
ktra Rinse	•	-	•	•
re Wash	•	•	•	•
inse/Spin	-	-	•	•
nse hold	•	•	•	•
oin/Drain	•	•	-	-
ingle Rinse	•	•	-	-
oak		-		•
riable Temperature/Variable Spin	•	•	•	•
ERFORMANCE / TECHNICAL INFORMATION				
ergy efficiency class ¹	A A	A C	A C	↑ C
ad capacity (kg)	1-9	1-9	1-8	1-8
ergy² / Water³ (kWh / litres)	46 / 48	66 / 44	63 / 48	63/48
ogramme duration ⁴ (h:mm)	3:48	3:37	3:35	3:35
eximum spin speed (rpm) ⁵	1400	1400	1400	1400
in efficiency class	В	В	В	В
oise level (dB(A) re 1 pW)	71	72	74	74
sise emission class	A	A	В	В
mensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 588 (632)	848 x 598 x 590 (632)	848 x 598 x 550 (600)	848 x 598 x 550 (600)

- ¹ On an energy-efficiency class scale from A to G² Energy consumption in kWh/100 operating cycles (using Eco 40-60 programme) ³ Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴ Duration of Eco 40-60 programme ⁵ The specified value is rounded. **Data valid in this table as of April 2022.** Subject to modification without prior notice.
- For full specification details, please log onto our website and download a full specification sheet.







ТҮРЕ	WASHER	WASHER	WASHER
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 2
MODEL	WAN24109GB	WAN28081GB	WAJ28008GB
KEY FEATURES			
Home Connect	-	-	-
i-DOS detergent dosing system	•	-	•
SpeedPerfect	•	•	•
Reload facility	•	•	•
Stain Removal system	•	· · · · · · · · · · · · · · · · · · ·	•
EcoSilence Drive AntiVibration design	•	•	•
Reduced ironing option	•	•	•
Reduced noise option	•		·
4D Wash system			
Intensive Plus			
Consumption indicator		_	
ADDITIONAL FEATURES			
	041	A11	041-
Time delay Child lock	24 hours	24 hours	24 hours
Drum interior light	•	•	•
Safety	Multiple Water Protection	Multiple Water Protection	Multiple Water Protection
PROGRAMMES / FUNCTIONS	multiple water i rotection	multiple water i rotection	минире малет голесцоп
Eco 40-60	•	<u>. </u>	
Cottons	:	•	•
Super Quick 15/30	:		•
AllergyPlus		· · · · · · · · · · · · · · · · · · ·	
Easy-care	•	•	•
Mixed Load	•	•	•
Wool	•	•	•
Delicates/Silk	•	•	•
Sportswear	•	-	
Dark Wash/EasyCare plus/ Jeans	•	-	●/-/●
Shirts and blouses	•	-	•
Duvet/ Down wear	•	· ·	-
Towels	•	-	•
Curtains	•	-	•
Auto programmme	•	-	•
Memory programme	•	•	
Drum Clean	•	· · · · · · · · · · · · · · · · · · ·	•
Extra Rinse Pre Wash	•		
Pre Wash Rinse/Spin	•	•	•
Rinse/Spin Rinse hold	•	•	•
Soak		• •	·
Variable Temperature/Variable Spin	•	-/•	-/•
PERFORMANCE / TECHNICAL INFORMATION			
Energy efficiency class ¹	â C	A D	A D
Load capacity (kg) Energy ² / Water ³ (kWh / litres)	1-8	1-7	1-7
Programme duration ⁴ (h:mm)	63 / 48 3:29	69 / 45 3:20	69 / 45 3:20
Maximum spin speed (rpm) ⁵	1200	1400	1400
Spin efficiency class	В	B	В
Noise level (dB(A) re 1 pW)	76	75	75
Noise emission class	В	В	В
Dimensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 550 (600)	848 x 598 x 550 (600)	848 x 598 x 546 (584)
Door opening angle	180°	180°	140°

Washer dryers









ТҮРЕ	WASHER DRYER	WASHER DRYER	WASHER DRYER	WASHER DRYER
DESIGN FAMILY	SERIE 8	SERIE 8	SERIE 6	SERIE 4
10DEL	WDU8H549GB	WDU8H541GB	WNA14490GB	WNA134U8GB
EY FEATURES	SILVER INOX	WHITE	WHITE	WHITE
lome Connect	•	•	-	
coSilence Drive	•	•	•	•
peedPerfect	•	•	•	•
leload facility	•	•	•	•
utoDry function	•	•	•	•
elf cleaning condenser	•	•	•	•
ADDITIONAL FEATURES				
ime delay / Time Remaining	•	•	•	•
hild safety lock	• ************************************	• ^	Multiple materials	• AC
Vater protection system	Aquastop	Aquastop	Multiple water protection	AquaSecure
PROGRAMMES				
ron Assist		-	•	•
lygiene	• (via App)	● (via App)	-	
llergyPlus	-	-	•	-
uper Quick 15	-	-	•	•
/ash & Dry 60 mins	•	•	•	•
ottons	•	•	•	•
asy-care programme	•	•	•	•
/ool programme	•	•	•	•
elicates/ Silk	•	•	•	•
portswear	•	•	-	•
lixed Load owels	• (via App.)	• (via App.)	•	•
hirts	(via App)(via App)	(via App)(via App)		
own	• (via App)	• (via App)	-	
atensive Dry	- (va App)	- (varpp)	•	•
entle Dry	-		•	•
ly Time Wash	•	•	-	-
ly Time Dry	-	-	•	•
inse	•	•	•	•
pin/ Drain	•	•	•	•
lemory	-	-	-	-
rum Clean	•	•	-	
leduced noise wash /dry	•	•	-	-
leduced ironing	•	•	•	•
lygieneCare	•	•	-	-
qua Plus/ Rinse Plus	•	•	· ·	•
re wash	•	•	•	•
ariable Temperature/ Spin	•	•	•	•
PERFORMANCE / TECHNICAL INFORMATION				
inergy efficiency class washing and drying ¹	A D	å D	A E	A E
nergy efficiency class washing ²	A A	å A	å C	â C
nergy³ / Water⁴ washing and drying (kWh / litres)	307 / 74	307/74	372/84	313 / 70
ergy ^s / Water ^s washing (kWh / litres)	49 / 50	49/50	64 / 41	63 / 41
nad capacity washing and drying / washing (kg)	1-6/1-10	1-6/1-10	1-6/1-9	1-5/1-8
ogramme duration ⁷ washing and drying / washing (h:mm)	8:00 / 3:55	8:00 / 3:55	7:45 / 3:45	7:30 / 3:32
oin efficiency class	В	В	В	В
pin speed® (rpm)	1400	1400	1400	1400
oise level (dB(A) re 1 pW)	70	70	69	70
oise emission class	Α	Α	Α	Α
mensions of the product (H x W x D) (inc. door porthole) (mm)	848 x 598 x 616 (654)	848 x 598 x 616 (654)	848 x 598 x 590 (636)	848 x 598 x 590 (649)
oor opening angle	125°	125°	165°	165°

³ Water consumption in litres/operating cycle (using Eco 40-60 programme) ⁴ Duration of Eco 40-60 programme) ⁵ The specified value is rounded. **Data valid in this table as of April 2022.** Subject to modification without prior notice.

^{• =} Yes - = No
1.2 On an energy-efficiency class scale from A to G ³ Energy consumption in kWh/100 complete operating cycles (using Eco 40-60 programme)

⁴ Water consumption in litres/complete operating cycle (using Eco 40-60 programme) ⁵ Energy consumption in kWh/100 wash cycles (using Eco 40-60 programme) ⁶ Water consumption in litres/wash cycle (using Eco 40-60 programme) ⁷ Duration of Eco 40-60 programme, complete operating cycle / wash cycle

⁸ The specified value is rounded. **Data valid in this table as of April 2022.** Subject to modification without prior notice.

Tumble dryers

Tumble dryer functions explained.

(Check model for available functions)

SmartDry

With Bosch SmartDry enabled by Home Connect, detailed information from the last wash cycle is sent from the connected washing machine to the dryer. The dryer will then select the most suitable programme/settings and precisely adjust the expected



AutoDry

With AutoDry sensor technology you can ensure gentle and precise drying results. AutoDry automatically knows when your load is perfectly dry by constantly measuring the humidity, protecting your clothes against overheating.



Time Delay

Have your laundry ready when you need it. Just delay the start of your programme with one simple button.



AntiVibration Design

A spiral design on the side of the washing machine that increases stability and reduces vibration. This makes for a quieter machine with improved sound dampening



Iron Assist

Bosch heat pump dryers with Iron Assist reduce or even eliminate the need to iron. A fine mist is created inside the drum which permeates the gently warmed contents and visibly smooths laundry.



SelfCleaning Condenser

The SelfCleaning Condenser cleverly uses condensation water to automatically clean itself up to four times per drying cycle. This ensures maximum efficiency for the entire working life of the machine - so you'll never have to worry about the condenser again.



AutoClean

With AutoClean technology, the lint and fluff will automatically be flushed and safely stored after every cycle, giving you peace of mind and efficient running. The machine will remind you to empty it after 20 cycles. No need to empty the door filter after every cycle, as with a regular machine.



EasyClean

The EasyClean condenser filter is simple to access and only needs cleaning after every 20 cycles*

*Door filter still requires cleaning after every cycle.



Heat pump dryers dry economically.

Unlike conventional dryers, our **Heat Pump Dryers** don't use energy intensive heating elements to heat the air. Instead, we use a heat pump. This innovative component conserves and reuses the hot air which provides most of the energy needed for the drying process.

Short on space? Have you considered a stacking kit?

Please refer to compatibility list on page 91



Model shown: WTX88RH9GB

Serie 8

WTX88EH9GB


Home Connect: home appliances with smart connectivity for an easier everyday life.







For full specification details, please log onto our website and download a full specification sheet



The programme Cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. Annual consumption is based on 160 drying

Data valid in this table as of April 2022. Subject to modification without prior notice



Tumble dryers









ТҮРЕ	DRYER	DRYER	DRYER	DRYER
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6	SERIE 6
MODEL	WQG245R9GB	WQG245S9GB	WQG24509GB	WQG233D8GB
KEY FEATURES	GRAPHITE	SILVER INOX		
Heat Pump	•	•	•	•
Home Connect	•	•	-	-
SmartDry	•	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	-
Iron Assist	•	· · · · · · · · · · · · · · · · · · ·	<u>-</u>	· ·
AutoClean	•	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
SelfCleaning Condenser	•	•	•	•
EasyClean filter	-	-	-	•
ADDITIONAL FEATURES				
AutoDry	•	•	•	•
Time delay / Time Remaining	•	•	•	•
Drum interior light	•	•	•	•
Nater container full / blocked filter warning indicator	•	•	•	•
Child lock	•	•	•	
PROGRAMMES/FUNCTIONS				
Cottons	•	•	•	•
lygiene Plus	•	•	•	•
asy-care	•	•	•	-
Voollen Finish	•	•	•	•
uperQuick 40	•	•	•	•
Fimed programmes	•	•	•	•
Mixed Load	•	•	•	•
portswear	•	•	•	•
owels	•	•	•	•
Delicates	•	•	•	•
Oown Wear	•	•	•	•
Shirts and blouses	•	•	•	•
illergyPlus	-	-	-	-
Vool / Trainer basket	-	-	-	-
Memory / My Favourite	-	-	-	-
hirts 15	-	-	-	-
ind of cycle indicator	•	•	•	•
ow Heat option	•	•	•	•
Crease Guard	•	•	•	•
PERFORMANCE / TECHNICAL INFORMATION				
nergy efficiency class	A++	A++	A++	A+++
apacity cotton (kg)	9	9	9	8
nergy consumption annual (kWh/annum)	258	258	258	176
ondensation efficiency class	В	В	В	A
ondensation efficiency for standard cotton programme on full and partial load	86%	86%	86%	91%
mbient temperature range	5-35°C	5-35°C	5-35°C	5-35℃
oise level (dB(A) re 1pW)	64	64	64	64
imensions of the product (inc. door) (cm)	842 x 598 x 613 (648)	842 x 598 x 613 (648)	842 x 598 x 613 (648)	842 x 598 x 613 (648)
loor opening angle	180°	180°	180°	180°
oor hinge position	Right-hand	Right-hand	Right-hand	Right-hand
lumbing out possible?	Yes	Yes	Yes	Yes
Praining kit included?	Yes	Yes	Yes	Yes



• = Yes -= No
The programme cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. This is the most efficient programme in terms of energy consumption for cotton.

Annual consumption is based on 160 drying cycles. Data valid in this table as of April 2022. Subject to modification without prior notice.

For full specification details, please log onto our website and download a full specification sheet. 5 Year Warranty Promotion dates 01.04.21 - 31.03.22. T&C's apply. Online registration required. Selected models only.











ТҮРЕ	DRYER	DRYER	DRYER	DRYER	DRYER
DESIGN FAMILY	SERIE 6	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	WTG86402GB	WTH85222GB	WTN85201GB	WTH84000GB	WTN83201GB
KEY FEATURES					
Heat Pump	-	•	-	•	-
Home Connect			-		-
SmartDry			-		-
ron Assist	-	-	-	-	-
utoClean	-	-	-	-	
SelfCleaning Condenser	-	-	-	-	-
asyClean filter	•	•			-
ADDITIONAL FEATURES					
utoDry				•	
ime delay / Time Remaining	•	•	•	•	
rum interior light	•		•		•
/ater container full / blocked filter warning indicator	•	•	•		
child lock	•	•	•		•
PROGRAMMES/FUNCTIONS					
ottons	•	•	•	•	•
lygiene Plus	-	-		-	
asy-care				•	
/oollen Finish	•	•	•		
uperQuick 40	•			•	•
med programmes	•	•	•	•	
ixed Load	•	•			
portswear	•	•	•	•	
owels		•		•	
elicates		•	_	•	
own Wear	•		•		
hirts and blouses	•	•	•	•	
llergyPlus		•		•	
	•		•		•
/ool / Trainer basket					
lemory / My Favourite hirts 15	•		•		
	•	•	•	•	•
nd of cycle indicator ow Heat option	•	•	•	•	•
rease Guard			•	•	•
PERFORMANCE / TECHNICAL INFORMATION	•	•		•	
nergy efficiency class	В	A++	В	A+	В
apacity cotton (kg)	8	8	7	8	8
nergy consumption annual (kWh/annum)	561	236	499	270	560
ondensation efficiency class	В	В	В	В	В
ondensation efficiency for standard cotton programme on full and partial load	88%	81%	88%	81%	88%
nbient temperature range	5-35℃	5-35°C	5-35°C	5-35℃	5-35°C
pise level (dB(A) re 1pW)	65	65	65	65	65
imensions of the product (inc. door) (cm)	842 x 598 x 599 (652)	842 x 598 x 599 (652)	842 x 598 x 613 (665)	842 x 598 x 613 (651)	842 x 598 x 599 (652)
oor opening angle	175°	170°	175°	170°	175°
oor hinge position	Right-hand	Right-hand	Right-hand	Right-hand	Right-hand
lumbing out possible?	Yes	Yes	Yes	Yes	Yes
raining kit included?	Yes	Yes	Yes	Yes	Yes

• = Yes -= No

The programme cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. This is the most efficient programme in terms of energy consumption for cotton.

Annual consumption is based on 160 drying cycles. Data valid in this table as of April 2022. Subject to modification without prior notice.

Ø PerfectDry

The dish dryer among dishwashers. A clever function that dries everything to perfection. And we do mean everything -

plates, pans, glasses and all plastic items.

The technology behind **PerfectDry** unique

to Bosch, is called **Zeolith**®. It is a process

come into contact with water. Clever Zeolith® beads transform humidity into warm air that

applied to every cycle that uses naturally occurring minerals, that heat up when they

Everything will be completely clean and perfectly dry, so you'll never have to pick up a

tea towel to finish the job again.

Introducing the Bosch dishwasher range.

Our freestanding dishwashers offer a range of advanced technologies and additional options across the range to suit your individual requirements.

To help you choose the right Bosch dishwasher, we have divided them into the four ranges below.







THE STREET AND STREET

Model shown: SMS6ZDW48G



So when you need a wash with brilliant drying results, it's time to choose Bosch.

Serie 8

Our Serie 8 range combines cutting-edge design and advanced technology, including Home Connect. The PerfectDry function absorbs moisture before releasing it as hot air for energy-efficient drying. Exceptionally quiet, offering additional storage and flexible loading solutions with Max Flex Pro baskets. our Serie 8 dishwasher is a perfect solution for busy households.

Serie 6

Our Serie 6 range comes packed with technology, from energy and water saving modes to quick washes for when time is at a premium. They also feature our clever PerfectDry technology and handy features such as Max Flex baskets, Extra Space 3rd Basket, Extra Clean Zone and **EfficientDry**

Serie 4

Our Serie 4 models offer great value for money but do not compromise on Bosch build quality. They combine excellent washing results and multiple programmes for different loads. In addition Serie 4 models offer Max Flex baskets with foldable racks in the lower basket.

Serie 2

Our Serie 2 dishwashers offer you the classic design with easy operation. They are the optimal solution for anyone who wants a reliable appliance with good value for money.



speeds up the drying process. The warm air is then distributed evenly over the load.

Want your dishes extra dry? No problem. This function gives you even more drying power when you need it. Just choose the ExtraDry option and more heat will be created to extend your load's drying cycle.

EfficientDry

Automatically opens your dishwasher door, offering better drying results compared to a closed door (after 30 minutes). Select this feature via the Home Connect app, available on all programmes except pre-rinse and machine care.



A dishwasher for every kitchen.

Serie 8 and Serie 6 freestanding dishwashers have Home Connect for the ultimate level of control via voice, wearable and device, making it easier to adjust settings to suit your needs, from water hardness to time delay.







Compact

Different types of control.

Serie 8




TFT Display with top edge touch control

Serie 6



top edge button control





LED Display with with touch control

Serie 4



LED Display with button control

Serie 2





LED Display with toggle control


Bosch dishwasher programmes.					
PROGRAMME NAME	ITEMS SUITABLE FOR PROGRAMME	TYPE OF SOILING	ADDITIONAL OPERATIONAL OPTIONS		
Economy 50°C	Mixed utensils & cutlery	Part dried, common household food remnants	All		
Intensive 70°C	Pots, pans, non-sensitive utensils & cutlery	Very stubborn burned or dried-on food remains containing starch or protein	All		
Auto 45-65°C	Mixed utensils & cutlery	Part dried, common household food remnants	All		
Glass 40°C	Sensitive utensils, cutlery, temperature-sensitive plastic & glass	Lightly adhering, fresh food remains	IntensiveZone, SpeedPerfect+, Half load, ExtraDry		
Silence 50°C	Mixed utensils & cutlery	Part dried, common household food remnants	IntensiveZone, Half load, Hygiene+, ExtraDry		
Pre-rinse*	All types of dishes	Cold rinsing, intermediate cleaning	None		
Express 45°C*	Sensitive utensils, cutlery, temperature-sensitive plastic & glass	Lightly adhering, fresh food remains	ExtraDry		
Express 65°C	Mixed utensils & cutlery	Part dried, common household food remnants	ExtraDry		
Express 60°C	Mixed utensils & cutlery	Part dried, common household food remnants	All		
Machine Care	Run when empty	Thoroughly cleans your machine - use in combination with a standard machine care detergent	None		
Favourite	Available in Serie 8, 6 and 4	Allows you to assign programme and option combinations to the Favourite programme via the control panel or on selected models through the Home Connect App	Pre-set favourite programme is pre-rinse		

Where every pot has its place.

Choose the right basket flexibility options for your dishwashing needs.













Max Flex Pro.

Stainless steel fascias. Colour touch points as standard. Top rack flexible areas: 6 Bottom basket flexible areas: 8


Max Flex.

Brand coloured plastic fascias. Options with and without colour touch points. Top rack flexible areas: 2 Bottom basket flexible areas: 6

Flex.

Grey plastic fascias. Top rack flexible areas: 2 Bottom basket flexible areas: 2





New top basket providing more loading space for small kitchen items. With sliding elements and a removable knife inlay, the Extra Space 3rd basket offers more space than ever.



ExtraClean Zone.

Extra thorough cleaning for heavily soiled items in the upper basket. This intensive zone doesn't need higher temperatures, it uses 3 jets to clean those stubborn items. So no more pre-soaking before going into the dishwasher!



Glassware support with smooth gliding baskets.

New anti-slip elements and stemware support within the upper basket will give extra protection to all glassware. Baskets will glide effortlessly along the internal brackets, thanks to our new pull out systems.

*Programme does not include drying in the cycle

60CM DISHWASHER

SERIE 8

SMS8YCI03E

Dishwashers functions explained

(Check model for available functions)



ExtraDry

Want your dishes extra dry? No problem. This function gives you even more drying power when you need it. Just choose the ExtraDry option and more heat will be created to extend your load's drying cycle.



PerfectDry

PerfectDry uses Zeolith® technology that's applied to every cycle which uses minerals that heat up when they come in contact with water. This clever function dries everything to perfection from plates and pans to all plastic items.



EfficientDry

EfficientDry automatically opens your dishwasher door, offering better drying results compared to a closed door (after 30 minutes). Select this feature via the Home Connect app, available on all programmes except pre-rinse and machine care.



SpeedPerfect+

Our SpeedPerfect+ option reduces programme times without compromising on quality. So you still get hygienically clean and dry dishes but the duration of the cycle* could be reduced by up to half the time - ideal for busy households and entertaining. *Except: Prewash, Express 45° and Express 65° programme.



Place Settings

A selection of our dishwashers will hold up to 14 place settings in one load - perfect for larger households.



Self-cleaning filters

Self-cleaning filter system, with spray arms designed to direct water at the filters on every rotation.

Please note, self-cleaning filters are designed to keep filters clear during the washing cycle. Regular filter cleaning and maintenance is still recommended.



DosageAssist

Get the most out of your detergent with DosageAssist; a small area at the front of the top basket that catches the tablet when it's released during the cycle. It controls how the tablet is dissolved for optimum performance.



Our 45cm models feature a twin spray arm in the top basket to ensure perfect water coverage every time.



ActiveWater

Save water with every load and only use the right amount of water needed for each load.

Home Connect features



Home Connect

To stay at their best, different dishes and glassware need to be washed in different ways. With the Bosch Home Connect app, simply tell your dishwasher what's in the load and it'll work out the perfect programme.

Silence On Demand

Up to 30 min noise reduction at any time via the Home Connect App.

Have your load ready even quicker at any time via the Home Connect App.

Intelligent Programme

Our new intelligent programme adapts itself for your maximum satisfaction. After 3 cycles, you will be prompted to leave your feedback on the cleanliness, drying or length of the programme, or you can do so manually after every cycle.

Programme Assistant

Programme Assistant helps you to customise your dishwasher cycle to achieve optimal results according to your specific needs.

Machine care.

Your dishwasher will help look after itself with this smart function. Optimising the water and energy consumption, it works on a short run time of 80-90 minutes at high temperatures. It eliminates lime and grease deposits inside the dishwasher and works with a standard machine-care detergent. On selected Serie 8 and Serie 6 models, it will even remind you to run the programme every 30 cycles.

Whisper quiet washing.

Bosch dishwashers are amongst the quietest in the world. With the revolutionary **EcoSilence Drive**™ there are dishwashers in the range which operate as low as 40 decibels, when the Silence programme is selected.

10 year anti-rust warranty.

Our appliances are made from top quality materials and in addition to our standard appliance warranty, we provide a free of charge warranty against rusting-through of the dishwasher's inner cavity.

60cm dishwashers

Serie 8

SMS8YCI03E



amazon alexa

Use your voice to start your dishwasher or even find out how long before your dishes are ready.



Tablet top-up

Smart reordering of dishwasher tablets can be used via the Amazon Alexa app. To use smart reorder via the Alexa app, start by enabling the Home Connect dishwasher skill.

Automatic replenishment and being reminded via mail is already supported, voice support will follow soon.







Home Connect is a service offered by Home Connect GmbH For more information on Home Connect please visit www.bosch-home.co.uk

Colour	Silver Inox
DESIGN FEATURES	
Drying system	PefectDry Zeolith / EfficientDry
Home Connect WiFi connectivity	•
Control panel type	Top edge touch control
Basket description	MaxFlex Pro
VarioDrawer / Extra Space 3rd Basket (3rd loading level)	VarioDrawer
Extra Clean Zone	•
Glass care technology	•
Anti-slip protection and stemware support upper basket	•
Adjustable upper basket	3-stage Rackmatic™
Number of flip tines in upper / lower basket	6/8
Cup shelves upper / lower baskets	2/2
Cutlery holder lower basket	-
Largest loadable dish upper / lower basket (cm)	21/31
Load / Aqua sensor	•
Real-time clock	•
Start delay time max hours	24
Time remaining indicator	•
Emotion light (interior lighting)	•
End of cycle indicator	Acoustic
Salt / Rinse aid light indicator	•
Self cleaning filter system	•
Flood protection system	AquaStop 24h
Safety features	Door latch
PROGRAMMES / FUNCTIONS	
List of programmes	Intelligent 40°C, Eco 50°C, Auto 45-65°C, Intensive 70 Express 60°C, Glass 40°C, Silence 50°C, Favourite, Machine Care
Additional special options	Remote Start, Extra Dry, Intensive Zone, Hygiene+, SpeedPerfect+
TECHNICAL SPECIFICATIONS	
Reference programme for measurements	Eco 50°C
Energy efficiency class ¹	å B
Energy ² / water ⁸ (kWh / litres)	65/9.5
Load capacity (place settings)	14
Programme duration ⁴ (h:min)	3:55
Noise level (dB(A) re 1 pW)	43
Noise efficiency class	В
Noise level (silence programme) (dB(A) re 1 pW)	41
Maximum height adjustability feet (cm)	2
Depth with open door 90 degree (cm)	115.5
Length of electrical supply cord (cm)	175
Length inlet / outlet hose (cm)	165/190
Height of the product with removable top (cm)	84.5
Height of the product with removable top (cm) Height of the product without removable top (cm)	84.5
Width / Depth of the product (cm)	60/60
Net weight / Gross weight (kg)	56/59
Water softeners	•
Maximum accepted water hardness (°DH)	50
Maximum temperature for water intake (°C)	60
Interior cavity	Stainless steel
*	

DESIGN FAMILY

Included accessories

⁴Duration of Eco programme

¹On an energy-efficiency class scale from A to G

² Energy consumption in kWh/100 operating cycles (using Eco programme

softener in the appliance is turned off. Please contact product advice for further information

Data valid in this table as of April 2022. Subject to modification without prior notice

Water consumption in litres/operating cycle (using Eco program

We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected

to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water

Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to ¾" screwed joint.

60cm dishwashers



DISHWASHER TYPE		60CM DIS	HWASHERS		
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6	SERIE 6	SERIE 6
MODEL	SMS6TCI00E	SMS6ZDW48G	SMS6EDI02G	SMS6EDW02G	SMS6ZCI00G
Colour	Silver Inox	White	Silver Inox	White	Silver Inox
DESIGN FEATURES					
Drying system	PerfectDry Zeolith / EfficientDry	PerfectDry Zeolith	Heat exchanger / EfficientDry	Heat exchanger / EfficientDry	PerfectDry Zeolith
Home Connect WiFi connectivity	•	•	•	•	•
Control panel type	Front touch control + LED	Front touch control + LED	Top edge button control + LED	Top edge button control + LED	Front button control + LED
Basket description	Flex	Max Flex	Max Flex	Max Flex	Flex
VarioDrawer / Extra Space 3rd Basket (3rd loading level)	VarioDrawer	Extra Space 3rd Basket	Extra Space 3rd Basket	Extra Space 3rd Basket	VarioDrawer
Extra Clean Zone	-	•	•	•	-
Glass care technology	•	•	•	•	•
Anti-slip protection and stemware support upper basket	•	•	•	•	-
Adjustable upper basket	3-stage Rackmatic™	2-stage Rackmatic™	2-stage Rackmatic™	2-stage Rackmatic™	3-stage Rackmatic™
Number of flip tines in upper / lower basket	2/2	2/6	2/6	2/6	2/2
Cup shelves upper / lower baskets	2/2	2/2	2/2	2/2	2/2
Cutlery holder lower basket	-	•	•	•	-
Largest loadable dish upper / lower basket (cm)	21/31	21 / 27.5	21 / 27.5	21 / 27.5	21/31
Load / Aqua sensor	•	•	•	•	•
Real-time clock	-		-	-	-
Start delay time max hours	24	24	24	24	24
Time remaining indicator	•	•	•	•	•
Emotion light (interior lighting)	-	-	-	-	-
End of cycle indicator	-	-	Acoustic	Acoustic	-
Salt / Rinse aid light indicator	•	•	•	•	•
Self cleaning filter system	•	•	•	•	•
Flood protection system	AquaStop 24h	AquaStop 24h	Internal	Internal	Internal
Safety features	Control panel lock, door latch	Control panel lock, door latch	Door latch	Door latch	Control panel lock, door latch
PROGRAMMES / FUNCTIONS					
		Eco 50 °C, Auto 45-65 °C,			
List of programmes	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 60 °C, Silence 50 °C, Favourite, Machine Care	Intensive 70 °C, Express 60 °C, Express 45 °C, Glass 40 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 60 °C, Silence 50 °C, Favourite, Machine Care
Additional special options	Remote Start, Extra Dry, Half Load, SpeedPerfect+	Remote Start, Extra Dry, Intensive Zone, SpeedPerfect+	Remote Start, EfficientDry, Half Load, SpeedPerfect+	Remote Start, EfficientDry, Half Load, SpeedPerfect+	Remote Start, Extra Dry, Half Load, SpeedPerfect+
TECHNICAL SPECIFICATIONS					
Reference programme for measurements	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C
Energy efficiency class ¹	Å A	å C	å C	A C	A C
Energy ² / water ³ (kWh / litres)	54/9.5	74/9.5	74/9.5	74/9.5	75/9.5
Load capacity (place settings)	14	13	13	13	14
Programme duration ⁴ (h:min)	4:55	3:55	4:35	4:35	3:55
Noise level (dB(A) re 1 pW)	44	42	46	46	44
Noise efficiency class	В	В	С	С	В
Noise level (silence programme) (dB(A) re 1 pW)	42	40	43	43	42
Maximum height adjustability feet (cm)	2	2	2	2	2
Depth with open door 90 degree (cm)	115.5	115.5	115.5	115.5	115.5
Length of electrical supply cord (cm)	175	175	175	175	175
Length inlet / outlet hose (cm)	165 / 190	165 / 190	150 / 190	165 / 190	165 / 190
Height of the product with removable top (cm)	84.5	84.5	84.5	84.5	84.5
Height of the product without removable top (cm)	81.5	81.5	81.5	81.5	81.5
Width / Depth of the product (cm)	60 / 60	60 / 60	60 / 60	60 / 60	60 / 60
Net weight / Gross weight (kg)	52/54	55 / 58	54 / 56	54/56	54/57
Water softener ⁵	•	•	•	•	•
Maximum accepted water hardness (°DH)	50	50	50	50	50
Maximum temperature for water intake (°C)	60	60	60	60	60
Interior cavity	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Included accessories		Large item spray head	Large item spray head	Large item spray head	Large item spray head
● = Yes -= No			5 year warranty - Promotion dates 01	.04.22 - 31.03.23. T&C's apply. Online re	egistration required. Selected models only



We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to %" screwed joint. Data valid in this table as of April 2022. Subject to modification without prior notice.





DISHWASHER TYPE	60CM DISHWASHERS				
DESIGN FAMILY	SERIE 6	SERIE 4	SERIE 4	SERIE 4	SERIE 2
MODEL	SMS6ZCW00G	SMS4HCI40G	SMS4HCW40G	SMS4HAW40G	SMS2HKI66G
Colour	White	Silver Inox	White	White	Silver Inox
DESIGN FEATURES					
Drying system	PerfectDry Zeolith	Heat exchanger	Heat exchanger	Heat exchanger	Heat exchanger
Home Connect WiFi connectivity	•	•	•	•	•
Control panel type	Front button control + LED	Front toggle control + LED			
Basket description	Flex	Flex	Flex	Flex	Vario
VarioDrawer / Extra Space 3rd Basket (3rd loading level)	VarioDrawer	VarioDrawer	VarioDrawer	-	-
Extra Clean Zone	-	-	-	-	•
Glass care technology	•	•	•	•	•
Anti-slip protection and stemware support upper basket	-	-	-	-	-
Adjustable upper basket	3-stage Rackmatic™	3-stage Rackmatic™	3-stage Rackmatic™	3-stage Rackmatic™	Adjustable when empty
Number of flip tines in upper / lower basket	2/2	2/2	2/2	2/2	-/2
Cup shelves upper / lower baskets	2/2	2/2	2/2	2/-	-
Cutlery holder lower basket				•	•
Largest loadable dish upper / lower basket (cm)	21/31	21/31	21/31	27 / 31	27 / 31
Load / Aqua sensor	•	•	•	•	•
Real-time clock	į				
Start delay time max hours	24	24	24	24	24
Time remaining indicator	•	•	•	•	•
Emotion light (interior lighting)	·			•	
End of cycle indicator					
Salt / Rinse aid light indicator	_				
	•	•	•	•	•
Self cleaning filter system	•	•	•	•	•
Flood protection system	Internal	Internal	Internal	Internal	Internal
Safety features	Control panel lock, door latch	Door latch			
PROGRAMMES / FUNCTIONS					
List of programmes	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 60 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite, Machine Care	Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Silence 50°C, Machine Care
Additional special options	Remote Start, Extra Dry, Half Load, SpeedPerfect+	Extra Dry, Half Load, SpeedPerfect+, Remote Start	Extra Dry, Half Load, SpeedPerfect+, Remote Start	Extra Dry, Half Load, SpeedPerfect+, Remote Start	Extra Dry, Half Load, SpeedPerfect+, Remote Start
TECHNICAL SPECIFICATIONS					
Reference programme for measurements	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C
	Î C		A D	â D	D
Energy efficiency class ¹	6 C	â D	6 D	G D	<u>6</u>
Energy ² / water ³ (kWh / litres)	75/9.5	85 / 9.5	85 / 9.5	84/9.5	82 / 9.5
Load capacity (place settings)	14	14	14	13	12
Programme duration ⁴ (h:min)	3:55	4:55	4:55	4:55	4:55
Noise level (dB(A) re 1 pW)	44	46	46	46	48
Noise efficiency class	В	С	С	С	С
Noise level (silence programme) (dB(A) re 1 pW)	42	44	44	44	46
Maximum height adjustability feet (cm)	2	2	2	2	2
Depth with open door 90 degree (cm)	115.5	115.5	115.5	115.5	115.5
Length of electrical supply cord (cm)	175	175	175	175	175
Length inlet / outlet hose (cm)	165 / 190	165/190	165/190	165 / 190	150/190
Height of the product with removable top (cm)	84.5	84.5	84.5	84.5	84.5
Height of the product without removable top (cm)	81.5	81.5	81.5	81.5	81.5
Width / Depth of the product (cm)	60 / 60	60/60	60/60	60 / 60	60/60
Net weight / Gross weight (kg)	54/57	35/38	50/53	48/50	47 / 48
Water softener ⁵	•	•	•	•	•
Maximum accepted water hardness (°DH)	50	50	50	50	50
Maximum temperature for water intake (°C)	60	60	60	60	60
Interior cavity	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Interior carrey	Julii ii Coo oleel	Julii ii Coo oleei	Juliiless steel	Juliiless steel	Otaliliess steel

Included accessories

¹On an energy-efficiency class scale from A to G ² Energy consumption in kWh/100 operating cycles (using Eco programme)

³Water consumption in litres/operating cycle (using Eco programme)

⁴Duration of Eco programme

 $^{^{\}rm 1}\!$ On an energy-efficiency class scale from A to G

² Energy consumption in kWh/100 operating cycles (using Eco programme)

³Water consumption in litres/operating cycle (using Eco programme)

⁴Duration of Eco programme

We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to %" screwed joint. Data valid in this table as of April 2022. Subject to modification without prior notice.

60cm dishwashers



	DISHWASHER TYPE						
	DESIGN FAMILY	SERIE 2	SERIE 2	SERIE 2	SERIE 2	SERIE 2	
Design Septim	MODEL	SMS2HKW66G	SMS2HVI66G	SMS2HVW66G	SMS2ITI41G	SMS2ITW41G	
Post of process Post of pr	Colour	White	Stainless Steel	White	Stainless Steel	White	
Prost butter control (100 conclusity)	DESIGN FEATURES						
Part	Drying system	Heat exchanger	Heat exchanger	Heat exchanger	Inherent heat	Inherent heat	
Name	Home Connect WiFi connectivity	•	•	•	•	•	
Name Peace Peace	Control panel type	Front button control + LED	Front button control + LED	Front button control + LED	Top button control + LED	Front button control + LED	
Part Cannow		Vario			Vario	Vario	
Pass a case shorthoring			VarioDrawer		•	•	
March and protection and elementary support support basels			-				
Migratifies between remarky Migratifies between remarks Migr		-	•	•	•		
Number of District support Describations			3-stage Rackmatic™	3-stage Rackmatic™	Δdiustable when emnty		
Company Comp							
Large to Cauchide de dan poper Josep basher (cm) Programmer Pr		•	•	•	•	•	
Pacification color		27/31	21/31	21/31	27/31		
Start design from tank hours	Load / Aqua sensor	•	•	•	•	•	
Emerging indicator Emotion light (interior lighting)	Real-time clock			-		-	
Function signst (inserter lighting) Function signst (inserter lighting) Function signst (inserter lighting) Function signst (inserter) Function signs (inserter)	Start delay time max hours	24	24	24	24	24	
Exect of programmes Control panel lock, door latch Control p	Time remaining indicator	•	•	•	•	•	
Self Cleaning (files typitem Self Cleaning (files typitem Self Cleaning (files typitem Self Cleaning (files typitem Internal Intern	Emotion light (interior lighting)		-	-		-	
Production system Production system Internal Intern	End of cycle indicator	•	•	· · · · · · · · · · · · · · · · · · ·	•	-	
Internal	-	•	•	•	•	•	
Control panel lock, door latch Control panel lock, lock C		•		•			
PROGRAMMES / FUNCTIONS							
Ext of programmes	Safety features	Control panel lock, door latch	Control panel lock, door latch	Control panel lock, door latch	Control panel lock, door latch	Control panel lock, door latch	
Intensive 70°C, Express 65°C, Silence 50°C, Machine Care Extra Dry, Half Load, SpeedPerfect Extra Dry, Half Load, Spee	PROGRAMMES / FUNCTIONS						
Part Companies Companies	List of programmes	Intensive 70 °C, Express 65 °C,	Intensive 70°C, Express 65°C,	Intensive 70°C, Express 65°C,	Intensive 70°C, Express 65°C,	Intensive 70°C, Express 65°C,	
Reference programme for measurements	Additional special options	Extra Dry, Half Load, SpeedPerfect+	Extra Dry, Half Load, SpeedPerfect+	Extra Dry, Half Load, SpeedPerfect+			
Energye [†] / (vater (kMh / litres) 82 / 9.5 94 / 9.5 94 / 9.5 92 / 10.5 92 / 10.5 Load capacity (place settings) 12 13 13 12 12 Programme duration' (himin) 4.55 3.45 3.45 4.30 4.30 Noise level (dB(A) re 1 pW) 48 48 48 48 48 48 48 Noise effection (pc c	TECHNICAL SPECIFICATIONS						
Energy Mater (kWh / litres) 82 / 9.5 94 / 9.5 94 / 9.5 94 / 9.5 92 / 10.5 92 / 10.5	Reference programme for measurements	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C	Eco 50°C	
Rengy3 / water3 (kWh / litres)							
12 13 13 12 12 13 13 12 12	Energy ² / water ³ (kWh / litres)						
Programme duration* (h.min) 4:55 3:45 3:45 4:30 4:30 Noise level (dB(A) re 1 pW) 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48 48<							
Noise efficiency class C C C C C C C C C C C C C C C C C C		4:55	3:45	3:45	4:30	4:30	
Noise level (silence programme) (dB(A) re 1 pW) A66 A6 A6 A6 A6 A6 A6 A6 A6	Noise level (dB(A) re 1 pW)	48	48	48	48	48	
Maximum height adjustability feet (cm) 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Noise efficiency class	C	C	С	C	С	
Depth with open door 90 degree (cm) 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 115.5 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 175 185 185 185 84.5 84.5 84.5 84.5 84.5 84.5 84.5 84.5 84.5 84.5 84.5 84.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 <t< td=""><td>Noise level (silence programme) (dB(A) re 1 pW)</td><td>46</td><td>46</td><td>46</td><td></td><td>-</td></t<>	Noise level (silence programme) (dB(A) re 1 pW)	46	46	46		-	
Length of electrical supply cord (cm) 175 175 175 175 175 Length inlet / outlet hose (cm) 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190 165/190	Maximum height adjustability feet (cm)	2	2	2	2	2	
Length inlet / outlet hose (cm) 165/190 165/190 165/190 165/190 165/190 Height of the product with removable top (cm) 84.5 84.5 84.5 84.5 84.5 84.5 Height of the product without removable top (cm) 81.5 81.5 81.5 81.5 81.5 Width / Depth of the product (cm) 60/60 60/60 60/60 60/60 60/60 60/60 60/60 60/60 60/60 60/60 60/60 60/60 60/60 60/60 60/60 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47 45/47	Depth with open door 90 degree (cm)	115.5	115.5	115.5	115.5	115.5	
Height of the product with removable top (cm) 84.5 84.5 84.5 84.5 84.5 84.5 84.5 84.							
Height of the product without removable top (cm) 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.5 81.							
Width / Depth of the product (cm) 60 / 60 60 / 60 60 / 60 60 / 60 60 / 60 Net weight / Gross weight (kg) 46 / 47 51 / 52 51 / 52 45 / 46 45 / 47 Water softener* • • • • • • Maximum accepted water hardness ("DH) 50 50 50 50 50 Maximum temperature for water intake ("C) 60 60 60 60 60 60 Interior cavity Stainless steel Stainless steel / Polinox base							
Net weight / Gross weight (kg) 46/47 51/52 51/52 45/46 45/47 Water softener* • • • • • • Maximum accepted water hardness ("DH) 50 50 50 50 50 Maximum temperature for water intake ("C) 60 60 60 60 60 60 Interior cavity Stainless steel Stainless steel / Polinox base							
Water softeners • • • • • • • • • • • • • • • • • • •							
Maximum accepted water hardness (*OH) 50 50 50 50 50 Maximum temperature for water intake (*C) 60 60 60 60 60 Interior cavity Stainless steel Stainless steel / Polinox base							
Maximum temperature for water intake (°C) 60 60 60 60 60 Interior cavity Stainless steel Stainless steel / Polinox base Stainless steel / Polinox base Stainless steel / Polinox base							
Interior cavity Stainless steel Stainless steel / Polinox base							

¹On an energy-efficiency class scale from A to G

² Energy consumption in kWh/100 operating cycles (using Eco programme)

³Water consumption in litres/operating cycle (using Eco programme) ⁴Duration of Eco programme

We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to %" screwed joint.

Data valid in this table as of April 2022. Subject to modification without prior notice.

Explore more at **bosch-home.co.uk / bosch-home.ie**

45cm & compact dishwashers





DISHWASHER TYPE	45CM DISHWASHER	COMPACT DISHWASHER	
DESIGN FAMILY	SERIE 2	SERIE 4	
MODEL	SPS2IKW04G	SKS62E32EU	
Colour	White	White	
DESIGN FEATURES			
Drying system	Inherent heat	Inherent heat	
Home Connect WiFi connectivity	•	-	
Control panel type	Front button control + LED	Front dial control + LED	
Basket description	-	Vario	
VarioDrawer / Extra Space 3rd Basket (3rd loading level)		-	
Extra Clean Zone			
Glass care technology		-	
Anti-slip protection and stemware support upper basket	•	_	
Adjustable upper basket	Adjustable when empty		
Number of flip tines in upper / lower basket	Aujustable when empty		
Cup shelves upper / lower baskets			
		-/2	
Cutlery holder lower basket	27 / 21	28	
Largest loadable dish upper / lower basket (cm)	27 / 31		
Load / Aqua sensor	•	•	
Real-time clock	•		
Start delay time max hours	9	24	
Time remaining indicator	•	•	
Emotion light (interior lighting)	•	•	
End of cycle indicator	•	•	
Salt / Rinse aid light indicator	•	•	
Self cleaning filter system	•	•	
Flood protection system	Internal	AquaStop 24hr	
Safety features	Door latch	Door latch	
PROGRAMMES / FUNCTIONS			
List of programmes	Eco 50°C, Auto 45-65°C, Intensive 70°C, Express 65°C, Machine Care	Eco 50°C, Auto 45-65°C, Intensive 70°C, Quick 45°C, Glass 40°C, Pre-Rinse	
Additional special options	Intensive 70°C, Express 65°C, Machine Care	Quick 45°C, Glass 40°C, Pre-Rinse	
Additional special options TECHNICAL SPECIFICATIONS	Intensive 70°C, Express 65°C, Machine Care	Quick 45°C, Glass 40°C, Pre-Rinse	
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements	Intensive 70°C, Express 65°C, Machine Care Extra Dry, SpeedPerfect, Remote Start Eco 50°C	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C	
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class ¹	Intensive 70°C, Express 65°C, Machine Care Extra Dry, SpeedPerfect, Remote Start Eco 50°C	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C	
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class¹ Energy² / water³ (kWh / litres)	Intensive 70°C, Express 65°C, Machine Care Extra Dry, SpeedPerfect, Remote Start Eco 50°C R 78 / 9.5	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C B 61/8	
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class ¹ Energy ² / water ³ (kWh / litres) Load capacity (place settings)	Intensive 70°C, Express 65°C, Machine Care Extra Dry, SpeedPerfect, Remote Start Eco 50°C 78 / 9.5 9	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61 / 8 6	
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class ¹ Energy ² / water ² (kWh / litres) Load capacity (place settings) Programme duration ⁴ (h:min)	Intensive 70°C, Express 65°C, Machine Care Extra Dry, SpeedPerfect, Remote Start Eco 50°C 78 / 9.5 9 3:35	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61/8 6 3:55	
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class¹ Energy² / water² (kWh / litres) Load capacity (place settings) Programme duration⁴ (h:nin) Noise level (dB(A) re 1 pW)	Intensive 70°C, Express 65°C, Machine Care Extra Dry, SpeedPerfect, Remote Start Eco 50°C 78 / 9.5 9 3:35 48	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61/8 6 3:55 49	
Additional special options IECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class ¹ Energy ² / water ² (kWh / litres) and capacity (place settings) Programme duration ⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class	Intensive 70°C, Express 65°C, Machine Care Extra Dry, SpeedPerfect, Remote Start Eco 50°C 78 / 9.5 9 3:35	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61/8 6 3:55	
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Georgy efficiency class¹ Georgy² / water² (kWh / litres) God capacity (place settings) Programme duration⁴ (h:min) Roise level (dB(A) re 1 pW) Roise efficiency class Roise level (silence programme) (dB(A) re 1 pW)	Intensive 70°C, Express 65°C, Machine Care Extra Dry, SpeedPerfect, Remote Start Eco 50°C C F 78/9.5 9 3.35 48 C .	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61/8 6 3:55 49	
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class¹ Energy² / water³ (kWh / litres) .oad capacity (place settings) Programme duration⁴ (h:min) Noise level (dB(A) re 1 pW) Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm)	Intensive 70°C, Express 65°C, Machine Care Extra Dry, SpeedPerfect, Remote Start Eco 50°C C F 78/9.5 9 3.35 48 C - 2	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 6	
Additional special options TECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class¹ Energy² / water³ (kWh / litres) Load capacity (place settings) Programme duration* (h.min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm)	Intensive 70°C, Express 65°C, Machine Care Extra Dry, SpeedPerfect, Remote Start Eco 50°C 78/9.5 9 3.35 48 C - 2 115.5	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61 / 8 6 3:55 49 C	
Additional special options FECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class ¹ Energy ² / water ² (kWh / litres) Load capacity (place settings) Programme duration ¹ (h:min) Noise level (dB(A) re 1 pW) Noise level (dB(A) re 1 pW) Noise devel (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm)	Intensive 70°C, Express 65°C, Machine Care Extra Dry, SpeedPerfect, Remote Start Eco 50°C (a) 78 / 9.5 9 3.35 48 C - 2 115.5 175	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 6	
Additional special options IECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class ¹ Energy addicinency class ¹ Energy addicinency class ¹ Energy addicinency class (India) Frogramme duration (In-min) Noise level (dB(A) re 1 pW) Noise elevel (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) ength of electrical supply cord (cm) ength inlet / outlet hose (cm)	Intensive 70°C, Express 65°C, Machine Care Extra Dry, SpeedPerfect, Remote Start Eco 50°C 78 / 9.5 9 3:35 48 C - 2 115.5 175 165 / 205	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61/8 6 3:55 49 C	
Additional special options IECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class¹ Energy² / water² (kWh / litres) Load capacity (place settings) Programme duration⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm)	Extra Dry, SpeedPerfect, Remote Start Extra Dry, SpeedPerfect, Remote Start Eco 50°C A F 78/9.5 9 3.335 48 C - 2 115.5 175 165/205 84.5	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 6	
Additional special options IECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class¹ Energy² / wate¹ (kWh / litres) .oad capacity (place settings) Programme duration⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) .ength of electrical supply cord (cm) .ength inlet / outlet hose (cm) leight of the product with removable top (cm) -leight of the product without removable top (cm)	Extra Dry, SpeedPerfect, Remote Start Extra Dry, SpeedPerfect, Remote Start Eco 50°C G F 78/9.5 9 3:35 48 C - 2 115.5 175 165/205 84.5 81.5	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61/8 6 3.55 49 C 84.5 175 165/215 45.0 Top not removable	
Additional special options IECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class¹ Energy² / water¹ (kWh / litres) Load capacity (place settings) Programme duration⁴ (h:min) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length of the product with removable top (cm) Height of the product without removable top (cm) Midth / Depth of the product (cm)	Extra Dry, SpeedPerfect, Remote Start Extra Dry, SpeedPerfect, Remote Start Eco 50°C Fig. F 78/9.5 9 3.35 48 C - 2 115.5 175 165/205 84.5 81.5 45/60	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C B B 61/8 6 3:55 49 C	
Additional special options FECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class* Concept (March / March /	Extra Dry, SpeedPerfect, Remote Start Extra Dry, SpeedPerfect, Remote Start Eco 50°C F 78/9.5 9 3.35 48 C - 2 115.5 175 165/205 84.5 81.5 45/60 44/46	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C G	
Additional special options IECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class ¹ Energy ² / water ³ (kWh / litres) Add capacity (place settings) Programme duration ⁴ (h:min) Noise level (dB(A) re 1 pW) Noise level (dB(A) re 1 pW) Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Pepth with open door 90 degree (cm) Length of electrical supply cord (cm) Length of the product with removable top (cm) Height of the product without removable top (cm) Height of the product without removable top (cm) Net weight / Gross weight (kg) Nater softener ⁶	Extra Dry, SpeedPerfect, Remote Start Eco 50°C 78/9.5 9 3.35 48 C C - 2 115.5 175 165/205 84.5 81.5 45/60 44/46	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61 / 8 6 3:55 49 C 84.5 175 165 / 215 45.0 Top not removable 55 / 50 22 / 24	
Additional special options IECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class ⁴ Energy efficiency class ⁴ Energy (Jace settings) Programme duration ⁴ (h:min) Noise level (dB(A) re 1 pW) Noise level (dB(A) re 1 pW) Noise efficiency class Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Depth with open door 90 degree (cm) Length of electrical supply cord (cm) Length inlet / outlet hose (cm) Height of the product with removable top (cm) Width / Depth of the product (cm) Let weight / Gross weight (kg) Nater softeners Maximum accepted water hardness ("DH)	Extra Dry, SpeedPerfect, Remote Start Eco 50°C Extra Dry, SpeedPerfect, Remote Start Eco 50°C A F F F F F F F F F F F F F F F F F F	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 6	
Additional special options IECHNICAL SPECIFICATIONS Reference programme for measurements Energy efficiency class ¹ Energy ² / water ³ (kWh / litres) Add capacity (place settings) Programme duration ⁴ (h:min) Noise level (dB(A) re 1 pW) Noise level (dB(A) re 1 pW) Noise level (silence programme) (dB(A) re 1 pW) Maximum height adjustability feet (cm) Pepth with open door 90 degree (cm) Length of electrical supply cord (cm) Length of the product with removable top (cm) Height of the product without removable top (cm) Height of the product without removable top (cm) Net weight / Gross weight (kg) Nater softener ⁶	Extra Dry, SpeedPerfect, Remote Start Eco 50°C 78/9.5 9 3.35 48 C C - 2 115.5 175 165/205 84.5 81.5 45/60 44/46	Quick 45°C, Glass 40°C, Pre-Rinse Extra Dry, SpeedPerfect Eco 50°C 61 / 8 6 3:55 49 C 84.5 175 165 / 215 45.0 Top not removable 55 / 50 22 / 24	

 $^{\rm 1}\!$ On an energy-efficiency class scale from A to G

² Energy consumption in kWh/100 operating cycles (using Eco programme)

⁴Duration of Eco programme

We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to %" screwed joint. Data valid in this table as of April 2022. Subject to modification without prior notice.


Introducing the Bosch refrigeration range.



Selecting the right fridge freezer for you.

Height, width and fridge freezer split.

Our fridge freezer options are tailored to suit every family household's needs, so you can choose your appliance to ensure this. For those who shop little and often, try a smaller capacity fridge and freezer which doesn't impact on space. If you have a busy household and do a full weekly shop, a spacious 70/30 fridge freezer would be ideal.



Refrigeration functions explained.

(Check model for available functions)



Home Connect

The Home Connect Storage Guide helps you organise your fridge and optimise your food items by showing you their ideal storage temperature and section in the fridge. Simply search through the Storage Guide on your mobile device via the Home Connect app. Store your food the right way.



NoFrost

Never defrost again, thanks to perfect protection from ice formation - that saves time and effort.



owFrost

Defrost less often thanks to lower ice formation – saves work and energy.



BigBox

An extra-deep frozen food drawer for the practical stacking of frozen foods, containers or large frozen items like gateaux or pizzas.



MultiBox

Transparent drawer with wave bottom, ideal for the storage of fruits and vegetables.



Safety Glass

Strong glass shelves ensure heavier items can be stored



SuperCool

Activating the SuperCooling function before you go shopping lowers the temperature for a short period, so your fresh shopping is kept at the right temperature.



SuperFreeze

The SuperFreeze function temporarily lowers the temperature in the freezer for when you have new shopping to load in, protecting both new and existing food.



MultiAirflow

The fan-assisted MultiAirflow System causes gentle, even currents of cold air to emerge at all levels of the chilling and freezing area. Temperature fluctuations are minimised and cooling times reduced.



EasyAccess Shelf

The shatterproof, frameless glass shelves are particularly easy to use, thanks to the smooth pull-out mechanism. And they also give you a clear view of your food at any time.



Finger Print Free

Your appliance will stay finger print free and looking clean and fresh.

American style / multi door fridge freezers

Sleek, stunning design, a best-in-class freshness system, and innovative features are designed to keep your food fresh for longer.



XXL Fridge freezers. Keep more, waste less.

The Bosch XXL Fridge Freezers

are extra-large, providing much more space for your food. Across the range of 70cm-wide and 86cmwide, models include a **BigBox** freezer drawer, for the practical stacking of frozen food containers or large frozen items.



The XXL fridge freezers have impressive refrigeration features such as full flexibility of all safety glass shelves which are particularly easy to use, thanks to the smooth pull-out mechanism. The VitaFresh function ensures food is kept fresh for longer thanks to extra low temperatures for fish and meat, and adjustable humidity for fruit and vegetables.





Controlling your appliance.

Across the range of cooling appliances, there are different ways you can control the temperature inside your fridge and freezer. Below are the different variations:



Exterior LCD, digital control (touch control)



Exterior touch control (digital control)



Interior LED button control



Interior LED button (freezer only)

Whichever model you choose, you'll find lots of reasons to love your Bosch fridge freezer.

EasyAccess Shelf.

The shatterproof, frameless glass shelves are particularly easy to use, thanks to the smooth pull-out mechanism. And they also give you a clear view of your food at any time.

Easy to Clean Magnetic Door Seals

The magnetic door seals on all of our refrigeration ranges are **removable**, making them easy to clean and/or replace when necessary.



Model shown: KGN392WDFG & D



No Frost Fridge freezers



ТҮРЕ	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 4	SERIE 4	SERIE 4
MODEL	KGB86AIFP	KGN86AIDP	KGN864IFA	KGN56XLEA	KGN49XLEA
Colour	Stainless steel look	Stainless steel look	Stainless steel look	Stainless steel look	Stainless steel look
DESIGN FEATURES					
Fridge / Freezer split	70/30	70/30	70/30	70/30	70/30
Frost-free system	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Colour of side panels	Chrome inox metallic	Chrome inox metallic	Chrome inox metallic	Chrome inox metallic	Chrome inox metallic
Door handle type	Horizontal & Vertical bar	Vertical	Integrated	Integrated Vertical	Integrated Vertical
Temperature display	Exterior / Digital LCD	Exterior / Digital LCD	Interior / Digital LCD	Exterior / Digital LED	Exterior / Digital LED
Reversible door, hinged on right	•	•	•	•	•
Latest Condenser Technology	•	•	•	•	•
Home Connect / Built in cameras	• / -	• / -	-		-
FOOD FRESHNESS SYSTEM					
Food preservation container	2 x VitaFresh 0°C drawers, 2 x VitaFresh vegetable drawers	2 x VitaFresh 0°C drawers, 2 x VitaFresh vegetable drawers	2 x VitaFresh 0°C drawers, 2 x VitaFresh vegetable drawers	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer
KEY FEATURES - FRIDGE SECTION					
LED light	•	•	•	•	•
SuperCool function	•	•	•	•	•
Bottle rack	•	•	•	•	-
Number of glass safety shelves	3	3	3	4	5
Number of adjustable shelves	2	2	2	3	4
Number of door bins large / small	1/5	1/5	1/4	1/3	1/3
Dairy compartment	2	2	-	-	-
Number of egg racks	3	3	3	3	3
KEY FEATURES - FREEZER SECTION					
Number of freezer drawers including BigBox / EasyAccess	Pull out drawers	2	2	2	3
SuperFreeze function	•	•	•	•	•
Number of ice packs / ice cube trays	2/2	2/2	2/2	2/1	-/1
FUNCTIONS					
Door open warning signal / malfunction	•	•		•	•
Holiday / Sabbath mode	•	•	•/-	-	
PERFORMANCE AND CONSUMPTION					
Energy efficiency class	A F	â D	A F	A E	A E
Annual energy consumption ¹ (kWh)	384	546	384	262	259
Total unit net capacity (litres)	631	631	631	508	438
Refrigerator net capacity including 0°C drawers (litres)	479	479	479	400	330
Freezer net capacity (litres)	152	152	152	108	108
Climate Class ²	SN-T	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	42	40	42	42	40
Noise Emission Class	D	C	D	D	C
Dimensions of the product (H x W x D) (cm)	186 x 86 x 81	186 x 86 x 81	186 x 86 x 81	193 x 70 x 80	203 x 70 x 67
EAN code	4242005159956	4242005159956	4242005159956	4242005159956	4242005162963



¹Actual energy consumption will depend on how the appliance is used and where it is located. ²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.



ТҮРЕ	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 4	SERIE 6	SERIE 6	SERIE 6	SERIE 4
MODEL	KGN49XWEA	KGN39HIEP	KGN39AIBT	KGN39AWCTG	KGN39VICT
Colour	White	Stainless steel, easy clean	Stainless steel, easy clean	White	Stainless steel, easy clean
DESIGN FEATURES					
Fridge / Freezer split	70/30	70/30	60 / 40	60/40	60 / 40
Frost-free system	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Colour of side panels	White	Chrome inox metallic	Chrome inox metallic	White	Chrome inox metallic
Door handle type	Integrated Vertical	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar
Temperature display	Exterior / Digital LED	Exterior / Digital LCD	Exterior / Digital LED	Exterior / Digital LED	Interior / Digital LED
Reversible door, hinged on right	•	-	•	•	•
Home Connect / Built in cameras	-	•		-	-
FOOD FRESHNESS SYSTEM					
Food preservation container	2 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	1 x VitaFresh Plus 0°C drawer, 1 x VitaFresh Plus vegetable drawer	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer
KEY FEATURES – FRIDGE SECTION					
LED light	•	•	•	•	•
SuperCool function	•	•	•	•	•
Bottle rack	•	•	•	•	•
Number of glass safety shelves	5	5	5	5	4
Number of adjustable shelves	4	3	3	3	2
Number of door bins large / small	1/3	1/2	1/4	1/4	1/4
Dairy compartment	-, -	•			-, -
Number of egg racks	3	3	3	3	3
KEY FEATURES - FREEZER SECTION					
Number of freezer drawers including BigBox / EasyAccess	3	3	3	3	3
SuperFreeze function	•	•	•	•	•
Number of ice packs / ice cube trays	-/1	2/1	-/1	-/1	-/1
FUNCTIONS	,-		7-	, , , , , , , , , , , , , , , , , , , ,	7-
	•			•	•
Door open warning signal / malfunction Holiday / Sabbath mode		:	•	•	•
PERFORMANCE AND CONSUMPTION					
				A	
Energy efficiency class	A E	A E	A B	A C	Å C
Annual energy consumption ¹ (kWh)	259	238	129	162	162
Total unit net capacity (litres)	438	368	368	368	326
Refrigerator net capacity including 0°C drawers (litres)	330	279	279	279	237
Freezer net capacity (litres)	108	89	89	89	89
Climate Class ²	SN-T	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	40	39	33	35	35
Noise Emission Class	С	С	В	В	В
Dimensions of the product (H x W x D) (cm)	203 x 70 x 67	204 x 60 x 66	203 x 60 x 66	203 x 60 x 66	203 x 60 x 66
EAN code	4242005209934	4242005171729	4242005253326	4242005281626	4242005274123

 $5\ year\ warranty \cdot Promotion\ dates\ 01.04.22-31.03.23.\ T\&C's\ apply.\ Online\ registration\ required.\ Selected\ models\ only.$

For full specification details, please log onto our website and download a full specification sheet.

No Frost Fridge freezers



ТҮРЕ	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	KGN392IDFG	KGN397LDFG	KGN392LDFG	KGN39VWDTG
Door colour	Stainless steel, easy clean	lnox look	lnox look	White
DESIGN FEATURES				
Fridge / Freezer split	70/30	70 / 30	70/30	70/30
Frost-free system	NoFrost	NoFrost	NoFrost	NoFrost
Door handle type	Integrated Vertical	Integrated Vertical	Integrated Vertical	Vertical bar handle
Temperature display	Interior / Digital LED	Exterior / Digital LED	Interior / Digital LED	Interior / Digital LED
Reversible door, hinged on right	•	•	•	•
Latest Condenser Technology	-	_	-	-
Home Connect / Built in cameras			_	
FOOD FRESHNESS SYSTEM				
Food preservation container	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer
KEY FEATURES – FRIDGE SECTION				
LED light	•	•	•	
			·	•
SuperCool function	•	•	•	•
Bottle rack	•	•	•	•
Number of glass safety shelves	5	5	5	5
Number of adjustable shelves	3	3	3	3
Number of door bins large / small	1/4	1/4	1/4	1/4
Dairy compartment	•	· •	· •	-
Number of egg racks	3	3	3	3
KEY FEATURES - FREEZER SECTION				
Number of freezer drawers including BigBox / EasyAccess	3	3	3	3
SuperFreeze function	•	•	•	•
Number of ice packs / ice cube trays	-/1	-/1	-/1	-/1
FUNCTIONS				
Door open warning signal / malfunction				
Holiday / Sabbath mode	·	· ·	·	· · · · · ·
PERFORMANCE AND CONSUMPTION				
Energy efficiency class	D	Î D	A D	A D
Annual energy consumption ¹ (kWh)	203	203	203	203
Total unit net capacity (litres)	363	363	363	363
Refrigerator net capacity (intes)	280	280	280	280
Freezer net capacity (litres)	119	119	119	119
Climate Class ²	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	35	35	35	35
Noise Emission Class	В	В	В	В
Dimensions of the product (H x W x D) (cm)	203 x 60 x 66			
EAN code	4242005281602	4242005307326	4242005284320	4242005343515



 $5\,year\,warranty - Promotion\,dates\,01.04.21 - 31.03.22.\,T\&C's\,apply.\,Online\,registration\,required.\,Selected\,models\,only.\,For\,full\,specification\,details,\,please\,log\,onto\,our\,website\,and\,download\,a\,full\,specification\,sheet.$



ТҮРЕ	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	KGN392WDFG	KGN367ICTG	KGN36VICT	KGN362IDFG
Colour	White	Inox, easy clean	Stainless steel, easy clean	Stainless steel, easy clean
DESIGN FEATURES				
Fridge / Freezer split	70/30	70/30	70/30	70/30
Frost-free system	NoFrost	NoFrost	NoFrost	NoFrost
Colour of side panels	White	Chrome inox metallic	Chrome inox metallic	Chrome inox metallic
Door handle type	Integrated Vertical	Vertical bar handle	Vertical bar handle	Integrated Vertical
Temperature display	Interior / Digital LED	Exterior / Digital LED	Interior / Digital LED	Interior / Digital LED
Reversible door, hinged on right	•	•	•	•
Latest Condenser Technology				
Home Connect / Built in cameras	-/-	-/-	-/-	-/-
FOOD FRESHNESS SYSTEM				
Food preservation container	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawers, 1 x VitaFresh vegetable drawer
KEY FEATURES – FRIDGE SECTION				
LED light	•	•	•	•
SuperCool function		•	•	•
Bottle rack	•	•	•	•
Number of glass safety shelves	5	2	4	4
Number of adjustable shelves	3		2	2
Number of door bins large / small	1/4	3	1/3	1/3
Dairy compartment		· .	-,-	-7-
Number of egg racks	3	3	3	3
KEY FEATURES - FREEZER SECTION				
Number of freezer drawers including BigBox / EasyAccess	3	3	3	3
SuperFreeze function	•	•	•	•
Number of ice packs / ice cube trays	-/•	-/•	-/•	-/•
FUNCTIONS				
Door open warning signal / malfunction	•		•	
Holiday				
PERFORMANCE AND CONSUMPTION				
	A D	A C	A C	A D
Energy efficiency class	<u>6</u>	Ġ G	Ġ G	<u>d</u>
Annual energy consumption ¹ (kWh)	203	-	159	199
Total unit net capacity (litres)	363	321	321	321
Refrigerator net capacity including 0°C drawers (litres)	280	218	218	171
Freezer net capacity (litres)	119	103	103	86
Climate Class ²	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	35	35	35	35
Noise Emission Class	D	С	В	В
Dimensions of the product (H x W x D) (cm)	203 x 60 x 66	186 x 60 x 66	186 x 60 x 66	186 x 60 x 66
EAN code	4242005281633	4242005281619	4242005281541	4242005281596

For full specification details, please log onto our website and download a full specification sheet.

No Frost Fridge freezers



ТҮРЕ	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 2	SERIE 2
MODEL	KGN367LDF	KGN362LDFG	KGN36VWDTG	KGN362WDFG	KGN36NWEAG	KGN34NLEAG
Colour	Inox look	Stainless steel, easy clean	White	White	White	Stainless steel look
DESIGN FEATURES						
Fridge / Freezer split	70/30	70 / 30	70 / 30	70/30	60 / 40	50/50
Frost-free system	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Door handle type	Integrated Vertical	Integrated Vertical	Vertical bar handle	Integrated Vertical	Integrated Horizontal	Integrated Horizontal
Temperature display	Interior / Digital LED	Interior / Electronic LED	Interior / Electronic LED			
Reversible door, hinged on right	•	•	•	•	•	•
Latest Condenser Technology					•	•
Home Connect / Built in cameras	-	-	-	-		-
FOOD FRESHNESS SYSTEM						
Food preservation container	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer	1 x MultiBox vegetable drawer	1 x MultiBox vegetable drawer
KEY FEATURES – FRIDGE SECTION						
LED light	•	•	•	•	•	•
SuperCool function	•	•	•	•	-	
Bottle rack	•	•	•	•		
Number of glass safety shelves	4	4	4	4	4	4
Number of adjustable shelves	2	2	2	2	3	2
Number of door bins large / small	1/3	1/3	1/3	1/3	1/3	1/2
Dairy compartment	-	-		-	-	-
Number of egg racks	3	3	3	3	3	3
KEY FEATURES – FREEZER SECTION						
Number of freezer drawers including BigBox / EasyAccess	3	3	3	3	3	3
SuperFreeze function	•	•	•	•	•	•
Number of ice packs / ice cube trays	2/1	-/1	-/1	-/1	-/-	-/1
FUNCTIONS						
Door open warning signal / malfunction	•	•	•	•	•	•
Holiday	•	-	-	-	-	-
PERFORMANCE AND CONSUMPTION						
Energy efficiency class	A D	D	D	A D	A E	A E
Annual energy consumption ¹ (kWh)	199	199	199	199	244	244
Total unit net capacity (litres)	321	321	321	321	300	300
Refrigerator net capacity including 0°C drawers (litres)	218	218	218	218	193	193
Refrigerator 0°C net capacity (litres)	103	103	103	103	107	107
Freezer net capacity (litres)	103	103	103	103	107	107
Climate Class ²	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	35	35	35	35	42	42
Noise Emission Class	D	D	D	D	D	D
Dimensions of the product (H x W x D) (cm)	186 x 60 x 66	186 x 60 x 66	186 x 60 x 66			
EAN code	4242005281510	4242005281589	4242005343539	4242005281640	4242005196685	4242005183326
	-	-	-	-	4242005196302	



Actual energy consumption will depend on how the appliance is used and where it is located. ² Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C. For full specification details, please log onto our website and download a full specification sheet.



ТҮРЕ	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER	FRIDGE FREEZER
DESIGN FAMILY	SERIE 2	SERIE 2	SERIE 2	SERIE 2	SERIE 2	SERIE 2
MODEL	KGN34NWEAG	KGN33NLEAG	KGN33NWEAG	KGN27NBFAG	KGN27NLFAG	KGN27NWFAG
Colour	White	Stainless steel look	White	Black	Stainless steel look	White
DESIGN FEATURES						
Fridge / Freezer split	50 / 50	50/50	50/50	50/50	50/50	50 / 50
Frost-free system	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Colour of side panels	White	Chrome inox metallic	White	Black	Chrome inox metallic	White
Door handle type	Integrated Horizontal	Integrated Horizontal	Integrated Horizontal	Integrated Vertical	Integrated Vertical	Integrated Vertical
Temperature display	Interior / Electronic LED	-	-			
Reversible door, hinged on right	•	•	•	•		
Latest Condenser Technology	•	•	•	-	•	•
Home Connect / Built in cameras	-	-	-	-	-	-
FOOD FRESHNESS SYSTEM						
Food preservation container	1 x MultiBox vegetable drawer	1 x MultiBox vegetable drawer	1 x MultiBox vegetable drawer	1 x MultiBox 0°C drawer, 1 x VitaFresh vegetable drawer	1 x vegetable drawer	1 x vegetable drawer
KEY FEATURES – FRIDGE SECTION						
LED light	•	•	•	•	•	•
SuperCool function	-	-	-	-	-	
Bottle rack						
Number of glass safety shelves	4	3	3	4	2	2
Number of adjustable shelves	2	2	2	0		-
Number of door bins large / small	1/2	1/2	1/2	1/3	1/2	1/2
Dairy compartment	-1/2	-1/2	-1/2	- 1/0	- 1/2	-1/2
Number of egg racks	3	3	3	3	3	3
KEY FEATURES – FREEZER SECTION						
Number of freezer drawers including BigBox / EasyAccess	3	3	3	4	4	4
SuperFreeze function		•		· · · · · · · · · · · · · · · · · · ·		
Number of ice packs / ice cube trays	-/1			-/1	-	
FUNCTIONS						
Door open warning signal / malfunction	•	•	•			
Holiday				-	-	-
PERFORMANCE AND CONSUMPTION						
Energy efficiency class	A E	A E	A E	A F	A F	₹ F
Annual energy consumption ¹ (kWh)	244	237	237	287		287
Total unit net capacity (litres)	297	282	282	255	256	256
Refrigerator net capacity including 0°C drawers (litres)	192	193	193	171	171	171
Refrigerator O°C net capacity (litres)	105	89	89	84	86	86
Freezer net capacity (litres)	105	89	89	86	86	86
Climate Class ²	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
ulmate class* Noise level (dB(A) re 1 pW)	5N-1 42	5N-1 42	5N-1 42	5N-1 41	5N-1 41	5N-1 41
	42 D	42 D	42 D	41 C	41 D	41 D
Noise Emission Class	186 x 60 x 66	176 x 60 x 66	176 x 60 x 66			
		1 / 6 v 6(1 v 66	1 / h x h() x hh	182 x 55 x 56	183 x 55 x 56	183 x 55 x 56
Dimensions of the product (H x W x D) (cm) EAN code	4242005196722	4242005196500	4242005196524	4242005341580	4242005159956	4242005159956

• = yes -= no

¹Actual energy consumption will depend on how the appliance is used and where it is located. ² Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

For full specification details, please log onto our website and download a full specification sheet.

Low Frost Fridge freezers



	THIDGETHEEZEN	THIDGE TREEZER	THIDGETHEEZEN	T HIDGE T HEEZEN	THIDGETHEEZEN
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 4	SERIE 4	SERIE 6
MODEL	KGE49AICAG	KGE49AWCAG	KGV39VLEAG	KGV39VWEAG	KGE36AWCA
Colour	Stainless steel easy clean	White	Stainless steel look	White	White
DESIGN FEATURES					
Fridge / Freezer split	70/30	70/30	70/30	70/30	60/40
Frost-free system	LowFrost	LowFrost	LowFrost	LowFrost	LowFrost
Colour of side panels	Chrome inox metallic	White	Chrome inox metallic	White	White
Door handle type	Integrated Vertical	Integrated Vertical	Integrated Vertical	Integrated Vertical	Integrated Vertical
Temperature display	Interior / Digital LED	Interior / Digital LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Digital LED
Reversible door, hinged on right	•	•	•	•	•
Latest Condenser Technology		-	-	-	-
Home Connect / Built in cameras					-
FOOD FRESHNESS SYSTEM					
Food preservation container	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer	1 x VitaFresh 0°C drawer, 1 x VitaFresh vegetable drawer
KEY FEATURES - FRIDGE SECTION					
LED light	•	•	•	•	•
SuperCool function	•	•	-	-	•
Bottle rack	•	•	•	•	•
Number of glass safety shelves	5	5	5	5	4
Number of adjustable shelves	2	2	2		2
Number of door bins large / small	1/3	1/3	1/3	1/3	1/2
Dairy compartment	-	-	-	-	-
Number of egg racks	3	3	3	3	3
KEY FEATURES - FREEZER SECTION					
Number of freezer drawers including BigBox / EasyAccess	3	3	3	3	3
SuperFreeze function	•	•	•	•	•
Number of ice packs / ice cube trays	2/-	2/-	-	-	2/-
FUNCTIONS					
Door open warning signal / malfunction	•	•	-		•
Holiday / Sabbath mode	• / -	•/-	-	-	•/-
PERFORMANCE AND CONSUMPTION					
Energy efficiency class	A C	C	A E	A E	A C
Annual energy consumption ¹ (kWh)	163	163	238	238	149
Total unit net capacity (litres)	419	419	368	368	308
Refrigerator net capacity including 0°C drawers (litres)	302	302	279	279	214
Refrigerator 0°C net capacity (litres)	28	28			0
Freezer net capacity (litres)	117	117	89	89	94
Climate Class ²	SN-T	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	38	38	39	39	38
Noise Emission Class	C	C	C	C	C
Dimensions of the product (H x W x D) (cm)	201 x 70 x 65	201 x 70 x 65	201 x 60 x 65	201 x 60 x 65	186 x 60 x 65



¹Actual energy consumption will depend on how the appliance is used and where it is located. 2 Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C. For full specification details, please log onto our website and download a full specification sheet.

4242005197620

4242005197712

4242005196302



DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	KGV36VLEAG	KGV36VWEAG	KGV33VLEAG	KGV336WEAG
Colour	Stainless steel look	White	Stainless steel look	White
DESIGN FEATURES				
Fridge / Freezer split	60 / 40	60 / 40	50/50	50 / 50
Frost-free system	LowFrost	LowFrost	LowFrost	LowFrost
Colour of side panels	Chrome inox metallic	Chrome inox metallic	Chrome inox metallic	White
Door handle type	Integrated Vertical	Integrated Vertical	Integrated Vertical	Integrated Vertical
Temperature display	Interior / Electronic LED			
Reversible door, hinged on right	•	•	•	•
Latest Condenser Technology	-	-	-	-
Home Connect / Built in cameras	-		· -	-
FOOD FRESHNESS SYSTEM				
Food preservation container	1 x VitaFresh vegetable drawer			
KEY FEATURES – FRIDGE SECTION				
LED light	•	•	•	•
SuperCool function		-	-	-
Bottle rack	•	•	•	•
Number of glass safety shelves	4	4	4	4
Number of adjustable shelves	2	2	2	2
Number of door bins large / small	1/2	1/2	1/2	1/1
Dairy compartment	-	-	-	•
Number of egg racks	3	3	3	3
KEY FEATURES - FREEZER SECTION				
Number of freezer drawers including BigBox / EasyAccess	3	3	3	3
SuperFreeze function	•	•	•	•
Number of ice packs / ice cube trays		-	-	-
FUNCTIONS				
Door open warning signal / malfunction		-		
Holiday / Sabbath mode	-	-	-	
PERFORMANCE AND CONSUMPTION				
Energy efficiency class	A E	Î E	₹ E	A E
Annual energy consumption ¹ (kWh)	238	233	228	228
Total unit net capacity (litres)	326	308	289	289
Refrigerator net capacity including 0°C drawers (litres)	237	214	195	195
Refrigerator 0°C net capacity (litres)	-	-		-
Freezer net capacity (litres)	89	94	94	94
Climate Class ²	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	39	39	39	39
Noise Emission Class	С	С	С	С
Dimensions of the product (H x W x D) (cm)	186 x 60 x 65	186 x 60 x 65	176 x 60 x 65	176 x 60 x 65
EAN code	4242005197408	4242005197408	4242005237159	4242005197330

¹Actual energy consumption will depend on how the appliance is used and where it is located. ² Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C. For full specification details, please log onto our website and download a full specification sheet.

Selecting the right fridge or freezer for you

Joining strips

If you choose to have a freestanding single door fridge and single door freezer installed into your kitchen, you may want to consider using joining strips to go between the two appliances.


This allows a more seamless finish to your kitchen, as the gap between the appliances will be covered.

We have two available options, including stainless steel or white. Simply select the joining strip to suit your appliance colour.



Side by side

Single door fridges and freezers are designed to sit side-by-side to give you the double door effect. With hinges that can be fitted to either side of the appliances, you can choose which side you would like your fridge and freezer. Of course, if you want your appliances separate, this is possible as well. Choose from a variety of heights to suit your kitchen.



Fridges



TYPE	FRIDGE	FRIDGE	FRIDGE	FRIDGE
DESIGN FAMILY	SERIE 6	SERIE 4	SERIE 4	SERIE 2
MODEL	KSV36AWEPG	KSV36VLEP	KSV36VWEPG	KSV36NWEPG
Colour	White	Innox look	White	White
DESIGN FEATURES				
Colour of side panels	White	Chrome inox metallic	White	White
Door handle type	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar
Temperature display	Interior / Digital LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED
Reversible door, hinged on left	•	•	•	•
Latest Condenser Technology	•	•	•	•
Home Connect / Built in cameras	-	-		
FOOD FRESHNESS SYSTEM				
Food preservation container	1 x VitaFresh Plus, 1 x MultiBox vegetable drawer	1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer	1 x MultiBox vegetable drawer
KEY FEATURES – FRIDGE SECTION				
LED light	•	•	•	•
SuperCool function	•	•	•	•
Bottle rack	•	•	•	-
lumber of glass safety shelves	7	7	7	6
lumber of adjustable shelves	4	5	5	5
umber of door bins large / small	2/2	2/2	2/2	2/3
ex Shelf	-	-		
Dairy compartment	•	•	•	-
lumber of egg racks	3	3	3	3
FUNCTIONS				
Ooor open warning signal / malfunction	•			
Holiday / Sabbath mode		-		
PERFORMANCE AND CONSUMPTION				
Energy efficiency class	A E	A E	A E	A-G
Innual energy consumption ¹ (kWh)	116	116	116	116
defrigerator net capacity including 0°C drawers (litres)	346	346	346	346
efrigerator O°C net capacity (litres)	-	-	-	
limate Class²	SN-T	SN-T	SN-T	SN-T
oise level (dB(A) re 1 pW)	39	39	39	39
Noise Emission Class	C	С	C	С
Dimensions of the product (H x W x D) (cm)	186 x 60 x 65	186 x 60 x 65	186 x 60 x 65	186 x 60 x 65
EAN code	4242005216130	4242005202195	4242005208241	4242005202010
Matching Freezer	GSN36AWFPG	GSN36VLFP	GSN36VWFPG	GSN36VWFPG

For full specification details, please log onto our website and download a full specification sheet.

Fridges



ТҮРЕ	FRIDGE	FRIDGE	FRIDGE	FRIDGE
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 2
MODEL	KSV33VLEPG	KSV33VWEPG	KSV29VLEP	KSV29NWEPG
Colour	Innox look	White	Stainless steel look	White
DESIGN FEATURES				
Colour of side panels	Chrome inox metallic	White	Chrome inox metallic	White
Door handle type	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar
Temperature display	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED	Interior / Electronic LED
Reversible door, hinged on left	•	•	•	•
Latest Condenser Technology	•	•	•	•
Home Connect / Built in cameras		-	-	-
FOOD FRESHNESS SYSTEM				
Food preservation container	1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer	1 x VitaFresh vegetable drawer	1 x MultiBox vegetable drawer
KEY FEATURES - FRIDGE SECTION				
LED light	•	•	•	•
SuperCool function	•	•	•	•
Bottle rack	•	•	•	-
Number of glass safety shelves	7	7	6	5
Number of adjustable shelves	5	5	4	4
Number of door bins large / small	2/2	2/2	1/2	1/3
flex Shelf	-	-	-	-
Dairy compartment	-	•	•	-
Number of egg racks	3	3	3	3
FUNCTIONS				
Door open warning signal / malfunction	-		-	
Holiday / Sabbath mode	-	-	-	-
PERFORMANCE AND CONSUMPTION				
Energy efficiency class	A E	A E	A E	A E
Annual energy consumption ¹ (kWh)	113	113	109	109
Refrigerator net capacity including 0°C drawers (litres)	324	324	290	290
Refrigerator 0°C net capacity (litres)	324		-	-
Climate Class ²	SN-T	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	39	39	39	39
Noise Emission Class	C	С	C	С
Dimensions of the product (H x W x D) (cm)	176 x 60 x 65	176 x 60 x 65	161 x 60 x 65	161 x 60 x 65
EAN code	4242005320974	4242005205721	4242005205677	4242005205080
Matching Freezer	GSN33VLEP	GSN33VWEPG	GSN29VLEP	GSN29VWEVG

Freezers



ТҮРЕ	FREEZER	FREEZER	FREEZER	FREEZER	FREEZER	FREEZER
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	GSN36VLFPG	GSN36VWFPG	GSN33VLEPG	GSN33VWEPG	GSN29VLEP	GSN29VWEVG
Colour	Innox look	White	Innox look	White	Stainless steel look	White
DESIGN FEATURES						
Frost-free system	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Colour of side panels	White	White	Chrome inox metallic	White	Chrome inox metallic	White
Door handle type	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar	Vertical Bar
Temperature display	Exterior / Digital LED	Interior / Electronic LED				
Reversible door, hinged on right	•	•	•	•	•	•
Latest Condenser Technology		•	•			
Home Connect / Built in cameras						-
FOOD FRESHNESS SYSTEM						
MultiAirflow system	•	•	•	•	•	•
KEY FEATURES – FREEZER SECTION						
LED light	•	•	•	•	•	•
Number of freezer compartments	7	7	7	7	6	6
Number of freezer drawers including bigBox	5	5	4	4	4	5
Number of freezer flaps / easyAccess shelves	2/-	2/-	-/3	-/3	-/2	1/-
Number of glass safety shelves	6	6	6	6	5	5
SuperFreeze function	•	•	•	•	•	•
Twist Ice Box	•		-			
Number of ice packs / ice cube trays	2/-	2/1	2/1	2/1	1/1	1/1
FUNCTIONS						
Door open warning signal / malfunction	•	•	•	•	•	•
Holiday / Sabbath mode	-	-	-	-	-	-
PERFORMANCE AND CONSUMPTION						
Energy efficiency class	â F	A E	A	A E	A E	A E
Annual energy consumption ¹ (kWh)	294	294	229	229	221	221
Freezer net capacity (litres)	294	242	225	225	200	200
Climate Class ²	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Storage period in event of power failure (hours)	25	25	25	25	25	25
Noise level (dB(A) re 1 pW)	40	39	39	39	39	39
Noise Emission	40 C	C C	C C	C C	C C	C C
Dimensions of the product (H x W x D) (cm)	186 x 60 x 65	186 x 60 x 65	176 x 60 x 65	176 x 60 x 65	161 x 60 x 65	161 x 60 x 65
EAN code	4242005223077	4242005097876	4242005247974	4242005247981	4242005247929	4242005247943
Matching Fridge	-	KSV36VW3PG	KSV33VLEP	KSV33VWEPG	KSV29VLEP	KSV29NWEPG
natoring i nage		NOVOUVIVOI U	NOVOOVLEE	NOVOOVWEI U	NOVZOVELI	NOVZOWYLI U

Undercounter fridges & freezers













ТҮРЕ	UNDERCOUNTER FRIDGE	UNDERCOUNTER FRIDGE FREEZER	UNDERCOUNTER FRIDGE FREEZER
DESIGN FAMILY	SERIE 2	SERIE 2	SERIE 2
MODEL	KTR15NWFAG	KTL15NWFAG	GTV15NWEAG
Colour	White	White	White
DESIGN FEATURES			
Colour of side panels	White	White	White
Door handle type	Integrated Horizontal	Integrated Horizontal	Integrated Horizontal
Temperature display	•	·	-
Reversible door, hinged on right	•	•	•
Latest Condenser Technology	•	-	-
Home Connect / Built in cameras	•	<u>. </u>	-
FOOD FRESHNESS SYSTEM			
Food preservation container	1 x MultiBox vegetable drawer	1 x MultiBox vegetable drawer	÷
KEY FEATURES – FRIDGE SECTION			
LED light	•	•	-
SuperCool function		•	-
Bottle rack		-	-
Number of glass safety shelves	3	2	-
Number of adjustable shelves	1	1	-
Number of door bins large / small	1/2	1/2	•
Dairy compartment		*	•
Number of egg racks	2	2	•
KEY FEATURES - FREEZER SECTION			
Number of freezer compartments		1	3
SuperFreeze function	-	-	-
Number of ice packs / ice cube trays	-	· · · · · · · · · · · · · · · · · · ·	-
FUNCTIONS			
Door open warning signal / malfunction			
Holiday / Sabbath mode	•	·	•
PERFORMANCE AND CONSUMPTION			
Energy efficiency class	A F	F	A E
Annual energy consumption ¹ (kWh)	114	142	164
Total unit net capacity (litres)	136	120	83
Refrigerator net capacity (litres)	136	106	-
Freezer net capacity (litres)		14	83
Climate Class ²	SN-T	SN-T	SN-T
Noise level (dB(A) re 1 pW)	39	39	39
Noise emission	С	D	С
Dimensions of the product (H x W x D) (cm)	85 x 56 x 58	85 x 56 x 58	85 x 56 x 58
EAN code	4242005209125	4242005209095	4242005208968

^{• =} ves - = no

¹Actual energy consumption will depend on how the appliance is used and where it is located. ² Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

For full specification details, please log onto our website and download a full specification sheet

American Style / Multi-Door Fridge Freezers

The best of both worlds

Get the look and feel of a classic American Style but with a full width XXL American Style / Multi Door Fridge Freezers capacity for effortless organisation.



✓ XXL capacity:

A spacious fridge-freezer, that doesn't take up too much space in your kitchen, it gives you the flexibility to organise your food how you like it.

✓ Efficient cooling:

VitaFresh XXL means your fruit & veg, and meat & fish stay fresh for longer.

NoFrost: Never worry about defrosting your fridge-freezer again.

✓ Super storage:

Two NoFrost Big Boxes in each freezer cavity are perfect for stacking frozen food containers or catering for a family gathering.

Refrigeration 58 | 59

Making life easy through innovative technologies

Multi-door fridge freezers



ГҮРЕ	FRENCH	MULTI-DOOR	MULTI-DOOR	
DESIGN FAMILY	SERIE 8	SERIE 6	SERIE 4	
MODEL NUMBER	KFF96PIEP	KFN96APEAG	KFN96VPEAG	
Colour of door panels	Innox, easy clean	Stainless steel, easy clean	Stainless steel, easy clean	
Colour of sides	Innox	Innox	Innox	
Style of handle	Horizontal and vertical bar handle	Horizontal and vertical bar handle	Horizontal and vertical bar handle	
Colour of handle	Stainless steel	Black	Black	
NoFrost in fridge and freezer	•	•	•	
Home Connect, WiFi dongle included	● /-	• /-	•	
FOOD FRESHNESS SYSTEM				
vitaFresh / Fresh Safe / hyperFresh	3 vitaFresh plus drawers with telescopic rails, 1 Chiller drawer	1 vitaFresh plus drawer with telescopic rails, 1 BigBox drawer with telescopic rails, 1 Chiller drawer	BigBox drawer, 1 Chiller drawer	
KEY FEATURES - FRIDGE SECTION				
Product highlights	LED	LED	LED	
Water dispenser	Internal		-	
SuperCool	•	•	•	
Type of control	Electronic	Electronic	Electronic	
Number of shelves	4	4	3	
Number of adjustable shelves	3	3	2	
Shelves for bottles	1			
Number of door bins / shelves	6	5	5	
Temperature display	Digital	Digital	Digital	
Warning signal door open	Visual and audible	Visual and audible	Visual and audible	
KEY FEATURES – FREEZER SECTION				
Door opened indicator	Visual and audible	Visual and audible	Visual and audible	
SuperFreeze function	•	•	•	
Temperature adjustable in freezer	•	•	•	
Number of ice cube trays	Automatic ice cube maker			
ce dispenser features	Internal, Ice cubes		-	
Number of freezer drawers	2	6	6	
ADDITIONAL INFORMATION				
	A E	Î E	Ā E	
Energy efficiency class	li E	IG G	Ġ <u></u>	
	333 kwh/a	333 kwh/a	333 kWh/a	
Energy consumption annual kWh¹				
Energy consumption annual kWh ¹ Total net capacity (litres)	333 kwh/a	333 kwh/a	333 kWh/a	
Energy consumption annual kWh¹ Total net capacity (litres) Refrigerator net capacity (litres)	333 kwh/a 573 402	333 kwh/a 605 405	333 kWh/a 605 405	
Energy consumption annual kWh ¹ lotal net capacity (litres) Refrigerator net capacity (litres) Freezer net capacity (litres)	333 kwh/a 573 402 171	333 kwh/a 605 405 200	333 kWh/a 605 405 200	
Energy consumption annual kWh ¹ fotal net capacity (litres) Refrigerator net capacity (litres) Freezer net capacity (litres) Climate class ²	333 kwh/a 573 402 171 SN-T	333 kwh/a 605 405 200 SN-T	333 kWh/a 605 405 200 SN-T	
Energy consumption annual kWh [±] fotal net capacity (litres) fefrigerator net capacity (litres) Freezer net capacity (litres) Climate class ² Noise level dB(A) re 1 pW	333 kwh/a 573 402 171 SN-T 39 Db	333 kwh/a 605 405 200 SN-T 38 dB	333 kWh/a 605 405 200 SN-T 38 dB	
Energy consumption annual kWh ¹ Total net capacity (litres) Ferigerator net capacity (litres) Freezer net capacity (litres) Climate class ² Noise level dB(A) re 1 pW Noise emission class	333 kwh/a 573 402 171 SN-T	333 kwh/a 605 405 200 SN-T 38 dB C	333 kWh/a 605 405 200 SN-T 38 dB C	
Energy consumption annual kWh ¹ Total net capacity (litres) Refrigerator net capacity (litres) Freezer net capacity (litres) Climate class ² Noise level dB(A) re 1 pW Voise emission class Additional accessories included	333 kwh/a 573 402 171 SN-T 39 Db C	333 kwh/a 605 405 200 SN-T 38 dB C 3 × egg tray	333 kWh/a 605 405 200 SN-T 38 dB C 3 x egg tray	
Energy consumption annual kWh ¹ Total net capacity (litres) Ferigerator net capacity (litres) Freezer net capacity (litres) Climate class ² Noise level dB(A) re 1 pW Noise emission class	333 kwh/a 573 402 171 SN-T 39 Db	333 kwh/a 605 405 200 SN-T 38 dB C	333 kWh/a 605 405 200 SN-T 38 dB C	

5 year warranty - Promotion dates 01.04.22 - 31.03.23. T&C's apply. Online registration required. Selected models only.

= yes · = no Actual energy consumption will depend on how the appliance is used and where it is located. 2 climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C. Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

American fridge freezers



AMERICAN	AMERICAN	AMERICAN	AMERICAN	AMERICAN
SERIE 8	SERIE 6	SERIE 6	SERIE 6	SERIE 4
KAG93AIEPG	KAD93VIFPG	KAD93VBFPG	KAI93VIFPG	KAN93VIFPG
Stainless steel, easy clean	Stainless steel, easy clean	Black	Stainless steel, easy clean	Stainless steel, easy clean
Grey	Grey	Grey	Grey	Grey
Vertical bar handle	Vertical bar handle	Vertical bar handle	Vertical bar handle	Vertical bar handle
Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
•	•	•	•	•
-		-		
2 MultiBox drawer on rails	2 MultiBox drawers on rails	2 MultiBox drawers on rails	2 MultiBox drawers on rails	2 MultiBox drawers on rails
LED	LED	LED	LED	LED
-	-	-	-	-
•	•	•	•	•
Electronic	Electronic	Electronic	Electronic	Electronic
5	5	5	5	5
-		-	-	
1	-	-	-	
5	5	5	5	5
Digital	Digital	Digital	Digital	Digital
Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible
Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible
•	•	•	•	•
•	•	•	•	•
Automatic ice cube maker	Automatic ice cube maker	Automatic ice cube maker	Automatic ice cube maker	-
Crushed ice, Homebar, Ice cubes, Water, Water filter	Crushed ice, Ice cubes, Water, Water filter	Crushed ice, Ice cubes, Water, Water filter	Crushed ice, Ice cubes, Water	
2	2	2	2	
A E	å F	↑ F	A F	å F
323 kWh/a	404 kWh/a	404 kWh/a	404 kWh/a	413 kWh/a
560	562	562	562	580
369	371	371	371	372
191	191	191	191	208
SN-T	SN-T	SN-T	SN-T	SN-T
42 dB	42 dB	42 dB	42 dB	42 dB
D	D	D	D	D
1 x connection hose, 1 x egg tray	1 x connection hose, 1 x egg tray	1 x connection hose, 1 x egg tray	1 x egg tray	1 x egg tray
1787	1787	1787	1787	1787
908	908	908	908	908
707	707	707	707	707

 ⁻ yes - = no
 ¹Actual energy consumption will depend on how the appliance is used and where it is located.
 ²Climate zone SN = designed to operate in ambient temperatures of +10°C to 32°C.
 Climate zone T = designed to operate in ambient temperatures of +18°C to 43°C.

Wine coolers

Your own personal wine cellar.

The range of stylish Bosch wine coolers blend seamlessly into your kitchen, while constantly keeping your red and white wine perfectly stored and at an ideal temperature.







ТУРЕ	WINE COOLER	WINE COOLER	
DESIGN FAMILY	SERIE 6	SERIE 6	
MODEL NUMBER	KWK36ABGAG	KWK16ABGAG	
Colour	Black, Glass door	Black, Glass door	
DESIGN FEATURES			
Colour of side panels	Castiron	Castiron	
Type of glass door	3 glass panels, UV-filtered	3 glass panels, UV-filtered	
Door handle type	Integrated Vertical, Push to open	Integrated Vertical, Push to open	
Temperature display	Interior / Digital LED	Interior / Digital LED	
Reversible door, hinged on right	•	•	
Home Connect / Built in cameras			
KEY FEATURES			
Range of temperature (0°C)	5-20	5-20	
Temperature zones	2	2	
LED light	•	•	
Number of shelves	10	5	
Number of oak shelves	8	3	
Number of adjustable shelves	4		
Presenter shelf and lighting	•	·	
Capacity in 0.75l (Bordeaux bottles)	199	44	
FUNCTIONS			
Door open warning signal / malfunction	•	•	
Child lock	·	•	
PERFORMANCE AND CONSUMPTION			
Energy efficiency class	6 G	G G	
Annual energy consumption ¹ (kWh)	TBA	TBA	
Refrigerator net capacity (litres)	367	108	
Climate class ²	SN-ST	SN-ST	
Noise level (dB(A) re 1 pW)	38	38	
Noise emission class	D	D	
Dimensions of the product (H x W x D) (cm)	185.7 x 59.8 x 60.5	81.8 x 59.8 x 58.6	
EAN code	4242005225576	4242005225545	

For full specification details, please log onto our website and download a full specification sheet

Introducing the Bosch vacuum cleaner range.

The vacuum **battery power** you can trust.



The **pioneers** of **power**.

Today, Bosch's batteries are unrivalled, offering compact and lightweight long-life batteries that consistently deliver on power, performance and efficiency – making Bosch the number one choice for cordless technology in the home and garden.



The Flexxo

The flexible one. Perfect for those hard to reach spaces.

The Flexxo is lightweight and flexible enough to manoeuvre into the trickiest of spaces, while the integrated accessories mean that you have everything you need at your fingertips.



The Athlet

The powerful one. Less effort, with more cleaning power.

With a runtime of up to 75 minutes, the Athlet's powerful, cordless technology will take any floor in its stride, no matter what crumbs, dust or pet hair stand in its way.



The never ending one. Works on so many levels.

The Unlimited handheld vacuum offers powerful 360 degree cordless cleaning and the battery is also exchangeable*, which means it's always ready to go, whenever you need it. *Additional battery with selected models



We have the **perfect** vacuum cleaner for all **lifestyles**.

For the Athlet, Flexxo and Unlimited vacuum cleaner range there is a ProAnimal, ProPower or ProHome model. Bosch makes it easy to choose the perfect vacuum for your lifestyle and cleaning requirements.









Unlimited Serie 8

Power4All System.

Bosch battery technology ensures powerful performance across all our products. The exchangeable **Power4All System** only requires a single battery pack, which means complete flexibility when charging. The battery is part of our Power4All system so it's compatible with more than 20 power tools and lawn and garden products from Bosch.



ProAnimal

BBS81PETGB



DESIGN FAMILY	UNLIMITED 8		
MODEL NUMBER	BBS81PETGB		
	Multi use		
SUB-RANGE	ProAnimal		
FEATURES			
	Power for ALL interchangeable battery packs		
Main Trade Up Feature	Pet kit 8 x accessories		
Continuous runtime			
All Floors	•		
SmartSensor			
Lithium battery	•		
Advanced Lithium battery	•		
Turbo Spin Motor			
HiSpin motor	•		
Performace brush bar	•		
large, aerodymanic brush bar	•		
Motorised brush head	•		
Cartridge filter cleaning	•		
Auto clean filter	•		
BDLC motor			
Additional Features	-		
ACCESSORIES			
Pet Mini Turbo	•		
Hose	-		
XXL Upholstery Tool	-		
XXL Crevice nozzle	-		
2 in 1 crevice/upholstery tool	•		
Flexible crevice tool	•		
Removeable handheld	•		
Mattress Nozzle	•		
Keyboard nozzle	•		
Additional Brushbar	•		
Short handle	•		
Athlet strap	-		
Exchangeable battery pack	•		
Wall mount	•		
Spare filter			
CHARGING			
Charge time	5 hours		
Docking station	•		
Fast charger	•		
POWER & PERFORMANCE			
Runtime	40 mins		
Volts	18.0V		
Ampere Hour	3		
Batteries included	1		
Removable Power4All batteries	•		
More Power			
Superior Performance			
TECHNICAL SPECS			
Weight (kg)	2.9		
Dust Bin size (L)	0.4		
	2		

UNLIMITED VACUUM CLEANERS

Unlimited Serie 6

Experience Bosch's lightest ever cordless handstick vacuum with the flexibility to clean from floors to ceilings and sofas to cars. You can also swap batteries between the Unlimited vacuum and compatible Bosch cordless garden and power tools.



ProHome
BCS612GB

YPE	UNLIMITED VAC	UUM CLEANERS	
DESIGN FAMILY	UNLIMITED 6	UNLIMITED 6	
MODEL NUMBER	BCS612GB	BCS611GB	
	Multi use	Multi use	
UB-RANGE	ProHome	ProHome	
EATURES			
	Power for ALL intercha	angeable battery packs	
lain Trade Up Feature	2 x batteries	3 accessories	
ontinuous runtime			
II Floors	•	•	
martSensor	•	-	
ithium battery	•	•	
dvanced Lithium battery	•	•	
urbo Spin Motor	•	•	
iSpin motor			
erformace brush bar	•	•	
rge, aerodymanic brush bar lotorised brush head			
artridge filter cleaning			
uto clean filter			
DLC motor	•	•	
dditional Features	-		
CCESSORIES			
et Mini Turbo			
ose			
TD Crevice tool	-	-	
XL Upholstery Tool	-	-	
TD Upholstery tool	-	-	
XL Crevice nozzle	-		
in 1 crevice/upholstery tool	•	•	
lexible crevice tool	•	•	
emoveable handheld	•	•	
lattress Nozzle	•	•	
eyboard nozzle	•	•	
dditional Brushbar	-	•	
hort handle	•	•	
thlet strap			
changeable battery pack	•	•	
/all mount pare filter			
HARGING			
narge time	5 hours	5 hours	
ocking station	0.13013	O Hours	
ist charger	·		
OWER & PERFORMANCE			
ntime	60 mins	40 mins	
lts	18.0V	18.0V	
ipere Hour	2.5	3	
tteries included	2	1	
emovable Power4All batteries	•	•	
ore Power			
uperior Performance	-	-	
ECHNICAL SPECS			
eight (kg)	2.3	2.3	
- *			
ıst Bin size (L)	0.4	0.4	

Flexxo & Readyy'y Vacuum cleaners



ТҮРЕ	ATHLET ULTIMATE VACUUM CLEANER		A	ATHLET VACUUM CLEANERS		
DESIGN FAMILY	SERIE 8	SERIE 6	SERIE 6	SERIE 6	SERIE 4	SERIE 4
MODEL NUMBER	BCH87POWGB	всн86нуддв	BBH6POWGB	BCH86PETGB	BCH85KITGB	BCH85NGB
	1in1			1in1	1in1	1in1
SUB-RANGE	ProPower	ProHygienic	ProPower	ProAnimal	ProHome	ProClean
FEATURES						
	High Performance, 80 min runtime,	60	High and a second 201/ CE min metions	High Deeferman	45 min mon time 201/	45 min monthing 2017
Main Trade Up Feature	36V	60 min runtime	Higher power 28V, 65 min runtime	High Performance	45 min run time, 20V	45 min run time, 20V
		ProHygienic Filter - filters out more than 99.9% of particles	Faster charge time under 3 hours	6 x accessories	6 x accessories	-
Continuous runtime	-	-		-	-	-
All Floors	•	•	•	•	•	•
SmartSensor	•	•	•	•	•	•
Lithium battery	•	•	•	•	•	•
Advanced Lithium battery	•	-		-	-	•
HiSpin motor	•	-	•	•		-
Performace brush bar	•	•		•	•	-
large, aerodymanic brush bar	•		•			-
Motorised brush head	•	•	•	•	•	•
Cartridge filter cleaning	•		•	•		
Auto clean filter	•	•	•	•	*	-
BDLC motor	•		•	-	•	-
Smart Auto Mode			•		•	-
Additional Features	•	Ultra Allergy Filter	•	•	•	•
ACCESSORIES						
Pet Mini Turbo				•		
Hose		•	-	•	•	•
STD Crevice tool	-	•	•	-	•	•
XXL Upholstery tool	•	•	-	•	•	•
STD Upholstery tool	•	•	-	-	•	-
XXL Crevice nozzle	•	•	•	-	•	-
2 in 1 crevice/upholstery tool	*		<u>-</u>	•	•	
Flexible crevice tool	•	•	•	-	*	-
Removeable handheld		•		·	•	•
Mattress Nozzle	•	•		•	•	•
Keyboard nozzle	•	•		•	•	•
Additional Brushbar		•	-	•		
Exchangeable battery pack				•		
Spare filter		•	•			
CHARGING						
Charge time	6 hours	6 hours	3 hours	6 hours	6 hours	6 hours
Docking station	•	-	•	-	•	-
Fast charger		•	•	•	-	•
POWER & PERFORMANCE						
Runtime	80 mins	60 mins	65 mins	60 mins	45 mins	45 mins
Volts	36V	28V	28V	28V	18V	18V
Ampere Hour	•	-		-		-
Batteries included	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Removable Power4All batteries	-	-	-	-	-	-
More Power	•		•		•	·
Superior Performance	•	-	•	-	-	-
TECHNICAL SPECS						
Weight (kg)	3.3	3.3	3.3	3.3	3.3	3.3
Dust Bin size (L)	0.9	0.9	0.9	0.9	0.9	0.9
Performance levels	3	3	3	3	3	3

•	= Y	es -	=	No



TYPE		FLEXXO		READYY
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL NUMBER	BBH3Z00GB	BBH3280GB	BBH3230GB	BCHF220GB
	2in1	2in1	2in1	2in1
SUB-RANGE	ProAnimal	ProHome	ProHome	
EATURES				
	55 min runtime, 25V, LED lights	55 min runtime, 25V, LED lights	50 min runtime, 23V, LED lights	44 min runtime, 20V
Main Trade Up Feature	Pet kit 8 x accessories	Tools on Board	3 accessories	Removable handheld
		100IS 0II D0dI U	3 dccessories	
ontinuous runtime	-	-	· · · · · · · · · · · · · · · · · · ·	*
Il Floors	•	•	•	•
martSensor				
thium battery	•	•	•	•
dvanced Lithium battery				
liSpin motor erformace brush bar				
errormace brusn bar arge, aerodymanic brush bar				
arge, aerodymanic brush bar Notorised brush head	•	•	•	•
artridge filter cleaning		•		
artridge iliter cleaning uto clean filter		-		•
DLC motor				
mart Auto Mode		_	_	
dditional Features				
CCESSORIES				
et Mini Turbo	•	-	-	-
ose	-	-	<u> </u>	
TD Crevice tool	•	•	•	•
XL Upholstery Tool	· ·	· · · · · · · · · · · · · · · · · · ·	·	· · · · · · · · · · · · · · · · · · ·
TD Upholstery tool	•	•	•	·
XL Crevice nozzle	· ·	·	·	
in 1 crevice/upholstery tool	•	•	•	•
lexible crevice tool	-	•	•	
emoveable handheld		•	•	
attress Nozzle	•	-	·	ž
eyboard nozzle	•			
dditional Brushbar	•	-		
xchangeable battery pack pare filter	•	-	<u> </u>	•
HARGING				
harge time	5 hours	5 hours	5 hours	5 hours
ocking station	-	•	*	•
ast charger		-	•	
OWER & PERFORMANCE				
untime	55 mins	55 mins	50 mins	44 mins
lts	25.2V	25.2V	21.6V	18.0V
npere Hour	-	-	•	
atteries included	Integrated	Integrated	Integrated	Integrated
emovable Power4All batteries	-	-	•	
ore Power	-	-	-	
uperior Performance	•	-	· ·	
ECHNICAL SPECS				
eight (kg)	3.0	3.0	3.0	2.5
ust Bin size (L)	0.4	0.4	0.4	0.4
Performance levels	2	2	2	2

Microwaves



OVEN TYPE	MICROWAVE OVEN	MICROWAVE OVEN	MICROWAVE OVEN WITH GRILL	MICROWAVE OVEN	MICROWAVE OVEN
DESIGN FAMILY	SERIE 2	SERIE 2	SERIE 2	SERIE 2	SERIE 2
MODEL/COLOUR	FFL023MS2B	FEL023MS2B	FFL023MW0B	FEL020MS2B	FFL020MS2B
DESIGN					
Electronic controls	•	•	•		-
Control Dial	•	•	•	•	•
Retractable control dial	1	1	1	-	-
Push buttons	•	•	•	•	•
Left hinged door	•	•	•	•	•
Door Open Button	•	•	•	•	•
FEATURES					
Electronic clock timer	Red LED	Red LED	Red LED		
nterior lights	1 standard	1 standard	1 standard	1 standard	1 standard
Max. 99 minute timer	•	•	•		-
Max. 60 minute timer	-	-		•	•
Stainless steel interior	-	•		-	-
aquered interior	•	-	•	•	•
Glass turntable	•	•	•	•	•
PROGRAMMES / FUNCTIONS					
Microwave	•	•	•	•	
Quartz grill	-	•	-	•	-
Microwave and Grill Combination operation	-	•	-	•	
Microwave / grill combination programmes	-	1	-	-	-
Automatic programmes	7	8	7	-	
Memory function	•	•	•		-
PERFORMANCE / TECHNICAL INFORMATION	ON				
Cavity dimensions (HxWxDmm)	215x337x354	194x290x274	194x290x274	194x290x274	194x290x274
Jseable oven capacity (L)	25	17	17	17	17
Microwave distribution	Turntable	Turntable	Turntable	Turntable	Turntable
Furntable diameter (mm)	315	245	245	245	245
Maximum microwave power (W)	900	800	800	800	800
lumber of microwave power levels	5	5	5	5	5
Grill power (W)	-	1000	-	1000	
oltage (V)	230	230	230	230	230
orage (V) oral connected loading (W)	1450	1270	1270	1270	1270
	130	130	130	130	130
Cable length (cm)				130	
GB plug	•	•	•	•	•
STANDARD ACCESSORIES					
/ire rack		1	-	1	-
Turntable	1	1	1	1	1

Food Preparation

Bosch makes it, easy.

Our multi-functional stand mixers, food mixers and processors are packed with innovative, labour-saving technology so you can chop, blend, shred, mix and whisk your way more quickly through your food preparation task.

TYPE	OPTIMUM STAND MIXER
MODEL	MUM9GX5S21
Housing colour	Platinum silver
Side panel colour	Black
Housing material	Metal
Wattage / Power (W)	1500
SensorControl (egg whites / cream / yeast dough)	•
Scale	•
Timer	•
Speed settings	7-stage
On/Off switch with LED indication	Illuminated ON / OFF switch
Gentle start	•
Bowl with anti-splash cover (SAN) Stainless steel	•
Plastic	-
Volume bowl (I)	5.5
Max. flour + ingredients (kg)	1.5
Max. dough capacity yeast dough (kg)	-
Max. dough capacity sponge mixture (kg)	3.5
Stirring concept	3D Planetary Mix
Parking position	-
Tools (stainless steel) Stirring whisk	-
Beating whisk	•
Dough hook	•
Professional Absolute stirring whisk	•
Professional Steering & beating whisk	÷
ACCESSORIES/ NUMBER	
Colour coding	_
Blender / jar with scale Plastic blender / jar blender / jar	·
Glass blender / jar	•
rpm	8,500 min-1
ToGo bottle with drinking lid, BPAfree	
Glass grinder (detach. stainl. st. knife, dishw. safe)	-
Glass chopper (detach. stainl. st. knife, dishw. safe)	-
Glass containers with storage lid	-
Continuous shredder with stainless steel discs	•
Multi mixer with stainless steel discs	-
Number of discs / functions continuous shredder	-
Reversible slicing disc thick / thin	•
Reversible shredding disc coarse / fine	•
Rough grating disc	-
Grating disc medium / fine	•
ProfessionalSuperCut disc	-
Asia-vegetable / Julienne disc	-
Meat mincer Diameter 3 mm disc holes	-
Diameter 5 mm disc holes	-
Diameter 8 mm disc holes	
Fancy biscuit attachment	<u> </u>
Citrus press	•
Cube cutter with cleaning brush insert with 0.9 x 0.9 cm	-
insert with 1.3 x 1.3 cm	
Storage Cable storage	Auto. cable retraction
Accessory holder	•
Accessory bag / grey	•
Accessory bag / red	
Plug-type	GB plug
Safety features Overload protection Safety lock	
Suction feet for extra stability	Rubber feet
RECIPES	
Booklet	Integrated in
DVD	-
	Arabic, Chinese, Chinese trad(zh-tw) English, Malay

Make sense of mixing with Optimum.

Intuitive sensor technology and incredible versitility means the Optimum easily takes care of all your mixing, weighing, chopping and blending.

Offering everything-in-one, this stand mixer makes cooking and baking a whole lot easier for you. Including a huge variety of professional accessories for all your cooking and baking ideas, this is the only stand mixer you will ever need to bring your recipes to life.

Integrated scales.

The Optimum makes life even easier thanks to the built-in scales that accurately weigh all your ingredients as you add them to the bowl, saving you cleaning additional bowls.

Perfectly mixed ingredients.

Your ingredients will be perfectly mixed thanks to the 3D Planetary mixing system. Simply add your ingredients to the bowl and let the mixer do the work for you. The mixing tool is rotated in three different directions, this ensures all the ingredients are perfectly mixed and nothing remains stuck to the sides of the bowl, eliminating the need to use a spatula as well. The large stainless steel mixing bowl with 5.5L capacity and two handles further guarantees ease of use.

Thanks to smart tool detection, no matter what tool is used, the Optimum takes care of the maximum speed for each tool.

The CreationLine Stand Mixer will look stunning in any kitchen, thanks to its elegant design.



Multifunctional.

Whether you want to whisk, mix, knead or chop, the CreationLine saves you from needing to own multiple devices, freeing up that well needed space in your kitchen. Your dishes will also be ready even quicker thanks to the 7 speed settings.

Included in the box are flexi stirring whisk with silicon edge, beating whisk, kneading hook as well as the shredder with 4 stainless steel shredding and grating discs.

Additional accessories available for purchase.

3D Planetary Mixing. 3D Planetary Mixing means the tools move in three directions, while the socket turns in the opposite direction, ensuring the mixture is picked up properly from around the sides, bottom and centre of the bowl.

Integrated timer & scales

The handy integrated timer and scale, including LED display and tare function, are meticulously precise, meaning perfect results every time!

MUM5XW10GB

Housing colour	wnite
Side panel colour	Champagne
Housing material	Plastic
Wattage / Power (W)	1.000
	1.000
SensorControl (egg whites / cream / yeast dough)	
Scale	•
Timer	
	· ·
Speed settings	7-Stage
On/Off switch with LED indication	LED indicator
Gentle start	
Bowl with anti-splash cover (SAN) Stainless steel	•
	-
Plastic	
Volume bowl (I)	3.90
Max. flour + ingredients (kg)	1.00
Max. dough capacity yeast dough (kg)	•
Max. dough capacity sponge mixture (kg)	2.7
Stirring concept	3D Planetary Mix
Parking position	•
	•
Tools (stainless steel) Stirring whisk	•
Beating whisk	
Dough hook (kneading hook)	•
Premium stirring whisk	·
	•
Premium beating whisk	•
Professional Absolute stirring whisk	
Professional Steering & beating whisk	
Professional kneading hook	•
Beating whisk set	•
Kneading hook stainless steel/aluminium	-
Smart tool detection Blender / jar with scale Plastic blender / jar blender / jar	1
Glass blender / jar	
	14.000 min-1
rpm	14.000 mm-1
ToGo bottle with drinking lid, BPAfree	•
Glass grinder (detach. stainl. st. knife, dishw. safe)	•
Glass chopper (detach. stainl. st. knife, dishw. safe)	
Glass containers with storage lid	
Continuous shredder with stainless steel discs	•
Multi mixer with stainless steel discs	-
Number of discs / functions continuous shredder	-
Reversible slicing disc thick / thin	
	·
Reversible shredding disc coarse / fine	•
Course grating disc	-
Fine grating disc	•
Reversible shredding and slicing disc	
	•
SuperCut disc	•
French fries disc	
Asia vegetable disc	
Meat mincer Chamber size	
Blocking power	•
Output (kg/min)	-
Diameter 3 mm disc holes	· ·
Diameter 5 mm disc holes	
Diameter 8 mm disc holes	•
Fancy biscuit attachment	
Citrus press	
Cube cutter with cleaning brush insert with 0.9 x 0.9 cm	
	-
insert with 1.3 x 1.3 cm	: :
	- - Auto. cable retraction

Stand Mixers



TYPE	SERIE 2 STAND MIXER	CREATIONLINE STAND MIXER	CREATIONLINE STAND MIXER	CREATIONLINE STAND MIXER
MODEL	MUMS2EW00G	MUM59340GB	MUM59N26CB	MUM5XW40G
Housing colour	White	Grey	Carbon black	White
Side panel colour	White	Anthracite	Black	Champagne
Housing material	Plastic	Plastic	Brushed stainless steel	Plastic
Wattage / Power (W)	700	1000	1000	1000
SensorControl (egg whites / cream / yeast dough)	-	1000	1000	1000
	-	- · · · · · · · · · · · · · · · · · · ·		
Scale	•	•	•	•
Timer	-	•	· ·	•
Speed settings	4-stage	7-stage	7-stage	7-stage
On/Off switch with LED indication	•	LED indicator	LED indicator	LED indicator
Gentle start	•	•	•	•
Bowl with anti-splash cover (SAN) Stainless steel	•	•	•	•
Plastic	-	-	-	
Volume bowl (I)	3.8	3.9	3.9	3.9
Max. flour + ingredients (kg)	0.75	0.75	0.75	0.75
Max. dough capacity yeast dough (kg)	-			
Max. dough capacity years dough (kg)	2	2	2	2
	3D Planetary Mixing	3D Planetary Mixing		
Stirring concept	3D Planetary Mixing		3D Planetary Mixing	3D Planetary Mixing
Parking position	•	•	•	•
Tools (stainless steel) Stirring whisk	•	*	-	•
Beating whisk	•	•	· · · · · · · · · · · · · · · · · · ·	•
Dough hook (kneading hook)	•	•	•	•
Premium stirring whisk	-	•	•	•
Premium beating whisk		•	•	•
Professional Absolute stirring whisk	-			-
Professional Steering & beating whisk				
Professional kneading hook				
Beating whisk set				
Kneading hook stainless steel/aluminium		<u>.</u>		
Kileauliig Hook Stalliless Steel/aluliililulii	•	•	· · · · · · · · · · · · · · · · · · ·	
ACCESSORIES / NUMBER	4	11	9	12
Smart tool detection	-	-	-	-
Blender / jar with scale Plastic blender / jar blender / jar	-	•	-	•
Glass blender / jar				
rom	-	14.000 min-1	14.000 min-1	14.000 min-1
ToGo bottle with drinking lid, BPAfree	-		-	•
Glass grinder (detach. stainl. st. knife, dishw. safe)				
Glass chopper (detach. stainl. st. knife, dishw. safe)		_		
Glass containers with storage lid				
	•	•	•	
Continuous shredder with stainless steel discs	•	•	•	•
Multi mixer with stainless steel discs	•	•	•	•
Number of discs / functions continuous shredder	•	•	•	•
Reversible slicing disc thick / thin	-	-	-	•
Reversible shredding disc coarse / fine	-	•	•	•
Course grating disc		- Committee of the comm		
Fine grating disc	-	•	•	•
Reversible shredding and slicing disc			-	
SuperCut disc	-	•	•	
French fries disc				
Asia vegetable disc				
Meat mincer Chamber size	•	•	•	•
Blocking power	•	•	•	•
Output (kg/min)	•	•	•	•
Diameter 3 mm disc holes	-	-	-	
Diameter 5 mm disc holes	-	•	-	-
Diameter 8 mm disc holes	•			÷
Fancy biscuit attachment		-	-	
Citrus press	-	•	-	-
Cube cutter with cleaning brush insert with 0.9 x 0.9 cm	-		-	-
insert with 1.3 x 1.3 cm				
Storage Cable storage	Cable storage compartment	Auto. cable retraction	Auto. cable retraction	
	Cable Storage Compartment	Auto. Cable retraction	Auto. cable retraction	
Accessory bag / grey	CR I	=	_	
Plug-type	GB plug	GB plug	GB plug	•
Safety features Suction feet for extra stability	Rubber feet	Rubber feet	Rubber feet	•
RECIPES				
MEGIFES				
Booklet	Integrated in	Downloadable from barcode		
DVD		- Dominous de l'orin parcouc		
DVD		•	-	

RECIPES

Food Processors





TYPE	KITCHEN MACHINE	KITCHEN MACHINE	KITCHEN MACHINE
BRAND	MULTITALENT3	MULTITALENT3	MULTITALENT8
MODEL	MCM3100WGB	MCM3501MGB	MC812S734G
Housing colour	White	Black	White
Front colour	Grey	Brushed stainless steel	Brushed stainless steel
Housing material	Plastic	Plastic	Plastic
Wattage / Power (W)	700	800	1200
Speed settings	2-stage	2-stage	Infinitely variable
Pulse function			
LED			Illuminated ON / OFF switch
Bowl (BPAfree) M: plastic (vol max xml / usable 2.300ml)	•	•	•
L: plastic (vol max 3.900ml / usable 2.400ml)		*	•
Max. flower + ingredients (kg)	0.8	0.8	1.5
Max. dough capacity sponge mixture (kg)	0.8	0.8	1.5
Knife (stainless steel) M: Universal knife	•	•	•
L: serrated knife	•	+	•
ACCESSORIES/ NUMBER			
Smart tool detection			•
Whisk			•
Beating disc	•	•	-
Dough hook			-
Plastic	•	•	-
Metal			-
No. of stainless steel discs:			-
Reversible Slicing & Shredding Disc	•		-
Reversible slicing disc thick / thin		•	•
Reversible shredding disc coarse / fine		•	•
SuperCut disc			•
Asia-vegetable / Julienne disc		-	-
No. of inserts (only MCM4)			-
Slicing fine			-
Slicing coarse / thick	-	-	-
Shredding fine			-
Shredding medium			-
Blender/ jar (BPAfree, lid)		•	•
S: material (vol max xml/ usable 1.000ml)			
M: material (vol max xml/ usable 1.250ml)			-
L: material (vol max xml/ usable 1.500ml)	-	-	-
rpm	17,000 min-1	17,000 min-1	15,000 min-1
Citrus Press			•
Centrifugal Juicer			-
Small chopper		•	
Small mill		•	
Cube cutter			
Storage			
Cable compartment	Cable storage compartment	Cable storage compartment	Cable storage compartment
Accessories	Standard acc. in the bowl	Standard acc. in the bowl	accessory bag dark grey
Plug-type	GB plug	GB plug	GB plug
Safety features	-	-	
Knife guard	•	•	
Suction feet for extra stability	Suction foot	Suction foot	Suction foot
Okta okability			

^{• =} Yes - = No

VitaPower Blender – high performance guaranteed



TYPE	MINI BLENDER
DESIGN FAMILY	VITAPOWER
MODEL	MMB2111MG
Housing colour	Silver
Secondary colour	Black
Housing material	Stainless Steel
Wattage / Power (W)	450
RPM	40.000
On/off switch	
Speed settings (2,5, variable)	One touch On/Off
Gentle Start	-
Pulse function	-
Material	Tritan BPA free
S: vol max 1000ml / usable 600ml or ToGo: vol max 600ml / usable 500ml	0,8l max/ 0,6l usable
M: vol max 2300ml / 2400ml / usable 1500ml	
L: vol max 2500ml / usable 2000ml	-
XL Vacuum: max vol 2000ml / usable 1500ml	-
Pusher	-
Knife stainless steel	
No. of knives	4
Not detachable	-
detachable: screw mechanism	-
detachable: EasyClick mechanism	-
Ice crush function	-
ACCESSORIES	
1 ToGo bottle with drinking lid	•
1 Vacuum ToGo bottle with drinking lid	-
1 Vacuum storage container (usable 1.000ml)	-
2 Vacuum storage containers (usable 1.000&2.000ml)	-
Storage - cable compartment	-
Plug-type	GB plug

PERFORMANCE BLENDER DESIGN FAMILY VITAPOWER MMB6174SG MODEL Housing colour Black Secondary colour Housing material Wattage / Power (W) 1.200 30.000 On/off switch Not illuminated Rotary switch Speed settings (2,5, variable) 2-stage Gentle Start Pulse function S: vol max 1000ml / usable 600ml or ToGo: vol max 600ml / usable 500ml M: vol max 2300ml / 2400ml / usable 1500ml L: vol max 2500ml / usable 2000ml XI Vacuum: max vol 2000ml / usable 1500ml Knife stainless stee Not detachable detachable- screw mechanism

detachable: EasyClick mechanism

Cord keeper
GB plug

Two-in-one: direct
blending into the big
1.5l jar or in the
ToGo bottle –
without adapter.

Integrated in Operating Instr

Our VitaPower Serie 4 Blender will allow you to achieve great smoothie texture even with frozen ingredients with its stainless steel blades made in Solingen, Germany, its powerful 1.200W motor - highest power in its price class and its unique 3D dynamic Flow Boosters in the jar.

The handling is easy, safe and effortless with a patented EasyKlick blade holder and dishwasher safe parts.

Serie 4 Blender

• = Yes - = No

1 ToGo bottle with drinking lid 1 Vacuum ToGo bottle with drinking lid 1 Vacuum storage container (usable 1.000ml) 2 Vacuum storage containers (usable 1.000&2.000ml)

Storage - cable compartment

SAFETY FEATURES

Safety stop

RECIPES

Languages VitaBar App

Vacuum technology for perfect taste and perfect storage.

The VitaPower Serie 8 Vacuum Blender & Storage. Blending under vacuum gives you perfect taste with a smooth texture.

Smoothies are blended under vacuum with minimal oxidation which leads to a longer preservation of oxygen sensitive vitamins, keeping your fruit and vegetables fresh for up to two times longer*.



Keeps food fresh for longer

Preserves

Vitamins

Accessories.

The VitaPower Serie 8 Vacuum Blender comes with 2 vacuum storage boxes which allow you to store almost any food under vacuum, keeping it fresh for longer.

The ToGo bottle enables you to store any leftover smoothie under vacuum meaning you'll have less layers, less bubbles, more natural colours and preservation of oxygen-sensitive vitamins. You even get a FREE smoothie recipe book for inspiration.

Keep food fresh for longer with the new ErgoMixx Fresh Vacuum System.

Enjoy the taste of fresh food every day.

Attach the vacuum pump to your hand blender with a simple click and preserve fresh food, leftovers or snacks in vacuum containers and zipper bags.

Motor with maximum power to meet the highest demands.

Thanks to having incredible Bosch power with a 1000 watt motor, the toughest ingredients can be processed. Giving excellent results in no time.



TYPE **VACUUM BLENDER DESIGN FAMILY ERGOMIXX** MODEL MS6CB61V5G Secondary colou Anthracite Cable length (m Plastic (BPAfree GB plug Plug-type Eiect mechanisi Hanging loop ■ = Yes - = Nr

Homemade food simply tastes best.

The durable and extra sharp **QuattroBlade** delivers outstanding cutting action for fine blending results. Whether it's herbs, nuts. meat or onions they are chopped in no time. In addition, the AntiSplash function prevents splashes and helps keep your kitchen spotless.

Variable speed settings.

You can always be in control of the precise settings for every task, simply select the best speed from the variable 12 speed settings depending on the results you desire.

Accessories.

The dishwasher-safe chopper and whisk attachments are ready to use right away. The stackable vacuum container (1.2L) and 6 zipper bags (3 1.2L and 3.8L each) are BPA-free so they can also be cleaned in the dishwasher and used again.

VitaBar App

Stored in vacuum container and bags in refrigerator, compared to ordinary non-vacuum storage methods, study conducted by an independent laboratory 09/2018, 6/2019 and 12/2019

Hand Blenders

Bosch handheld kitchen blenders provide practical and powerful blending at the press of a button. Innovative technology and a range of accessories can transform your Bosch stick blender into a versatile and enviable kitchen gadget for blending, chopping, whisking and beating.



ТҮРЕ	HAND BLENDER	HAND BLENDER	HAND BLENDER	HAND BLENDER	HAND BLENDER
DESIGN FAMILY	MY COLLECTION	MSM6	MSM6	CLEVERMIXX	CLEVERMIXX
MODEL	MSMP1000GB	MSM6B150GB	MSM66020GB	MSM2610BGB	MSM2623GGB
lousing colour	White	White	White	Piano black	White
Secondary colour	Deep red	Grey	Window Grey	Anthracite	Vivid green
lousing material	Plastic	Plastic	Plastic	Plastic	Plastic
Vattage / Power (W)	350	300	600	600	600
able length (m)	1.5	1.5	1.4	1.2	1.2
SoftTouch		-	•	-	-
peed	12.500 min-1	12.500 min-1	11.200 min-1	15.000 min-1	15.000 Min-1
Settings	1-stage	1-stage	12-stage	1-stage	1-Stage
Turbo function	-	-	•	-	
oot	-	-	-	-	-
Stainless steel			-	•	•
Plastic (BPA free)	•	•	•	-	-
M: QuattroBlade knife with 4 blades	•	•	•	•	•
L: QuattroBlade Pro + 4 knifes	-	-	-	-	
Mini foot		-	-	-	
ACCESSORIES					
Beaker		•	•	•	•
faximum volume (I)	-	-	-	-	-
Usable volume (I)	-	-	-	-	-
Lid	-	-	-	-	-
Stainless steel		-	-	-	-
hopper with lid	-	-	•	-	•
Lid	-	-	-	-	•
Vhisk, stainless steel	-	-	-	-	-
lug-type	GB plug	GB plug	GB plug	GB plug	GB plug
ject mechanism	Bayonet	Bayonet	Eject	Eject	Bayonet
anging loop	-	-	-	-	-
Overhead protection	-	-	-	-	-
RECIPES					
Booklet					Separate enclosure
					ooparato onologuit





HAND BLENDER	HAND BLENDER	HAND BLENDER	HAND BLENDER	HAND BLENDER	HAND BLENDER
ERGOMIXX	ERGOMIXX	ERGOMIXX	ERGOMIXX	MAXOMIXX	MAXOMIXX
MS6CA4150G	MSM6S90BGB	MS62B6190G	MS6CB61V5G	MS8CM6160G	MS84CB6110
White	Stainless steel	Piano black	Piano black	Stainless steel	Stainless steel
Anthracite	Black	Anthracite	Anthracite	Black	Black
Plastic	Plastic with stainless steel	Plastic	Plastic with stainless steel	Plastic with stainless steel	Plastic with stainless steel
800	750	1000	1000	1.000	1.000
1.4	1.4	1.4	1.4	1.4	1.4
•	•	•	•	•	•
11.200 Min-1	14.500 Min-1	14.500 Min-1	14.500 Min-1	16.000 Min-1	16.000 Min-1
12-Stage	12-Stage	12-Stage	12-Stage	12-Stage	12-Stage
•	•	•	•	•	•
-	-	-	-	-	
•	•	•	•	•	•
-		-	-	-	
•	•	•	•	-	
-	-	-	-	•	•
	-	-	-	-	
•	•		•	•	•
	-	•	•	-	
-	-	-	-	-	
-	-	-	-		
-		-	-		
•	-	-	•	•	
•	-	-	-	•	
•	•	•	•	-	-
GB plug	GB plug	GB plug	GB plug	GB plug	Helix cord
Eject	Eject	Eject	Eject	Eject	Eject
	· ·	-	i-	•	
•	•	•	•	-	
		-	-	-	-

• = Yes - = No

Explore more at bosch-home.co.uk / bosch-home.ie Making life easy through innovative technologies

BOSCH

Hand Mixers

Bosch hand mixers and electric whisks add finesse to your cooking and a splash of colour to your kitchen. Bosch mixers are designed to deliver powerful performance whether mixing, whipping or kneading, while

barely making a sound.







ТҮРЕ	HAND MIXER	HAND MIXER	HAND MIXER	HAND MIXER	HAND MIXER WITH BOWL
DESIGN FAMILY	CLEVERMIXX	ERGOMIXX	CLEVERMIXX	STYLINE	CLEVERMIXX
MODEL	MFQ3030GB	MFQ36300GB	MFQ2420BGB	MFQ4020GB	MFQ3555GB
Value class name	CleverMixx	ErgoMixx	CleverMixx	Styline	CleverMixx
Housing colour	White	White	Piano black	White	White
Secondary colour	Red	Red	Silver	Anthracite	Red
Housing material	Plastic	Plastic	Plastic	Plastic	Plastic
Wattage / Power (W)	350	400	400	450	350
SoftTouch	No	No	No	Yes	No
Speed	1,050 min-1	1,000 min-1	1,050 min-1	1,000 min-1	1,100 min-1
Settings	4-stage	5-stage	4-stage	5-stage	5-stage
Pulse = Turbo	-	-	-	-	-
Connection for accessories	No	No	No	Yes	Yes
Stand 'n' bowl (plastic)	-	-	-	-	Yes
Max. capacity (ml)		-		-	3000
ACCESSORIES:					
Beater, stainless steel		-	-	-	
Standard	•			-	-
Turbo	•	-	•		•
FineCreamer	-	•	-	•	-
Hooks, stainless steel	-	-	-		-
Standard	•	•	•	-	-
Turbo	-	-	-		-
Beaker	-	-	-		-
Lid					-
Chopper	-	-	-		-
Ice crush knife	-	-	-	-	-
lid		-	-	-	-
Blender foot		-			-
Stainless steel		-			-
Plastic (BPA free)					-
Eject button (for beater / hooks)	•	•	•	•	•
Safety features	_	_	-	-	_

ТҮРЕ	MINI CHOPPER
DESIGN FAMILY	CHOPPER
MODEL	MMR08R1GB
Housing colour	Red
Secondary colour	Grey
Housing material	Plastic
Wattage / Power (W)	400
Speed	3800
Settings	1-stage
Bowl	•
Ice crush knife	
Beating disc	-
Plug type	GB plug
Cable housing	•
Safety features	•



Explore more at bosch-home.co.uk / bosch-home.ie

Kettles & Toasters

Breakfast at your fingertips.

With the elegant design and the latest heating technology that features across our range, the Sky kettle and toaster will help you start every morning the right way.



TYPE TOASTER		STER	
DESIGN FAMILY	SKY		
MODEL	TAT7201GB	TAT7203GB	
Main colour	Stainless steel	Black	
Secondary colour	White	-	
Type of toaster	Compa	ct toaster	
Material	Stainle	ess steel	
Wattage / Power (W)	860	1050	
CHARACTERISTICS			
Defrost function		•	
Reheat function		•	
Stop function		•	
High-lift		-	
Bun warmer	Integ	grated	
Crumb tray		•	
Thick & thin function		•	
Toasting degree selector	Inf. variable	rotary control	
Automatic shut off at end of roasting cycle		•	
Automatic shut off when toast gets jammed		•	
Heating type	Large-surface	heating element	
DIMENSIONS			
HxWxD mm	140x3	35x125	
Size of roasting chamber (LxWxD mm)		-	
POWER SUPPLY			
Voltage (V)	220	·240	
Frequency (Hz)	50	/ 60	
Plug type	GB	plug	
Cable length (cm)	an) cm	

ТҮРЕ	KE	KETTLE		
DESIGN FAMILY	\$	SKY		
MODEL	TWK7201GB	TWK7203GB		
Main colour	Stainless steel	Stainless steel		
Secondary colour	White	Black		
PRODUCT SPECIFICATION				
Connection Rating (W)	3	000		
Voltage (V)	22	0-240		
Frequency (Hz)	50)/60		
Length electrical supply cord (cm)		80		
Plug type	GE	3 plug		
Approval certificates	U	KCA		
Material body	Stainl	ess steel		
Capacity (I)		1.7		
Power on indicator		•		
Water level indicator	Readable	from outside		
Lift-Switch_Off		•		
Filter	Plastic	Plastic scale filter		
Button for opening lid		•		
Cordless		•		


• 1.7 I capacity • Wattage: 2500-3000 W • one-cup minimum indicator: for small amounts (300ml) • Water level indicator readable from outside
• Cordless, 360° rotary base • Stainless steel interior base with concealed heating element • Removable limescale filter • Button for opening lid • Safety locking lid
• TemperatureControl: Temperature setting at 70°C, 80°C, 90°C, 100°C • Keep Warm Function • on/off switch with separate power indicator
• Automatic switch-off: kettle automatically switches off when water has boiled • Boil-dry and overheat protection • Lift switch off: the kettle automatically switches off when removed from its base • Large opening for easy cleaning • Acoustic ready signal • Non-slip feet on base • Easy storage: Cord keeper for simple and quick storage of the cable























ТҮРЕ			TOA	STER		
DESIGN FAMILY	DESIGNLINE PLUS	DESIGNLINE PLUS	DESIGNLINE PLUS	DESIGNLINE PLUS	DESIGNLINE ERGO	DESIGNLINE ERGO
MODEL	TAT4P440GB	TAT4P449GB	TAT4P447GB	TAT4P443GB	TAT5P440GB	TAT5P445GB
Type of toaster	4 Slot toaster	4 Slot toaster	4 Slot toaster	4 Slot toaster	4 Slot toaster	4 Slot toaster
Main colour	Silver	Copper	Cream	Black	Silver	Anthracite
Secondary colour	Black	Black	Black	Black	Black	Black
Material	Stainless steel					
Wattage / Power (W)	825 - 980	825 - 980	825 - 980	825 - 98	825 - 980	825 - 980
FEATURES / BENEFITS						
Defrost function	•	•	•	•	•	•
Reheat function	•	•	•	•	•	•
Stop function	•	•	•	•	•	•
High-lift	•	•	•	•	•	•
Bun warmer - integrated	•	•	•	•	•	•
Crumb tray	•	•	•	•	•	•
Thick & thin function	•	•	•	•	•	•
Toasting degree selector	Variable rotary control					
Automatic shut off at end of roasting cycle	•	•	•	•	•	•
Automatic shut off when toast gets jammed	•	•	•	•	•	•
Heating type	Large-surface heating element					
Voltage (V)	220-240 V~					
Frequency (Hz)	50/60 Hz					
Plug type	GB plug					















			KETTLE			
DESIGNLINE ERGO	SILICONE	SILICONE	STYLINE	STYLINE	SKY	SKY
TWK5P471GB	TWK7S05GB	TWK7S04GB	TWK8631GB	TWK8633GB	TWK7201GB	TWK7203GB
White	Grey	Silver	White	Black	Stainless steel	Stainless steel
Black	Silver	Black	Anthracite	Black	White	Black
3000	3000	3000	3000	3000	3000	3000
220-240	220-240	220-240	220-240	220-240	220-240	220-240
50/60	50/60	50/60	50/60	50/60	50/60	50/60
70.0	80.0	80.0	80.0	80.0	80.0	80.0
GB plug	GB plug	GB plug	GB plug	GB plug	GB plug	GB plug
UKCA*	CE, VDE	CE, VDE	UKCA*, VDE	UKCA*, VDE	UKCA*, VDE	UKCA*, VDE
Stainless steel	Stainless steel	Stainless steel	Plastic w. stainl.steel appl.	Plastic w. stainl.steel appl.	Stainless steel	Stainless steel
1.70	1.70	1.70	1.50	1.50	1.70	1.70
•	•	•	•	•	•	•
•	-	-	-	-	-	-
•	•	•	•	•	•	•
plastic scale filter	plastic scale filter	plastic scale filter	Scale filter in pouring spout	Scale filter in pouring spout	Plastic scale filter	Plastic scale filter
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	Power indicator	Power indicator
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
-		-	•	•	•	•
-	-		•	•	•	•
-	-		-	-	•	•
-	-	-	-	-	•	•
-	-		•	•	•	•
-	-	-	-	-	•	•
-	-	-				-
•	-	-	•	•	•	•
-	-		-	-	-	-
•		-	•		•	•















			TOASTER			
DESIGNLINE ERGO	SILICONE	SILICONE	STYLINE	STYLINE	SKY	SKY
TAT5P441GB	TAT7S45GB	TAT7S44GB	TAT8611GB	TAT8613GB	TAT7201GB	TAT7203GB
4 Slot toaster	4 Slot toaster	4 Slot toaster	Compact toaster	Compact toaster	Compact toaster	Compact toaster
White	Grey	Red	White	Black	Stainless steel	Stainless steel
Black	Black	Black	Anthracite	Black	White	Black
Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Painted steel	Painted steel
825 - 980	915 - 1.090	915 - 1.090	860	860	860 - 1.050	860 - 1.050
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
Variable rotary control	Variable rotary control	Variable rotary control	LED display w. memory function	LED display w. memory function	Variable rotary control	Variable rotary control
•	•	•	•	•	•	•
•	•	•	•	•	•	•
Large-surface heating element	Large-surface heating element	Large-surface heating element	Quartz glass heater	Quartz glass heater	Large-surface heating element	Large-surface heating element
220-240 V~	220-240 V~	220-240 V~	220-240 V~	220-240 V~	220-240 V~	220-240 V~
50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz	50/60 Hz
GB plug	GB plug	GB plug	GB plug	GB plug	GB plug	GB plug

Kettles & Toasters









ТҮРЕ		KE	TTLE	
DESIGN FAMILY	VILLAGE	VILLAGE	VILLAGE	COUNTRY II
MODEL	TWK7601GB	TWK76033GB	TWK76075GB	TWK7507GB
Main colour	White	Black	Cream	Cream
Secondary colour	Light grey	Black	Anthracite	Anthracite
FEATURES / BENEFITS				
Connection Rating (W)	3000	3000	3000	3000
Voltage (V)	220-240	220-240	220-240	220-240
Frequency (Hz)	50/60	50/60	50/60	50/60
Length electrical supply cord (cm)	70.0	70.0	70.0	70.0
Plug type	GB plug	GB plug	GB plug	GB plug
Approval certificates	UKCA*	UKCA*	UKCA*	UKCA*
Material body	Plastic	Plastic	Plastic	Plastic
Capacity (I)	1.70	1.70	1.70	1.70
Power on indicator	•	•	•	•
Water level indicator	Both-sided for left/right hand, Readable from outside			
Lift switch-off when removed from the base	•	•	•	•
Filter	Plastic scale filter	Plastic scale filter	Plastic scale filter	Plastic scale filter
Button for opening lid	•	•	•	•
Cordless	•	•	•	•
Stainless Steel interior base	•	•	•	•
Concealed heating element	•	•	•	•
Removeable limescale filter	•	•	•	•
Cordless 360° rotary base	•	•	•	•
Safety locking lid	•	•	•	•
Illuminated on/off switch	•	•	•	•
Automatic switch-off when kettle has boiled	•	•	•	•
Boil-dry and overheat protection	•	•	•	•
Easy storage: Cord keeper for simple and quick storage of the cable	•	•	•	•
TemperatureControl: settings at 70°C, 80°C, 90°C, 100°C	-	-	-	-
"Keep Warm Function"	-	-	-	-
Large opening for easy cleaning	-	-	-	-
One cup minimum indicator (min. 300ml)	-	-	-	-
Acoustic ready signal	-	-	-	-
Non-slip feet on base	-	-	-	-
Large water window: good visibility for right and left handed persons	•	•	•	•
Anti slip 'soft touch' handle	-	-	-	- -
Ergonomic handle design	-	-	-	-
SensorTouch' controls	-	-	-	-







ТҮРЕ		TOAS	TER	
DESIGN FAMILY	VILLAGE	VILLAGE	VILLAGE	
MODEL	TAT3A011GB	TAT3A0133G	TAT3A0175G	
Type of toaster	Compact toaster	Compact toaster	Compact toaster	
Main colour	White	Black	Cream	
Secondary colour	Light grey	Black	Anthracite	
Material	Plastic	Plastic	Plastic	
Nattage / Power (W)	825 - 980	825 - 980	825 - 980	
FEATURES / BENEFITS Defrost function	•	•	•	
Reheat function	•	•	•	
Stop function	•	•	•	
High-lift	•	•	•	
Bun warmer - integrated	•	•	•	
Crumb tray	•	•	•	
Thick & thin function	•	•	•	
Toasting degree selector	Variable rotary control	Variable rotary control	Variable rotary control	
Automatic shut off at end of roasting cycle	•	•	•	
automatic shut off when toast gets jammed	•	•	•	
eating type	Large-surface heating element	Large-surface heating element	Large-surface heating element	
Voltage (V)	220-240 V~	220-240 V~	220-240 V~	
Frequency (Hz)	50/60 Hz	50/60 Hz	50/60 Hz	
Plug type	GB plug	GB plug	GB plug	













		KET	TLE		
COUNTRY II	COMFORTLINE	COMFORTLINE	DESIGNLINE	DESIGNLINE	DESIGNLINE
TWK7503GB	TWK6A031GB	TWK6A033GB	TWK3P420GB	TWK3P423GB	TWK3P421GB
Black	White	Black	Silver	Black	Red
Black	Anthracite	-	Black	Black	Black
3000	3000	3000	3000	3000	3000
220-240	220-240	220-240	220-240	220-240	220-240
50/60	50/60	50/60	50/60	50/60	50/60
70.0	70.0	70.0	70.0	70.0	70.0
GB plug	GB plug	GB plug	GB plug	GB plug	GB plug
UKCA*	CE	CE	UKCA*	UKCA*	UKCA*
Plastic	Plastic	Plastic	Stainless steel	Stainless steel	Stainless steel
1.70	1.70	1.70	1.70	1.70	1.70
•	•	•	•	•	•
Both-sided for left/right hand, Readable from outside	•	•	•	•	•
•	•	•	•	•	•
Plastic scale filter	Plastic scale filter	Plastic scale filter	Plastic scale filter	Plastic scale filter	Plastic scale filter
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
-	-	-	-	-	
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	
-	-	-	-	-	
•	•	•	-	-	-
	-	-	-	-	-
	•	_			
-	•	•			











	TOAS	STER		
COMFORTLINE	COMFORTLINE	DESIGNLINE	DESIGNLINE	DESIGNLINE
TAT6A111GB	TAT6A113GB	TAT3P420GB	TAT3P423GB	TAT3P421GB
Compact toaster				
White	Black	Silver	Black	Red
Anthracite	Black	Black	Black	Black
Plastic	Plastic	Stainless steel	Stainless steel	Stainless steel
825 - 980	825 - 980	825 - 980	825 - 980	825 - 980
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
Variable rotary control				
•	•	•	•	•
•	•	•	•	•
Large-surface heating element				
220-240 V~				
50/60 Hz				
GB plug				

BRITA

Tassimo My Way 2



INTELLIBREW barcode reader.

Thanks to patented barcode technology INTELLIBREW™, the drink specialities from Tassimo are always perfectly prepared with the correct amount of water, at the right temperature and for the right brewing time.



All of your favourite drinks and favourite brands.





Brita Maxtra Water Filter.

A Brita Maxtra water filter system is installed in the water tank of your Tassimo. This filter system from Brita reduces limescale and chlorine to a minimum, thereby ensuring improved aroma and better taste in each cup. The filter system also guarantees a longer appliance life. A digital memo lets you know when the filter needs to be replaced.

Descaling tablets.

Descaling tablets. Keep your Tassimo machine in perfect working order with our Descaling Tablets. Each tablet removes limescale, residue and calcium deposits from your machine, so that it remains in the best condition to create delicious drinks for years.



ТҮРЕ	MY WAY 2 TASSIMO
BLACK	TAS6502GB
RED	TAS6503GB
WHITE	TAS6504GB
CREAM	TAS6507GB
KEY FEATURES	
INTELLIBREW barcode reader	•
One Touch Operation	•
Multi Beverage	•
Removeable Water Tank	•
Transparent Water Tank	•
Water Tank Size (L)	1.3
Water Level Gauge	•
Colour Alternatives	•
Smart Start	-
Brita Maxtra Water Filter	•
Wattage / Power (W)	1500
Pump Pressure	3.3 Bar
Adjustable Cup Stand	•
Removeable Drip Tray	•
Auto Shut-Off	•
Auto Shut-Off Time – After 60 seconds	•
Automatic Cleaning & Descaling Programme	•
Descale Warning Feature	•
Dishwasher Safe Parts	•
Personalisation Settings	•
Sensor-Touch Interface	•
Appliance Dimensions (HxWxD) (mm)	290x230x325
Standy By Display	Indicator Light







Black

Red





White

Cream

Tassimo coffee machines





ТҮРЕ	HAPPY TAS10	JOY TAS45
MODEL/COLOUR	TAS1001GB - PURPLE/WHITE TAS1002GB - BLACK TAS1003GB - RED/BLACK TAS1006GB - RED/WHITE TAS1007GB - CREAM/BLACK TAS1009GB - GREY TAS1002NGB - BLACK	TAS4502NGB - BLACK
KEY FEATURES		
INTELLIBREW barcode reader	•	•
One Touch Operation	•	•
Multi Beverage	•	•
Removeable Water Tank	•	•
Transparent Water Tank	•	•
Water Tank Size (L)	0.7	1.4
Water Level Gauge	•	•
Colour Alternatives	•	
Smart Start	•	-
Brita Maxtra Water Filter	•	•
Wattage / Power (W)	1400	1300
Pump Pressure	3.3 Bar	3.3 Bar
Adjustable Cup Stand	•	•
Removeable Drip Tray	•	•
Auto Shut-off	•	
Auto Shut-off time	After 60 seconds	On/off button
Automatic Cleaning & Descaling Programme	•	•
Descale Warning Feature	•	•
Dishwasher Safe Parts	•	•
Personalisation Settings		
Sensor-Touch Interface	•	-
Appliance Dimensions (HxWxD) (mm)	265x175x305	289x230x333
Standy By Display	Indicator Light	Indicator Light
Power Cord Length (cm)	90	90

• = Yes - = No

Filter Coffee Machines



Small appliances 88 | 89

DualHeating System

Coffee must be brewed at the correct temperature to ensure that the full aroma can develop. Two powerful sensor-controlled heating systems ensure that the brewing water is heated to the ideal temperature of 92-96 °C. The second heating system keeps the coffee warm at 80-85 °C.

VolumeAutomatic


- a sensor in the water tank that detects how many cups are required, then automatically adjusts the brewing time and optimises the brewing process.

ТҮРЕ	FILTER COFF	EE MACHINE
DESIGN FAMILY	STYLINE	STYLINE
MODEL	TKA8011	TAT7203GB
Main colour	Plastic	Plastic
Secondary colour	White / Anthracite	Black / Black
Availability	June 2021	June 2021
KEY FEATURES		
Approval certificates	UKCA*	UKCA*
Power on indicator	•	•
Auto-OFF	•	•
Volume water tank	1.25	1.25
Number of cups big/small	Glass carafe with soft handle	Glass carafe with soft handle
POWER SUPPLY		
Connection Rating (W)	1160	1160
Voltage (V)	220-240	220-240
Frequency (Hz)	50 / 60	50/60
Plug type	GB plug	GB plug
Cable length (cm)	100 cm	100 cm




Accessories and product specification guide

2022




Cooling technical diagrams


American-style fridge freezer




KFN96APEAG, KFN96VPEAG



KFF96PIEP



KAG93AIEPG, KAD93VIFPG, KAD93VBFPG, KAI93VIFPG




KAN93VIFPG


All diagram measurements are in millimetres (mm)

We try to keep up to date with constant technological improvements, so from time to time we may update installation guidelines. Therefore we strongly recommend that you download the latest installation guidelines from www.bosch-home.co.uk. Line drawings are for guidance only, and we recommend that you refer to the latest installation guidelines. Though every care is taken to ensure instructions are correct at the time of printing, Bosch cannot accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

Accessories







Dishwasher accessories

DESCRIPTION	Accessory Nr.	SMS8YCI03E	SMS8TCI00E	SMS6ZDW48G	SMS6EDI02G	SMS6EDW02G	SMS6ZCI00G	SMS6ZCW00G	SMS4HCI40G	SMS4HCW40G
Aqua stop extension	SGZ1010	•	•	•	•	•	•	•	•	•
Silver polishing cassette - 60cm dishwashers	SMZ5002	-	•	•	•	•	•	•	-	-
Vario cutlery basket - 45cm dishwashers	SPZ5100		-		-		-	-	-	-
Vario cutlery basket - 60cm dishwashers	SMZ5100	•	-		-	-	•	•	•	•
Wine glass holder accessory (Glass secure tray)	SMZ5300	•	•	•	•	•	•	•	•	•
DESCRIPTION	Accessory Nr.	SMS4HAW40G	SMS2HKI66G	SMS2HKW66G	SMS2HVI66G	SMS2HVW66G	SMS2ITI41G	SMS2ITW41G	SPS2IKW04G	SKS62E32EU
Aqua stop extension	SGZ1010	•	•	•	•	•	•	•	•	•
Silver polishing cassette - 60cm dishwashers	SMZ5002		•		-		-		-	
Vario cutlery basket - 45cm dishwashers	SPZ5100		-		-		-		-	
Vario cutlery basket - 60cm dishwashers	SMZ5100	-	-		•	•	-		-	
Wine glass holder accessory (Glass secure tray)	SMZ5300	•	•	•	•	•	•	•	•	

Laundry stacking kit compatibility

DESCRIPTION	Accessory Nr.	WTX88EH9GB	WTX88RH9GB	WTWH7660GB	WQG245R9GB	WQG245S9GB	WQG24509G
Stacking kit	WTZ20410	-			-		•
Staking kit with pull-out shelf	WTZ11400	-		-	-		•
Stacking kit	WTZ27410	•	•	•	-		-
Staking kit with pull-out shelf	WTZ27400	•	•	•	-	-	-
Condenser drainage kit	WTZ110	-			-	-	-
Floor securing component	WMZ2200	-			-	-	-
Extension for cold water inlet/AquaStop	WMZ2381	-		-	-	-	-
Built under cover	WMZ2420	-	-	-	-		
Stacking kit	WTZ2741X	-		-	•	•	-
Stacking kit with pull-out shelf	WTZ2742X	-	-	-	•	•	
DESCRIPTION	Accessory Nr.	WQG233D8GB	WTG86402GB	WTH85222GB	WTN85201GB	WTH84000GB	WTN83201G
Stacking kit	WTZ20410	-	•	•	•		
Staking kit with pull-out shelf	WTZ11400	-	•	•	•	-	-
Stacking kit	WTZ27410	•		-	-	•	•
Staking kit with pull-out shelf	WTZ27400	•		-	-	•	•
Condenser drainage kit	WTZ110	-			-		-
Floor securing component	WMZ2200	-			-	-	-
Extension for cold water inlet/AquaStop	WMZ2381	-		-	-	-	-
	WM72420			-	-	-	-
Built under cover	WMZ2420						
Built under cover Stacking kit	WMZ2420 WTZ2741X			-	-	-	-

Download a copy of our catalogues online at **www.bosch-home.co.uk** or call **0344 892 8979**

Contact Bosch Customer Service

To arrange an engineer visit, obtain product advice or order replacement spare parts or accessories visit

www.bosch-home.co.uk or call 0344 892 8979

Republic of Ireland customers should visit **www.bosch-home.ie** to arrange an engineer's visit, or to order spare parts and accessories, or call **(01) 450 2655**







Calls are charged at the basic rate, please check with your telephone service provider for exact charges.

Disclaimer: This brochure is current as from the publication date and supersedes all previous brochures for these products. This brochure should not be regarded as an infallible guide nor as an offer for sale of any particular product. Whilst BSH Home Appliances Ltd believes that all information contained within this brochure is correct at the time of going to print, no representation or warranty, express or implied, is or will be made and no responsibility or liability is or will be accepted by BSH Home Appliances Ltd in relation to the accuracy or completeness of this information and any liability is expressly disclaimed. To the extent permitted by law, BSH Home Appliances Ltd expressly excludes: i) all conditions, warranties and other terms which might otherwise be implied by statute, common law or the law of equity and ii) any liability for any direct, indirect or consequential loss or damage (including, without limitation, damages for loss of business or loss of profits) arising in contract, tort or otherwise from the use of or reliance on any information contained within this brochure or from any action or decision taken as a result of such use or reliance. BSH Home Appliances Ltd reserves the right to modify technical data and all other information contained within this brochure without notice. All rights reserved. No part of this publication may be reproduced in any form or without the prior written permission of BSH Home Appliances Ltd. All colour variations are due to the limitations of the printing process. We recommend a visit to a Bosch dealer to confirm that specifications and colours are to your satisfaction.

April 2022.

BSH Home Appliances Limited

Grand Union House
Old Wolverton Road, Wolverton
Milton Keynes MK12 5PT
www.bosch-home.co.uk

BSH Home Appliances Limited

M50 Business Park Ballymount, Dublin 12

Tel: 1890 626 041 www.bosch-home.ie

Stock code: Bosch_FS_2022