


### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M\_5727.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.250000	---	41.06	54.00	12.94	100.0	H	76.0	7.4
2500.250000	51.01	---	74.00	22.99	100.0	H	64.0	7.4
5415.000000	---	48.10	54.00	5.90	100.0	H	201.0	13.5
5415.500000	57.73	---	74.00	16.27	100.0	H	201.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M\_5727.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2473.900000	---	41.11	54.00	12.89	100.0	V	106.0	7.4
2506.370000	50.31	---	74.00	23.69	100.0	V	117.0	7.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M\_5727.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11431.825000	---	38.83	54.00	15.17	100.0	H	126.0	13.1
11462.800000	47.32	---	74.00	26.68	100.0	H	241.0	13.5

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M\_5727.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11389.541667	---	38.57	54.00	15.43	100.0	V	242.0	12.7
11415.600000	46.89	---	74.00	27.11	100.0	V	90.0	13.0

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_3M_5727.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5646.07778	56.66	68.20	11.54	100.0	H	206.0	13.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M\_5727.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5640.211111	55.56	68.20	12.64	100.0	V	258.0	13.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M\_5784.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2546.150000	---	41.09	54.00	12.91	100.0	H	221.0	7.6
2548.190000	50.41	---	74.00	23.59	100.0	H	272.0	7.6
5368.500000	---	48.22	54.00	5.78	100.0	H	215.0	13.3
5401.000000	57.59	---	74.00	16.41	100.0	H	137.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M\_5784.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2514.870000	---	40.98	54.00	13.02	100.0	V	0.0	7.4
2569.100000	50.69	---	74.00	23.31	100.0	V	13.0	7.5


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M\_5784.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11555.233333	47.12	---	74.00	26.88	100.0	H	228.0	13.5
11560.150000	---	37.98	54.00	16.02	100.0	H	192.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M\_5784.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11508.033333	47.18	---	74.00	26.82	100.0	V	292.0	13.7
11530.158333	---	38.50	54.00	15.50	100.0	V	177.0	13.6

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2522.010000	---	40.61	54.00	13.39	100.0	H	277.0	7.5
2534.080000	51.07	---	74.00	22.93	100.0	H	76.0	7.5
5428.500000	---	47.97	54.00	6.03	100.0	H	213.0	13.5
5454.500000	58.10	---	74.00	15.90	100.0	H	137.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2511.470000	---	40.87	54.00	13.13	100.0	V	0.0	7.4
2543.600000	51.69	---	74.00	22.31	100.0	V	97.0	7.6

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11684.541667	---	38.16	54.00	15.84	100.0	H	341.0	13.3
11687.491667	47.82	---	74.00	26.18	100.0	H	180.0	13.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11688.475000	---	38.34	54.00	15.66	100.0	V	25.0	13.3
11712.566667	47.94	---	74.00	26.06	100.0	V	50.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5939.369445	57.32	68.20	10.88	100.0	H	45.0	14.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M\_5844.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5935.088889	57.63	68.20	10.57	100.0	V	20.0	14.7


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M CA\_5730.2MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2450.610000	50.07	---	74.00	23.93	100.0	H	227.0	7.5
2461.660000	---	40.24	54.00	13.76	100.0	H	80.0	7.5
5418.000000	58.08	---	74.00	15.92	100.0	H	202.0	13.5
5418.500000	---	48.16	54.00	5.84	100.0	H	209.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_3M CA_5730.2MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.420000	49.99	---	74.00	24.01	100.0	V	98.0	7.4
2586.610000	---	41.11	54.00	12.89	100.0	V	108.0	7.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_3M CA_5730.2MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11425.433333	---	38.52	54.00	15.48	100.0	H	176.0	13.1
11478.041667	46.79	---	74.00	27.21	100.0	H	0.0	13.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M CA\_5730.2MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11478.533333	47.01	---	74.00	26.99	100.0	V	332.0	13.7
11480.991667	---	38.30	54.00	15.70	100.0	V	0.0	13.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_3M CA_5730.2MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5641.616667	56.56	68.20	11.64	100.0	H	321.0	13.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_3M CA_5730.2MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5643.938889	56.60	68.20	11.60	100.0	V	184.0	13.8

## Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M CA\_5787.2MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



## Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2442.450000	---	40.63	54.00	13.37	100.0	H	4.0	7.4
2457.750000	50.52	---	74.00	23.48	100.0	H	192.0	7.5
5371.000000	---	47.58	54.00	6.42	100.0	H	215.0	13.3
5425.000000	58.04	---	74.00	15.96	100.0	H	215.0	13.5

## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M CA\_5787.2MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2507.900000	---	41.32	54.00	12.68	100.0	V	204.0	7.4
2549.890000	50.58	---	74.00	23.42	100.0	V	135.0	7.6


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M CA\_5787.2MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11605.875000	---	38.34	54.00	15.66	100.0	H	242.0	13.3
11614.725000	46.81	---	74.00	27.19	100.0	H	120.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M CA\_5787.2MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11566.541667	47.78	---	74.00	26.22	100.0	V	138.0	13.4
11574.408333	---	38.01	54.00	15.99	100.0	V	341.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M CA\_5847.2MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1424.660000	---	37.63	54.00	16.37	100.0	H	187.0	1.6
1425.000000	43.50	---	74.00	30.50	100.0	H	187.0	1.6
2590.350000	50.17	---	74.00	23.83	100.0	H	221.0	7.4
2636.930000	---	41.08	54.00	12.92	100.0	H	140.0	7.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M CA\_5847.2MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2492.770000	50.80	---	74.00	23.20	100.0	V	148.0	7.4
2496.850000	---	41.29	54.00	12.71	100.0	V	17.0	7.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M CA\_5847.2MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11659.466667	47.41	---	74.00	26.59	100.0	H	288.0	13.3
11676.183333	---	38.47	54.00	15.53	100.0	H	323.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M CA\_5847.2MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11681.591667	46.79	---	74.00	27.21	100.0	V	286.0	13.3
11690.933333	---	38.02	54.00	15.98	100.0	V	117.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M CA\_5847.2MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5975.850000	58.47	68.20	9.73	100.0	H	219.0	14.9

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_3M CA\_5847.2MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5956.108333	57.19	68.20	11.01	100.0	V	86.0	14.8


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_10M\_5730.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2446.190000	---	40.08	54.00	13.92	100.0	H	59.0	7.4
2460.640000	50.26	---	74.00	23.74	100.0	H	113.0	7.5
5421.000000	62.66	---	74.00	11.34	100.0	H	211.0	13.5

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5418.327778	50.84	54.00	3.16	100.0	H	211.0	13.5

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_10M\_5730.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2212.100000	48.09	---	74.00	25.91	100.0	V	103.0	6.3
2215.160000	---	39.51	54.00	14.49	100.0	V	214.0	6.4
5415.500000	---	49.09	54.00	4.91	100.0	V	63.0	13.5
5418.500000	60.39	---	74.00	13.61	100.0	V	95.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_10M\_5730.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11456.408333	---	37.87	54.00	16.13	100.0	H	21.0	13.4
11460.833333	47.70	---	74.00	26.30	100.0	H	105.0	13.5

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_10M\_5730.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11459.358333	46.72	---	74.00	27.28	100.0	V	227.0	13.5
11501.641667	---	38.59	54.00	15.41	100.0	V	30.0	13.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5635.444445	59.74	68.20	8.46	100.0	H	139.0	13.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5632.816667	59.48	68.20	8.72	100.0	V	48.0	13.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_10M\_5787.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2445.340000	50.44	---	74.00	23.56	100.0	H	125.0	7.4
2486.140000	---	40.45	54.00	13.55	100.0	H	67.0	7.4
5371.500000	60.65	---	74.00	13.35	100.0	H	210.0	13.3

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5371.508333	50.86	54.00	3.14	100.0	H	209.0	13.3

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_10M\_5787.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2535.780000	---	41.65	54.00	12.35	100.0	V	13.0	7.6
2668.380000	50.96	---	74.00	23.04	100.0	V	225.0	7.5
5352.500000	---	48.86	54.00	5.14	100.0	V	311.0	12.9
5412.000000	57.44	---	74.00	16.56	100.0	V	84.0	13.5


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



## EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_10M_5787.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical\_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11558.183333	---	37.92	54.00	16.08	100.0	H	221.0	13.5
11567.033333	46.83	---	74.00	27.17	100.0	H	0.0	13.4

## Final\_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_10M_5787.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11573.425000	46.83	---	74.00	27.17	100.0	V	337.0	13.4
11605.383333	---	38.63	54.00	15.37	100.0	V	324.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2494.470000	50.62	---	74.00	23.38	100.0	H	95.0	7.4
2509.090000	---	40.48	54.00	13.52	100.0	H	51.0	7.4
5439.500000	63.40	---	74.00	10.60	100.0	H	153.0	13.5

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5428.477778	51.98	54.00	2.02	100.0	H	214.0	13.5

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2506.710000	51.04	---	74.00	22.96	100.0	V	135.0	7.4
2553.290000	---	41.06	54.00	12.94	100.0	V	147.0	7.6

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_10M_5844.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11695.358333	---	38.19	54.00	15.81	100.0	H	124.0	13.3
11733.708333	48.85	---	74.00	25.15	100.0	H	230.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11688.966667	---	37.81	54.00	16.19	100.0	V	7.0	13.3
11704.700000	46.70	---	74.00	27.30	100.0	V	220.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5941.797222	59.02	68.20	9.18	100.0	H	155.0	14.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_10M\_5844.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



## Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5947.419445	58.67	68.20	9.53	100.0	V	51.0	14.8


## Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_20M\_5735.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2548.700000	50.28	---	74.00	23.72	100.0	H	138.0	7.6
2569.270000	---	40.93	54.00	13.07	100.0	H	94.0	7.5
5379.000000	63.13	---	74.00	10.87	100.0	H	213.0	13.4

### Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5350.233333	48.82	54.00	5.18	100.0	H	212.0	13.3

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_20M\_5735.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2488.350000	50.20	---	74.00	23.80	100.0	V	33.0	7.4
2518.270000	---	41.06	54.00	12.94	100.0	V	54.0	7.5
5359.000000	60.33	---	74.00	13.67	100.0	V	82.0	13.3
5423.500000	---	49.42	54.00	4.58	100.0	V	82.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_20M\_5735.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11486.891667	46.11	---	74.00	27.89	100.0	H	130.0	13.7
11505.083333	---	38.44	54.00	15.56	100.0	H	265.0	13.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_20M\_5735.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11443.133333	47.10	---	74.00	26.90	100.0	V	113.0	13.3
11443.133333	---	38.01	54.00	15.99	100.0	V	113.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5645.344445	61.72	68.20	6.48	100.0	H	221.0	13.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5614.972222	59.85	68.20	8.35	100.0	V	318.0	13.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_20M\_5787.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



## Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2451.120000	---	41.07	54.00	12.93	100.0	H	0.0	7.5
2475.430000	49.96	---	74.00	24.04	100.0	H	168.0	7.4
5371.500000	62.29	---	74.00	11.71	100.0	H	205.0	13.3

## Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5371.422222	51.07	54.00	2.93	100.0	H	203.0	13.3

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_20M\_5787.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5371.500000	---	48.38	54.00	5.62	100.0	V	80.0	13.3
5410.000000	59.17	---	74.00	14.83	100.0	V	43.0	13.5


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_20M_5787.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11508.033333	47.91	---	74.00	26.09	100.0	H	83.0	13.7
11563.591667	---	37.85	54.00	16.15	100.0	H	143.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_20M\_5787.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11535.075000	46.96	---	74.00	27.04	100.0	V	112.0	13.5
11543.925000	---	38.47	54.00	15.53	100.0	V	314.0	13.5

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2547.850000	49.59	---	74.00	24.41	100.0	H	55.0	7.6
2549.380000	---	41.40	54.00	12.60	100.0	H	269.0	7.6
5424.000000	62.37	---	74.00	11.63	100.0	H	220.0	13.5

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5423.388889	51.97	54.00	2.03	105.0	H	209.0	13.5

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2494.640000	---	40.96	54.00	13.04	100.0	V	112.0	7.4
2728.390000	50.51	---	74.00	23.49	100.0	V	169.0	7.7
5423.500000	---	49.00	54.00	5.00	100.0	V	82.0	13.5
5453.000000	59.47	---	74.00	14.53	100.0	V	44.0	13.5

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11644.225000	46.99	---	74.00	27.01	100.0	H	30.0	13.3
11664.383333	---	38.14	54.00	15.86	100.0	H	0.0	13.3

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11630.458333	---	38.49	54.00	15.51	100.0	V	2.0	13.3
11694.375000	46.81	---	74.00	27.19	100.0	V	0.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_20M\_5839.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5937.708333	58.24	68.20	9.96	100.0	H	154.0	14.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5941.350000	58.12	68.20	10.08	100.0	V	48.0	14.7


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_40M\_5745.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1424.830000	---	38.26	54.00	15.74	100.0	H	184.0	1.6
1425.340000	44.44	---	74.00	29.56	100.0	H	184.0	1.6
5439.500000	62.39	---	74.00	11.61	100.0	H	137.0	13.5

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5433.422222	50.51	54.00	3.49	100.0	H	223.0	13.5

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_40M\_5745.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2501.270000	50.50	---	74.00	23.50	100.0	V	334.0	7.4
2530.340000	---	40.56	54.00	13.44	100.0	V	67.0	7.5
5422.000000	59.69	---	74.00	14.31	100.0	V	45.0	13.5
5433.500000	---	48.88	54.00	5.12	100.0	V	80.0	13.5

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_40M\_5745.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11501.150000	---	37.92	54.00	16.08	100.0	H	325.0	13.7
11508.525000	46.84	---	74.00	27.16	100.0	H	254.0	13.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_40M\_5745.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11439.691667	47.47	---	74.00	26.53	100.0	V	120.0	13.2
11511.966667	---	38.28	54.00	15.72	100.0	V	96.0	13.6

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5644.794445	60.26	68.20	7.94	100.0	H	231.0	13.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5624.322222	59.89	68.20	8.31	100.0	V	319.0	13.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_40M\_5756.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2549.890000	---	41.44	54.00	12.56	100.0	H	172.0	7.6
2551.760000	50.39	---	74.00	23.61	100.0	H	182.0	7.6
5441.500000	62.07	---	74.00	11.93	100.0	H	143.0	13.5

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5444.572222	50.53	54.00	3.47	100.0	H	213.0	13.5

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_40M\_5762.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1424.830000	---	36.63	54.00	17.37	100.0	H	282.0	1.6
1477.700000	43.56	---	74.00	30.44	100.0	H	229.0	1.3
5439.500000	63.63	---	74.00	10.37	100.0	H	213.0	13.5


### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5450.486111	50.44	54.00	3.56	100.0	H	211.0	13.5



### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_40M\_5787.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2462.510000	---	41.13	54.00	12.87	100.0	H	31.0	7.4
2495.320000	50.22	---	74.00	23.78	100.0	H	188.0	7.4
5447.000000	64.52	---	74.00	9.48	100.0	H	211.0	13.5

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5444.230556	50.03	54.00	3.97	100.0	H	208.0	13.5

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_40M\_5787.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1897.940000	---	42.94	54.00	11.06	100.0	V	140.0	5.6
1898.110000	48.41	---	74.00	25.59	100.0	V	140.0	5.6
5451.500000	---	50.84	54.00	3.16	100.0	V	44.0	13.5
5560.500000	62.52	---	68.20	5.68	100.0	V	44.0	13.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_40M\_5787.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11554.741667	47.38	---	74.00	26.62	100.0	H	16.0	13.5
11580.308333	---	37.64	54.00	16.36	100.0	H	0.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_40M\_5787.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11468.700000	47.99	---	74.00	26.01	100.0	V	164.0	13.6
11570.475000	---	37.59	54.00	16.41	100.0	V	129.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_40M\_5800.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1425.000000	43.87	---	74.00	30.13	100.0	H	191.0	1.6
1425.170000	---	36.20	54.00	17.80	100.0	H	191.0	1.6
5445.000000	65.45	---	74.00	8.55	100.0	H	231.0	13.5

### Final\_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5445.688889	50.18	54.00	3.82	105.0	H	135.0	13.5

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_40M\_5829.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1424.830000	44.26	---	74.00	29.74	100.0	H	176.0	1.6
1424.830000	---	37.83	54.00	16.17	100.0	H	176.0	1.6
5468.000000	63.69	---	68.20	4.51	100.0	H	224.0	13.6

### Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5413.347222	50.74	54.00	3.26	100.0	H	222.0	13.5

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_40M\_5829.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2549.720000	51.53	---	74.00	22.47	100.0	V	126.0	7.6
2627.240000	---	42.01	54.00	11.99	100.0	V	37.0	7.5
5457.000000	---	48.25	54.00	5.75	100.0	V	313.0	13.6
5512.500000	60.45	---	68.20	7.75	100.0	V	313.0	13.7

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_40M\_5829.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11615.216667	46.95	---	74.00	27.05	100.0	H	142.0	13.3
11655.041667	---	38.08	54.00	15.92	100.0	H	106.0	13.3


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: DJI Mavic 3E  
 Model: M3E  
 Test Mode: SDR 5.8G\_40M\_5829.5MHz  
 Order No/Sample No: 168379672  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:58%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11637.833333	---	38.51	54.00	15.49	100.0	V	357.0	13.3
11653.566667	46.56	---	74.00	27.44	100.0	V	71.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_40M_5829.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5940.838889	59.11	68.20	9.09	100.0	H	194.0	14.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3E
Model:	M3E
Test Mode:	SDR 5.8G_40M_5829.5MHz
Order No/Sample No:	168379672
Test Voltage:	Battery
Remark:	Temp 23 Humi:58%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5943.011111	58.55	68.20	9.65	100.0	V	320.0	14.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

**Model M3T:****EUT Information**

EUT Name: DJI Mavic 3T  
 Model: M3T  
 Test Mode: SDR 5.8G\_20M\_5787.5MHz  
 Order No/Sample No: 168379672/A003305458-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin

**Critical\_Freqs**


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2324.810000	49.60	---	74.00	24.40	100.0	H	134.0	6.6
2336.540000	---	40.24	54.00	13.76	100.0	H	300.0	6.8
5407.500000	64.27	---	74.00	9.73	100.0	H	152.0	13.5

**Final\_Result**

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5386.597222	49.62	54.00	4.38	100.0	H	142.0	13.4

### EUT Information

EUT Name: DJI Mavic 3T  
 Model: M3T  
 Test Mode: SDR 5.8G\_20M\_5787.5MHz  
 Order No/Sample No: 168379672/A003305458-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:56%  
 Test Standard: FCC 15.407  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1119.340000	45.74	---	74.00	28.26	100.0	V	273.0	0.2
1120.870000	---	36.43	54.00	17.57	100.0	V	262.0	0.2
5362.000000	61.64	---	74.00	12.36	100.0	V	314.0	13.3
5371.500000	---	50.46	54.00	3.54	100.0	V	94.0	13.3

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3T
Model:	M3T
Test Mode:	SDR 5.8G_20M_5787.5MHz
Order No/Sample No:	168379672/A003305458-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11561.133333	---	37.85	54.00	16.15	100.0	H	214.0	13.4
11565.066667	47.72	---	74.00	26.28	100.0	H	113.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	DJI Mavic 3T
Model:	M3T
Test Mode:	SDR 5.8G_20M_5787.5MHz
Order No/Sample No:	168379672/A003305458-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:56%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11513.441667	---	38.76	54.00	15.24	100.0	V	151.0	13.6
11574.900000	46.59	---	74.00	27.41	100.0	V	188.0	13.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---