



---

# Junos Space Network Management Platform

## User Interface Guide

Release  
15.2



---

Modified: 2016-03-23

Juniper Networks, Inc.  
1133 Innovation Way  
Sunnyvale, California 94089  
USA  
408-745-2000  
[www.juniper.net](http://www.juniper.net)

Copyright © 2016, Juniper Networks, Inc. All rights reserved.

Juniper Networks, Junos, Steel-Belted Radius, NetScreen, and ScreenOS are registered trademarks of Juniper Networks, Inc. in the United States and other countries. The Juniper Networks Logo, the Junos logo, and JunosE are trademarks of Juniper Networks, Inc. All other trademarks, service marks, registered trademarks, or registered service marks are the property of their respective owners.

Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice.

*Junos Space Network Management Platform User Interface Guide*

15.2

Copyright © 2016, Juniper Networks, Inc.  
All rights reserved.

The information in this document is current as of the date on the title page.

#### YEAR 2000 NOTICE

Juniper Networks hardware and software products are Year 2000 compliant. Junos OS has no known time-related limitations through the year 2038. However, the NTP application is known to have some difficulty in the year 2036.

#### END USER LICENSE AGREEMENT

The Juniper Networks product that is the subject of this technical documentation consists of (or is intended for use with) Juniper Networks software. Use of such software is subject to the terms and conditions of the End User License Agreement ("EULA") posted at <http://www.juniper.net/support/eula.html>. By downloading, installing or using such software, you agree to the terms and conditions of that EULA.

# Table of Contents

	About the Documentation . . . . .	ix
	Documentation and Release Notes . . . . .	ix
	Supported Platforms . . . . .	ix
	Documentation Conventions . . . . .	ix
	Documentation Feedback . . . . .	xi
	Requesting Technical Support . . . . .	xii
	Self-Help Online Tools and Resources . . . . .	xii
	Opening a Case with JTAC . . . . .	xii
<b>Chapter 1</b>	<b>Overview . . . . .</b>	<b>15</b>
	Junos Space User Interface Overview . . . . .	15
	Junos Space Banner . . . . .	16
	Task Tree . . . . .	17
	Main Window . . . . .	19
	Junos Space Home Page Overview . . . . .	19
<b>Chapter 2</b>	<b>Working in the Junos Space User Interface . . . . .</b>	<b>23</b>
	Logging In to Junos Space . . . . .	23
	Setting and Accessing the Junos Space Home Page . . . . .	25
	Setting the Junos Space Home Page . . . . .	26
	Accessing the Junos Space Home Page . . . . .	27
	Using the Getting Started Assistants on Junos Space . . . . .	27
	Accessing Help on Junos Space . . . . .	28
	Understanding GUI Controls . . . . .	29
	Check Box . . . . .	29
	Selecting All Objects on a Single Page . . . . .	29
	Selecting All Objects Across Multiple Pages . . . . .	30
	Date Picker . . . . .	31
	Drop-down List . . . . .	32
	Option Button . . . . .	32
	Search Field . . . . .	32
	Spin Box . . . . .	33
	Slider . . . . .	33
	Text Box . . . . .	34
	Identifying the Range of Values . . . . .	35
	Tree View . . . . .	36
	Scrolling Controls . . . . .	37
	Sizing Controls . . . . .	37
	Understanding Tooltips and Messages . . . . .	38
	Error Messages . . . . .	38
	Confirmation Messages . . . . .	39

	Information Messages . . . . .	39
	Standard Icons in Messages . . . . .	40
	Understanding Status Indicators . . . . .	42
	Progress Bars . . . . .	42
	Status Indicator Icons . . . . .	43
	Viewing the Junos Space Platform Dashboard . . . . .	44
	Workspace Statistics Page Overview . . . . .	46
	Workspace Statistics . . . . .	46
	Inventory Landing Page Overview . . . . .	48
	Organizing Your View . . . . .	48
	Paging Controls . . . . .	49
	Sorted-by Indicator . . . . .	49
	Show or Hide Columns . . . . .	50
	Filter Submenus . . . . .	51
	Working with Objects on an Inventory Page . . . . .	55
	Toolbar Icons . . . . .	55
	Actions Menu and Shortcut Menu . . . . .	55
	Exporting Data . . . . .	56
	Global Search Overview . . . . .	58
	Using Global Search . . . . .	65
	Viewing Your Jobs . . . . .	67
	Changing Your Password on Junos Space . . . . .	68
	Logging Out of Junos Space . . . . .	69
<b>Chapter 3</b>	<b>Troubleshooting . . . . .</b>	<b>71</b>
<b>Chapter 4</b>	<b>Index . . . . .</b>	<b>73</b>
	Index . . . . .	75

# List of Figures

<b>Chapter 1</b>	<b>Overview</b> .....	<b>15</b>
	Figure 1: Junos Space Platform Default Home Page .....	16
<b>Chapter 2</b>	<b>Working in the Junos Space User Interface</b> .....	<b>23</b>
	Figure 2: Home Page Menu .....	26
	Figure 3: Check Box .....	29
	Figure 4: Check Box Adjacent to the First Column Header .....	30
	Figure 5: Check Box to Select All Objects Across Multiple Pages: Domains Page .....	30
	Figure 6: Check Box to Select All Objects Across Multiple Pages: Backup Configuration Files Page .....	31
	Figure 7: Date Picker .....	31
	Figure 8: Drop-down List .....	32
	Figure 9: Editable Drop-down List .....	32
	Figure 10: Option Button .....	32
	Figure 11: Search Field .....	33
	Figure 12: Global Search .....	33
	Figure 13: Spin Box .....	33
	Figure 14: Slider .....	34
	Figure 15: Text Box .....	35
	Figure 16: Text Box Displaying a Drop-down List .....	35
	Figure 17: Minimum Value in a Text Box .....	36
	Figure 18: Maximum Value in a Text Box .....	36
	Figure 19: Tree View .....	37
	Figure 20: Horizontal Scroll Bar .....	37
	Figure 21: Minimize, Maximise, and Close Buttons .....	38
	Figure 22: Tooltip .....	38
	Figure 23: Error Message Dialog Box .....	39
	Figure 24: Confirmation Dialog Box .....	39
	Figure 25: Information Dialog Box .....	40
	Figure 26: Message with the Error Icon .....	40
	Figure 27: Message with the Larger Warning Icon .....	41
	Figure 28: Message with the Smaller Warning Icon .....	41
	Figure 29: Message with the Information Icon .....	41
	Figure 30: Message with the Question Mark Icon .....	42
	Figure 31: Message with the Check Mark Icon .....	42
	Figure 32: Progress Bar .....	43
	Figure 33: Junos Space Platform Dashboard Page .....	45
	Figure 34: Workspace Statistics Pages .....	47
	Figure 35: Page Information Bar .....	49
	Figure 36: Sorting Tables .....	50

Figure 37: Showing or Hiding Columns in Tables . . . . .	51
Figure 38: Typical Submenu for a Date Column . . . . .	52
Figure 39: Toolbar Icons . . . . .	55

# List of Tables

	<b>About the Documentation</b> . . . . .	<b>ix</b>
	Table 1: Notice Icons . . . . .	x
	Table 2: Text and Syntax Conventions . . . . .	x
<b>Chapter 1</b>	<b>Overview</b> . . . . .	<b>15</b>
	Table 3: Global Action Icons . . . . .	17
	Table 4: Workspace Names . . . . .	18
	Table 5: Junos Space Platform Pages that Can Be Set as the Home Page . . . . .	19
<b>Chapter 2</b>	<b>Working in the Junos Space User Interface</b> . . . . .	<b>23</b>
	Table 6: Standard Junos Space Message Icons . . . . .	40
	Table 7: User Status Indicators . . . . .	43
	Table 8: Device Status Indicators . . . . .	43
	Table 9: Job Icon Status Indicators . . . . .	44
	Table 10: Table Paging and Refreshing Controls . . . . .	49
	Table 11: Filter-Enabled Tables and Columns . . . . .	53
	Table 12: Searchable Objects . . . . .	59
	Table 13: Query Expressions in the Search Field . . . . .	64





# About the Documentation

- Documentation and Release Notes on page ix
- Supported Platforms on page ix
- Documentation Conventions on page ix
- Documentation Feedback on page xi
- Requesting Technical Support on page xii

## Documentation and Release Notes

---

To obtain the most current version of all Juniper Networks® technical documentation, see the product documentation page on the Juniper Networks website at <http://www.juniper.net/techpubs/>.

If the information in the latest release notes differs from the information in the documentation, follow the product Release Notes.

Juniper Networks Books publishes books by Juniper Networks engineers and subject matter experts. These books go beyond the technical documentation to explore the nuances of network architecture, deployment, and administration. The current list can be viewed at <http://www.juniper.net/books>.

## Supported Platforms

---

For the features described in this document, the following platforms are supported:

- JA1500
- JA2500
- Junos Space Virtual Appliance

## Documentation Conventions

---

Table 1 on page x defines notice icons used in this guide.

Table 1: Notice Icons







Icon	Meaning	Description
	Informational note	Indicates important features or instructions.
	Caution	Indicates a situation that might result in loss of data or hardware damage.
	Warning	Alerts you to the risk of personal injury or death.
	Laser warning	Alerts you to the risk of personal injury from a laser.
	Tip	Indicates helpful information.
	Best practice	Alerts you to a recommended use or implementation.

Table 2 on page x defines the text and syntax conventions used in this guide.

Table 2: Text and Syntax Conventions

Convention	Description	Examples
<b>Bold text like this</b>	Represents text that you type.	To enter configuration mode, type the <b>configure</b> command:  user@host> <b>configure</b>
Fixed-width text like this	Represents output that appears on the terminal screen.	user@host> <b>show chassis alarms</b>  No alarms currently active
<i>Italic text like this</i>	<ul style="list-style-type: none"> <li>Introduces or emphasizes important new terms.</li> <li>Identifies guide names.</li> <li>Identifies RFC and Internet draft titles.</li> </ul>	<ul style="list-style-type: none"> <li>A policy <i>term</i> is a named structure that defines match conditions and actions.</li> <li><i>Junos OS CLI User Guide</i></li> <li>RFC 1997, <i>BGP Communities Attribute</i></li> </ul>
<i>Italic text like this</i>	Represents variables (options for which you substitute a value) in commands or configuration statements.	Configure the machine's domain name:  [edit] root@# <b>set system domain-name</b> <i>domain-name</i>

Table 2: Text and Syntax Conventions (*continued*)

Convention	Description	Examples
Text like this	Represents names of configuration statements, commands, files, and directories; configuration hierarchy levels; or labels on routing platform components.	<ul style="list-style-type: none"><li>To configure a stub area, include the <b>stub</b> statement at the <b>[edit protocols ospf area area-id]</b> hierarchy level.</li><li>The console port is labeled <b>CONSOLE</b>.</li></ul>
< > (angle brackets)	Encloses optional keywords or variables.	<b>stub &lt;default-metric <i>metric</i>&gt;;</b>
(pipe symbol)	Indicates a choice between the mutually exclusive keywords or variables on either side of the symbol. The set of choices is often enclosed in parentheses for clarity.	<b>broadcast   multicast</b>  <b>(<i>string1</i>   <i>string2</i>   <i>string3</i>)</b>
# (pound sign)	Indicates a comment specified on the same line as the configuration statement to which it applies.	<b>rsvp { # Required for dynamic MPLS only</b>
[ ] (square brackets)	Encloses a variable for which you can substitute one or more values.	<b>community name members [ <i>community-ids</i> ]</b>
Indentation and braces ( { } )	Identifies a level in the configuration hierarchy.	<pre>[edit] routing-options {   static {     route default {       nexthop <i>address</i>;       retain;     }   } }</pre>
;(semicolon)	Identifies a leaf statement at a configuration hierarchy level.	
GUI Conventions		
Bold text like this	Represents graphical user interface (GUI) items you click or select.	<ul style="list-style-type: none"><li>In the Logical Interfaces box, select <b>All Interfaces</b>.</li><li>To cancel the configuration, click <b>Cancel</b>.</li></ul>
> (bold right angle bracket)	Separates levels in a hierarchy of menu selections.	In the configuration editor hierarchy, select <b>Protocols&gt;Ospf</b> .

## Documentation Feedback

We encourage you to provide feedback, comments, and suggestions so that we can improve the documentation. You can provide feedback by using either of the following methods:

- Online feedback rating system—On any page of the Juniper Networks TechLibrary site at <http://www.juniper.net/techpubs/index.html>, simply click the stars to rate the content, and use the pop-up form to provide us with information about your experience. Alternately, you can use the online feedback form at <http://www.juniper.net/techpubs/feedback/>.

- E-mail—Send your comments to [techpubs-comments@juniper.net](mailto:techpubs-comments@juniper.net). Include the document or topic name, URL or page number, and software version (if applicable).

## Requesting Technical Support

---

Technical product support is available through the Juniper Networks Technical Assistance Center (JTAC). If you are a customer with an active J-Care or Partner Support Service support contract, or are covered under warranty, and need post-sales technical support, you can access our tools and resources online or open a case with JTAC.

- JTAC policies—For a complete understanding of our JTAC procedures and policies, review the *JTAC User Guide* located at <http://www.juniper.net/us/en/local/pdf/resource-guides/7100059-en.pdf>.
- Product warranties—For product warranty information, visit <http://www.juniper.net/support/warranty/>.
- JTAC hours of operation—The JTAC centers have resources available 24 hours a day, 7 days a week, 365 days a year.

## Self-Help Online Tools and Resources

For quick and easy problem resolution, Juniper Networks has designed an online self-service portal called the Customer Support Center (CSC) that provides you with the following features:

- Find CSC offerings: <http://www.juniper.net/customers/support/>
- Search for known bugs: <http://www2.juniper.net/kb/>
- Find product documentation: <http://www.juniper.net/techpubs/>
- Find solutions and answer questions using our Knowledge Base: <http://kb.juniper.net/>
- Download the latest versions of software and review release notes: <http://www.juniper.net/customers/csc/software/>
- Search technical bulletins for relevant hardware and software notifications: <http://kb.juniper.net/InfoCenter/>
- Join and participate in the Juniper Networks Community Forum: <http://www.juniper.net/company/communities/>
- Open a case online in the CSC Case Management tool: <http://www.juniper.net/cm/>

To verify service entitlement by product serial number, use our Serial Number Entitlement (SNE) Tool: <https://tools.juniper.net/SerialNumberEntitlementSearch/>

## Opening a Case with JTAC

You can open a case with JTAC on the Web or by telephone.

- Use the Case Management tool in the CSC at <http://www.juniper.net/cm/>.
- Call 1-888-314-JTAC (1-888-314-5822 toll-free in the USA, Canada, and Mexico).

For international or direct-dial options in countries without toll-free numbers, see <http://www.juniper.net/support/requesting-support.html>.



## CHAPTER 1

# Overview

- [Junos Space User Interface Overview on page 15](#)
- [Junos Space Home Page Overview on page 19](#)


### Junos Space User Interface Overview

The Junos Space UI is designed to look and behave in a way that most users are familiar with. The left tree structure facilitates navigation and the right pane displays information about the workspace or task selected in the left pane. Multiple users can access the UI through Web browsers concurrently. All users have access to the same current information in the same system wide database. Access to tasks and objects is controlled by permissions assigned to each user.

The Junos Space UI is common to Junos Space Network Management Platform and Junos Space applications. The information displayed on the Junos Space UI changes according to the application you select. The examples shown here are from the Junos Space Platform UI. Other applications may have design variations.

When you log in to Junos Space Platform, the previously configured home page is displayed. The Junos Space Platform Dashboard, which is the default home page, is shown in [Figure 1 on page 16](#).

Figure 1: Junos Space Platform Default Home Page



1—Junos Space Banner	4—Global Action Icons
2—Global Search Text Box	5—Junos Space Dashboard
3—Domain Switcher	6—Task Tree

This display contains three main parts: a task tree on the left, which is always available; a main window on the right, whose content changes as you select items from the task tree; and a banner across the top, which offers the date and time, the domain to which you are logged in, global search, and several icon buttons for frequently used actions. These parts are described in the following sections.

- [Junos Space Banner on page 16](#)
- [Task Tree on page 17](#)
- [Main Window on page 19](#)

## Junos Space Banner

The Junos Space banner, as indicated in [Figure 1 on page 16](#), displays the date and server time in the active time zone, the domain to which you are logged in, global search, and the global actions icons. This banner is always present. For more information about global search and domain features, see [“Using Global Search” on page 65](#) and the *Domains Overview* topic (in the *Junos Space Network Management Platform Workspaces Feature Guide*).








**NOTE:** If you access the Junos Space Platform UI in two tabs of the same browser with two different domains selected and access the same page in both tabs, the information displayed on the page is based on the latest domain selected. To view pages that are accessible only in the Global domain, ensure that you are in the Global domain in the most recent tab in which you are accessing the UI.



Table 3 on page 17 describes the global action icons on the right side of the banner.

Table 3: Global Action Icons

Global Action Icon	Description
	Enables you to access the Junos Space home page or set the Junos Space home page. Refer to the <a href="#">“Setting and Accessing the Junos Space Home Page”</a> on page 25 for details.
	Displays the application Help. To access workspace context-sensitive Help, click the Help icon after navigating to that workspace. See <a href="#">“Accessing Help on Junos Space”</a> on page 28.
	Displays the My Jobs dialog box from which you can view the progress and status of your current managed jobs. You can view all your completed, in-progress, canceled, and scheduled jobs in Junos Space Platform. See <a href="#">“Viewing Your Jobs”</a> on page 67 in the <i>Junos Space Network Management Platform Workspaces Feature Guide</i> .
	Displays the Change User Settings dialog box from which you can change user preferences, such as the password. See <a href="#">“Changing Your Password on Junos Space”</a> on page 68.
	Logs you out of the system. See <a href="#">“Logging Out of Junos Space”</a> on page 69.

## Task Tree

The task tree on the left side of the display is always present and facilitates navigation in the Junos Space Platform UI. As shown in [Figure 1 on page 16](#), when you first log in, the Application Selector list displays Network Management Platform by default. You can drop this list down to see all the Junos Space applications available on your system. (You can install other applications by using the Applications task group, as described in *Managing Junos Space Applications Overview* in the *Junos Space Network Management Platform Workspaces Feature Guide*.)

You can collapse the task tree to the left by clicking the double left arrow buttons in its header, and reexpand it by clicking the double right arrow buttons.

Below the application name is the word **Dashboard**, selected by default. It indicates that what you see in the right-hand window is the dashboard for the current application—in this case, Junos Space Platform. The dashboard shows several measures of overall system health.

Below the Dashboard item in the tree is a list of the workspaces available in the current application. This list forms the top level of the task tree. If you select a different application from the **Applications** list, you see the workspace list change. This topic describes the workspaces for Junos Space Platform; for the workspaces in other applications, see the documentation for those applications.

The workspaces in the Junos Space Platform are described at a high level in [Table 4 on page 18](#).

Table 4: Workspace Names

Workspace Name	Function
<b>Devices</b>	Manage devices, including adding, discovering, importing, and updating them. See <i>Device Management Overview</i> (in the <i>Junos Space Network Management Platform Workspaces Feature Guide</i> ).
<b>Device Templates</b>	Create configuration definitions and templates used to deploy configuration changes on multiple Juniper Networks devices. See <i>Device Templates Overview</i> (in the <i>Junos Space Network Management Platform Workspaces Feature Guide</i> ).
<b>CLI Configlets</b>	Easily apply a configuration to a device. Configlets are configuration tools provided by Junos OS. See <i>CLI Configlets Overview</i> (in the <i>Junos Space Network Management Platform Workspaces Feature Guide</i> ).
<b>Images and Scripts</b>	<p>Deploy, verify, enable, disable, remove, and execute scripts deployed to devices. See <i>Scripts Overview</i> (in the <i>Junos Space Network Management Platform Workspaces Feature Guide</i>).</p> <p>Download a device image from the Juniper Networks Software download site to your local file system, upload it into Junos Space, and deploy it on one or more devices simultaneously. See <i>Device Images Overview</i> (in the <i>Junos Space Network Management Platform Workspaces Feature Guide</i>).</p>
<b>Reports</b>	Generate customized reports for managing network resources. See <i>Reports Overview</i> (in the <i>Junos Space Network Management Platform Workspaces Feature Guide</i> ).
<b>Network Monitoring</b>	Assess the performance of your network, not only at a point in time, but also over a period of time. See <i>Network Monitoring Workspace Overview</i> (in the <i>Junos Space Network Management Platform Workspaces Feature Guide</i> ).
<b>Configuration Files</b>	See <i>Managing Configuration Files Overview</i> (in the <i>Junos Space Network Management Platform Workspaces Feature Guide</i> ).
<b>Jobs</b>	Monitor the progress of ongoing jobs. See <i>Jobs Overview</i> (in the <i>Junos Space Network Management Platform Workspaces Feature Guide</i> ).
<b>Role Based Access Control</b>	Add, manage, and delete users, custom roles, domains, and remote profiles. From this workspace, you can also manage user sessions. See <i>Configuring Users to Manage Objects in Junos Space Overview</i> (in the <i>Junos Space Network Management Platform Workspaces Feature Guide</i> ).
<b>Audit Logs</b>	View and filter system audit logs, including those for user login and logout, tracking device-management tasks, and displaying services that were provisioned on devices. See <i>Junos Space Audit Logs Overview</i> (in the <i>Junos Space Network Management Platform Workspaces Feature Guide</i> ).
<b>Administration</b>	Add network nodes, back up your database, manage licenses and applications, or troubleshoot. See <i>Junos Space Administrators Overview</i> , <i>Maintenance Mode Overview</i> , and other topics related to the Administration workspace in the (in the <i>Junos Space Network Management Platform Workspaces Feature Guide</i> ).

You can expand any of these workspaces by clicking the expansion symbol (+) to the left of its name. When you do so, the next level of the task tree for that workspace opens. Some items at this second level may also be expandable subgroups.

You can expand as many workspaces or task groups as you like; previously expanded ones remain open until you collapse them. The design of the task tree enables you to jump from area to area within an application with the minimum number of selections.

## Main Window

When you log in to Junos Space Platform, the main window shows the application dashboard by default. If you have set another home page, the main window displays that page. See [“Setting and Accessing the Junos Space Home Page” on page 25](#) for more information.

When you select a workspace name (as opposed to expanding it), the main window changes and displays graphical statistics for that workspace. This display is called Workspace Statistics. It is similar in functionality to the overall system dashboard, but it pertains only to that workspace. See [“Workspace Statistics Page Overview” on page 46](#) for more information.

Selecting the name of a task group or task within the workspace causes the main window to display an inventory of the objects managed in tabular format. See [“Inventory Landing Page Overview” on page 48](#) for more information.

### Related Documentation

- [Inventory Landing Page Overview on page 48](#)
- [Workspace Statistics Page Overview on page 46](#)
- [Viewing the Junos Space Platform Dashboard on page 44](#)
- [Using the Getting Started Assistants on Junos Space on page 27](#)
- [Junos Space Home Page Overview on page 19](#)

## Junos Space Home Page Overview

When you log in to Junos Space Network Management Platform, the default page displayed is the Junos Space Dashboard page. However, you can set a different page as the home page and on subsequent logins to Junos Space Platform, the configured home page is displayed. This is useful because you can configure the home page to the page that you visit frequently or the page that is related to your role; for example, a device administrator might configure the Devices Dashboard page as the home page.

[Table 5 on page 19](#) displays the list of pages in Junos Space Network Management Platform that you are allowed to set as the home page.

**Table 5: Junos Space Platform Pages that Can Be Set as the Home Page**

Workspace	Page
None	Junos Space Dashboard

Table 5: Junos Space Platform Pages that Can Be Set as the Home Page (*continued*)

Workspace	Page
<b>Devices</b>	<ul style="list-style-type: none"> <li>• (Devices) Dashboard</li> <li>• Device Management</li> <li>• Device Discovery (Dashboard)</li> <li>• Device Discovery &gt; Specify Fingerprints</li> <li>• Model Devices</li> <li>• Model Devices &gt; Connection Profiles</li> <li>• Secure Console</li> <li>• Device Adapter</li> </ul>
<b>Device Templates</b>	<ul style="list-style-type: none"> <li>• (Device Templates) Dashboard</li> <li>• Definitions</li> <li>• Templates</li> </ul>
<b>CLI Configlets</b>	<ul style="list-style-type: none"> <li>• (CLI Configlets) Dashboard</li> <li>• Configlets</li> <li>• Configuration View</li> <li>• Xpath and Regex</li> <li>• Configuration Filter</li> </ul>
<b>Images and Scripts</b>	<ul style="list-style-type: none"> <li>• (Images and Scripts) Dashboard</li> <li>• Images</li> <li>• Scripts</li> <li>• Operations</li> <li>• Script Bundles</li> </ul>
<b>Reports</b>	<ul style="list-style-type: none"> <li>• (Reports) Dashboard</li> <li>• Report Definitions</li> <li>• Generated Reports</li> </ul>
<b>Network Monitoring</b>	<ul style="list-style-type: none"> <li>• (Networking Monitoring) Dashboard</li> <li>• Node List</li> <li>• Resync Nodes</li> <li>• Search</li> <li>• Outages</li> <li>• Dashboard</li> <li>• Events</li> <li>• Alarms</li> <li>• Notifications</li> <li>• Assets</li> <li>• Reports</li> <li>• Charts</li> <li>• Topology</li> <li>• Admin</li> </ul>

Table 5: Junos Space Platform Pages that Can Be Set as the Home Page (*continued*)

Workspace	Page
Configuration Files	<ul style="list-style-type: none"> <li>• (Configuration Files) Dashboard</li> <li>• Config Files Management</li> </ul>
Jobs	<ul style="list-style-type: none"> <li>• (Jobs) Dashboard</li> <li>• Job Management</li> </ul>
Role Based Access Control	<ul style="list-style-type: none"> <li>• (Role Based Access Control) Dashboard</li> <li>• User Accounts</li> <li>• Roles</li> <li>• Domains</li> <li>• Remote Profiles</li> <li>• API Access Profiles</li> <li>• User Sessions</li> </ul>
Audit Logs	<ul style="list-style-type: none"> <li>• (Audit Logs) Dashboard</li> <li>• Audit Log</li> </ul>
Administration	<ul style="list-style-type: none"> <li>• (Administration) Dashboard</li> <li>• Fabric</li> <li>• Database Backup and Restore</li> <li>• Licenses</li> <li>• Applications</li> <li>• Authentication Servers</li> <li>• SMTP Servers</li> <li>• Git Repositories</li> <li>• Tags</li> <li>• DMI Schemas</li> <li>• Purging Policy</li> </ul>

The Junos Space Platform home page is displayed in the following cases:

- When you log in to Junos Space
- When you click the **Home** icon on the Junos Space banner and select **Go to homepage**
- When you switch domains and if the page that was displayed prior to the domain switch is not accessible in the new domain



**NOTE:** If the configured home page is not accessible in the new domain, then the Junos Space Dashboard page is loaded.



**NOTE:** If an installed Junos Space application supports the Junos Space home page, the Home Page icon is displayed when you access the application; otherwise it is hidden.

For more information about how to set and access the Junos Space home page, refer to [“Setting and Accessing the Junos Space Home Page”](#) on page 25.

**Related  
Documentation**

- [Junos Space User Interface Overview](#) on page 15

## CHAPTER 2

# Working in the Junos Space User Interface

- [Logging In to Junos Space on page 23](#)
- [Setting and Accessing the Junos Space Home Page on page 25](#)
- [Using the Getting Started Assistants on Junos Space on page 27](#)
- [Accessing Help on Junos Space on page 28](#)
- [Understanding GUI Controls on page 29](#)
- [Understanding Tooltips and Messages on page 38](#)
- [Understanding Status Indicators on page 42](#)
- [Viewing the Junos Space Platform Dashboard on page 44](#)
- [Workspace Statistics Page Overview on page 46](#)
- [Inventory Landing Page Overview on page 48](#)
- [Global Search Overview on page 58](#)
- [Using Global Search on page 65](#)
- [Viewing Your Jobs on page 67](#)
- [Changing Your Password on Junos Space on page 68](#)
- [Logging Out of Junos Space on page 69](#)

## Logging In to Junos Space

---

You can connect to the Junos<sup>®</sup> Space UI by using your Web browser. Internet Explorer versions 9, 10, and 11, and latest stable versions of Mozilla Firefox and Google Chrome Web browsers are supported.



**NOTE:** Although you can access Junos Space Platform by using Internet Explorer versions 9.0 and 10.0, we recommend that you upgrade to Internet Explorer version 11.0 because it is the only version now supported by Microsoft.

We recommend a screen resolution of 1280 x 1024 pixels or higher.



**WARNING:** To avoid a Browser Exploit Against SSL/TLS (BEAST) attack, whenever you log in to Junos Space through a browser tab or window, make

sure that the tab or window was not previously used to access a non-HTTPS website. Best practice is to close your browser and relaunch it before logging in to Junos Space.



NOTE:

- The Network Monitoring Topology feature of Junos Space Platform is not supported on Internet Explorer.
- Before you log in to Junos Space, ensure that the Adobe Flash version 10 or later plug-in is installed in your browser.

To access and log in to Junos Space:

1. In the address bar of your browser window, enter **https://virtual-IP-address/mainui/**, where *virtual-IP-address* is the previously configured virtual IP (VIP) address that is used for Web access to Junos Space.
2. Press Enter or click **Search**.  
The Junos Space login page appears.
3. In the **Username** text box, enter your username. The default username is **super**. For information about how to change your username, consult your system administrator.
4. In the **Password** text box, enter your password. The default password is **juniper123**. For information about how to change your password, see [“Changing Your Password on Junos Space” on page 68](#).
5. (Optional) If the remote authentication server is configured for Challenge/Response, you are presented with challenge questions. Provide valid responses to the challenge questions to log in successfully. For more information, see *Remote Authentication Overview* in the *Junos Space Network Management Platform Workspaces Feature Guide*.
6. Click **Log In**.

The Junos Space home page appears. If the home page is not set, the Junos Space Dashboard page is displayed. If the home page is inaccessible due to role or domain restrictions, a warning message is displayed and the Junos Space Dashboard page is loaded.





**NOTE:** If you are a user with access to more than one domain, then an informational message about switching domains is displayed in a dialog box.

Do one of the following:

- To prevent the informational message from appearing again, ensure that the **Don't show again** check box is selected and click OK. The **Don't show again** check box is selected by default.
- To allow the informational message to continue appearing, clear the **Don't show again** check box and click OK.



**NOTE:** By default, Junos Space Platform authenticates a user's username and password. However, you can also use certificates to authenticate and authorize sessions among various servers and users. To configure certificate-based authentication, see *Certificate Management Overview* (in the *Junos Space Network Management Platform Workspaces Feature Guide*).

For more information about the Junos Space Platform UI, see “[Junos Space User Interface Overview](#)” on page 15.

#### Related Documentation

- [Logging Out of Junos Space on page 69](#)

## Setting and Accessing the Junos Space Home Page

By default, the Junos Space Network Management Platform Dashboard page is displayed when you log in to Junos Space. You can, however, set a different page as the *home* page. You use the **Home** icon on the Junos Space banner to set and access the Junos Space home page.



**NOTE:** If you are already on the home page, then the **Set as Homepage** and **Go to Homepage** actions are disabled. When you mouse over the actions, a message is displayed in a tool tip indicating that you are already on the home page.

This topic has the following sections:

- [Setting the Junos Space Home Page on page 26](#)
- [Accessing the Junos Space Home Page on page 27](#)

## Setting the Junos Space Home Page

To set a page as the home page:




**NOTE:** For more information about which pages can be set as home pages, see [“Junos Space Home Page Overview” on page 19](#).

1. Navigate to the page that you want to set as the Junos Space home page by using the task tree in the left-hand pane of the Junos Space Platform UI.
2. Click the **Home** icon on the Junos Space banner.

A drop-down menu is displayed as shown in [Figure 2 on page 26](#)

**Figure 2: Home Page Menu**



3. Click **Set as Homepage**.



**NOTE:** The **Set as Homepage** action is enabled or disabled depending on the page that you are on. If the current page can be set as the home page, the action is enabled; otherwise, the action is disabled and when you mouse over the **Set as Homepage** action, a message is displayed (in a tooltip) indicating that the page cannot be set as the home page.

A dialog box is displayed indicating the home page is set successfully.

4. Click **OK** to close the dialog box.



**NOTE:** When you are not on the home page, click the **Home** icon on the Junos Space banner and mouse over **Go to Homepage** to view the name of the current home page.

## Accessing the Junos Space Home Page

To access the Junos Space home page:



**NOTE:** The roles that you are assigned and the domains to which you have access determine whether or not you can access the home page. If your role does not allow you access to a specific page or if a page is not accessible in a particular domain, a dialog box is displayed when you click the **Go to Homepage** action:

- If the page from which you try to access the home page is the Junos Space Dashboard page, a message indicating that you do not have permission to access the home page is displayed.
- If the page from which the you try to access the home page is *not* the Junos Space Dashboard page, a message indicating that you do not have permission to access the home page is displayed and you can choose whether to load the Junos Space Dashboard page or remain on the current page.

1. Click the **Home** icon on the Junos Space banner.

A drop-down menu is displayed as shown in [Figure 2 on page 26](#)

2. Click **Go to Homepage**.

You are taken to the configured Junos Space home page. On the navigation tree, the node corresponding to the home page is selected and subtasks, if any, are visible.

### Related Documentation

- [Junos Space User Interface Overview on page 15](#)

## Using the Getting Started Assistants on Junos Space

The Getting Started assistants display steps and help on how to complete common tasks, such as increasing the storage capacity. Getting Started appears in the sidebar when you log in to Junos Space only if the **Show Getting Started on Startup** check box at the bottom of the sidebar is selected. If the sidebar is not shown, you can display it by selecting the Help icon in the Junos Space banner.


The Getting Started topics are context-sensitive per application. Getting Started displays all the steps of a task. From a step in a task, you can jump to that point in the UI and complete the task.

Some applications implement the Getting Started assistants; others do not.

To use a Getting Started assistant:

1. Select an application from the **Applications** list above the task tree.
2. In the sidebar, expand **Getting Started**.

A main Getting Started topic link appears on the sidebar.

If the sidebar is not displayed, select the Help (  ) icon at the right side of the Junos Space header. The sidebar appears.

3. Select a main topic.

For example, if you are in the Network Management Platform UI, click the **Increase Space Capacity** link. A list of required steps appears in the sidebar. Each step contains a task link and a link to Help.

4. Perform the required task by clicking the task link.

You move to a point in the UI from where you can complete the task. The assistant remains visible on the sidebar to aid navigation to subsequent tasks.

5. Access help for a specific step by clicking the Help icon next to that step.

To close the Getting Started sidebar, click the double-arrow button on its top-right corner.

**Related  
Documentation**

- [Accessing Help on Junos Space on page 28](#)

---

## Accessing Help on Junos Space

Junos Space provides a Help system that is context-sensitive per workspace. The Help system provides information about each element in the system, including workspaces, dashboards, tasks, inventory pages, and actions. Help topics appear as links on the sidebar.

To access online Help:


1. Click the workspace with which you want to work.
2. Click the Help icon at the right side of the Junos Space header.

The help icon is represented as .

The sidebar appears, if it is not already displayed, with the Help section open listing specific topics for that workspace and tasks.

3. Click a topic link to view its contents.

The Help topic appears in a separate window.

4. Click the  icon at the top right of the sidebar to hide it.

For more information about the Junos Space Platform UI, see the "[Junos Space User Interface Overview](#)" on page 15 topic.

**Related  
Documentation**

- [Using the Getting Started Assistants on Junos Space on page 27](#)

## Understanding GUI Controls


The following sections describe the various controls that can appear on the Junos Space UI:

- [Check Box on page 29](#)
- [Date Picker on page 31](#)
- [Drop-down List on page 32](#)
- [Option Button on page 32](#)
- [Search Field on page 32](#)
- [Spin Box on page 33](#)
- [Slider on page 33](#)
- [Text Box on page 34](#)
- [Tree View on page 36](#)
- [Scrolling Controls on page 37](#)
- [Sizing Controls on page 37](#)

### Check Box

You can use check boxes to select or deselect an option. For example, to ensure that there is at least one uppercase character when a user creates or modifies a password, an administrator can select the **At least one uppercase character** check box (as shown in [Figure 3 on page 29](#)) on the **Administration > Applications > Network Management Platform > Modify Application Settings** (from the Actions menu) > **Password > Advanced Settings** page. On a page, you can select one or more check boxes.


Figure 3: Check Box



### Selecting All Objects on a Single Page

With Junos Space, you can select all objects on an inventory landing page by selecting the check box that is displayed adjacent to the first column header. For example, you can select the check box (see [Figure 4 on page 30](#)) adjacent to the **Name** column on the Device Management inventory landing page to select all devices displayed on this page.

Figure 4: Check Box Adjacent to the First Column Header




### Selecting All Objects Across Multiple Pages

For certain tasks, you can select an appropriate check box in the Junos Space UI to select all objects spread across multiple pages. With this feature, you do not need to select each object individually on multiple pages.

For example, when you want to assign all devices to a domain, you can select the **Select all items across all pages** check box on the Domains page at the time of domain creation, which selects all devices (indicated by the check mark next to the devices as shown in [Figure 5 on page 30](#)). However, after all the devices are selected, you can deselect one or more devices, if needed.


Figure 5: Check Box to Select All Objects Across Multiple Pages: Domains Page



Though some pages support selection of all objects across multiple pages, you may not be able to deselect any of these objects after the selection. For example, when you select the **Select All across Pages** check box when backing up the configuration files (on the **Configuration Files > Config Files Management > Backup Configuration Files** page), you

cannot deselect any of the selected devices (see [Figure 6 on page 31](#)). The configuration of all devices are backed up.

**Figure 6: Check Box to Select All Objects Across Multiple Pages: Backup Configuration Files Page**




**NOTE:** Only certain pages in the Junos Space UI support the selection of objects across multiple pages.

## Date Picker

Using a date picker, you can select a date by either typing it into a text box or by using a drop-down Calendar control.

In [Figure 7 on page 31](#), you can specify a date by typing the date in the text box or from the Calendar control by clicking the icon next to the text box. To select today's date, click **Today** on the Calendar control.

**Figure 7: Date Picker**



## Drop-down List

With a drop-down list, you can select from a list of values (see [Figure 8 on page 32](#)). Clicking the arrow next to the list box opens the list. Junos Space also provides an editable drop-down list, which is a combination of a drop-down list and an editable text box (see [Figure 9 on page 32](#)). You can enter the first few letters in the text box to narrow down the list of values.

Figure 8: Drop-down List

Figure 9: Editable Drop-down List

## Option Button

Using an option button, you can make a single choice among a set of mutually exclusive, related options. Only one button at a time can be selected from the available options. The default option is selected (see [Figure 10 on page 32](#)).

Figure 10: Option Button

## Search Field

Use the Search text field on the right of the inventory page banner to look for specific objects to display on the inventory landing page. To find objects (within columns) on this page, enter the search criteria in the Search field (see [Figure 11 on page 33](#)). This field supports the same search syntax as the global search field (see [“Using Global Search” on page 65](#)). For example, enter “os:junos AND down” to find devices that are down on the Device Management inventory landing page. This feature is more powerful than the column filter because it allows you to use Boolean expressions.



Clicking the magnifying glass at the right of the search field displays a list of objects matching the search criteria. If you press the down arrow after entering the search criteria in the search field, a list of search options is displayed. When you select a search option from the list, only those inventory items that are specific to that search option are displayed on the page.


You can create tags to categorize objects. For more information about tagging objects to select similar objects, see *Tagging an Object* (in the *Junos Space Network Management Platform Workspaces Feature Guide*).

To display all the inventory objects on the page again, clear the contents of the Search field and press Enter.




**NOTE:** You must append "\*" if you want to search using partial keywords. Otherwise, the search might return zero matches.

Figure 11: Search Field



To search for specific objects across the entire Junos Space Network Management Platform, use the Search field on the banner at the top of the inventory page (see [Figure 12 on page 33](#)). For more information about global search, see “Using Global Search” on page 65.

Figure 12: Global Search



## Spin Box

A spin box is a text box with up and down arrows that you can click to change the value incrementally (see [Figure 13 on page 33](#)). You can also type a valid value in the box.

Figure 13: Spin Box




## Slider

Using a slider, you can select a value from a continuous range of values by sliding the indicator along a bar. The indicator shows the current value.

In [Figure 14 on page 34](#), the automatic logout of a user due to inactivity is set to 90 minutes by using the slider control.

**Figure 14: Slider**




## Text Box

A text box enables you to:

- Enter or edit text (for example, the **Login ID** or **Password** fields in [Figure 15 on page 35](#)).
- Upload files from your computer to the Junos Space server, such as the **Image File** or **X509 Cert File** fields in [Figure 15 on page 35](#).
- Choose a value from a drop-down list of values when you enter the first few letters in the text box (see [Figure 16 on page 35](#)).

Use the label associated with a text box to identify the purpose of a text box. You can gain additional information about some of the text boxes from the information icons that

are associated with the text boxes (  ). For example, the **Temporary Password** and **Password** text boxes have information icons associated with them as shown in [Figure 15 on page 35](#). You must mouse over the information icon for Junos Space to display information about the text box with which the information icon is associated. For example, when you mouse over the information icon associated with the **Password** text box, the conditions that must be met when you enter a password are displayed.



**NOTE:** Not all text boxes in Junos Space have information icons associated with them.

Figure 15: Text Box

Search:  Enter Search Criteria here ...

Login as **super** in **Global**  Tue Dec 17 2013 08:05 PM IST

Role Based Access Control > User Accounts > **Create User**

**Create user**

**General**

Login ID:

Temporary Password: ☐ Generate a temporary password

Password:  **Password Strength**

Confirm Password:

First Name:

Last Name:

Email:

Maximum concurrent UI sessions: ☒ Use Global Settings

Image File:

X509 Cert File:

**Password must:**

- Be at least 6 characters in length
- Must contain at least one lowercase character
- Must contain at least one number
- Must not repeat the Login ID
- Must not reverse the Login ID
- Must not contain more than three repetitive characters
- Must not contain number as the last character

Figure 16: Text Box Displaying a Drop-down List

**Apply Tag**

☒ Make Public

**Tag names starting with: jun**

- Juniper Networks Lab1 (public)
- Juniper Networks Lab2 (public)

### Identifying the Range of Values

Usually, if there is a default value associated with a text box, then it is displayed by default on the text box. However, to determine the range of values that is accepted in a text box, perform the following steps:

- To determine the minimum value, enter a negative value (for example, -1) in the text box. An error icon appears next to the text box. Mouse over this icon to see the minimum value that is accepted in this text box (see [Figure 17 on page 36](#)).

Figure 17: Minimum Value in a Text Box

Search:  Enter Search Criteria here ...

Login as **super** in **Global** Wed Dec 18 2013 11:33 AM IST

Administration > Applications > Modify Application Settings

**Modify Network Management Platform Settings**

- Device
- User
- Password**
- AuditLog
- Search
- CLIConfiglets

**Password** view/configure Save Undo

Advanced Settings:

Minimum no. of characters:  6 [default]

No. of previous passwords cannot be reused:  6 [default]

No. of unsuccessful attempts before logout:  4 [default]

Time interval for logout in hours:  -1

Time interval for password expiry in months:  3

Time interval for password expiry notification in months:  1

**The minimum value for this field is 0**

- To determine the maximum value, enter a very high value in the text box. An error icon appears next to the text box. Mouse over this icon to see the maximum value that is accepted in this text box (see [Figure 18 on page 36](#)).

Figure 18: Maximum Value in a Text Box

Search:  Enter Search Criteria here ...

Login as **super** in **Global** Wed Dec 18 2013 11:39 AM IST

Administration > Applications > Modify Application Settings

**Modify Network Management Platform Settings**

- Device
- User
- Password**
- AuditLog
- Search
- CLIConfiglets

**Password** view/configure Save Undo

Advanced Settings:

Minimum no. of characters:  6 [default]

No. of previous passwords cannot be reused:  6 [default]

No. of unsuccessful attempts before logout:  4 [default]

Time interval for logout in hours:  2e+30

Time interval for password expiry in months:  3


Time interval for password expiry notification in months:  1

**The maximum value for this field is 999**

## Tree View

Using the tree view, you can view and interact with a collection of Junos Space objects that are arranged hierarchically. You can select only one object from the objects that are displayed in tree view. You can expand and collapse an object by clicking the plus and minus expander buttons respectively (see [Figure 19 on page 37](#)).

Figure 19: Tree View



## Scrolling Controls

Junos Space Network Management Platform provides horizontal and vertical scroll bars on inventory landing pages, which you can use to scroll the contents of the page by clicking one of the scroll arrows, clicking an area in the scroll bar, or dragging the scroll bar. For example, to view data that is at the bottom of the Junos Space page, you can drag the vertical scroll bar toward the bottom of the page. [Figure 20 on page 37](#) shows the horizontal scroll bar that enables you to scroll horizontally through the Junos Space page allowing you to view data that is on the left or right.

Figure 20: Horizontal Scroll Bar



## Sizing Controls

You can use the minimize, maximize, and close buttons of your browser window to hide the Junos Space application window, enlarge the window to fill the whole screen, and close the window, respectively.



**NOTE:** Minimize the window when you want the Junos Space application window to be temporarily out of the way instead of closing it.

Close the window when you have finished working on it and there is no need for you to return.

To resize a window (make it smaller or bigger), point to any of the window's borders or corners. When the mouse pointer changes to a double-headed arrow, drag the border or corner to shrink or enlarge the window. You cannot resize a window that is already maximized.

Figure 21 on page 38 displays the minimize, maximize, and close buttons.

**Figure 21: Minimize, Maximise, and Close Buttons**




**Related Documentation**

- [Junos Space User Interface Overview on page 15](#)

## Understanding Tooltips and Messages

Junos Space Network Management Platform displays tooltips, which are small pop-up windows that provide information about an unlabeled control, such as the information that is displayed automatically when you mouse over an icon on a toolbar (see [Figure 22 on page 38](#)).

**Figure 22: Tooltip**



Also, Junos Space sometimes displays pop-up messages to report conditions that require your attention. Depending on the severity level, the icons that are displayed in a message differ. To gain an understanding of the various types of messages and the icons that are displayed in the Junos Space UI, see the following sections:


- [Error Messages on page 38](#)
- [Confirmation Messages on page 39](#)
- [Information Messages on page 39](#)
- [Standard Icons in Messages on page 40](#)

## Error Messages

Junos Space displays an error message to alert you about a problem that has already occurred along with a recommendation, if any, to resolve the problem. For example, in [Figure 23 on page 39](#), the error message alerts you that the Junos Space UI may be out

of sync with the Junos Space server and that you need to refresh the browser window (which is likely to resolve the issue).


**Figure 23: Error Message Dialog Box**



## Confirmation Messages

Junos Space often displays a confirmation dialog box, which is a modal dialog box that asks you whether you want to proceed with the action that you initiated from Junos Space Network Management Platform. A confirmation dialog box typically consists of a question and two or more responses. You have to select a response and based on your choice Junos Space completes or cancels the task that you initiated. For example, when you initiate a database backup operation, you are asked to confirm whether you want to perform the backup operation because this operation may have an impact on Junos Space performance. In [Figure 24 on page 39](#), clicking **OK** initiates the database backup operation, whereas clicking **Cancel** closes the current page.


**Figure 24: Confirmation Dialog Box**



## Information Messages

An information message communicates some sort of information to you pertaining to your current activity and appears in a modal dialog box. For example, when you choose to proceed with the database backup operation, Junos Space displays an information message containing a job ID, which you can click to know whether the backup operation is a success or a failure (see [Figure 25 on page 40](#)).

Figure 25: Information Dialog Box



### Standard Icons in Messages

Icons that are associated with various messages help you assess the situation at a glance and decide what action to take. If the severity level of the message is high, which is usually indicated by the Error icon, revisit the past action and make suitable corrections (for example, enter missing information in a mandatory field) before you proceed to the next step.



**NOTE:** Not all messages that are displayed in Junos Space are associated with icons.

Table 6: Standard Junos Space Message Icons



Icon	Description	Message with the Icon
	Error icon—Indicates that an error or problem has occurred, which should be resolved before you proceed	For example, the following error message is displayed if you try to create a tag without a tag name or a user without a username. Providing appropriate information in all fields where the  icon appears usually resolves this type of error.

Figure 26: Message with the Error Icon










Table 6: Standard Junos Space Message Icons (*continued*)

Icon	Description	Message with the Icon
<ul style="list-style-type: none"> <li></li> <li></li> </ul>	<p>Warning icon—Indicates a condition that might cause a problem in the future</p> <p>These icons come in two different sizes: larger and smaller. A smaller warning icon indicates that you might have to think twice before you proceed with the action. A larger warning icon indicates that the action you initiated cannot be performed because of various constraints.</p>	<p>For example, the following error is displayed when you try to delete an SMTP server that is active:</p> <p><b>Figure 27: Message with the Larger Warning Icon</b></p>  <p>The following message is a warning that you may not be able to retrieve the tags if you confirm the deletion.</p> <p><b>Figure 28: Message with the Smaller Warning Icon</b></p> 



Information icon—Presents you with useful information.

The following message indicates that a backup operation is triggered:

**Figure 29: Message with the Information Icon**








Table 6: Standard Junos Space Message Icons (*continued*)

Icon	Description	Message with the Icon
	Question mark icon—Normal confirmation message to which you typically respond with a "Yes" or "No"	<p>Depending on your response to the following message, Junos Space performs a suitable action.</p> <p><b>Figure 30: Message with the Question Mark Icon</b></p> 
	Check mark icon—Indicates that the action you initiated is a success	<p>The following message indicates that a private tag with the name "test" is successfully created:</p> <p><b>Figure 31: Message with the Check Mark Icon</b></p> 

**Related Documentation**

- [Junos Space User Interface Overview on page 15](#)

## Understanding Status Indicators


Junos Space Network Management Platform status indicators enable you to monitor the status of an action that you initiated from Junos Space. The following status indicators in Junos Space are the most common:

- [Progress Bars on page 42](#)
- [Status Indicator Icons on page 43](#)

### Progress Bars

The progress bar shows you the progress of an action that you initiated from Junos Space. In Junos Space, progress bars are typically displayed when you export files from Junos Space to your computer, add an application to Junos Space, and so on. For example, when you export a configuration file, Junos Space displays the progress of the export action in a dialog box (see [Figure 32 on page 43](#)). When the action is completed, the progress bar displays **100%**.

Figure 32: Progress Bar



## Status Indicator Icons

Status indicator icons on an inventory landing page indicate the status of a Junos Space object, such as whether a user is in the enabled or disabled state. Status indicators are not displayed for all Junos Space objects.

Status indicators that are displayed for users are listed in [Table 7 on page 43](#):

Table 7: User Status Indicators

User Status Indicator	Description
	User is in enabled state.
	<p>User is in disabled state.</p> <p>Users in disabled state cannot log in to Junos Space Network Management Platform. For more information about enabling or disabling a user, see <i>Disabling and Enabling Users</i> (in the <i>Junos Space Network Management Platform Workspaces Feature Guide</i>).</p>






Status indicators that are displayed for devices are listed in [Table 8 on page 43](#):

Table 8: Device Status Indicators

Device Status Indicator	Description
	Device is up.
	<p>Device is down.</p> <p>Ensure that the status of the device is up before initiating any action on the device. Actions initiated on devices that are down are likely to fail.</p>
	Device is in synchronized state.

Each job has a job status indicator. [Table 9 on page 44](#) describes these indicators.

Table 9: Job Icon Status Indicators

Job Status Indicator	Description
	The job was completed successfully.
	The job failed.
	The job was canceled by a user.
	The job is scheduled.
	The job is in progress. You can cancel only those jobs that are in progress from the Actions menu.

**Related Documentation**

- [Junos Space User Interface Overview on page 15](#)

## Viewing the Junos Space Platform Dashboard

When you log in to Junos Space Network Management Platform, the home page is displayed. By default, the home page for Junos Space Platform is the Dashboard page. However, if you previously configured a different page as the home page, then the configured home page is displayed when you log in.

The Junos Space Platform dashboard, as shown in [Figure 33 on page 45](#), displays graphs that provide information about the overall system condition, the fabric load history, the active users history, and the percentage of jobs in different states. The charts are visible to all users and are updated in real time.



**NOTE:** If you do not have user privileges to view detailed data, you might not be able to view detailed information if you select a gadget.

Figure 33: Junos Space Platform Dashboard Page



To access the Junos Space Dashboard page:

1. On the Junos Space Platform UI, select **Dashboard**.

The Dashboard page is displayed.

2. (Optional) To view more information related to the overall system condition, click **Overall System Condition** or the indicator needle.

You are taken to the Fabric page, where you can view detailed information about the nodes in the fabric. For more information, see *Viewing Nodes in the Fabric*.

3. (Optional) To view information related to the fabric load, on the **Fabric Load History** graph:

- Mouse over a graph data point to view the average CPU usage percentage.
- Click the blue line depicting the CPU usage to view detailed information.

You are taken to the Fabric page, where you can view detailed information about the CPU, memory, and disk usage for the nodes in the fabric.

4. (Optional) To view information related to the active users, on the **Active Users History** graph:

- Mouse over a graph data point to view the total number of active users at that point.
- Click a data point on the graph to view more information about the active users at that point.

You are taken to the User Accounts page, where the active users are displayed. For more information, see *Viewing User Statistics*.

5. (Optional) To view information related to the jobs, on the **Job Information** graph:
  - Mouse over a segment in the pie chart to view the percentage of jobs with a particular status; for example, cancelled jobs, successful jobs, or failed jobs.
  - Click a segment of the pie chart to view details of jobs with status corresponding to the segment.

You are taken to the Job Management page, where the jobs filtered by the status are displayed. For more information, see *Viewing Jobs*.

6. (Optional) You can move any chart displayed on the Dashboard page by clicking inside the title bar and dragging the chart.
7. (Optional) You can resize any chart displayed on the Dashboard page by hovering over an edge and clicking and dragging the edge.

**Related  
Documentation**

- *Junos Space Platform Workspaces Overview*
- *Overall System Condition and Fabric Load History Overview*

---

## Workspace Statistics Page Overview


Use the task tree on the left side of the page to navigate application workspaces and perform tasks within a workspace. When you select an application from the **Applications** list (at the top left of the Junos Space UI), all the workspaces for the selected application are displayed in the task tree.

If you know the workspace in which you want to perform an action (task), select the workspace from the task tree on the left side of the page. The right side of the page displays information about the selected workspace and its objects.

## Workspace Statistics

When you select the name of a workspace from the task tree, Junos Space Network Management Platform displays high-level statistics representing the status of managed objects in that workspace. The statistics and charts displayed for different workspaces are different. [Figure 34 on page 47](#) shows the charts displayed on the Devices workspace statistics page.

Figure 34: Workspace Statistics Pages



If a chart has more data points than can be viewed clearly simultaneously, a scroll bar appears at the bottom or side of the chart.

If you click a bar or pie-chart segment, you navigate to the corresponding inventory page, filtered according to the bar or segment you selected. For example, if you click the MX240 devices bar on the Device Count by Platform bar chart, you navigate to the Devices > Device Management inventory page, which in this case displays all the MX240 devices on the network that are discovered and managed by Junos Space Network Management Platform.

You can move the charts and graphs on the page or resize them.

You can also print or save the statistics by right-clicking the graphic (bar chart or pie chart) and selecting the appropriate option.

**Related Documentation**

- [Junos Space User Interface Overview on page 15](#)

## Inventory Landing Page Overview

---

In the Junos Space Network Management Platform UI, you navigate to an inventory page by selecting an application, expanding an application workspace, then selecting a management task. For example, to view the Device Management inventory page, select **Devices > Device Management**.

The inventory pages display information related to managed objects for a particular task group or task in tabular format. The fields that are displayed are different for different inventory pages, depending on the task group that you selected.

For each managed object, specific data associated with it is stored in the Junos Space Platform database. For example, in the case of devices, device name, interfaces, OS version, platform, IP address, connection, managed status, and so on are stored.

Inventory pages enable you to view and manipulate managed objects individually or collectively. Managed objects include devices, logs, users, jobs, clients, software, licenses, and so on. You can organize your view to display only those objects that you want to see, in the way that you want to see them.

You can select an object or objects by selecting the check box to the left of each object on the inventory page. You can select one, several, or all objects and perform actions on them using the shortcut menu or the Actions menu. Selecting the check box to the left in the first column of the column header row selects or deselects all items. The objects that you select and on which you perform an action remain selected.



**NOTE:** The function and implementation of individual inventory pages depends on the Junos Space Platform application design.

---

- [Organizing Your View on page 48](#)
- [Working with Objects on an Inventory Page on page 55](#)
- [Exporting Data on page 56](#)

## Organizing Your View

Before you start working on data that is displayed on various inventory landing pages (ILPs), it would be best to organize your view on the ILP so that Junos Space presents you with only the information that you need. The following sections provide information about how you can organize your view.

- [Paging Controls on page 49](#)
- [Sorted-by Indicator on page 49](#)
- [Show or Hide Columns on page 50](#)
- [Filter Submenus on page 51](#)



## Paging Controls






Figure 35 on page 49 shows the paging controls that appear at the bottom of the inventory page. You can use these controls to browse the inventory when the inventory is too large to fit on one page.

Figure 35: Page Information Bar



The **Page** box lets you jump to a specific page of the inventory. Type the page number in the **Page** box and press **Enter** to jump to that page. The **Show** box enables you to customize the number of objects displayed per page. Table 10 on page 49 describes other table controls.


Table 10: Table Paging and Refreshing Controls

Page Control	Operation
	Advances to the next page of the table
	Returns to the previous page of the table
	Displays the last page of the table
	Displays the first page of the table
	Refreshes the table content

## Sorted-by Indicator

The sorted-by indicator is a small arrowhead next to a column name. It displays how the objects are sorted in a column. When you sort a column, the column name is highlighted and the indicator appears.

You can sort inventory data using the **Sort Ascending** and **Sort Descending** commands on the column header drop-down menu. Click the down arrow on a table header to view the menu. In Figure 36 on page 50, the device inventory is sorted by the Name column.

**Figure 36: Sorting Tables**


Some columns do not support sorting.

### Show or Hide Columns

---

You can show or hide columns on the inventory page by selecting or not selecting the column name on the Columns cascading menu, as shown in [Figure 37 on page 51](#). All column header drop-down menus have this option. Only the columns that are selected appear in the inventory table.

Figure 37: Showing or Hiding Columns in Tables



### Filter Submenus

On many inventory pages, you can use the **Filter** submenu to temporarily hide all entries in the table that do not match criteria that you specify. This feature lets you quickly find and evaluate the table entries of interest.


Many of the columns in Junos Space inventory page tables permit filtering. To know whether or not a column allows filtering of data, click the down arrow next to the column name. If the **Filter** submenu appears, then that column supports filtering of data. The criteria that are available for you to filter on depend on the selected column. You can create filters that combine criteria from more than one column.

Whenever you filter a table, Junos Space Platform displays the filter criteria, including the columns being filtered, above the table.

Junos Space Platform displays a red X to the left of the filter criteria above the table. You can clear the filter and restore the table to its original view by clicking the X.

Figure 38 on page 52 shows a typical Filter submenu for a date column.

**Figure 38: Typical Submenu for a Date Column**



The following procedures describe how to use the different types of available filters.

To filter entries on the inventory pages:

1. On the Junos Space Platform UI, click the down arrow on the column header and select **Filters**.

The Filters submenu appears, displaying the list of operators or values that you can select, based on the type of values in the column.

2. Based on the submenu that appears, perform one of the following procedures.

To specify filters for a date field:

- a. From the Filter submenu, select **Before**, **After**, or **On**.

You can select both **Before** and **After** dates and times to filter the entries by a specific time period. You can also select **On** to view events recorded on a specific date.

- b. Click the calendar icon and select the date from the calendar.

You can click **Today** to view the events that occurred today at the specified time.

- c. Click the arrow beside the time list and select the time.

To specify filters for a text field:

- a. In the text box that appears, type the alphanumeric string based on which you want to filter entries.

To specify filters for a field with discrete values such as **Success** or **Failure**, or **True** or **False**:

- a. From the list of values that appears, select the check boxes for one or more values based on which you want to filter entries.

To specify filters for a numeric field:

- a. Enter values for each operator that you want to specify.

3. Click **Go** to view the entries filtered based on the criteria that you specified.

You can also filter entries based on combined filters with different criteria specified for different columns. For example, you can filter for all events on a certain date whose status was "success." When you use multiple filters, the filters are joined with the logical "and."

To clear only the part of a filter that applies to a single column, click the down arrow on the column header and clear the check box next to Filter.

[Table 11 on page 53](#) lists the columns that permit filtering on tables that are displayed on main inventory landing pages.

**Table 11: Filter-Enabled Tables and Columns**

Workspace	Inventory Landing Page	Columns
Devices	Devices > Device Management	All columns except <b>Schema Version</b> , <b>Physical Interfaces</b> , <b>Logical Interfaces</b> , <b>Connection Type</b> , <b>AIS Install Package Version</b> , and <b>Event Profile</b>
	Devices > Model Devices	All columns except <b>Device Family</b> and <b>Connection Profile Type</b>
	Devices > Device Adapter	All columns
Device Templates	Device Templates > Definitions	All columns except <b>Device Family</b> , <b>Last Update Time</b> , and <b>State</b>
	Device Templates > Templates	All columns except <b>Last Update Time</b> and <b>State</b>
CLI Configlets	CLI Configlets > Configlets	All columns except <b>Description</b>
	CLI Configlets > Configuration View	All columns except <b>Description</b> and <b>Order</b>
	CLI Configlets > XPath and Regex	All columns

Table 11: Filter-Enabled Tables and Columns (*continued*)

Workspace	Inventory Landing Page	Columns
Images and Scripts	Images and Scripts > Images	All columns except <b>Series</b> and <b>Associations</b>
	Images and Scripts > Scripts	All columns except <b>Creation Date</b> , <b>Description</b> , <b>Last Updated Time</b> , and <b>Associations</b>
	Images and Scripts > Operations	All columns except <b>Priority</b>
	Images and Scripts > Script Bundles	All columns except <b>Creation Date</b> and <b>Last Updated Time</b>
Reports	Reports > Report Definitions	All columns except <b>Reports</b>
	Reports > Generated Reports	All columns except <b>Download</b>
Configuration Files	Configuration Files > Config Files Management	All columns except <b>Creation Date</b> and <b>Last Updated Date</b>
Jobs	Jobs > Job Management	All columns except <b>Parameters</b> and <b>Recurrence</b>
Role Based Access Control	Role Based Access Control > User Accounts	All columns except <b>Assigned Domain</b> and <b>Password Status</b>
	Role Based Access Control > Roles	All columns except <b>Tasks Assigned</b>
	Role Based Access Control > Domains	None of the columns that are displayed on the <b>Assigned Users</b> , <b>Assigned Devices</b> , and <b>Assigned Remote Profiles</b> tabs
	Role Based Access Control > Remote Profiles	None of the columns
	Role Based Access Control > User Sessions	All columns except <b>Current Domain</b> and <b>Session Duration</b>
Audit Logs	Audit Logs > Audit Log	All columns

Table 11: Filter-Enabled Tables and Columns (*continued*)

Workspace	Inventory Landing Page	Columns
Administration	Administration > Fabric	None of the columns except <b>Last Boot Time</b>
	Administration > Database Backup and Restore	None of the columns
	Administration > Licenses	None of the columns
	Administration > Applications	None of the columns
	Administration > CA/CRL Certificates	All columns
	Administration > Authentication Servers	None of the columns
	Administration > SMTP Servers	All columns
	Administration > Tags	All columns except <b>Tagged Object Count</b>
	Administration > DMI Schemas	None of the columns

## Working with Objects on an Inventory Page


To initiate an action on the objects that are available on an inventory page, you can use:

- [Toolbar Icons on page 55](#)
- [Actions Menu and Shortcut Menu on page 55](#)

### Toolbar Icons

Almost all inventory landing pages provide a toolbar containing icons that provide easy access to frequently used tasks. While some icons are common across inventory landing pages such as the **Display Quick View** icon (which displays a small window summarizing data about the selected object), most icons are specific to an inventory landing page. For example, in [Figure 39 on page 55](#), the Modify User icon is specific to the User Accounts inventory landing page.

Figure 39: Toolbar Icons



### Actions Menu and Shortcut Menu

You can perform actions on one or more selected items on an inventory page by using the Actions menu, or by right-clicking the items to invoke the shortcut menu. To use the Actions menu, select one or more objects, select an action or subgroup of actions from the Actions menu. (Note that the subgroup has an arrowhead next to its name.) For

example, to view the physical interfaces of a device, select that device on the **Device Management** inventory page, open the Actions menu, expand the **Device Inventory** subgroup, and select **View Physical Inventory**.

You can also select one or more items on the inventory page, then right-click. The shortcut menu appears and you can select an action or subgroup of actions.



**NOTE:** If you are using Mozilla Firefox earlier versions, the Advanced JavaScript Settings might disable the shortcut menu.

To ensure that you can use the shortcut menu:

1. In Mozilla Firefox, select **Tools > Options** to display the Options dialog box.
2. In the Options dialog box, click the **Content** tab.
3. Click **Advanced** to display the Advanced JavaScript Settings dialog box.
4. Select the **Disable or replace context menus** option.
5. Click **OK** in the Advanced JavaScript Settings dialog box.
6. Click **OK** in the Options dialog box.

If you are using newer versions of Mozilla Firefox, it may not be necessary to perform the preceding steps. By default, you need not change any of the Firefox settings. But, if you have changed the settings or for some reason the shortcut menus do not appear properly, then you need to perform the following steps in the recent versions:

1. **Disable or replace context menus**—Deselect this option to prevent webpages from disabling or changing the Firefox shortcut menu.
2. In `about:config(URL): dom.event.contextmenu.enabled`, set it to `false` to block sites. The default value is `true`.

---

## Exporting Data

You can export data that is displayed on certain inventory landing pages such as the MD5 Validation Result inventory page (in the Images workspace) as well as export job details pertaining to certain tasks initiated from Junos Space Platform. For example, you can export job details related to device discovery, staging and deployment of device images, and so on.



**NOTE:** Not all jobs in Junos Space support the export of job details.

The data is exported as a comma-separated file (CSV) to your computer, allowing you to process the data offline. For example, you can use this data to identify devices on which staging or deployment of an image failed.



To export the data that is displayed on the MD5 Validation Result page as a CSV file:

1. On the Junos Space Platform UI, select **Images and Scripts > Images**.

The Images page displays the list of device images.

2. Select a device image.

3. Select **MD5 Validation Result** from the Actions menu.

The MD5 Validation Result page displays the results of verification tasks.

4. Click **Export to CSV** from the Actions menu.

You are prompted to save the file.

5. Click **OK** on the File Save dialog box to save the file to your local file system.

6. After you save the file, to return to the MD5 Validation Result page, click the [X] icon on the **Exporting Validation Results** dialog box to close it.

Navigate to the location where you saved the file and open the file by using an application such as Microsoft Excel. If you are opening this file as an Excel workbook, then filter the data for the **Failed** status in the **Checksum Result** column to identify devices in which the images are not staged completely. From the filtered data, see the **Device Image Name** column to obtain information about the images that are not staged completely.

To export the image deployment job details as a CSV file:

1. On the Junos Space Platform UI, select **Jobs > Job Management**.

2. Double-click the image deployment job whose details you want to export as a CSV file.

3. Click **Export as CSV**.

You are prompted to save the file.

4. Click **OK** on the File Save dialog box to save the file to your local file system.

5. To return to the Job Management page, click **OK** on the **Exporting Device Image Job** dialog box.

Use an application such as Microsoft Excel to open the downloaded file from your computer. If you are using Microsoft Excel, you can filter data in the **Status** column to identify the devices on which the deployment of images failed.

**Related  
Documentation**

- [Junos Space User Interface Overview on page 15](#)

## Global Search Overview

---

The global search field on the Junos Space Network Management Platform UI helps you to quickly locate objects within Junos Space Platform. When you search for an object by using global search, Junos Space Platform performs a full-text search operation for objects within Junos Space Platform, and displays the matches found.

The search results are filtered on the basis of your Role-Based Access Control (RBAC) permissions, such as the tasks that a user is allowed to perform and the domains to which a user is assigned. For example, users are shown results only for tasks for which they have the appropriate permissions or results related to domains to which the users are assigned. For more information about RBAC permissions, see the *Role-Based Access Control Overview* topic (in the *Junos Space Network Management Platform Workspaces Feature Guide*).

The search is performed and the results are displayed based on how the Junos Space Platform objects are indexed. [Table 12 on page 59](#) lists the indexed objects on which you can perform a search operation by using the global search feature.

Junos Space Platform monitors its database at regular intervals to identify new objects that need to be indexed. The default interval is set to five seconds.



### NOTE:

- An administrator can configure the refresh interval from the Administration workspace. For more information about configuring the refresh interval, see the *Index auto update interval in seconds* parameter in *Modifying Junos Space Network Management Platform Settings* (in the *Junos Space Network Management Platform Workspaces Feature Guide*).
  - An administrator can also refresh the search index manually from the Administration workspace by navigating to **Administration > Applications > Network Management Platform** and selecting **Refresh Search Index** from the Actions menu.
-

Table 12: Searchable Objects

Object Category	Indexed Fields (Category) and Description
Device	<ul style="list-style-type: none"> <li>name—Name of the device.</li> <li>deviceFamily—Device family of the device.</li> <li>platform—Hardware platform.</li> <li>os—Junos OS version of the device.</li> <li>ip—Device management IP address.</li> <li>connectionStatus—Device connection state, which indicates whether the device is up or down.</li> <li>managedStatus—Device management status, such as “In Sync,” “Connecting,” “Sync Failed,” and so on.</li> <li>serialNumber—Serial number of the device.</li> <li>ccState—Candidate configuration state of the device, such as “Created,” “Accepted,” or “Rejected”.</li> <li>vendor—Name of the device vendor.</li> <li>authenticationStatus—Indicates how the device is connected to Junos Space, such as “Credential Based,” “Key based,” or “Key Conflict.” Credential-based uses username and password for connection; whereas, key-based needs an RSA key for establishing a connection. The UI displays key conflict when the keys on Junos Space and device are not the same.</li> <li>connectionType—Connection type of the device.</li> </ul>
Physical interface	<ul style="list-style-type: none"> <li>name—Name of the physical interface.</li> <li>ip—Assigned IP address of the physical interface.</li> <li>mac—MAC address of the physical interface.</li> <li>operationStatus—Operational status of the physical interface (up or down).</li> <li>adminStatus—Administrative status of the physical interface (up or down).</li> <li>linkLevelType—Link level type of the physical interface.</li> <li>linkType—Link type of the physical interface, such as full-duplex or half-duplex.</li> <li>speed—Link speed on the physical interface.</li> <li>mtu—MTU of the physical interface.</li> <li>description—Description of the physical interface.</li> </ul>
Logical interface	<ul style="list-style-type: none"> <li>name—Name of the logical interface.</li> <li>ip—IP address of the logical interface.</li> <li>encapsulation—Encapsulation on the logical interface, such as VLAN-VPLS.</li> <li>vlanId—Assigned VLAN number of the logical interface.</li> <li>description—Description of the logical interface.</li> </ul>
Device physical inventory	<ul style="list-style-type: none"> <li>name—Name of the module.</li> <li>version—Software release version of the module.</li> <li>modelNumber—Model number of the module.</li> <li>model—Device family of the module.</li> <li>partNumber—Part number of the module.</li> <li>serialNumber—Serial number of the module.</li> <li>status—Status of the module.</li> <li>description—Description of the module</li> </ul>

Table 12: Searchable Objects (*continued*)

Object Category	Indexed Fields (Category) and Description
Software inventory	<ul style="list-style-type: none"> <li>model—Model of this device.</li> <li>routingEngine—Routing engine of the device.</li> <li>name—Name of the installed software package.</li> <li>version—Version number of the installed software package.</li> <li>type—Type of the installed software package. Permitted values are operating-system, internal-package, and extension.</li> <li>major—Major portion of the version number. For example, in version 13.1R1.14, the major portion is 13.</li> <li>minor—Minor portion of the version number. For example, in version 13.1R1.14, the minor portion is 1.</li> <li>revisionNumber—Revision number of the package. For example, in version 13.1R1.14, the revision number is 1.14.</li> <li>description—Description of the installed software package</li> </ul>
Tags	name—List of tags assigned to an object
Audit log	<ul style="list-style-type: none"> <li>userName—Name of the user who performed an action that generated this audit log entry. For example, when userA logs in to Junos Space Network Management Platform, an audit log entry is generated to record the login activity. When you search for userA, this audit log entry is displayed as part of the search results.</li> <li>userIpAddr—IP address from which the action was performed.</li> <li>taskName—Action that was performed by the user, such as Login, Logout, and so on.</li> <li>timeStamp—Date and time of action.</li> <li>executionResult—Result of the action, such as Success, Job Scheduled, and so on.</li> <li>description—Description of the action, such as Login Succeeded, Logout Succeeded, and so on.</li> <li>jobId—Job ID of the action that was performed. <b>NOTE:</b> Not all actions trigger a job.</li> <li>recId—Audit log ID.</li> </ul>
Job	<ul style="list-style-type: none"> <li>jobId—Job ID.</li> <li>name—Name of the job.</li> <li>percent—Percentage of job completed at a given instant, such as 30, 100, and so on.</li> <li>state—Indicates whether the job is a success, failure, or in progress.</li> <li>jobType—Type of job.</li> <li>scheduledStartTime—Date and time at which the job is scheduled to start.</li> <li>actualStartTime—Date and time at which the job actually started.</li> <li>endTime—Date and time at which the job was completed.</li> <li>owner—Name of the user who triggered the job.</li> <li>retryGroupId—Job ID of the original job.</li> <li>previousRetry—Job ID of the previous job.</li> <li>parameter—Objects on which a job is performed or is scheduled to be performed.</li> <li>summary—Operations executed for the job.</li> </ul>

Table 12: Searchable Objects (*continued*)

Object Category	Indexed Fields (Category) and Description
Configlets	<ul style="list-style-type: none"> <li>configletsName—Name of the configlet.</li> <li>configletsCategory—Category specified by a user at the time of creation or modification of a configlet.</li> <li>configletsDeviceFamilySeries—Family of the device.</li> <li>configletsLatestVersion—Latest version of the configlet.</li> <li>configletsDescription—Description of the configlet specified by a user at the time of creation or modification of a configlet.</li> <li>configletsExecutionType—Type of execution of the configlet—single or grouped.</li> <li>configletsCreationTime—Time at which the configlet was created.</li> <li>configletsLastUpdatedTime—Time at which the configlet was last updated.</li> <li>configletsLastModifiedBy—Name (login ID) of the user who last modified the configlet.</li> <li>referenceNumber—Reference number of the configlet, which a user has provided during creation or modification of the configlet.</li> </ul>
Configuration View	<ul style="list-style-type: none"> <li>configurationViewName—Name of the configuration view</li> <li>configurationViewTitle—Title of the configuration view</li> <li>configurationViewDeviceFamilySeries—Family of the device.</li> <li>configurationViewDescription—Description of the configuration view specified by a user at the time of creation or modification of a configuration view</li> <li>configurationViewOrder—Order in which the configuration view must be applied</li> <li>configurationViewType—Type of configuration view—Form view, Grid view, XML view, and CLI view</li> <li>configurationViewCreationTime—Time at which the configuration view was created</li> <li>configurationViewLastUpdatedTime—Time at which the configuration view was last updated</li> <li>configurationViewLastModifiedBy—Name (login ID) of the user who last modified the configuration view</li> </ul>
Scripts	<ul style="list-style-type: none"> <li>scriptName—Name of the script file</li> <li>scriptDescriptiveName—Descriptive name of the script that is mentioned within the script</li> <li>scriptType—Type of script—Commit Script, Op Script, and Event Script</li> <li>scriptExecutionType—Type of execution—Device (script with this execution type should be staged on to a device before it can be executed) and Local (script with this execution type can be executed without having to stage it on a device)</li> <li>scriptFormat—Format of the script file (XSL and SLAX)</li> <li>scriptLatestRevision—Latest version number of the script</li> <li>scriptCreationDate—Time at which the script was imported to the Junos Space server</li> <li>scriptDescription—Description of the script</li> <li>scriptLastUpdatedTime—Time at which the script was last updated</li> <li>deviceNameList—Devices with which a script is associated</li> </ul>

Table 12: Searchable Objects (*continued*)

Object Category	Indexed Fields (Category) and Description
Templates	<ul style="list-style-type: none"> <li>name—Name of the device template</li> <li>currentVersion—Current version of the device template</li> <li>description—Description of the device template</li> <li>modifiedBy—Name (login ID) of the user who last modified the device template</li> <li>modifiedTime—Time at which the template was last updated</li> <li>state—Device template deployment readiness (Needs Review, Disabled, or Enabled)</li> <li>deployStat—Deployment status of the template (assigned, created, or deployed)</li> <li>type—Type of device template (configuration template or quick template)</li> <li>deviceFamily—Supported device family of this device template"</li> </ul>
Template Definition	<ul style="list-style-type: none"> <li>name—Name of the template definition.</li> <li>description—Description of the template definition.</li> <li>deviceFamily—Supported device family of the template definition.</li> <li>state—State of the template definition.</li> <li>schemaVersion—Schema version of the template definition.</li> <li>modifiedBy—User who last modified user the template definition.</li> <li>modifiedTime—Time that the template definition was last modified.</li> </ul>
Xpath and Regex	<ul style="list-style-type: none"> <li>xpathRegexName—Name of the regular expression or XPath</li> <li>xpathRegexValue—XPath or regex value. For example: [a-zA-Z0-9], /device/configuration/interfaces/interface/unit, or /device/configuration/interfaces/interface[name="\$INTERFACE.get(0)"]/unit/name/text()</li> <li>xpathRegexPropertyType—Property type—Regular Expression, XPath Context, or XPath Search</li> <li>xpathRegexCreationTime—Time at which the XPath or regular expression was created</li> <li>xpathRegexLastUpdatedTime—Time at which the XPath or regular expression was last updated</li> <li>xpathRegexLastModifiedBy—Name (login ID) of the user who last modified the XPath or regular expression</li> </ul>
Images	<ul style="list-style-type: none"> <li>imagesFileName—Filename of the device image. For example, <b>jinstall-ex-4200-12.3R4.6-domestic-signed.tgz</b></li> <li>imagesVersion—Version of the device image</li> <li>imagesSeries—Series supported by the device image</li> <li>deviceNameList—Devices on which the device image is deployed</li> </ul>
Report Definitions	<ul style="list-style-type: none"> <li>name—Name of the report definition</li> <li>reportDefintionsCreatedBy—Name (login ID) of the user who created the report definition</li> <li>reportDefinitionsCreatedTime—Time at which the report definition was created</li> <li>reportDefinitionsDecription—Description of the report definition</li> </ul>

Table 12: Searchable Objects (*continued*)

Object Category	Indexed Fields (Category) and Description
Generated Reports	<ul style="list-style-type: none"> <li>name—Name of the generated report</li> <li>generatedReportsGeneratedTime—Time at which the report was generated</li> <li>generatedReportsDescription—Description of the generated report</li> <li>generatedReportsDefinitionName—Name of the report definition using which the report was generated</li> <li>generatedReportsGeneratedBy—Name (login ID) of the user who generated the report</li> <li>generatedReportsFormat—Format of the generated report</li> <li>generatedReportsJobId—ID of the job associated with report generation</li> </ul>
Configuration Files	<ul style="list-style-type: none"> <li>name—Name of the configuration file, which is the device serial name with the <b>.conf</b> file extension</li> <li>configFileDeviceName—Name of the device whose configuration file is backed up</li> <li>lastestConfigFileVersion—Latest version number of the backup configuration file</li> <li>configFileCreationDate—Time when the configuration file was created on the Junos Space server. It corresponds to the time at which you back up a device configuration for the first time from the Junos Space server.</li> <li>configFileLastUpdatedDate—Time at which the device configuration was last modified</li> </ul>
User Accounts	<ul style="list-style-type: none"> <li>userName—Login ID of the Junos Space user</li> <li>userFirstName—First name of the Junos Space user</li> <li>userLastName—Last name of the Junos Space user</li> <li>userEmail—E-mail ID of the Junos Space user</li> <li>userType—Type of the user—local, remote, or read only</li> <li>userStatus—Status of the user—enabled or disabled</li> <li>passwordStatus—Status of the password—active or expired</li> <li>lockedOut—Whether the user is locked out or not</li> <li>roleType—Whether the user has access to the UI, API, or both</li> </ul>

The global search operation also supports query expressions. You can search for phrases and multiple terms. The default operator for multiple terms is the OR operator.

**NOTE:**

When you enter a query expression, be aware of the following:

- You must add a back slash “\” if you want to use the following special characters in the search text:

+ && || ! ( ) { } [ ] ^ “ ~ \* ? : \

- Field names are case-sensitive. To search within a specific field, the search syntax is:

“<Indexed field or column name>:<search text>”

For example, if you have a few systems running on Junos OS 12.3 Release 4.5, then “os: 12.3R4.5” returns search results, whereas “OS: 12.3R4.5” does not return search results. This is because the field name that is indexed is “os” and not “OS.” Another example to search for information pertaining to the Junos EX Series devices is to enter “deviceFamily:junos-ex” in the Search field.

- If you want to search for a term that includes a space, enclose the term within double quotation marks.

For example, to search for all devices that are synchronized (that is, In Sync), enter “In Sync” in the Search field.

- You must append “\*” if you want to search using partial keywords. Otherwise, the search returns 0 (zero) matches or hits.

Table 13 on page 64 provides examples of query expressions that you can enter in the Search field.

**Table 13: Query Expressions in the Search Field**

Query Expression	Matches Objects That Contain
snmp	snmp
snmp ntp	snmp or ntp
snmp OR ntp	snmp or ntp
snmp AND ntp	snmp and ntp
protocol:snmp	snmp in the protocol field
protocol:snmp AND NOT subject:snmp	snmp in the protocol field but not in the subject field
(snmp OR ntp) AND http	http and the terms—snmp or ntp
description:“http server”	Exact phrase “http server” in the description field



Table 13: Query Expressions in the Search Field (*continued*)

Query Expression	Matches Objects That Contain
description: "http server"~5	http and server within five positions of one another in the description field (that is, http and server need to have no more than 5 words in-between them)
ge-*	Terms that begin with "ge-," such as ge-0/0/1 or ge-0/0/1.4
s??p	Terms such as smtp or snmp
lastmodified:[1/1/2012 TO 12/31/2012]	Last modified field values between the dates January 1, 2012 and December 31, 2012
port:(80 8080 8888)	80, 8080, or 8888 in the port field
IPAddress:10.1.1.1	10.1.1.1 or 10.1.1.0/24 in the IPAddress field

- Related Documentation**
- [Junos Space User Interface Overview on page 15](#)
  - [Using Global Search on page 65](#)

## Using Global Search

You can use the global search feature of Junos Space Network Management Platform to find objects within Junos Space Platform.

To search for objects using the global search feature:

1. In the **Search** field, located at the top of the Junos Space Platform UI, type the search criteria and press **Enter**. (Alternatively, you can click the magnifying glass icon adjacent to the Search field.)

If none of the objects in Junos Space Platform match your search criteria, the following error message is displayed:

**No matching results were found. Please enter different search criteria.**

If any of the objects match the search criteria, the results appear on the search results page, which is divided into two areas. The area on the left displays the filters that you can use to refine your search results, and the area on the right displays the search results with a short description about each result.

The search criteria that you typed are highlighted in the search results. Each search result may also provide a URL to help you navigate to the corresponding object on the inventory landing page.



**NOTE:** When the search results are displayed, an informational message about how to hide the search results is displayed in a dialog box.

Perform one of the following actions:

- To prevent the informational message from appearing again, ensure that the **Don't show again** check box is selected and click **OK**. The **Don't show again** check box is selected by default.
- To allow the informational message to continue appearing, clear the **Don't show again** check box and click **OK**.

- 
2. (Optional) Click the URL provided with the search result to navigate to the inventory landing page of the desired object.
  3. (Optional) To filter the search results, select the relevant category or subcategories displayed on the left of the search results page.
  4. (Optional) To view the previous search results, click **View Last Search Results**. However, if this is your first search after logging in to Junos Space, then this link is not displayed.
  5. To dismiss the search results page or to navigate to the inventory landing page from which you performed the search, click one of the following:
    - The **Hide Search Results** button
    - The left navigation tree or any of the global action icons
    - The close [X] button on the top-right of the search results panel

**Related  
Documentation**

- [Junos Space User Interface Overview on page 15](#)
- [Global Search Overview on page 58](#)

## Viewing Your Jobs

You can view all your completed, in-progress, canceled, failed, and scheduled jobs in Junos Space Network Management Platform. Your jobs include jobs that were triggered by you as well as jobs that were reassigned to you. The My Jobs icon on the banner of the Junos Space Platform UI, allows you to quickly access summary and detailed information about all your jobs, from any workspace and from any task that you are currently performing.

To view your jobs:

1. In the banner of the Junos Space Platform UI, click the **My Jobs** icon located at the top right.

The My Jobs dialog box appears, displaying your 25 most recent jobs.

For each job, the following information is displayed:

- Job ID
- Job name
- Job status
- Date and time—The date and time displayed depends on the status of the job:
  - For jobs that are in progress, the date and time at which the job started are displayed.
  - For failed jobs, the date and time when the job failed are displayed.
  - For successful jobs, the date and time when the job succeeded are displayed.
  - For jobs that are scheduled for later, the date and time at which the job is scheduled to run are displayed.
- Percentage of the job completed

2. (Optional) To view all your jobs, click **Manage My Jobs**.

The Job Management page appears and displays a list of all your jobs.

3. (Optional) To view the details of a specific job, click the *job ID*.

The Job Management page appears and displays the details of the selected job in a dialog box.

4. Click **Close** to exit the My Jobs page.

For troubleshooting, see the `/var/log/jboss/servers/server1/server.log` file.

### Related Documentation

- *Viewing Statistics for Jobs*
- *Canceling Jobs*
- *Jobs Overview*
- *Clearing Your Jobs*

## Changing Your Password on Junos Space

---

After you log in to Junos Space Network Management Platform, you can change your password using the User Settings icon on the Junos Space banner. You do not require any particular Junos Space role to change your password.

Starting with Junos Space Platform Release 12.1, Junos Space has implemented a default standard for passwords that is compliant with the industry standard for security.



**NOTE:**

- When you upgrade to Junos Space Platform Release 12.1 or later, the default standard takes effect immediately. All local users receive password expiration messages the first time they log in to Junos Space after the update.
- You need to have set your local password to be able to change it. If you do not have a local password set, you will not be able to set or change it.
- You can use the User Settings icon to change only your local password. The change does not affect any passwords that an administrator might have configured for you on a remote authentication server.

To change your local password:

1. On the Junos Space Platform UI, click the **User Settings** icon on the right side of the Junos Space banner.

The **Change User Settings** dialog box appears.

2. In the **Old Password** text box, enter your old password.



**NOTE:** Mouse over the information icon (small blue *i*) next to the **New Password** text box to view the rules for password creation. For more information about the password rules, see *Modifying Junos Space Network Management Platform Settings*.

3. In the **New Password** text box, enter your new password.
4. In the **Confirm Password** text box, enter your new password again to confirm it.



**NOTE:** The fields on the X.509 Certificate tab are applicable when you want to use certificate-based authentication. If you are using password-based authentication, you can ignore these fields. For more information about certificate-based authentication, see the *Certificate Management Overview* topic in the *Junos Space Network Management Platform Workspaces Feature Guide*.

5. (Optional) Select the **Manage objects from all assigned domains** check box on the **Object Visibility** tab to view and manage objects from all the domains that you are assigned to.

6. Click **OK**.

You are logged out of the system. To log in to Junos Space again, you must use your new password. Other sessions logged in with the same username are unaffected until the next login.

- Related Documentation**
- [Logging In to Junos Space on page 23](#)
  - [Junos Space User Interface Overview on page 15](#)

---

## Logging Out of Junos Space

After you complete your administrative tasks in the Junos Space UI, log out to prevent unauthorized users from accessing Junos Space.

- To log out of Junos Space, click the **Log Out** icon on the Junos Space application banner.

The logout page appears. A user who is idle and has not performed any action, such as keystrokes or mouse-clicks, is automatically logged out of Junos Space after a specified amount of time. This setting conserves server resources and protects the system from unauthorized access. The default setting is 5 minutes of inactivity. You can change the setting on the Applications inventory page. Select **Administration > Applications > Network Management Platform > Modify Application Settings** (from the Actions menu) > **User > Automatic logout after inactivity (minutes)** to modify the automatic logout setting.

To log in to the system again, click the **Click here to log in again** link on the logout page.

- Related Documentation**
- [Logging In to Junos Space on page 23](#)
  - [Junos Space User Interface Overview on page 15](#)



## CHAPTER 3

# Troubleshooting





## CHAPTER 4

# Index

- [Index on page 75](#)



# Index

## Symbols

#, comments in configuration statements.....	xi
( ), in syntax descriptions.....	xi
< >, in syntax descriptions.....	xi
[ ], in configuration statements.....	xi
{ }, in configuration statements.....	xi
(pipe), in syntax descriptions.....	xi

## A

ascending order.....	49
----------------------	----

## B

braces, in configuration statements.....	xi
brackets	
angle, in syntax descriptions.....	xi
square, in configuration statements.....	xi

## C

changing user passwords.....	68
check box.....	29
columns	
filtering.....	51
hiding.....	50
showing.....	50
sorting.....	49
comments, in configuration statements.....	xi
confirmation message.....	39
conventions	
text and syntax.....	x
curly braces, in configuration statements.....	xi
customer support.....	xii
contacting JTAC.....	xii

## D

Dashboard	
viewing.....	44
date picker.....	31
descending order.....	49
device	
status indicator.....	43

documentation	
comments on.....	xi
drop-down list.....	32

## E

error message.....	38
--------------------	----

## F

filtering	
columns.....	51
font conventions.....	x

## G

getting started assistants, using.....	27
<i>See also</i> help, accessing	
global	
search.....	58
global action icons.....	16
Help.....	17
Log Out.....	17
My Jobs.....	17
User Preferences.....	17
global search.....	65
supported objects.....	59
supported query expressions.....	64
gui	
check box.....	29
date picker.....	31, 33
drop-down list.....	32
input control.....	29
option button.....	32
search field.....	32
slider.....	33
text box.....	34
tree view.....	36
GUI	
message.....	38
status indicator.....	42

## H

Help icon.....	17
help, accessing.....	17, 28
<i>See also</i> getting started assistants, using	
hiding	
columns.....	50
home page	
accessing.....	25
Junos Space.....	19
setting.....	25

**I**

icon	
toolbar.....	55
icons	
help.....	17
log out.....	17
my jobs.....	17
user preferences.....	17
information icon.....	34
information message.....	39
input control.....	29
check box.....	29
date picker.....	31
drop-down list.....	32
option button.....	32
search field.....	32
slider.....	33
spin box.....	33
text box.....	34
tree view.....	36
inventory landing page (ILP).....	48

**J**

job	
status indicator.....	44
jobs	
viewing	
your jobs.....	67
Junos Space Platform Dashboard.....	44

**L**

Log Out icon.....	17
logging in, to Junos Space.....	23
<i>See also</i> logging out, from Junos Space	
logging out from Junos Space.....	17
logging out, from Junos Space.....	69
<i>See also</i> logging in, from Junos Space	

**M**

manuals	
comments on.....	xi
message	
confirmation.....	39
error.....	38
information.....	39
My Jobs feature.....	67
My Jobs icon.....	16

**O**

option button.....	32
--------------------	----

**P**

parentheses, in syntax descriptions.....	xi
password, user, changing.....	17
progress bar.....	42

**R**

range of values	
text box.....	35

**S**

scrolling control.....	37
search	
global.....	58, 65
search field.....	32
showing	
columns.....	50
sizing control.....	37
slider.....	33
sorting	
columns.....	49
spin box.....	33
status indicator.....	42
device.....	43
job.....	44
user.....	43
support, technical <i>See</i> technical support	
syntax conventions.....	x

**T**

task tree.....	17
technical support	
contacting JTAC.....	xii
text box.....	34
range of values.....	35
toolbar	
icons.....	55
tooltip.....	38
tree view.....	36

**U**

user	
status indicator.....	43
user interface	
banner.....	16
global action icons.....	17
main window.....	19

scrolling controls.....	37
sizing controls.....	37
task tree.....	17
user interface, Junos Space, overview.....	15
user password, changing.....	17
User Preferences icon.....	17
using	
global search.....	65

