

Willow Run (WR) Test Labs, Inc. 7117 Fieldcrest Drive Brighton, MI 48116

Phone: (734) 252-9785, Fax (734) 926-9785

e-mail: info@wrtest.com

RF EXPOSURE CALCULATIONS

Requirement:

According to USA CFR 15 §1.1307 (b)(1), systems operating under the provisions of this section shall be operated in a manner that ensures the public is not exposed to radio frequency energy level in excess of the Commission's guidelines. For Canada, RSS-102 sets out the requirements and measurement techniques used to evaluate radio frequency (RF) exposure compliance of radiocommunication apparatus designed to be used within the vicinity of the human body.

Maximum Permissible Exposure Calculations:

USA REF: 1.1310, 2.1091/1093, 447498 D01 General RF Exposure Guidance v06 IC REF: RSS-102 Issue 5, Safety Code 6 Min. Sep. Distance: 20 cm (Mobile)

Test Date: Test Engineer: EUT Mode: Meas. Distance:

28-Sep-17 Gordon Helm Panasonic BT Tuner Worst Case 3 meters

					Canada ISED RSS-102 MPE			USA FCC 1.1310 MPE		
Mode	Freq.	Worst Case E3(Avg)*	E20cm(Avg)	H20cm(Avg)	SC6 Limit (E20cm)	SC6 Limit (H20cm)	Worst Case MPE Ratio	E20cm Limit***	H20cm Limit***	Worst Case MPE Ratio
	MHz	dBuV/m	dBuV/m	dBuA/m	dBuV/m	dBuA/m		dBuV/m	dBuA/m	
Mode	Freq.	Worst Case EIRP(Avg)**	E20cm(Avg)	S20cm(Avg)****		SC6 Limit (S20cm)	MPE Ratio		S Limit	MPE Ratio
	MHz	dBm	dBuV/m	mW/cm2		mW/cm2			mW/cm2	
CW	2402.00	-10.8	107.9	0.00002		5.5	0.0000030		1.00000	0.0000165
CW	2441.00	-8.0	110.7	0.00003		5.5	0.0000058		1.00000	0.0000315
CW	2480.00	-9.5	109.2	0.00002		5.5	0.0000041		1.00000	0.0000223
						MPE Total (<1):	.000006		MPE Total (<1):	.00003
						Complies?	Yes		Complies?	Yes

^{*}As Measured / Computed from highest fundamental emission, see fundamental emission section of the test report.

Summary:

The EUT with all transmitters is compliant with both the FCC power density limit and the ISED Exposure Evaluation limits.

^{**}maximum of either EIRP or Pout as measured.

*** For FCC MPE, use of 300 kHz limit for signals below 300 kHz as previously requested by FCC. **** EIRP (mW) = S (mW/cm^2) x 4 x PI x 20cm^2