

2022-23 PRODUCT CATALOGUE





	MAKITA CORDLESS PART NUMBER E	BREAKDOWN
DSE	Charger (DC10WA), 2x10.8V 1.35h Battery (BL1013)	1 1
DWE	Charger (DC18WA), 2 x 18V 1.5Ah Batteries (BL1815G)	
DWX	Charger (DC10WA), 1x10.8V 1.3Ah Battery (BL1013)	₽
JX1	Charger (DC18SD), 2 x 18V 3.0Ah Batteries (BL1830B), Makpack, 9Pcs sockets, Extension Bar	***
PT2	Rapid Charger Dual Port (DC18RD), 2 x 18V 5.0Ah Batteries (BL1850B), Makpac	
RFE	Rapid Charger (DC18RC), 2 x 18V 3.0Ah Batteries (BL1830B)	
RFJ	Rapid Charger (DC18RC), 2 x 18V 3.0Ah Batteries (BL1830B), Makpac	
RFX1 RFX4	Rapid Charger (DC18RC), 2 x 18V 3.0Ah Batteries (BL1830B), 74 nos Bit Set	
RM	Rapid Charger (DC18RC), 1 x 18V 4.0Ah Battery (BL1840B)	₩ �
RME	Rapid Charger (DC18RC), 2 x 18V 4.0Ah Batteries (BL1840B	₩ � �
RT	Rapid Charger (DC18RC), 1 x 18V 5.0Ah Batteries (BL1850B)	*
RTE	Rapid Charger (DC18RC), 2 x 18V 5.0Ah Batteries (BL1850B)	*
RTJ RTJX7	Rapid Charger (DC18RC), 2 x 18V 5.0Ah Batteries (BL18508), Makpac	*
SAE	Charger (DC10SB), 2 x 12V Max 2.0Ah Batteries (BL1021B)	
SF	Charger (DC18SD), 1 x 18V 3.0Ah Battery (BL1830B)	
SFE	Charger (DC18SD), 2 x 18V 3.0Ah Batteries (BL1830B)	
SFE3	Charger (DC18SD), 3 x 18V 3.0Ah Batteries (BL1830B	
SFX1	Charger (DC18SD), 2 x 18V 3.0Ah Batteries (BL1830B), Tool Bag	
SYE	Charger (DC18SD), 2 x 18V 1.5Ah Batteries (BL1815N)	*
WAE	Charger (DC10WD), 2 x 12V 2.0Ah Batteries (BL1021B)	
WAX1	Charger (DC10WD), 2 x 12V 2.0Ah Battery (BL1021B), 74nos bit set	
WYE	Charger (DC10WD), 2 x 12V Max 1.5Ah Batteries (BL1016)	
WYJ	Charger (DC10WD), 2 x 12V Max 1.5Ah Batteries (BL1016), Makpac	
Z	Tool Only (Batteries, Charger not included)	
ZJ	Tool Only, Connector Case	

Thakita INTRODUCING



HIGH POWER

DURABILITY

DIGITAL COMMUNICATION



LED Worklight
ML002G / ML003G



High Power

Durability

Digital Communication





Rotary Hammer

HR006G

Demolition Hammer HM002G







Battery

Earth Auger DG001G


BL4020 (2.0Ah) BL4025 (2.5Ah)






Grass Trimmer

UR002G / UR003G / UR006 UR007G / UR008G







This movie was filmed in Japan.

Models and specs may vary by country.

18V X2 Lithium-ion

Powered by two 18V Li-ion batteries in series



EXPAND YOUR LITHIUM-ION LINEUP











Expand Your lithium-Ion line up

Li-ion Battery & Charging Time Reference, Compatibility Chart

40Vmax	18V	Fast Charging DC40RA	DC40RC	Fast Charging DC40RA	DC40RC + ADP10	Fast Charging DC18RC	DC18SD
		DC40RB*		ADP10 Compatible + with LXT Li-lon batteries	Compatible + with LXT Li-lon batteries	DC18RD* DC18RE**	DC18SH*
XGT	5.0 _{Ah} BL4050F	50min.	85 _{min.}	-	-	-	-
40V _{max}	4.0Ah BL4040	45 _{min.}	67min.	-	-	-	-
Lithium-ion	2.5Ah BL4025	28 _{min.}	38 _{min.}	-	-	-	-
	2.0 Ah BL4020	22 _{min.}	30 _{min.}	-	-	-	-
	6.0 Ah BL1860B	-	-	40 _{min.}	85min.	55min.	130min.
	5.0 Ah BL1850B	-	-	35 _{min.}	70min.	45 _{min.}	110min.
18V	4.0 Ah BL1840B	-	-	29 _{min.}	58 _{min.}	36 _{min} .	90 _{min.}
Lithium-ion	3.0Ah BL1830B	-	-	22 _{min.}	42 _{min.}	22 _{min} .	60min.
	2.0Ah BL1820B	-	-	24 _{min.}	33 _{min.}	24 _{min} .	45 _{min} .
	1.5 Ah BL1815N	-	-	15 _{min.}	22 _{min.}	15 _{min} .	30 _{min.}







50min.







<u>CXT</u>	E
12Vmax Lithium-ion	E

4.0 Ah BL1041B	60min.
2.0 Ah BL1021B	30 _{min} .
1.5Ah	22min.





360_{min.}



Powerd by up to four 18V LXT Batteries















70min.

Fast Charging 22 minutes

DC18RE

to fully charge a 1.5Ah slide Li-ion battery



Optimum Charging System

Forced air cooling system DC10SB only

- •Stand-by time until the charge starts can be greatly shortened by using charger DC10SB equipped with a built-in cooling fan.
- Effectively cools down every battery cell with the forced air cooling system and the heat sinks.



Compact and lightweight design

DC10WD provides higher charging performance than DC10WB, but with a more compact and lightweight design. (It's same charging time(50mim.) as DC10WB for 1.3Ah battery although the new battery is 1.5Ah.)



Charging status indicator

shows the charging status of a battery being charged in 2 stages: less than 80% and 80% or more.





Wall mountable for charging

can be mounted on the wall for charging, allowing the user to obtain maximum working space on workbench.



Li-ion Battery

Multi-Contact Slide-type Terminal


• Ensures stable contact with tool even under extreme vibration

• Allows tools to be equipped with an ergonomic handle design.



Battery fuel gauge (BL1020B, BL1040B)

The power remaining in the battery can be indicated in 4 stages simply by pushing a button.



Charges LXT and CXT battery alternatively

Compatible batteries are: 14.4V/18V LXT batteries & 12V max CXT batteries



$\hbox{\it Li-ion Battery \& Charger Time Reference, Compatibility Chart}$

	BL1016 12Vmax 1.5Ah	BL1021B 12Vmax 2.0Ah with Battery fuel gauge	BL1041B 12Vmax 4.0Ah with Battery fuel gauge
DC18RE Fast Ct/Greging	22 min	30 min	60 min
DC10SB for 12Vmax Fast Charging	22	30	60
	min	min	min
DC10WD	50	70 min	130
for 12Vmax	min		min

MAKPAC Power source kit



	Model No.	MAKPAC type	Set contents				
			Battery	Ah	Qty	Charger	Converter
40V _{max}	MKP1G001	TYPE1	BL4025	2.5Ah	2	DC40RA	
Lithium-ion	MKP1G002	TYPE1	BL4040	4.0Ah	2	DC40RA	
	MKP1RT182	TYPE1	BL1850B	5.0Ah	2	DC18RC	
	MKP1RG182	TYPE1	BL1860B	6.0Ah	2	DC18RC	
18V	MKP3PT184	TYPE3	BL1850B	5.0Ah	4	DC18RD	
Lithium-ion	MKP3PG182	TYPE3	BL1860B	6.0Ah	2	DC18RD	
	MKP3PG184	TYPE3	BL1860B	6.0Ah	4	DC18RD	

MAKPAC trolley

able to stack on for easy loading



MAKPAC adapter set

Makita AC Vacuum Cleaner to connect with MAKPAC Part No.

198730-6 198599-8(EU)





















































Tnakita


















































eXtreme Protection Technology (XPT) is engineered for improved dust and water resistance for operation in harsh conditions

High power for fast cutting and ripping

Constant speed control

provides consistent surface finish.





Cutting Performance





Bevel range :: -1 to 48 degrees

Positive stoppe

Precision bevel cut

Easy to plunge cutting



Depth stopper for splinter-free cutting









Rotatable dust nozzle







Variable speed control by dial



Electric brake enables you to start next operation quickly.



SP001G

40Vmax XGT BL Cordless 165 mm (6-1/2") Plunge Cut Saw

Cordless Plunge Cut Saw



Auto-start Wireless System (AWS) connects to vacuum cleaner with Bluetooth

Constant speed control provides consistent surface finish

BL motor delivers 4,900 RPM for fast cutting and ripping

BL motor with high power to weight and size ratio · BL motor is electronically controlled to optimize battery energy use for longer run time per charge

BL motor eliminates carbon brushes, enabling the BL motor to run cooler and more efficiently for longer life













TCT Saw Blade, Hex Wrench, Wireless Unit (country-specific),

Wheel Diameter Blade DiameterHole Diameter **Bevel Capacity**

Max Cutting Capacity

No Load Speed (RPM) Sound Pressure Level Sound Power Level Noise K Factor Dimensions (L x W x H)

Blade Body Thickness Net weight

165 mm (6-1/2") 165 mm (6-1/2") 20 mm (13/16") 0°: 56 mm (2-3/16") / 45°: 40 mm (1-9/16") 48°: 38 mm (1-1/2") 2.500 - 4.900 89 dB(A)

100 dB(A) 3 dB(A) 347 x 221 x 271 mm (13-5/8 x 8-3/4 x 10-5/8") 4.4 - 5.0 kg (9.7 - 11.0 lbs.)

SP001GZ - Rs. 50,000









25.4mm, 3800 rpm, 17.8kg

Cordless Circular Saw - DHS900



DHS900PT2 - Rs. 85,500 DHS900Z - Rs. 51,500



LXT <u>BL.</u> AWS ADT (RAS) XPT

4500 rpm, 5.3 - 6.0 kg

Cordless Circular Saw - DHS783



DHS783T2JU - Rs. 80,000 DHS783PT2J - Rs. 76.000 DHS783ZU - Rs. 45,000 DH\$7837 - Rs. 40,000

LXT BL AWS ADT XPT (RAX) 6000 rpm, 5.1kg

Cordless Circular Saw - DHS780



DHS780PT2J - Rs. 68,000 DHS7807 - Rs. 32,000

LXI EL ADT XPT (RAK) 90°:68.5 / 66 mm, 6000 rpm, 4.8kg

Cordless Combination Hammer - DHR282



DHR282PT2J - Rs. 77,300 DHR282Z - Rs. 40,000



LXT XPT BL AVT SOFT AFT AWS

980 rpm, 5000 bpm, 5.0kg

Cordless Combination Hammer - DHR280



DHR280PT2J - Rs. 70,100 DHR280Z - Rs. 32,000

LXT XPT BL AVT SOFT 980 rpm, 5000 bpm, 4.9 kg

Cordless Shear Wrench - DWT310



14 rpm, 804 N·m, 6.5 - 7.1kg

Cordless Angle Grinder - DGA901



13mm

DGA901PT2 - Rs. 70,100 DGA901Z - Rs. 35,000



LXT AWS SA ADT AFT XPT (RAX)

6000 rpm, 5.2 - 8.0kg

Cordless Angle Grinder - DGA701



LXT AWS BL ADT AFT XPT (RAS)

7800 rpm, 5.0 - 6.0kg

Cordless Angle Grinder - DGA700



BL ADT AFT XPT (RAK) 7800 rpm, 5.0 - 6.0 kg

Cordless Angle Drill - DDA460



BL ADT XPT

136N.m,1400 rpm, 6.4kg

Cordless Slide Compound Miter Saw - DLS111



91mm, 48° L / R, 4400 rpm, 27.3 kg

LXT BL DXT AWS ADT



LXT BL DXT AWS ADT 92mm, 48° L / R, 4,400 rpm, 31.3kg

Cordless Slide Compound Miter Saw - DLS714



52mm, 45° L / 5° R, 5700 rpm, 12.6kg

Cordless Plunge Cut Saw - DSP600



Cordless Recipro Saw - DJR360



32 mm, 3000 spm, 4.7kg

Cordless Power Cutter - DCE090



88 mm, 6,600 rpm, 6.3 kg

Cordless Upright Cleaner - DVC560



Dust / Water: 5 / N/A L, 9.0 kg

Cordless Backpack Vacuum Cleaner - DVC660



Cordless Backpack Vacuum Cleaner - DVC665



Dust: 6 L, 5.5 L, 2.2 m³/min 6.7 kg




















































































































0 - 3,200 bpm 3.6 kg













3.2°, 20,000 opm, 3.0 m/s², 2.4 kg














EXT

30mm, 6000 spm, 2.0 kg



LXT XPT BL

Pipe/Wd: 130/255mm, 3000 spm, 2.9kg

LXT XPT

Pipe/Wd: 130/255mm, 2800 spm, 3.8kg







3, 6 mm, 32,000 rpm, 1.7 kg





<u>LXT</u>

LXT BL XPT







69 MPa (10,000 PSI) 6.1 kg


































































































































































makita





















Lithium-ion

10.8



Battery

























Makita































































Makita



Tnakita



Rs. 33,500

1650W, 4600 rpm, 12.4kg

Cast Iron base

Rs. 52,000

90°: 85 mm, 54kg

Rs. 57,800

1500W, 4300 rpm, 34.9kg

Rs. 46,200

1650W, 4600 rpm, 19.1kg

Rs. 69,300

1650W, 4000 rpm, 16.8kg

Makita













П






















































Makita























Reliable cutting performance like engine / AC hedge trimmers



BL motor provide high power and excellent cutting performance







Anti-vibration structure

consisting of Motor-crank section and handle section linked by cushions to absorb vibration from blade and motor-crank section

5 position rotating rear handle




Twigs are caught easily and held firmly

Sharp edge curve Blade / Sharp edge Blade UH004G / UH005G UH006G / UH007G



Reverse rotation system

release the blade when it is jammed by thick







Optimum blade shape for smooth cutting

Sharp edge curve Blade UH004G / UH005G







NEW Chip receiver

can make it easier for user to collect leaf and twig debris, thanks to:

- lower height of the connecting hooks
- reduced step height of the edge of the chip catching plate





High water-resistance allows to operate the machine even if it is wet with water.



eXtreme Protection Technology

Enhanced Dust and Drip-proof Performance ensure reliable operation even under bad weather

UH006G / UH007G

40Vmax XGT BL Brushless Cordless Hedge Trimmer



- 40Vmax XGT Li-lon battery and BL motor provide high power and excellent cutting performance
- Reliable cutting performance like engine/AC hedge trimmers
- Optimum for rough cutting of thick branches
- WetGuard; Excellent water-resistant performance
- The no load continuous run time on a full battery charge is the same or longer than that on a full tank of petrol





Blade Length	UH006G: 600 mm (23-5/8")
-	UH007G: 750 mm (29-1/2")
Max Cutting Capacity	25.0 mm (1")
Strokes Per Minute (SPM)	High / Mid / Low: 4,000 / 3,000 / 2,000
Max Output	720 W
Dimensions (L x W x H)	UH006G: w/ BL4025: 1,123 x 225 x 199 mm
	(44-1/2 x 8-7/8 x 7-7/8")
	UH007G: w/ BL4025: 1,275 x 225 x 199 mm
	(50 x 8-7/8 x 7-7/8")
Net weight	UH006G: 4.4 - 5.0 kg (9.7 - 11.0 lbs.)
	UH007G: 4.6 - 5.2 kg (10.1 - 11.5 lbs.)
	-















































































































Tnakita













































460mm























Tnakita













































M0910B Angle Grinder	459 MWJ
Angle Gillidei	
A STATE OF	3
Rs. 4,830	
540W, 12000 rpm,	1.6kg























			<u> </u>			
		M92	200	В	419	w <u>i</u>
	Finis	hing Sar	nder		112 x	102 mm
	0			-		•
Rs.	5,570					
	1801	N, 14,00	0 орг	n, 0.9	kg	

Makita






























maktec

by **Makita**







H.O.: Makita Power Tools India Pvt. Ltd. Unit II Sv. Nos. 93/3 & 93/4. Koralur village, Kasaba Hobli

Hoskote Taluk, Bengaluru - 560067 Tel: +91-80-2205-8200 Email: info@makita.in Website: www.makita.in





Makita Power Tools India Pvt. Ltd. No 36/B, 1st & Ground Floor, NTTF circle Peenya 2nd Stage, PIA, Bangalore - 560058 Tel: +91-90085-46546



Makita Power Tools India Pvt, Ltd. Sahani Mansion, Chatribari Road, Guwahati, Kamrup Metropolitan. Assam - 781001 Tel: +91-36-1351-4572



Makita Power Tools India Pvt, Ltd. Aniket Estate, B/W. Savan & Naviivan Hotel. Sarkhej Sanand Chokdi. S.G. Highway Sarkhej. Ahmedabad - 382210



Makita Power Tools India Pvt. Ltd.

Shop No. 3, Lakod Complex, GIDC Makarpura, Vadodara - 390010 Tel: +91-82383-57480



Makita Power Tools India Pvt. Ltd. Shop No:3-3-10, Near Dargah, Rashtrapati Road, Secunderabad,

Telangana - 500003 Tel: +91-40-40038000 +91-40-40058000



Makita Power Tools India Pvt. Ltd.

Ward No. 19, New Ward No. 38 MIG-48, Awas Vikas, Rudrapur, Uttarakhand - 263153 Tel: +91-70425-97756



Makita Power Tools India Pvt. Ltd.

Chamber, Bearing Municipal Street

No. 76, 72/80 Nagdevi Cross Lane,

Mumbai - 400003

Tel: +91-96633-10048

Shop No.104, First Floor, Plot No. PA0/I/121/122 I-Block Near Quality Circle, MIDC Bhosari, PCMC, Pune - 411026 Tel: +91-20-4630-0061



P-46, Hide Road Extension Taratala Brace Bridge Kolkata - 700088

Tel: +91-85850-72679



Makita Power Tools India Pvt. Ltd. Door No: XVI/443A, Jubilee Road Maradu, Nettor Post,

Cochin Kerala - 682040, Tel: +91-85904-32003



Makita Power Tools India Pvt. Ltd.

No. 30. Jawaharlal Nehru Salai 100 Feet Road, Koyambedu, Chennai - 600107 Tel: +91-44-2479-2522, Telefax: +91-44-2479-2533

Tel: +91-96563-49664



Makita Power Tools India Pvt. Ltd. Door No. 4 & 5, No. S1/17A,

EGA Plaza, Trichy Tanjore Main Road, Thuvakkudi, Trichy - 620015 Tel: +9196002-91989



Makita Power Tools India Pvt. Ltd. Khasra No. 1035 , Village Mundka

Near Ganpati Dharam Kanta Delhi - 110041 Tel: +91-11-28341102

Makita Power Tools India Pvt. Ltd. Access - B. HTL. Unit-2, B-34, Block No.B-18, Poddar Plaza VIP Route

No.1, Kachi Mohalla, New Siyaganj, Indore, Madhya Pradesh - 452007 Tel: +91-73135-93608



Makita Power Tools India Pvt. Ltd. Makita Power Tools India Pvt. Ltd. Makita Power Tools India Pvt. Ltd. Shop No 3, Ground Floor, Commercial

West Bengal



Shop No. 24, Shiv Ranjani Complex Tata Kandra, Main Rd,

Adityapur, Jamshedpur, Jharkhand - 831013 Tel: +91-657-2383024



Makita Experience Zone & Service Centre

Our success not only comes from producing #1 Quality tools, but also from our unparalleled service. From our **Customer Service Representatives to our extensive Sales** Team and Product Specialists, Makita is dedicated to delivering complete customer satisfaction.
















Electronic 3-Speed

Electronic 2-Speed

Torque Setting 16

Torque Setting 18

Brake





Torque Setting 20

Torque Setting 21

Torque Limiter





Static Free Hose

Depth Adjusting

Wire Collated Nail

Sheet Collated Nail

Hook & Loop

SDS-PLUS Shank

SDS-PLUS Shank

Sequential

Sequential or Bump-fire



H.O.: Makita Power Tools India Pvt. Ltd.

Unit II Sy. Nos. 93/3 & 93/4, Koralur village, Kasaba Hobli, Hoskote Taluk, Bengaluru - 560067

Delhi

Tel: +91-80-2205-8200

Email: info@makita.in Website: www.makita.in



Marketed By:

Makita Service Centre:

Assam Guwahati: +91-36-1351-4572

New Delhi: +91-11-28341102

Ahmedabad: +91-96563-49664 Vadodara: +91-82383-57480

Gujarat

<u>Jharkha</u>nd Jamshedpur: +91-657-2383024

Bengaluru: +91-08-2222-8200 Peenya: +91-90085-46546

Kerala

Cochin: +91-85904-32003

Rudrapur: +91-70425-97756

Uttarakhand West Bengal

Madhya Pradesh Telangana

Indore: +91-73135-93608 Secunderabad: +91-40-4003-8000

Tamil Nadu

Karnataka

30mm Hex Shank

Bevel Cutting 45 left

Bevel Cutting L45 R5

Anti Vibration

Chain Brake

Primer Pump

Capacitor Discharge Ignition

Decompression Valve

Auto Decompression

Rapid Start

Carrying Case

Automatic Oiling

Chennai: +91-44-2479-2522 Trichy: +91-96002-91989

All prices are subject to change without prior notice. Makita Power Tools has the right to increase or decrease the price as per the market demand / supply.

Mumbai: +91-96633-10048

Maharashtra

Pune: +91-20-46300061

kolkata: +91-85850-72679