# - BKDEG1 SERIES щ

SPECIFICATION SHEET



The slim and refined lines of Sahale bring a refreshing change to today's kitchens. Bright ENERGY STAR® certified LED lighting complements your cooking experience and three fan speeds make cooking more enjoyable. The LED modules included with this hood are the latest in LED cooktop illumination technology specially designed to operate in the elevated temperatures of cooking - offering bright lighting and lasting up to 25 times as long as a standard bulb and greater reliability than typical replacement LED bulbs.

SIZE	BLACK	STAINLESS	WHITE	GREASE FILTERS (replacement)	NON-DUCTED FILTERS
30 in.	BKDEG130BL	BKDEG130SS	BKDEG130WW	HPFA3A30 (Type "C3")	HPF30 (Type "Xc")

HVI PERFORMANCE									
			Sones			CFM			
Duct Orientation	Size	Damper	Normal	Medium*	High	Normal	Medium*	High 0.25 in. w.g.	High 0.1 in. w.g.
Vertical - Rectangular	3¼ in. x 10 in.	Included	1.5	3.0	6.0	110	160	150	230
Horizontal - Rectangular	3¼ in. x 10 in.	Included	1.5	3.0	6.0	110	160	150	230
Round - Vertical	7 in.	Sold Separately	1.5	3.0	5.5	120	180	140	260

FEATURES				
Max. Blower Airflow	375 CFM			
Control type	3-speed Capacitive Touch			
Delay off	no			
Filter Clean Reminder	yes			
Heat Sentry™	no			
ADA Capable	yes			
Lighting	2-level ENERGY STAR® LED (included)			
Grease Filters	Deluxe Micro Mesh (Qty. 2)			
Installation Hardware	EZ1 brackets			
ENERGY STAR®	yes (no if installed non-ducted)			
Recirculation	Non-ducted filters sold separately			
AC INDUT				

120 V, 60 Hz - 0.65 AMPS

OPTIONAL ACCESSORIES				
7-in. Round Damper	BP87Q			
ADA Wiring Kit	HAWRK3			
Make-up Air Dampers	MD6TU, MD8TU and MD10TU			

## **MOUNTING HEIGHT**

18 in. to 24 in. from cooktop to bottom of hood


## **LIMITED WARRANTY**

1-year


3-year (LED modules only)

(See installation manual for full warranty text.)

# FOR INDOOR USE ONLY









HVI-2100 CERTIFIED RATINGS comply with new testing technologies and procedures prescribed by the Home Ventilating Institute, for off-the-shelf products, as they are available to consumers. Product performance is rated at 0.1 in. static pressure, based on tests conducted in AMCA's state-ofthe-art test laboratory. Sones are a measure of humanly-perceived loudness, based on laboratory measurements.

the-art test laboratory. Sones are a measure or numarily-perceived roughess, based on accordance with HVI Standardized test procedure.

\*Where noted performance rating is not HVI certified but was established in accordance with HVI Standardized test procedure.

99045745F