HP E27 G5 FHD Monitor




. Power Button

Front

2. LED Power

HP E27 G5 FHD Monitor



- 1. Joypad OSD button
- 2. Security Cable Slot
- 3. Power Connector
- 4. DisplayPort™ 1.2

Back

- 5. HDMI 1.4 Port
- 6. USB-B Port
- **7.** SuperSpeed USB Type-A 5Gbps signaling rate (2)
- 8. SuperSpeed USB Type-A 5Gbps signaling rate (2) 1 charging

Technical Specifications

Model: 6N4E2AA

Panel SpecificationsDisplay Size (Diagonal)27 inch (68.6 cm)Viewable Diagonal Size27 inch (68.6 cm)

Panel Technology IPS
Max Refresh Rate 75Hz

Native ResolutionFHD (1920 x 1080)Panel Bit Depth8 bit (6 bit + FRC)

Aspect Ratio 16:9
Brightness (Typical) 300 nits
Contrast Ratio (Static) 1000:1
Dynamic Contrast Ratio 8M:1
Flicker Free Yes

Pixel Pitch 0.31 x 0.31 mm

Pixels Per Inch (PPI) 82 PPI

Display ColorsUp to 16.7 million colors supported*

*Number of colors through A-FRC technology.

Backlight Lamp Life Minimum (To Half

Brightness - In Hours)

Backlight Type Edge-lit
Screen Treatment Anti-glare

Hardness3HHaze25%

Response Time (Typical) 5ms GtG (with overdrive)

Horizontal Viewing Angle
(Typical Cr>10)
Vertical Viewing Angle (Typical Cr>10)
178°

Panel Active Area Metric (W X H) 59.79 x 33.63 cm Panel Active Area Imperial (W X H) 23.54 x 13.24 in

NOTE: Performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

Color sRGB 99%

Color Management Color Space/ Subsampling Support RGB 4:4:4, YCBCR 4:4:4, YCBCR 4:2:2

RGB Channel Adjust Yes, Gain

Default Color Temperature Neutral (6500K)

Factory Color Calibrated Yes (Color Temperature)

Factory Color Presets Warm - 5000K, Neutral - 6500K,

Cool - 9300K

Monitor Specifications Bezel Type 3-sided borderless

Color Of Stand Black & Silver

Color Of Head Black
Tilt Yes, -5~+20°

Swivel ±45°
Pivot ±90°
Height Adjust Range 150 mm

Technical Specifications

Vesa Mounting 100 mm x 100 mm **Security Lock** Security lock-ready

Detachable Stand Yes

3/3/0 for LA, NA, EMEA, APJ Warranty (3/3/3 in select APJ Countries)

Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution Low Blue Light

certified)

Management Software HP Display Center, HP Display Manager*

*Host PC requires Windows 10 and above. HP Display Center is

available on the Microsoft store.

On Screen Display (OSD)

On Screen Display Brightness+, Color Control, Image Control, Input Control,

Power Control, Menu Control, Management, Information,

Exit

Native Resolution FHD (1920 x 1080)

Maximum Resolution FHD (1920 x 1080 @ 75 Hz)

Preset Graphic Modes/Supported 640 x 480 @ 60Hz Resolutions 640 x 480 @ 75Hz

720 x 400 @ 70 Hz 800 x 600 @ 60 Hz 800 x 600 @ 75 Hz 1024 x 768 @ 60 Hz 1024 x 768 @75 Hz 1280 x 720 @ 50 Hz 1280 x 720 @ 60 Hz 1280 x 800 @ 60 Hz 1280 x 1024 @ 60 Hz

1600 x 900 @ 60 Hz 1680 x 1050 @ 60 Hz 1920 x 1080 @ 50 Hz 1920 x 1080 @ 60 Hz 1920 x 1080 @ 75 Hz

1280 x 1024 @ 75 Hz 1440 x 900 @ 60 Hz

Minimum Vertical Scan Rate 50 Hz **Maximum Vertical Scan Rate** 75 Hz **Minimum Horizontal Scan Rate** 30.0 kHz **Maximum Horizontal Scan Rate** 85.0 kHz **Maximum Pixel Clock** 180.0 MHz

User-Assignable Function Buttons Yes, 4 (6 options)

Languages 11 (English, Spanish, German, French, Italian,

Netherlands, Portuguese, Japanese, T-Chinese, S-Chinese

and Russian)

Connector Types DisplayPort™ 1 DisplayPort™ 1.2

> HDMI 1 HDMI 1.4

HDCP Yes, DisplayPort and HDMI

Technical Specifications

4 SuperSpeed USB Type-A 5Gbps signaling rate (1 **USB-A**

charging) 1 USB-B

Special Features SWITCH Monitor Power button

> Next Active Input/ Up button Information / Down button Brightness / Left button Color / Right button Menu / Enter button

User Presets 18

Power & Operating

Specs

Power Supply Internal

Power Source 100 - 240 VAC 50/60 Hz

Power Consumption- Max 50W **Energy Saving/Stand By Mode** 0.5W **Power Consumption - Typical** 30W

Energy Star Data Operational Mode at 100 VAC 15.45W Operational Mode at 115 VAC 15.4W

Operational Mode at 230 VAC 15.53W

EU Energy Efficiency Class (ErP LOT-5)

On-mode Power Consumption for Standard Dynamic Range (SDR) **ErP LOT5 Energy Efficiency Class for Standard Dynamic Range (SDR)**

17W

Operating Conditions Operating Temperature - Celsius

USB-B

Operating Temperature - Fahrenheit Non-Operating Temperature - Celsius Non-Operating Temperature -

Fahrenheit

5°-35°C 41° - 95°F

-40° - 65°C -40° - 149°F

Operating Humidity 20 - 80% Relative Humidity (non-condensing)

5-95% **Non-Operating Humidity**

Operating Altitude 0 – 5,000 m (16,400 ft.) **Non-operating Altitude** 0 - 12,192 m (40,000 ft.)

Certifications and Compliances

Low Halogen Yes*

*External power supplies, WWAN modules, power cords, cables

and peripherals excluded.

Agency Approvals and Certifications WW application

> CE/CB/KC/KCC/NOM/PSB/ICE/TUV-S/ISO 9241-307/cTUVus/GS/ISC/CCC/CEL/CECP/SEPA/TCO/TCO Certified Edge/Hardware Low Blue Light/Energy

Star/ISC/VCCI/FCC/BSMI/BIS/NRCS/UAE/Ukraine/Vietnam

MEPS/Australian-New Zealand MEPS/Ukraine EE/WEEE/TGM/PSE/E-Standby (Korea MEPS)/EAC

Microsoft WHQL Certification Win 11 (x64 only), Win 10 (x64 only)

ENERGY STAR® Certified Yes



Technical Specifications

Technical Specificat	ions		
	EPEAT® Registered Regions need to verify by country	EPEAT® Gold in United State	es*
	negions need to termy by tounitry	*Based on US EPEAT® registra 2018 EPEAT®. Status varies by http://www.epeat.net for m	country. Visit
	China Energy Label	CEL Grade 1	
	TCO Certified Edge	Yes	
	TCO Certified	Yes	
	SmartWay Transport Partnership - NA only	Yes (NA sku)	
Contains Recycled Plastics	Contains Recycled Plastics	Contains ocean-bound recycled plastic*, 85% ITE-derived closed loop plastic**	
		*All plastic parts contain ocean ocean-bound plastic contained product.	n-bound plastic. Percentage of d in each component varies by
		** ITE Derived Closed Loop Pla definition set in the IEEE 1680	stic percentage is based on the .1-2018 standard.
	Recycled Metals	At least 25% recycled meta	
			as a percentage of the total weight 14021 definitions for metal parts
	Recyclable Packaging (Box, packing	Outside Box and corrugated	d cushions are 100%
	materials)	sustainably sourced and re	cyclable*
		Molded Paper Pulp Cushion	inside box is 100%
		sustainably sourced and re	cyclable**
		*100% outer box packaging ar	nd corrugated cushions made from
		sustainably sourced certified a	
		**Molded pulp cushions are ma fiber and organic materials.	ade from 100% recycled wood
		<u>Metric</u>	<u>Imperial</u>
Unit Product/Package Specifications	Product Dimensions (Unpacked with stand) (W x D x H)	61.2 x 22.7 x 54.6 cm	24.08 x 8.34 x 21.51 inch
	Product Dimensions (Packed) (W x D x H)	69.9 x 16 x 44.6 cm	27.52 x 6.3 x 17.56 inch
	Display Head Dimensions	61.17 x 4.64 x 36.33 cm	24.08 x 1.83 x 14.30 inch

	rictite	mperiat
Product Dimensions (Unpacked with stand) (W x D x H)	61.2 x 22.7 x 54.6 cm	24.08 x 8.34 x 21.51 inch
Product Dimensions	69.9 x 16 x 44.6 cm	27.52 x 6.3 x 17.56 inch
(Packed) (W x D x H)		
Display Head Dimensions	61.17 x 4.64 x 36.33 cm	24.08 x 1.83 x 14.30 inch
(Unpacked without stand) (W x D x H)	(w/o hinge)	(w/o hinge)
	61.17 x 7.45 x 36.33 cm	24.08 x 2.93 x 14.30 inch
	(w/ hinge)	(w/ hinge)
Base Area Footprint	256 x 205 mm	10.08 x 8.07 inch
(w x d mm)		
Bezel Measurements	Bottom: 20.09 mm	Bottom: 0.79 inch
Product Weight	6.96 kg	15.34 lb
(Unpacked with stand)		
Product Weight	10.88 kg	23.98 lb
(Packed)		
Product Weight	4.83 kg (w/o hinge)	10.65 lb (w/o hinge)
(Head Only)	5.21 kg (w/ hinge)	11.49 lb (w/ hinge)



Pallet Information Pallet Dimensions

(LxWxHmm)

Pallet Total Weight

(20' ft/40' ft) Slip Sheet: (20' ft/40' ft) Slip Sheet: 1130 x 709 x 2255 mm 44.49 x 27.91 x 88.78 inch (20' ft/40' ft) Pallet: (20' ft/40' ft) Pallet:

(20 17/40 17) Fattet. 1130 x 709 x 1926 mm (40' HQ) Slip Sheet: (40' HQ) Slip Sheet:

1130 x 709 x 2255 mm 44.49 x 27.91 x 88.78 inch

(40' HQ) Pallet: (40' HQ) Pallet:

1130 x 709 x 2375 mm 44.49 x 27.91 x 93.50 inch

 Slip Sheet: 865 kg
 Slip Sheet: 1903 lb

 (40' ft&20' ft)
 (40' ft&20' ft)

 Slip Sheet: 865 kg
 Slip Sheet: 1903 lb

 (40' HQ)
 (40' HQ)

 Pallet: 705 kg
 Pallet: 1551 lb

 (40' ft&20' ft)
 (40' ft&20' ft)

 Pallet: 875 kg
 Pallet:1925 lb

 (40' HQ)
 (40' HQ)"

Pallet Layers 4 layers per pallet (20' ft/40' ft)

5 layers per pallet (40' HQ)

Pallet Product per Layer 7 per layer

Total Products per Pallet 28 sets per pallet (20' ft/40' ft)

35 sets per pallet (40' HQ) 560 sets (slip sheet)

Container Load, 20-Foot

448 sets (pallet)

1120 sets (slip sheet)

896 sets (pallet)

Container Load, 40-Foot HighQ 1120 sets (slip sheet) 1120 sets (pallet)

What's in the box? AC power cord (1.83m) 5.9ft

HDMI 1.4 cable (1.8m) 5.9 ft USB 3.0 B-A cable (1.8m) DP 1.2 cable (1.8m)

Warranty

Quick Setup Poster

User Guide Languages Arabic, Bahasa Indonesia, Bulgarian, Chinese-S, Chinese-

T, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Kazakh, Korean, Latvian, Lithuanian,

Norwegian, Polish, Portuguese (Brazilian), Portuguese (Iberian), Romanian, Russian, Serbian, Slovak, Slovenian,

Spanish, Swedish, Thai, Turkey, Ukrainian

Warranty Languages English US (EN), English AP (EN-AP), English LA (EN-LA),

English UK (EN-GB), Arabic (AR) -17x, Bahasa Indonesia (ID), Bosnian (BS), Bulgarian (BG), Chinese-S (CN), Chinese-T (TW), Croatian (HR), Czech (CS), Danish (DA), Dutch (NL), Estonian (ET), Finnish (FI), French Canadian (FC), French European (FR), German (DE), Greek (EL), Hebrew (HE), Hungarian (HU), Italian (IT), Japanese (JA),

User Guide and

Warranty Languages

Kazakh (KK), Korean (KO), Latvian (LV), Lithuanian (LT), Norwegian (NO), Polish (PL), Portuguese, Brazilian (BR), Portuguese, Iberian (PT), Romanian (RO), Russian (RU), Serbian (SR), Slovak (SK), Slovenian (SL), Spanish, Castilian (ES-ES), Spanish, Latin America (ES-MX), Swedish (SV), Thai (TH) Turkish (TR), Ukrainian (UK), Vietnamese (VI)



Technical Specifications

ENVIRONMENTAL DATA

E	TI 1		CC de la Calla Calla Calla de la Calla Cal	
Eco-Label Certifications	1	•	tified to the following approvals and may	
& declarations	be labeled with one or mo	re of these marks:		
	IT ECO declaration			
	US ENERGY STAR®			
	 US Federal Energy Management Program (FEMP) EPEAT® Gold registered in the United States. See http://www.epeat.net for registration 			
	_		inttp://www.epeat.net for registration	
	status in your co	=		
	 TCO Certified Edg 			
	China Energy Conservation Program (CECP)			
	China State Environmental Protection Administration (SEPA)			
	Taiwan Green Mark			
	Korea Eco-label			
		-h al*		
	Japan PC Green label*			
Sustainable Impact	• 85% ITE – derived closed	d loop plastic		
Specifications	• 25% recycled metal			
	• Low halogen			
	Outside Box and corruga	ated cushions are 100% sustain	ably sourced and recyclable	
	_		-	
	 Molded Paper Pulp Cushion inside box is 100% sustainably sourced and recyclable Recycled Plastic cushions 			
System Configuration	1 -		Paclared Noice Emissions data for the	
System Configuration	The configuration used for the Energy Consumption and Declared Noise Emissions data for the			
	Notebook model is based on a "Typically Configured Notebook".			
Energy Consumption				
(in accordance with US				
ENERGY STAR® test				
ENERGY STAR® test	115VAC. 60Hz	230VAC. 50Hz	100VAC. 50Hz	
method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz	
method) Normal Operation (Short	115VAC, 60Hz 15.4 W	230VAC, 50Hz 15.53 W	100VAC, 50Hz 15.45 W	
method) Normal Operation (Short idle)	15.4 W	15.53 W	15.45 W	
method) Normal Operation (Short idle) Normal Operation (Long		· ·		
method) Normal Operation (Short idle)	15.4 W 15.4 W	15.53 W	15.45 W	
method) Normal Operation (Short idle) Normal Operation (Long idle) Sleep	15.4 W	15.53 W	15.45 W	
method) Normal Operation (Short idle) Normal Operation (Long idle)	15.4 W 15.4 W	15.53 W 15.53 W	15.45 W	
method) Normal Operation (Short idle) Normal Operation (Long idle) Sleep	15.4 W 15.4 W 0.27 W	15.53 W 15.53 W 0.27 W	15.45 W 15.45 W 0.27 W	
method) Normal Operation (Short idle) Normal Operation (Long idle) Sleep	15.4 W 15.4 W 0.27 W 0.27 W NOTE:	15.53 W 15.53 W 0.27 W 0.2 W	15.45 W 15.45 W 0.27 W	
method) Normal Operation (Short idle) Normal Operation (Long idle) Sleep	15.4 W 15.4 W 0.27 W 0.27 W NOTE: Energy efficiency data list	15.53 W 15.53 W 0.27 W 0.2 W red is for an ENERGY STAR® com	15.45 W 15.45 W 0.27 W 0.2 W pliant product if offered within the model	
method) Normal Operation (Short idle) Normal Operation (Long idle) Sleep	15.4 W 15.4 W 0.27 W 0.27 W NOTE: Energy efficiency data list family. HP computers mar	15.53 W 15.53 W 0.27 W 0.2 W ted is for an ENERGY STAR® completed with the ENERGY STAR® Lo	15.45 W 15.45 W 0.27 W 0.2 W pliant product if offered within the model go are compliant with the applicable U.S.	
method) Normal Operation (Short idle) Normal Operation (Long idle) Sleep	15.4 W 15.4 W 0.27 W 0.27 W NOTE: Energy efficiency data list family. HP computers mare Environmental Protection	15.53 W 15.53 W 0.27 W 0.2 W ced is for an ENERGY STAR® comorked with the ENERGY STAR® Lo	15.45 W 15.45 W 0.27 W 0.2 W pliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model	
method) Normal Operation (Short idle) Normal Operation (Long idle) Sleep	15.4 W 15.4 W 0.27 W 0.27 W NOTE: Energy efficiency data list family. HP computers mare Environmental Protection family does not offer ENE	15.53 W 15.53 W 0.27 W 0.2 W eed is for an ENERGY STAR® completed with the ENERGY STAR® Lower Agency (EPA) ENERGY STAR® spraggers and spraggers.	15.45 W 15.45 W 0.27 W 0.2 W pliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model itions, then energy efficiency data listed is	
method) Normal Operation (Short idle) Normal Operation (Long idle) Sleep	15.4 W 15.4 W 0.27 W 0.27 W NOTE: Energy efficiency data list family. HP computers mare Environmental Protection family does not offer ENE for a typically configured	15.53 W 15.53 W 0.27 W 0.2 W The dis for an ENERGY STAR® completed with the ENERGY STAR® Lower Agency (EPA) ENERGY STAR® spragger and the ENERGY STAR® spragger and the ENERGY STAR® spragger and the ENERGY STAR® and the ENERGY STAR® compliant configurations and the ENERGY STAR® compliant config	15.45 W 15.45 W 0.27 W 0.2 W pliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model	
method) Normal Operation (Short idle) Normal Operation (Long idle) Sleep	15.4 W 15.4 W 0.27 W 0.27 W NOTE: Energy efficiency data list family. HP computers mare Environmental Protection family does not offer ENE	15.53 W 15.53 W 0.27 W 0.2 W The dis for an ENERGY STAR® completed with the ENERGY STAR® Lower Agency (EPA) ENERGY STAR® spragger and the ENERGY STAR® spragger and the ENERGY STAR® spragger and the ENERGY STAR® and the ENERGY STAR® compliant configurations and the ENERGY STAR® compliant config	15.45 W 15.45 W 0.27 W 0.2 W pliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model itions, then energy efficiency data listed is	
method) Normal Operation (Short idle) Normal Operation (Long idle) Sleep	15.4 W 15.4 W 0.27 W 0.27 W NOTE: Energy efficiency data list family. HP computers mare Environmental Protection family does not offer ENE for a typically configured	15.53 W 15.53 W 0.27 W 0.2 W The dis for an ENERGY STAR® completed with the ENERGY STAR® Lower Agency (EPA) ENERGY STAR® spragger and the ENERGY STAR® spragger and the ENERGY STAR® spragger and the ENERGY STAR® and the ENERGY STAR® compliant configurations and the ENERGY STAR® compliant config	15.45 W 15.45 W 0.27 W 0.2 W pliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model stions, then energy efficiency data listed is	
method) Normal Operation (Short idle) Normal Operation (Long idle) Sleep Off	15.4 W 15.4 W 0.27 W 0.27 W NOTE: Energy efficiency data list family. HP computers mare Environmental Protection family does not offer ENE for a typically configured Microsoft Windows® operations.	15.53 W 15.53 W 0.27 W 0.2 W 15.53 W 0.27 W 0.2 W 15.53 W 15.53 W 15.53 W 15.53 W 16.50 W	15.45 W 15.45 W 0.27 W 0.2 W pliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model ations, then energy efficiency data listed is high efficiency power supply, and a	
method) Normal Operation (Short idle) Normal Operation (Long idle) Sleep Off Heat Dissipation* Normal Operation (Short	15.4 W 15.4 W 0.27 W 0.27 W NOTE: Energy efficiency data list family. HP computers mare Environmental Protection family does not offer ENE for a typically configured Microsoft Windows® operations.	15.53 W 15.53 W 0.27 W 0.2 W 15.53 W 0.27 W 0.2 W 15.53 W 15.53 W 15.53 W 15.53 W 16.50 W 16.60 W	15.45 W 15.45 W 0.27 W 0.2 W pliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model tions, then energy efficiency data listed is high efficiency power supply, and a	
method) Normal Operation (Short idle) Normal Operation (Long idle) Sleep Off Heat Dissipation* Normal Operation (Short idle)	15.4 W 15.4 W 0.27 W 0.27 W NOTE: Energy efficiency data list family. HP computers mare Environmental Protection family does not offer ENE for a typically configured Microsoft Windows® operations of the computer of the	15.53 W 15.53 W 0.27 W 0.2 W Teed is for an ENERGY STAR® completed with the ENERGY STAR® Lower (EPA) ENERGY STAR® spray STAR® compliant configurary Completed to the complete state of the complet	15.45 W 15.45 W 0.27 W 0.2 W pliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model stions, then energy efficiency data listed is high efficiency power supply, and a 100VAC, 50Hz 52.8 BTU/hr	
method) Normal Operation (Short idle) Normal Operation (Long idle) Sleep Off Heat Dissipation* Normal Operation (Short	15.4 W 15.4 W 0.27 W 0.27 W NOTE: Energy efficiency data list family. HP computers mare Environmental Protection family does not offer ENE for a typically configured Microsoft Windows® operations.	15.53 W 15.53 W 0.27 W 0.2 W 15.53 W 0.27 W 0.2 W 15.53 W 15.53 W 15.53 W 15.53 W 16.50 W 16.60 W	15.45 W 15.45 W 0.27 W 0.2 W pliant product if offered within the model go are compliant with the applicable U.S. pecifications for computers. If a model tions, then energy efficiency data listed is high efficiency power supply, and a	



Technical Specifications

Sleep	0.9 B	ΓU/hr	0.9 BTU/hr	0.9 BTU/hr
Off	0.9 B		0.7 BTU/hr	0.7 BTU/hr
	* NOTE: Heat attained for	-	calculated based on the meas	ured watts, assuming the service level is
Longevity and Upgrading	This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the			
	Spare parts a production.	are available t	hroughout the warranty period	l and or for up to "5" years after the end of
Additional Information	 This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC. This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive - 2002/96/EC. 			
	 This product is in compliance with California Proposition 65 (State of California; SDrinking Water and Toxic Enforcement Act of 1986). This product is in compliance with the IEEE 1680 (EPEAT) standard at the Gold lev www.epeat.net Plastics parts weighing over 25 grams used in the product are marked per ISO114 ISO1043. This product is 98.8% recycle-able when properly disposed of at end of life. 			86). (EPEAT) standard at the Gold level, see se product are marked per ISO11469 and
Packaging Materials	External:	PAPER/Corrugated		990 g
		PAPER/Cor	rugated	790 g
		PAPER/Mol		570 g
	Internal:		PE (Expanded Polyethylene)	30 g
	The plastic packaging material contains at least 0.0% recycled of		_	
	The corrugated paper packaging materials contains at least 90% recycled content.			
RoHS Compliance	HP Inc. complies fully with materials regulations. We were among the first companies to extend the restrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive to our products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam.			
	We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances—including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products.			
	We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve.			
	To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position statement.			



Material Usage	This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html):				
	 Asbestos Certain Azo Colorants Certain Brominated Flame Retardants – may not be used as flame retardants in plastics Cadmium Chlorinated Hydrocarbons Chlorinated Paraffins Bis(2-Ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) Dibutyl phthalate (DBP) Diisobutyl phthalate (DIBP) Formaldehyde Halogenated Diphenyl Methanes Lead carbonates and sulfates Lead and Lead compounds Mercuric Oxide Batteries Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. Ozone Depleting Substances Polybrominated Biphenyls (PBBs) Polybrominated Biphenyl Ethers (PBBEs) Polybrominated Biphenyl Oxides (PBBOs) Polychlorinated Biphenyls (PCT) Polychloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. Radioactive Substances Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO) 				
Packaging Usage	 HP follows these guidelines to decrease the environmental impact of product packaging: Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials. Eliminate the use of ozone-depleting substances (ODS) in packaging materials. Design packaging materials for ease of disassembly. Maximize the use of post-consumer recycled content materials in packaging materials. Use readily recyclable packaging materials such as paper and corrugated materials. Reduce size and weight of packages to improve transportation fuel efficiency. 				

Technical Specifications

End-of-life Management and Recycling	HP offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner. The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for
	each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.
HP, Inc. Corporate Environmental	For more information about HP's commitment to the environment:
Information	Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Eco-label certifications http://www8.hp.com/us/en/hp-information/environment/ecolabels.html ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf
footnotes	 Percentage of ocean-bound plastic contained in each component varies by product Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard. External power supplies, WWAN modules, power cords, cables and peripherals excluded. 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic materials. Plastic cushions are made from >90% recycled plastic. Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams

Technical Specifications

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.



Summary

Change Log			
January 10, 2023	V1 to V2	Added	Environmental Data
April 12, 2023	V2 to V3	Updated	Color Management section
	V3 to V4		

