




Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

05/11/2020

5180MHz_TX




EUT Y_2TX
Setting 82
01-A-K-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	62.98	74.00	-11.02	60.63	3	Horizontal	80	1.64	-	31.81	5.17	34.63
AV	5.1494G	46.13	54.00	-7.87	43.79	3	Horizontal	80	1.64	-	31.80	5.17	34.63
PK	5.1794G	108.19	Inf	-Inf	105.96	3	Horizontal	80	1.64	-	31.68	5.19	34.64
AV	5.1782G	96.01	Inf	-Inf	93.77	3	Horizontal	80	1.64	-	31.69	5.19	34.64



Test Mode: Mode 2



Test Mode: Mode 2




Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

05/11/2020

5200MHz_TX



EUT Y_2TX
Setting 98
01-A-K-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	70.84	74.00	-3.16	68.49	3	Vertical	90	1.71	-	31.81	5.17	34.63
AV	5.15G	53.98	54.00	-0.02	51.64	3	Vertical	90	1.71	-	31.80	5.17	34.63
PK	5.2028G	122.08	Inf	-Inf	119.94	3	Vertical	90	1.71	-	31.59	5.20	34.65
AV	5.1984G	110.21	Inf	-Inf	108.05	3	Vertical	90	1.71	-	31.61	5.20	34.65

Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

05/11/2020

5200MHz_TX




EUT Y_2TX
Setting 98
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	63.84	74.00	-10.16	61.49	3	Horizontal	81	1.80	-	31.81	5.17	34.63
AV	5.15G	47.23	54.00	-6.77	44.89	3	Horizontal	81	1.80	-	31.80	5.17	34.63
PK	5.2028G	111.14	Inf	-Inf	109.00	3	Horizontal	81	1.80	-	31.59	5.20	34.65
AV	5.2012G	98.64	Inf	-Inf	96.49	3	Horizontal	81	1.80	-	31.60	5.20	34.65




Test Mode: Mode 2





Test Mode: Mode 2




Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

05/11/2020

5240MHz_TX



EUT_Y_2TX
Setting 105
01-A-K-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	69.42	74.00	-4.58	67.06	3	Vertical	226	1.80	-	31.82	5.17	34.63
AV	5.1476G	53.97	54.00	-0.03	51.62	3	Vertical	226	1.80	-	31.81	5.17	34.63
PK	5.2328G	123.22	Inf	-Inf	121.18	3	Vertical	226	1.80	-	31.47	5.23	34.66
AV	5.246G	110.63	Inf	-Inf	108.63	3	Vertical	226	1.80	-	31.42	5.25	34.67
PK	5.35G	64.11	74.00	-9.89	62.17	3	Vertical	226	1.80	-	31.30	5.35	34.71
AV	5.35G	49.13	54.00	-4.87	47.19	3	Vertical	226	1.80	-	31.30	5.35	34.71

Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

05/11/2020

5240MHz_TX



EUT Y_2TX
Setting 105
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	61.51	74.00	-12.49	59.15	3	Horizontal	68	1.63	-	31.82	5.17	34.63
AV	5.15G	46.97	54.00	-7.03	44.63	3	Horizontal	68	1.63	-	31.80	5.17	34.63
PK	5.2448G	114.12	Inf	-Inf	112.13	3	Horizontal	68	1.63	-	31.42	5.24	34.67
AV	5.2436G	102.86	Inf	-Inf	100.86	3	Horizontal	68	1.63	-	31.43	5.24	34.67
PK	5.3576G	58.14	74.00	-15.86	56.13	3	Horizontal	68	1.63	-	31.36	5.36	34.71
AV	5.35G	44.11	54.00	-9.89	42.17	3	Horizontal	68	1.63	-	31.30	5.35	34.71




Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

05/11/2020

5240MHz_TX




EUT_Y_2TX
Setting 105
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4686G	54.27	68.20	-13.93	42.47	3	Vertical	55	2.21	-	39.63	7.46	35.29
PK	15.71744G	58.91	74.00	-15.09	47.12	3	Vertical	122	1.69	-	37.55	9.24	35.00
AV	15.71952G	45.95	54.00	-8.05	34.17	3	Vertical	122	1.69	-	37.54	9.24	35.00



Test Mode: Mode 2






Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

05/11/2020

5745MHz_TX



EUT Y_2TX
Setting 103
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	64.55	68.20	-3.65	62.24	3	Vertical	84	1.09	-	31.60	5.42	34.71
PK	5.748G	121.98	Inf	-Inf	119.28	3	Vertical	84	1.09	-	31.90	5.47	34.67
AV	5.744G	110.53	Inf	-Inf	107.84	3	Vertical	84	1.09	-	31.89	5.47	34.67
PK	5.935G	59.95	68.20	-8.25	56.80	3	Vertical	84	1.09	-	32.24	5.50	34.59

Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

05/11/2020

5745MHz_TX




EUT_Y_2TX
Setting 103
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	59.83	68.20	-8.37	57.52	3	Horizontal	359	1.80	-	31.60	5.42	34.71
PK	5.739G	116.07	Inf	-Inf	113.39	3	Horizontal	359	1.80	-	31.88	5.47	34.67
AV	5.739G	107.49	Inf	-Inf	104.81	3	Horizontal	359	1.80	-	31.88	5.47	34.67
PK	5.957G	58.70	68.20	-9.50	55.50	3	Horizontal	359	1.80	-	32.29	5.50	34.59



Test Mode: Mode 2



Test Mode: Mode 2






Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

05/11/2020

5785MHz_TX



EUT_Y_2TX
Setting 105
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.572G	59.47	68.20	-8.73	57.20	3	Vertical	55	1.00	-	31.60	5.40	34.73
PK	5.79G	124.43	Inf	-Inf	121.68	3	Vertical	55	1.00	-	31.90	5.50	34.65
AV	5.79G	111.35	Inf	-Inf	108.60	3	Vertical	55	1.00	-	31.90	5.50	34.65
PK	5.932G	60.69	68.20	-7.51	57.56	3	Vertical	55	1.00	-	32.23	5.50	34.60

Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

05/11/2020

5785MHz_TX




EUT_Y_2TX
Setting 105
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.578G	57.60	68.20	-10.60	55.33	3	Horizontal	279	1.80	-	31.60	5.40	34.73
PK	5.793G	119.67	Inf	-Inf	116.92	3	Horizontal	279	1.80	-	31.90	5.50	34.65
AV	5.794G	110.15	Inf	-Inf	107.40	3	Horizontal	279	1.80	-	31.90	5.50	34.65
PK	5.955G	59.82	68.20	-8.38	56.62	3	Horizontal	279	1.80	-	32.29	5.50	34.59



Test Mode: Mode 2



Test Mode: Mode 2




Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

05/11/2020

5825MHz_TX



EUT_Y_2TX
Setting 105
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	59.19	68.20	-9.01	56.88	3	Vertical	54	1.13	-	31.60	5.42	34.71
PK	5.83G	122.09	Inf	-Inf	119.20	3	Vertical	54	1.13	-	32.02	5.50	34.63
AV	5.817G	110.57	Inf	-Inf	107.74	3	Vertical	54	1.13	-	31.97	5.50	34.64
PK	5.927G	67.79	68.20	-0.41	64.68	3	Vertical	54	1.13	-	32.21	5.50	34.60

Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

05/11/2020


5825MHz_TX



EUT_Y_2TX
Setting 105
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	57.29	68.20	-10.91	54.99	3	Horizontal	142	1.53	-	31.60	5.41	34.71
PK	5.83G	120.45	Inf	-Inf	117.56	3	Horizontal	142	1.53	-	32.02	5.50	34.63
AV	5.83G	110.19	Inf	-Inf	107.30	3	Horizontal	142	1.53	-	32.02	5.50	34.63
PK	5.929G	62.06	68.20	-6.14	58.94	3	Horizontal	142	1.53	-	32.22	5.50	34.60

Test Mode: Mode 2





Test Mode: Mode 2




Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

05/11/2020


5190MHz_TX



EUT Y_2TX
Setting 72
01-A-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	71.30	74.00	-2.70	68.95	3	Vertical	213	2.34	-	31.81	5.17	34.63
AV	5.15G	53.88	54.00	-0.12	51.54	3	Vertical	213	2.34	-	31.80	5.17	34.63
PK	5.18G	114.18	Inf	-Inf	111.95	3	Vertical	213	2.34	-	31.68	5.19	34.64
AV	5.1848G	100.64	Inf	-Inf	98.44	3	Vertical	213	2.34	-	31.66	5.19	34.65

Test Mode: Mode 2






Test Mode: Mode 2





Test Mode: Mode 2




Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

05/11/2020

5230MHz_TX



EUT_Y_2TX
Setting 96
01-A-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	71.00	74.00	-3.00	68.64	3	Vertical	93	1.80	-	31.82	5.17	34.63
AV	5.15G	53.77	54.00	-0.23	51.43	3	Vertical	93	1.80	-	31.80	5.17	34.63
PK	5.2288G	118.61	Inf	-Inf	116.56	3	Vertical	93	1.80	-	31.48	5.23	34.66
AV	5.2162G	105.76	Inf	-Inf	103.66	3	Vertical	93	1.80	-	31.54	5.22	34.66
PK	5.3542G	58.83	74.00	-15.17	56.86	3	Vertical	93	1.80	-	31.33	5.35	34.71
AV	5.3518G	45.13	54.00	-8.87	43.18	3	Vertical	93	1.80	-	31.31	5.35	34.71

Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

05/11/2020


5230MHz_TX




EUT_Y_2TX
Setting 96
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.43	74.00	-10.57	61.09	3	Horizontal	70	1.80	-	31.80	5.17	34.63
AV	5.15G	46.48	54.00	-7.52	44.14	3	Horizontal	70	1.80	-	31.80	5.17	34.63
PK	5.2438G	107.95	Inf	-Inf	105.96	3	Horizontal	70	1.80	-	31.42	5.24	34.67
AV	5.245G	95.45	Inf	-Inf	93.45	3	Horizontal	70	1.80	-	31.42	5.25	34.67
PK	5.3668G	55.76	74.00	-18.24	53.67	3	Horizontal	70	1.80	-	31.43	5.37	34.71
AV	5.3524G	43.05	54.00	-10.95	41.09	3	Horizontal	70	1.80	-	31.32	5.35	34.71


Test Mode: Mode 2



Test Mode: Mode 2



Test Mode: Mode 2






Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

05/11/2020


5755MHz_TX




EUT Y_2TX
Setting 100
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	62.30	68.20	-5.90	59.98	3	Horizontal	148	1.58	-	31.60	5.42	34.70
PK	5.753G	118.07	Inf	-Inf	115.35	3	Horizontal	148	1.58	-	31.90	5.48	34.66
AV	5.754G	106.07	Inf	-Inf	103.35	3	Horizontal	148	1.58	-	31.90	5.48	34.66
PK	5.951G	58.98	68.20	-9.22	55.77	3	Horizontal	148	1.58	-	32.30	5.50	34.59

Test Mode: Mode 2



Test Mode: Mode 2






Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

05/11/2020

5795MHz_TX



EUT Y_2TX
Setting 104
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	65.32	68.20	-2.88	63.01	3	Vertical	54	1.00	-	31.60	5.42	34.71
PK	5.792G	120.23	Inf	-Inf	117.48	3	Vertical	54	1.00	-	31.90	5.50	34.65
AV	5.789G	107.19	Inf	-Inf	104.45	3	Vertical	54	1.00	-	31.90	5.49	34.65
PK	5.936G	68.09	68.20	-0.11	64.94	3	Vertical	54	1.00	-	32.24	5.50	34.59




Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

05/11/2020


5795MHz_TX




EUT Y_2TX
Setting 104
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	61.59	68.20	-6.61	59.27	3	Horizontal	178	1.85	-	31.60	5.42	34.70
PK	5.811G	116.86	Inf	-Inf	114.06	3	Horizontal	178	1.85	-	31.94	5.50	34.64
AV	5.811G	105.82	Inf	-Inf	103.02	3	Horizontal	178	1.85	-	31.94	5.50	34.64
PK	5.925G	67.82	68.20	-0.38	64.72	3	Horizontal	178	1.85	-	32.20	5.50	34.60

Test Mode: Mode 2



Test Mode: Mode 2




Test Mode: Mode 2

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

05/11/2020

5210MHz_TX



EUT_Y_2TX
Setting 71
01-A-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.68	74.00	-5.32	66.34	3	Vertical	50	1.80	-	31.80	5.17	34.63
AV	5.149G	53.77	54.00	-0.23	51.43	3	Vertical	50	1.80	-	31.80	5.17	34.63
PK	5.219G	110.37	Inf	-Inf	108.29	3	Vertical	50	1.80	-	31.52	5.22	34.66
AV	5.2G	97.70	Inf	-Inf	95.55	3	Vertical	50	1.80	-	31.60	5.20	34.65
PK	5.351G	56.81	74.00	-17.19	54.86	3	Vertical	50	1.80	-	31.31	5.35	34.71
AV	5.355G	44.24	54.00	-9.76	42.25	3	Vertical	50	1.80	-	31.34	5.36	34.71

Test Mode: Mode 2

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

05/11/2020

5210MHz_TX




EUT_Y_2TX
Setting 71
01-A-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	60.40	74.00	-13.60	58.04	3	Horizontal	80	1.75	-	31.82	5.17	34.63
AV	5.149G	45.67	54.00	-8.33	43.33	3	Horizontal	80	1.75	-	31.80	5.17	34.63
PK	5.184G	99.86	Inf	-Inf	97.66	3	Horizontal	80	1.75	-	31.66	5.19	34.65
AV	5.201G	86.41	Inf	-Inf	84.26	3	Horizontal	80	1.75	-	31.60	5.20	34.65
PK	5.434G	56.07	74.00	-17.93	53.71	3	Horizontal	80	1.75	-	31.70	5.40	34.74
AV	5.423G	43.25	54.00	-10.75	40.88	3	Horizontal	80	1.75	-	31.70	5.40	34.73



Test Mode: Mode 2



Test Mode: Mode 2




Test Mode: Mode 2

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

05/11/2020

5775MHz_TX



EUT Y_2TX
Setting 92
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	68.16	68.20	-0.04	65.84	3	Vertical	62	1.00	-	31.60	5.42	34.70
PK	5.792G	114.53	Inf	-Inf	111.78	3	Vertical	62	1.00	-	31.90	5.50	34.65
AV	5.789G	101.79	Inf	-Inf	99.05	3	Vertical	62	1.00	-	31.90	5.49	34.65
PK	5.93G	67.61	68.20	-0.59	64.49	3	Vertical	62	1.00	-	32.22	5.50	34.60




Test Mode: Mode 2

802.11ax HEW80-BF_Nss1,(MCS0)_3TX

05/11/2020


5775MHz_TX




EUT Y_2TX
Setting 92
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	61.00	68.20	-7.20	58.69	3	Horizontal	272	1.72	-	31.60	5.42	34.71
PK	5.769G	111.82	Inf	-Inf	109.10	3	Horizontal	272	1.72	-	31.90	5.48	34.66
AV	5.766G	99.73	Inf	-Inf	97.01	3	Horizontal	272	1.72	-	31.90	5.48	34.66
PK	5.941G	63.24	68.20	-4.96	60.07	3	Horizontal	272	1.72	-	32.26	5.50	34.59

Test Mode: Mode 2



Test Mode: Mode 2





Test Mode: Mode 3
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.92	54.00	-0.08	3	Vertical	222	1.78	-




Test Mode: Mode 3

802.11ac VHT20_Nss2,(MCS0)_2TX

04/11/2020

5180MHz_TX



EUT Y_2TX
Setting 84
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	70.85	74.00	-3.15	68.49	3	Vertical	54	1.79	-	31.82	5.17	34.63
AV	5.15G	53.78	54.00	-0.22	51.44	3	Vertical	54	1.79	-	31.80	5.17	34.63
PK	5.1826G	115.28	Inf	-Inf	113.07	3	Vertical	54	1.79	-	31.67	5.19	34.65
AV	5.1868G	105.08	Inf	-Inf	102.89	3	Vertical	54	1.79	-	31.65	5.19	34.65

Test Mode: Mode 3

802.11ac VHT20_Nss2,(MCS0)_2TX

04/11/2020

5180MHz_TX




EUT_Y_2TX
Setting 84
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	62.21	74.00	-11.79	59.87	3	Horizontal	86	2.81	-	31.80	5.17	34.63
AV	5.1496G	46.53	54.00	-7.47	44.19	3	Horizontal	86	2.81	-	31.80	5.17	34.63
PK	5.176G	105.47	Inf	-Inf	103.22	3	Horizontal	86	2.81	-	31.70	5.19	34.64
AV	5.1778G	95.84	Inf	-Inf	93.60	3	Horizontal	86	2.81	-	31.69	5.19	34.64




Test Mode: Mode 3





Test Mode: Mode 3






Test Mode: Mode 3

802.11ac VHT40_Nss2,(MCS0)_2TX

04/11/2020

5190MHz_TX



EUT Y_2TX
Setting 76
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	66.47	74.00	-7.53	64.13	3	Vertical	222	1.80	-	31.80	5.17	34.63
AV	5.15G	53.87	54.00	-0.13	51.53	3	Vertical	222	1.80	-	31.80	5.17	34.63
PK	5.2012G	110.03	Inf	-Inf	107.88	3	Vertical	222	1.80	-	31.60	5.20	34.65
AV	5.1976G	100.35	Inf	-Inf	98.19	3	Vertical	222	1.80	-	31.61	5.20	34.65

Test Mode: Mode 3

802.11ac VHT40_Nss2,(MCS0)_2TX

04/11/2020

5190MHz_TX




EUT Y_2TX
Setting 76
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.94	74.00	-14.06	57.60	3	Horizontal	86	2.56	-	31.80	5.17	34.63
AV	5.15G	46.45	54.00	-7.55	44.11	3	Horizontal	86	2.56	-	31.80	5.17	34.63
PK	5.2012G	101.22	Inf	-Inf	99.07	3	Horizontal	86	2.56	-	31.60	5.20	34.65
AV	5.1976G	90.90	Inf	-Inf	88.74	3	Horizontal	86	2.56	-	31.61	5.20	34.65




Test Mode: Mode 3





Test Mode: Mode 3






Test Mode: Mode 3

802.11ac VHT80_Nss2,(MCS0)_2TX

04/11/2020

5210MHz_TX



EUT_Y_2TX
Setting 74
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	67.34	74.00	-6.66	64.96	3	Vertical	224	1.78	-	31.84	5.17	34.63
AV	5.149G	53.83	54.00	-0.17	51.49	3	Vertical	224	1.78	-	31.80	5.17	34.63
PK	5.196G	106.75	Inf	-Inf	104.58	3	Vertical	224	1.78	-	31.62	5.20	34.65
AV	5.198G	97.37	Inf	-Inf	95.21	3	Vertical	224	1.78	-	31.61	5.20	34.65
PK	5.352G	56.18	74.00	-17.82	54.22	3	Vertical	224	1.78	-	31.32	5.35	34.71
AV	5.354G	45.63	54.00	-8.37	43.66	3	Vertical	224	1.78	-	31.33	5.35	34.71




Test Mode: Mode 3

802.11ac VHT80_Nss2,(MCS0)_2TX

04/11/2020

5210MHz_TX




EUT_Y_2TX
Setting 74
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	59.52	74.00	-14.48	57.12	3	Horizontal	86	2.84	-	31.86	5.17	34.63
AV	5.148G	47.18	54.00	-6.82	44.83	3	Horizontal	86	2.84	-	31.81	5.17	34.63
PK	5.203G	97.30	Inf	-Inf	95.16	3	Horizontal	86	2.84	-	31.59	5.20	34.65
AV	5.198G	88.38	Inf	-Inf	86.22	3	Horizontal	86	2.84	-	31.61	5.20	34.65
PK	5.432G	56.28	74.00	-17.72	53.92	3	Horizontal	86	2.84	-	31.70	5.40	34.74
AV	5.43G	45.22	54.00	-8.78	42.85	3	Horizontal	86	2.84	-	31.70	5.40	34.73




Test Mode: Mode 3






Test Mode: Mode 3





Test Mode: Mode 3






Test Mode: Mode 3

802.11ax HEW20_Nss2,(MCS0)_2TX

04/11/2020

5180MHz_TX




EUT Y_2TX
Setting 77
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.15	74.00	-14.85	56.81	3	Horizontal	72	1.89	-	31.80	5.17	34.63
AV	5.1496G	47.33	54.00	-6.67	44.99	3	Horizontal	72	1.89	-	31.80	5.17	34.63
PK	5.1838G	107.87	Inf	-Inf	105.67	3	Horizontal	72	1.89	-	31.66	5.19	34.65
AV	5.176G	95.61	Inf	-Inf	93.36	3	Horizontal	72	1.89	-	31.70	5.19	34.64




Test Mode: Mode 3





Test Mode: Mode 3






Test Mode: Mode 3

802.11ax HEW40_Nss2,(MCS0)_2TX

04/11/2020


5190MHz_TX



EUT Y_2TX
Setting 72
01-A-K-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	68.09	74.00	-5.91	65.73	3	Vertical	54	1.77	-	31.82	5.17	34.63
AV	5.1492G	53.71	54.00	-0.29	51.37	3	Vertical	54	1.77	-	31.80	5.17	34.63
PK	5.2012G	110.19	Inf	-Inf	108.04	3	Vertical	54	1.77	-	31.60	5.20	34.65
AV	5.1916G	101.02	Inf	-Inf	98.84	3	Vertical	54	1.77	-	31.63	5.20	34.65

Test Mode: Mode 3






Test Mode: Mode 3





Test Mode: Mode 3




Test Mode: Mode 3

802.11ax HEW80_Nss2,(MCS0)_2TX

04/11/2020

5210MHz_TX



EUT_Y_2TX
Setting 70
01-A-K-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	64.48	74.00	-9.52	62.14	3	Vertical	222	1.78	-	31.80	5.17	34.63
AV	5.15G	53.92	54.00	-0.08	51.58	3	Vertical	222	1.78	-	31.80	5.17	34.63
PK	5.194G	107.93	Inf	-Inf	105.76	3	Vertical	222	1.78	-	31.62	5.20	34.65
AV	5.202G	97.40	Inf	-Inf	95.26	3	Vertical	222	1.78	-	31.59	5.20	34.65
PK	5.41G	56.39	74.00	-17.61	54.02	3	Vertical	222	1.78	-	31.70	5.40	34.73
AV	5.354G	46.59	54.00	-7.41	44.62	3	Vertical	222	1.78	-	31.33	5.35	34.71

Test Mode: Mode 3

802.11ax HEW80_Nss2,(MCS0)_2TX

04/11/2020

5210MHz_TX




EUT_Y_2TX
Setting 70
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	58.09	74.00	-15.91	55.73	3	Horizontal	71	1.79	-	31.82	5.17	34.63
AV	5.145G	46.80	54.00	-7.20	44.44	3	Horizontal	71	1.79	-	31.82	5.17	34.63
PK	5.2G	98.08	Inf	-Inf	95.93	3	Horizontal	71	1.79	-	31.60	5.20	34.65
AV	5.223G	87.85	Inf	-Inf	85.78	3	Horizontal	71	1.79	-	31.51	5.22	34.66
PK	5.427G	57.51	74.00	-16.49	55.14	3	Horizontal	71	1.79	-	31.70	5.40	34.73
AV	5.423G	45.95	54.00	-8.05	43.58	3	Horizontal	71	1.79	-	31.70	5.40	34.73




Test Mode: Mode 3





Test Mode: Mode 3





Test Mode: Mode 4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_3TX	Pass	PK	5.648G	68.04	68.20	-0.16	3	Vertical	59	1.00	-




Test Mode: Mode 4

802.11ac VHT80_Nss2,(MCS0)_3TX

04/11/2020

5775MHz_TX



EUT_V_3TX
Setting 92
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	67.97	68.20	-0.23	65.67	3	Vertical	58	1.00	-	31.60	5.41	34.71
PK	5.789G	111.58	Inf	-Inf	108.84	3	Vertical	58	1.00	-	31.90	5.49	34.65
AV	5.789G	103.28	Inf	-Inf	100.54	3	Vertical	58	1.00	-	31.90	5.49	34.65
PK	5.927G	66.94	68.20	-1.26	63.83	3	Vertical	58	1.00	-	32.21	5.50	34.60




Test Mode: Mode 4

802.11ac VHT80_Nss2,(MCS0)_3TX

04/11/2020

5775MHz_TX



EUT V_3TX
Setting 92
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	62.06	68.20	-6.14	59.75	3	Horizontal	189	1.43	-	31.60	5.42	34.71
PK	5.791G	105.68	Inf	-Inf	102.93	3	Horizontal	189	1.43	-	31.90	5.50	34.65
AV	5.787G	97.21	Inf	-Inf	94.47	3	Horizontal	189	1.43	-	31.90	5.49	34.65
PK	5.927G	61.27	68.20	-6.93	58.16	3	Horizontal	189	1.43	-	32.21	5.50	34.60




Test Mode: Mode 4

802.11ac VHT80_Nss2,(MCS0)_3TX

04/11/2020

5775MHz_TX




EUT V_3TX
Setting 92
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55588G	56.36	74.00	-17.64	43.24	3	Vertical	8	1.80	-	40.13	7.84	34.85
AV	11.55846G	45.17	54.00	-8.83	32.05	3	Vertical	8	1.80	-	40.12	7.85	34.85
PK	17.32974G	62.66	68.20	-5.54	45.06	3	Vertical	360	1.52	-	41.76	9.77	33.93




Test Mode: Mode 4





Test Mode: Mode 4






Test Mode: Mode 4

802.11ax HEW80_Nss2,(MCS0)_3TX

04/11/2020

5775MHz_TX




EUT V_3TX
Setting 93
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	60.06	68.20	-8.14	57.76	3	Horizontal	163	1.75	-	31.60	5.41	34.71
PK	5.786G	107.15	Inf	-Inf	104.41	3	Horizontal	163	1.75	-	31.90	5.49	34.65
AV	5.786G	97.30	Inf	-Inf	94.56	3	Horizontal	163	1.75	-	31.90	5.49	34.65
PK	5.926G	61.70	68.20	-6.50	58.60	3	Horizontal	163	1.75	-	32.20	5.50	34.60




Test Mode: Mode 4





Test Mode: Mode 4





Test Mode: Mode 5
Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss2,(MCS0)_3TX	Pass	PK	5.644G	67.99	68.20	-0.21	3	Vertical	320	1.17	-

Test Mode: Mode 5

802.11ac VHT80-BF_Nss2,(MCS0)_3TX

09/10/2020

5775MHz_TX



EUT V_3TX
Setting 94
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.95	68.20	-0.25	65.63	3	Vertical	57	1.00	-	31.60	5.42	34.70
PK	5.792G	111.75	Inf	-Inf	109.00	3	Vertical	57	1.00	-	31.90	5.50	34.65
AV	5.791G	97.44	Inf	-Inf	94.69	3	Vertical	57	1.00	-	31.90	5.50	34.65
PK	5.927G	67.80	68.20	-0.40	64.69	3	Vertical	57	1.00	-	32.21	5.50	34.60

Test Mode: Mode 5

802.11ac VHT80-BF_Nss2,(MCS0)_3TX

09/10/2020

5775MHz_TX



EUT_V_3TX
Setting 94
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	63.65	68.20	-4.55	61.35	3	Horizontal	275	1.62	-	31.60	5.41	34.71
PK	5.78G	111.75	Inf	-Inf	109.01	3	Horizontal	275	1.62	-	31.90	5.49	34.65
AV	5.781G	96.63	Inf	-Inf	93.89	3	Horizontal	275	1.62	-	31.90	5.49	34.65
PK	5.934G	65.04	68.20	-3.16	61.90	3	Horizontal	275	1.62	-	32.24	5.50	34.60




Test Mode: Mode 5

802.11ac VHT80-BF_Nss2,(MCS0)_3TX

09/10/2020

5775MHz_TX



EUT_V_3TX
Setting 94
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54706G	55.16	74.00	-18.84	42.01	3	Vertical	260	1.11	-	40.16	7.84	34.85
AV	11.55386G	42.99	54.00	-11.01	29.86	3	Vertical	260	1.11	-	40.14	7.84	34.85
PK	17.32522G	62.52	68.20	-5.68	44.98	3	Vertical	360	1.80	-	41.70	9.76	33.92




Test Mode: Mode 5

802.11ac VHT80-BF_Nss2,(MCS0)_3TX

09/10/2020

5775MHz_TX



EUT V_3TX
Setting 84
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54996G	55.09	74.00	-18.91	41.95	3	Horizontal	152	2.15	-	40.15	7.84	34.85
AV	11.55256G	41.68	54.00	-12.32	28.55	3	Horizontal	152	2.15	-	40.14	7.84	34.85
PK	17.33376G	62.31	68.20	-5.89	44.66	3	Horizontal	323	1.76	-	41.81	9.77	33.93




Test Mode: Mode 5

802.11ax HEW80-BF_Nss2,(MCS0)_3TX

09/10/2020

5775MHz_TX



EUT_V_3TX
Setting 93
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	67.99	68.20	-0.21	65.68	3	Vertical	320	1.17	-	31.60	5.42	34.71
PK	5.764G	113.33	Inf	-Inf	110.61	3	Vertical	320	1.17	-	31.90	5.48	34.66
AV	5.808G	96.40	Inf	-Inf	93.61	3	Vertical	320	1.17	-	31.93	5.50	34.64
PK	5.927G	66.60	68.20	-1.60	63.49	3	Vertical	320	1.17	-	32.21	5.50	34.60




Test Mode: Mode 5

802.11ax HEW80-BF_Nss2,(MCS0)_3TX

09/10/2020


5775MHz_TX



EUT V_3TX
Setting 93
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	61.84	68.20	-6.36	59.52	3	Horizontal	273	1.80	-	31.60	5.42	34.70
PK	5.794G	111.21	Inf	-Inf	108.46	3	Horizontal	273	1.80	-	31.90	5.50	34.65
AV	5.785G	95.77	Inf	-Inf	93.03	3	Horizontal	273	1.80	-	31.90	5.49	34.65
PK	5.928G	62.70	68.20	-5.50	59.59	3	Horizontal	273	1.80	-	32.21	5.50	34.60

Test Mode: Mode 5





Test Mode: Mode 5





Test Mode: Mode 6
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss3,(MCS0)_3TX	Pass	PK	5.925G	68.15	68.20	-0.05	3	Vertical	342	1.00	-




Test Mode: Mode 6

802.11ac VHT80_Nss3,(MCS0)_3TX

09/10/2020

5775MHz_TX



EUT V_3TX
Setting 92
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	66.94	68.20	-1.26	64.63	3	Vertical	342	1.00	-	31.60	5.42	34.71
PK	5.764G	112.81	Inf	-Inf	110.09	3	Vertical	342	1.00	-	31.90	5.48	34.66
AV	5.763G	102.70	Inf	-Inf	99.98	3	Vertical	342	1.00	-	31.90	5.48	34.66
PK	5.925G	68.15	68.20	-0.05	65.05	3	Vertical	342	1.00	-	32.20	5.50	34.60




Test Mode: Mode 6

802.11ac VHT80_Nss3,(MCS0)_3TX

09/10/2020

5775MHz_TX




EUT V_3TX
Setting 92
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	64.14	68.20	-4.06	61.83	3	Horizontal	158	1.80	-	31.60	5.42	34.71
PK	5.791G	105.87	Inf	-Inf	103.12	3	Horizontal	158	1.80	-	31.90	5.50	34.65
AV	5.79G	97.02	Inf	-Inf	94.27	3	Horizontal	158	1.80	-	31.90	5.50	34.65
PK	5.932G	62.45	68.20	-5.75	59.32	3	Horizontal	158	1.80	-	32.23	5.50	34.60



Test Mode: Mode 6






Test Mode: Mode 6

802.11ac VHT80_Nss3,(MCS0)_3TX

09/10/2020

5775MHz_TX



EUT V_3TX
Setting 92
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54528G	56.10	74.00	-17.90	42.95	3	Horizontal	60	1.80	-	40.16	7.84	34.85
AV	11.54452G	44.79	54.00	-9.21	31.63	3	Horizontal	60	1.80	-	40.17	7.84	34.85
PK	17.329G	62.78	68.20	-5.42	45.19	3	Horizontal	316	1.93	-	41.75	9.77	33.93




Test Mode: Mode 6

802.11ax HEW80_Nss3,(MCS0)_3TX

09/10/2020


5775MHz_TX



EUT Y_3TX
Setting 92
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	67.80	68.20	-0.40	65.49	3	Vertical	81	1.00	-	31.60	5.42	34.71
PK	5.813G	111.90	Inf	-Inf	109.09	3	Vertical	81	1.00	-	31.95	5.50	34.64
AV	5.792G	101.94	Inf	-Inf	99.19	3	Vertical	81	1.00	-	31.90	5.50	34.65
PK	5.926G	67.28	68.20	-0.92	64.18	3	Vertical	81	1.00	-	32.20	5.50	34.60

Test Mode: Mode 6






Test Mode: Mode 6

802.11ax HEW80_Nss3,(MCS0)_3TX

09/10/2020

5775MHz_TX




EUT V_3TX
Setting 92
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55088G	56.65	74.00	-17.35	43.51	3	Vertical	224	1.80	-	40.15	7.84	34.85
AV	11.553G	45.14	54.00	-8.86	32.01	3	Vertical	224	1.80	-	40.14	7.84	34.85
PK	17.32516G	62.83	68.20	-5.37	45.29	3	Vertical	292	1.78	-	41.70	9.76	33.92



Test Mode: Mode 6





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	7.23474G	46.88	54.00	-7.12	Vertical

