











Ratings (as of August 2018)			Results	Test Results							
Overall score	Brand & model	Predicted reliability	Owner satisfaction	Drying performance	Convenience	Noise	Claimed capacity (cu. ft.)	Height (in.)	Width (in.)	Depth (in.)	
92	LG DLGX7601WE © Recommended	8	8	8	8	8	7.3	45	27	30	
91	LG DLGX7701VE © Recommended	8	8	<u> </u>	8	8	9	45	29	32	
91	LG DLGX3571W © Recommended	8	8	8	8	a	7.3	39	27	31	
91	LG DLGX9001V © Recommended	8	⊗	<u>^</u>	<u> </u>	8	9	41	29	33	
91	LG DLG3171WV © Recommended	8	8	8	8	8	7.4	39	27	30	
89	LG DLG7201WE ② Recommended	8	8	8	<u>^</u>	8	7.3	44	27	30	
89	LG DLGX3371W © Recommended	8	8	8	8	<u> </u>	7.4	39	27	30	
88	LG DLGX8101W ⊘ Recommended	8	8	<u> </u>	<u> </u>	<u> </u>	9	41	29	32	
88	LG DLGX5001W ●Recommended	8	8	<u> </u>	<u> </u>	8	7.4	39	27	32	
87	Kenmore Elite 71632	0	^	8	<u>^</u>	8	9.2	44	29	33	
87	Samsung DV42H5200GW ●Recommended	0		8	8	8	7.5	39	27	32	
87	Samsung DV42H5000GW ●Recommended	0	1	8	8	8	7.5	39	27	32	
86	Maytag MGDB955FW © Recommended	0	<u> </u>	8	•	8	9.2	44	29	33	
86	Kenmore Elite 71552 ●Recommended	0	<u> </u>	8	8	8	7.3	45	27	30	
86	LG DLG1102W © Recommended	8	8	8	^	^	7.3	40	27	30	
86	LG DLGY1202W ⊘ Recommended	8	8	8	<u> </u>	<u> </u>	7.3	40	27	30	
85	Whirlpool WGD90HEFW	0	•	8	<u> </u>	8	7.4	39	27	31	
85	Whirlpool WGD92HEFW	0	3	8	<u> </u>	8	7.4	39	27	31	
84	LG Signature DLGX9501K	8	8	<u> </u>	<u> </u>	<u> </u>	9	41	29	33	
84	Maytag MGD8200FW	0	S	8	8	8	7.4	39	27	31	











Ratings (as of August 2018)			Results	Ratings and Test Results							
Overall score	Brand & model	Predicted reliability	Owner satisfaction	Drying performance	Convenience	Noise	Claimed capacity (cu. ft.)	Height (in.)	Width (in.)	Depth (in.)	
84	Maytag MGDB855DW	0	•	•	<u> </u>	8	8.8	43	29	33	
84	Maytag MGDB835DW	0	0	0	^	8	8.8	43	29	33	
84	Kenmore 91392	0	0	8	^	8	7.3	39	27	30	
84	Kenmore Elite 91582	0	0	8	8	<u>^</u>	7.4	39	27	31	
84	Kenmore 91182	0	0	8	^	<u>^</u>	7.4	39	27	31	
84	Kenmore 91282	0	0	8	^	<u>^</u>	7.3	39	27	30	
83	Samsung DV50K7500GW	0	1	8	8	<u>^</u>	7.5	39	27	33	
83	Maytag MGD5500FW	0	0	•	8	8	7.4	39	27	31	
83	Maytag MGD3500FW	0	0	٥	8	8	7.4	39	27	31	
82	Kenmore 79132	0	0	8	^	<u>^</u>	8.8	43	29	32	
82	Kenmore 78132	0	<u> </u>	8	^	<u>^</u>	8.8	43	29	32	
81	Whirlpool WGD8500DW	0	0	8	٥	<u>^</u>	8.8	43	29	32	
81	Whirlpool WGD8000DW	0	0	8	^	<u>^</u>	8.8	43	29	32	
81	Samsung DV45K6500GW	0	1	0	^	<u>^</u>	7.5	39	27	32	
80	Kenmore 77132	0	0	٥	8	<u>^</u>	7	41	29	28	
80	Kenmore 76132	0	<u> </u>	<u> </u>	8	<u>^</u>	7	41	29	28	
78	Maytag MGDB775DW	0	0	0	8	<u>^</u>	7	41	29	28	
78	Whirlpool WGD75HEFW	0	0	•	^	<u>^</u>	7.4	39	27	30	
78	Whirlpool WGD7590FW	0	<u> </u>	٥	۵	<u>^</u>	7.4	39	27	30	
77	Samsung FlexDry DVG60M9900V	0	1	<u> </u>	<u>^</u>	^	7.5	47	27	32	
77	Samsung FlexDry DVG55M9600W	0	1	<u>^</u>	<u>^</u>	^	7.5	47	27	32	











Rati (as of Aug	_	Survey	Results	Ratings and Test Results						
Overall score	Brand & model	Predicted reliability	Owner satisfaction	Drying performance	Convenience	Noise	Claimed capacity (cu. ft.)	Height (in.)	Width (in.)	Depth (in.)
77	Samsung DV45K7600GW	1	1	③	<u> </u>	0	7.4	41	27	30
77	Samsung DV40J3000GW	0		8	<u> </u>	0	7.2	44	27	30
75	Maytag MGDC555DW	1	<u>^</u>	^	•	0	7	43	30	27
75	Maytag MGDX655DW	0	<u> </u>	<u>^</u>	<u> </u>	0	7	43	30	27
75	GE GFD45GSSKWW	•	•	<u></u>	<u> </u>	^	7.5	40	27	33
74	Fisher & Paykel AeroCare DG7027P2	8	8	8	8	•	7	42	27	28
74	Fisher & Paykel AeroCare DG7027G1	8	8	8	8	^	7	42	27	28
74	Electrolux EFMG417SIW	•	0	<u>^</u>	<u> </u>	<u> </u>	8	38	27	32
74	Kenmore 72342	1	<u> </u>	<u>^</u>	•	0	7	43	29	27
73	GE GTD86GSSJWS	•	•	^	8	<u> </u>	7.8	45	28	32
73	GE GTD81GSPJMC	•	•	^	8	<u> </u>	7.8	45	28	32
73	GE GTD81GSSJWS	•	•	(3)	8	•	7.8	45	28	32
73	GE GTD86GSPJMC	•	•	(3)	8	•	7.8	45	28	32
73	Whirpool WGD5000DW	0	○	3	<u> </u>	0	7	43	29	27
72	Whirpool WGD49STBW	1	<u>•</u>	(3)	<u> </u>	0	7	43	29	29
71	GE GTD65GBSJWS	•	•	<u> </u>	8	^	7.4	44	27	31
71	Electrolux EFMG617SIW	•	0	<u>^</u>	<u> </u>	<u> </u>	8	38	27	32
69	GE GFDS140GD	•	•	<u>^</u>	<u> </u>	<u> </u>	7	40	27	32
68	Kenmore 72332	0	<u> </u>	<u>^</u>	^	0	7	44	29	27
66	Kenmore 75132	0	<u> </u>	^	<u>^</u>	O	7	43	29	28
61	Kenmore 70222	0	<u> </u>	^	0	•	6.5	44	29	28











Ratings (as of May 2018)		Survey Results		Ratings and Test Results								
Overall score	Brand & model	Predicted reliability	Owner satisfaction	Drying performance	Convenience	Noise	Claimed capacity (cu. ft.)	Height (in.)	Width (in.)	Depth (in.)		
61	Maytag MGDC215EW	0	<u>^</u>	1	<u> </u>	0	7	43	29	28		
60	GE GTD45GASJWS	•	©	<u> </u>	<u> </u>	0	7.2	43	27	30		
60	Hotpoint HTX21GASKWW	0	1	1	0	<u> </u>	6.2	43	27	27		
59	Kenmore 91122	0	<u> </u>	1	^	•	7	36	27	31		
58	Whirlpool WGD4815EW	0	<u>^</u>	1	0	^	7	43	29	28		
55	GE GTD33GASKWW	•	•	1	0	<u>^</u>	7.2	44	27	30		
54	GE GTD42GASJWW	•	•	1	<u> </u>	1	7.2	44	27	30		
52	Whirlpool WGD4985EW	0	<u> </u>	1	<u> </u>	O	5.9	43	29	26		
50	Amana NGD4655EW	0	•	1	0	0	6.5	43	29	28		

Predicted reliability Predicted reliability icons are based on estimated breakage rates for newly purchased clothes dryers, not under service contract, within the first five years of ownership.

Owner satisfaction Owner satisfaction icons are based on a proportion of members who are extremely likely to recommend their clothes dryer to their friends and family.

Drying performance This score combines performance on three types of laundry loads of different sizes and fabric mixes: A 12-lb. load, predominantly cotton, representing a family's large weekly load; an 8-lb load of cotton/polyester blend clothing; and a 3-lb. load of synthetic delicates, women's pajamas, nightgowns, bras and underwear.

 $\textbf{Convenience} \ \ \text{For this measurement, we judged controls and}$

ergonomics, such as ease of loading and unloading, servicing the lint filter, whether the door could clear a tall basket, and whether the machine has a raised edge to contain spills.

Noise This score was determined by a panel of judges who listened while machines dried an 8-pound load, measuring both sound quality and volume.

Claimed capacity Capacity as claimed by the manufacturer.

Height The exterior height of the dryer, rounded up to the nearest inch.

Width The exterior width of the dyrer, rounded up to the nearest inch.

Depth The exterior depth of the dryer, rounded up to the nearest inch.

The measurement is performed with the door closed. Be sure to allow a few extra inches of clearance in the rear for the vent duct if needed.