




Test Mode: Mode 2

VHT40-BF_Nss1,(MCS0)_2TX
2452MHz_TX

07/10/2020



EUT_Y_2TX
Setting 67
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3744G	58.55	74.00	-15.45	27.92	3	Vertical	299	1.79	-	28.22	2.41	-
AV	2.3776G	46.22	54.00	-7.78	15.58	3	Vertical	299	1.79	-	28.23	2.41	-
PK	2.4584G	111.82	Inf	-Inf	80.91	3	Vertical	299	1.79	-	28.48	2.43	-
AV	2.458G	100.73	Inf	-Inf	69.83	3	Vertical	299	1.79	-	28.47	2.43	-
PK	2.4852G	73.42	74.00	-0.58	42.42	3	Vertical	299	1.79	-	28.56	2.44	-
AV	2.486G	49.83	54.00	-4.17	18.83	3	Vertical	299	1.79	-	28.56	2.44	-




Test Mode: Mode 2

VHT40-BF_Nss1,(MCS0)_2TX

07/10/2020

2452MHz_TX




EUT Y_2TX
Setting 67
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.384G	55.97	74.00	-18.03	25.31	3	Horizontal	100	1.58	-	28.25	2.41	-
AV	2.3696G	43.88	54.00	-10.12	13.25	3	Horizontal	100	1.58	-	28.21	2.42	-
PK	2.4544G	104.07	Inf	-Inf	73.18	3	Horizontal	100	1.58	-	28.46	2.43	-
AV	2.4496G	93.14	Inf	-Inf	62.27	3	Horizontal	100	1.58	-	28.45	2.42	-
PK	2.484G	68.44	74.00	-5.56	37.45	3	Horizontal	100	1.58	-	28.55	2.44	-
AV	2.4835G	46.07	54.00	-7.93	15.08	3	Horizontal	100	1.58	-	28.55	2.44	-




Test Mode: Mode 2





Test Mode: Mode 2






Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

07/10/2020

2412MHz_TX



EUT Y_2TX
Setting 68
02-E-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3868G	73.76	74.00	-0.24	43.09	3	Vertical	256	1.80	-	28.26	2.41	-
AV	2.39G	51.21	54.00	-2.79	20.54	3	Vertical	256	1.80	-	28.27	2.40	-
PK	2.4156G	116.45	Inf	-Inf	85.69	3	Vertical	256	1.80	-	28.35	2.41	-
AV	2.416G	103.64	Inf	-Inf	72.88	3	Vertical	256	1.80	-	28.35	2.41	-



Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2412MHz_TX

07/10/2020




EUT_Y_2TX
Setting 68
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	68.08	74.00	-5.92	37.40	3	Horizontal	135	1.94	-	28.27	2.41	-
AV	2.3898G	45.60	54.00	-8.40	14.92	3	Horizontal	135	1.94	-	28.27	2.41	-
PK	2.4152G	105.43	Inf	-Inf	74.67	3	Horizontal	135	1.94	-	28.35	2.41	-
AV	2.4164G	92.35	Inf	-Inf	61.59	3	Horizontal	135	1.94	-	28.35	2.41	-




Test Mode: Mode 2





Test Mode: Mode 2






Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

07/10/2020

2417MHz_TX




EUT Y_2TX
Setting 75
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	73.79	74.00	-0.21	43.11	3	Vertical	257	1.70	-	28.27	2.41	-
AV	2.39G	50.43	54.00	-3.57	19.76	3	Vertical	257	1.70	-	28.27	2.40	-
PK	2.4218G	118.08	Inf	-Inf	87.30	3	Vertical	257	1.70	-	28.37	2.41	-
AV	2.419G	104.94	Inf	-Inf	74.17	3	Vertical	257	1.70	-	28.36	2.41	-



Test Mode: Mode 2






Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2417MHz_TX

07/10/2020



EUT Y_2TX
Setting 75
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83408G	45.92	74.00	-28.08	40.06	3	Vertical	289	2.14	-	32.94	4.70	31.78
AV	4.83339G	31.98	54.00	-22.02	26.13	3	Vertical	289	2.14	-	32.93	4.70	31.78
PK	7.2513G	55.68	74.00	-18.32	46.20	3	Vertical	332	1.94	-	36.16	5.73	32.41
AV	7.25147G	40.30	54.00	-13.70	30.82	3	Vertical	332	1.94	-	36.16	5.73	32.41




Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

07/10/2020

2417MHz_TX



EUT Y_2TX
Setting 75
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83304G	44.82	74.00	-29.18	38.97	3	Horizontal	190	1.02	-	32.93	4.70	31.78
AV	4.83497G	31.34	54.00	-22.66	25.48	3	Horizontal	190	1.02	-	32.94	4.70	31.78
PK	7.2603G	48.51	74.00	-25.49	38.99	3	Horizontal	335	2.46	-	36.20	5.73	32.41
AV	7.256G	35.61	54.00	-18.39	26.11	3	Horizontal	335	2.46	-	36.18	5.73	32.41




Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

07/10/2020

2437MHz_TX



EUT_Y_2TX
Setting 84
02-E-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	66.95	74.00	-7.05	36.27	3	Vertical	245	2.21	-	28.27	2.41	-
AV	2.3898G	50.93	54.00	-3.07	20.25	3	Vertical	245	2.21	-	28.27	2.41	-
PK	2.4422G	120.92	Inf	-Inf	90.07	3	Vertical	245	2.21	-	28.43	2.42	-
AV	2.4394G	108.14	Inf	-Inf	77.30	3	Vertical	245	2.21	-	28.42	2.42	-
PK	2.4882G	73.58	74.00	-0.42	42.58	3	Vertical	245	2.21	-	28.56	2.44	-
AV	2.4835G	50.85	54.00	-3.15	19.86	3	Vertical	245	2.21	-	28.55	2.44	-



Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2437MHz_TX

07/10/2020



EUT Y_2TX
Setting 84
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3826G	59.10	74.00	-14.90	28.44	3	Horizontal	97	1.35	-	28.25	2.41	-
AV	2.389G	45.26	54.00	-8.74	14.58	3	Horizontal	97	1.35	-	28.27	2.41	-
PK	2.429G	111.91	Inf	-Inf	81.11	3	Horizontal	97	1.35	-	28.39	2.41	-
AV	2.4334G	98.58	Inf	-Inf	67.76	3	Horizontal	97	1.35	-	28.40	2.42	-
PK	2.4886G	62.58	74.00	-11.42	31.57	3	Horizontal	97	1.35	-	28.57	2.44	-
AV	2.4835G	45.61	54.00	-8.39	14.62	3	Horizontal	97	1.35	-	28.55	2.44	-




Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

07/10/2020

2437MHz_TX



EUT Y_2TX
Setting 84
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8717G	53.46	74.00	-20.54	47.47	3	Vertical	44	1.79	-	33.09	4.70	31.80
AV	4.8741G	36.51	54.00	-17.49	30.51	3	Vertical	44	1.79	-	33.10	4.70	31.80
PK	7.2954G	52.97	74.00	-21.03	43.27	3	Vertical	119	1.46	-	36.38	5.75	32.43
AV	7.2943G	38.21	54.00	-15.79	28.52	3	Vertical	119	1.46	-	36.37	5.75	32.43




Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

07/10/2020

2437MHz_TX



EUT Y_2TX
Setting 84
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8714G	46.34	74.00	-27.66	40.35	3	Horizontal	353	1.80	-	33.09	4.70	31.80
AV	4.8734G	32.57	54.00	-21.43	26.58	3	Horizontal	353	1.80	-	33.09	4.70	31.80
PK	7.2912G	49.18	74.00	-24.82	39.50	3	Horizontal	344	1.10	-	36.36	5.75	32.43
AV	7.3021G	36.03	54.00	-17.97	26.31	3	Horizontal	344	1.10	-	36.40	5.75	32.43




Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

07/10/2020

2457MHz_TX



EUT Y_2TX
Setting 73
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.449G	118.36	Inf	-Inf	87.49	3	Vertical	255	2.44	-	28.45	2.42	-
AV	2.4606G	104.29	Inf	-Inf	73.38	3	Vertical	255	2.44	-	28.48	2.43	-
PK	2.4854G	73.80	74.00	-0.20	42.80	3	Vertical	255	2.44	-	28.56	2.44	-
AV	2.4835G	50.03	54.00	-3.97	19.04	3	Vertical	255	2.44	-	28.55	2.44	-




Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

07/10/2020

2457MHz_TX



EUT_Y_2TX
Setting 73
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4576G	108.76	Inf	-Inf	77.86	3	Horizontal	94	1.44	-	28.47	2.43	-
AV	2.458G	95.80	Inf	-Inf	64.90	3	Horizontal	94	1.44	-	28.47	2.43	-
PK	2.484G	67.36	74.00	-6.64	36.37	3	Horizontal	94	1.44	-	28.55	2.44	-
AV	2.4835G	45.50	54.00	-8.50	14.51	3	Horizontal	94	1.44	-	28.55	2.44	-




Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

07/10/2020

2457MHz_TX



EUT Y_2TX
Setting 73
02-E-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91334G	47.02	74.00	-26.98	40.92	3	Vertical	259	2.86	-	33.21	4.70	31.81
AV	4.91372G	33.05	54.00	-20.95	26.95	3	Vertical	259	2.86	-	33.21	4.70	31.81
PK	7.37147G	51.57	74.00	-22.43	41.83	3	Vertical	285	2.31	-	36.40	5.79	32.45
AV	7.37115G	36.57	54.00	-17.43	26.83	3	Vertical	285	2.31	-	36.40	5.79	32.45



Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2457MHz_TX

07/10/2020




EUT Y_2TX
Setting 73
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91398G	44.25	74.00	-29.75	38.15	3	Horizontal	319	2.30	-	33.21	4.70	31.81
AV	4.91382G	31.18	54.00	-22.82	25.08	3	Horizontal	319	2.30	-	33.21	4.70	31.81
PK	7.37061G	49.72	74.00	-24.28	39.98	3	Horizontal	104	1.30	-	36.40	5.79	32.45
AV	7.37149G	35.29	54.00	-18.71	25.55	3	Horizontal	104	1.30	-	36.40	5.79	32.45



Test Mode: Mode 2






Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

07/10/2020

2462MHz_TX




EUT Y_2TX
Setting 65
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4566G	107.49	Inf	-Inf	76.59	3	Horizontal	92	1.44	-	28.47	2.43	-
AV	2.4586G	94.52	Inf	-Inf	63.61	3	Horizontal	92	1.44	-	28.48	2.43	-
PK	2.4886G	63.73	74.00	-10.27	32.72	3	Horizontal	92	1.44	-	28.57	2.44	-
AV	2.4835G	45.33	54.00	-8.67	14.34	3	Horizontal	92	1.44	-	28.55	2.44	-



Test Mode: Mode 2






Test Mode: Mode 2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

07/10/2020

2462MHz_TX



EUT Y_2TX
Setting 65
02-E-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9161G	45.18	74.00	-28.82	39.07	3	Horizontal	324	1.80	-	33.22	4.70	31.81
AV	4.9254G	31.45	54.00	-22.55	25.34	3	Horizontal	324	1.80	-	33.23	4.70	31.82
PK	7.3832G	48.50	74.00	-25.50	38.76	3	Horizontal	359	2.92	-	36.40	5.79	32.45
AV	7.3628G	35.22	54.00	-18.78	25.49	3	Horizontal	359	2.92	-	36.40	5.78	32.45



Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2422MHz_TX

07/10/2020



EUT_Y_2TX
Setting 67
02-E-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	73.89	74.00	-0.11	43.22	3	Vertical	247	1.80	-	28.26	2.41	-
AV	2.39G	53.50	54.00	-0.50	22.82	3	Vertical	247	1.80	-	28.27	2.41	-
PK	2.4276G	113.67	Inf	-Inf	82.88	3	Vertical	247	1.80	-	28.38	2.41	-
AV	2.4276G	100.51	Inf	-Inf	69.72	3	Vertical	247	1.80	-	28.38	2.41	-
PK	2.4848G	61.87	74.00	-12.13	30.88	3	Vertical	247	1.80	-	28.55	2.44	-
AV	2.4835G	47.03	54.00	-6.97	16.04	3	Vertical	247	1.80	-	28.55	2.44	-



Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2422MHz_TX

07/10/2020




EUT_Y_2TX
Setting 67
02-E-J-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	65.33	74.00	-8.67	34.65	3	Horizontal	93	1.40	-	28.27	2.41	-
AV	2.3896G	48.94	54.00	-5.06	18.26	3	Horizontal	93	1.40	-	28.27	2.41	-
PK	2.4276G	103.50	Inf	-Inf	72.71	3	Horizontal	93	1.40	-	28.38	2.41	-
AV	2.4272G	90.27	Inf	-Inf	59.48	3	Horizontal	93	1.40	-	28.38	2.41	-
PK	2.4904G	57.14	74.00	-16.86	26.12	3	Horizontal	93	1.40	-	28.57	2.45	-
AV	2.484G	44.44	54.00	-9.56	13.45	3	Horizontal	93	1.40	-	28.55	2.44	-




Test Mode: Mode 2



Test Mode: Mode 2



Test Mode: Mode 2






Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2427MHz_TX

07/10/2020



EUT_Y_2TX
Setting 69
02-E-L-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3846G	63.06	74.00	-10.94	32.40	3	Horizontal	91	1.28	-	28.25	2.41	-
AV	2.3898G	46.54	54.00	-7.46	15.86	3	Horizontal	91	1.28	-	28.27	2.41	-
PK	2.441G	104.24	Inf	-Inf	73.40	3	Horizontal	91	1.28	-	28.42	2.42	-
AV	2.4374G	90.87	Inf	-Inf	60.04	3	Horizontal	91	1.28	-	28.41	2.42	-
PK	2.4962G	56.70	74.00	-17.30	25.66	3	Horizontal	91	1.28	-	28.59	2.45	-
AV	2.4835G	44.13	54.00	-9.87	13.14	3	Horizontal	91	1.28	-	28.55	2.44	-



Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2427MHz_TX

07/10/2020



EUT Y_2TX
Setting 69
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85396G	47.50	74.00	-26.50	41.57	3	Vertical	62	1.59	-	33.02	4.70	31.79
AV	4.85404G	32.03	54.00	-21.97	26.10	3	Vertical	62	1.59	-	33.02	4.70	31.79
PK	7.2793G	51.24	74.00	-22.76	41.62	3	Vertical	0	2.18	-	36.30	5.74	32.42
AV	7.28076G	36.45	54.00	-17.55	26.83	3	Vertical	0	2.18	-	36.30	5.74	32.42




Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

07/10/2020

2427MHz_TX



EUT Y_2TX
Setting 69
02-E-L-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85428G	45.42	74.00	-28.58	39.49	3	Horizontal	0	2.74	-	33.02	4.70	31.79
AV	4.85026G	30.38	54.00	-23.62	24.47	3	Horizontal	0	2.74	-	33.00	4.70	31.79
PK	7.28402G	49.89	74.00	-24.11	40.25	3	Horizontal	290	2.90	-	36.32	5.74	32.42
AV	7.28416G	35.56	54.00	-18.44	25.92	3	Horizontal	290	2.90	-	36.32	5.74	32.42



Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2437MHz_TX

07/10/2020



EUT_Y_2TX
Setting 71
02-E-L-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	72.03	74.00	-1.97	41.35	3	Vertical	240	2.21	-	28.27	2.41	-
AV	2.3898G	53.33	54.00	-0.67	22.65	3	Vertical	240	2.21	-	28.27	2.41	-
PK	2.4398G	115.76	Inf	-Inf	84.92	3	Vertical	240	2.21	-	28.42	2.42	-
AV	2.4418G	102.30	Inf	-Inf	71.45	3	Vertical	240	2.21	-	28.43	2.42	-
PK	2.4835G	73.82	74.00	-0.18	42.83	3	Vertical	240	2.21	-	28.55	2.44	-
AV	2.4846G	51.95	54.00	-2.05	20.96	3	Vertical	240	2.21	-	28.55	2.44	-



Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2437MHz_TX

07/10/2020



EUT_Y_2TX
Setting 71
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	61.37	74.00	-12.63	30.69	3	Horizontal	101	1.57	-	28.27	2.41	-
AV	2.3898G	45.37	54.00	-8.63	14.69	3	Horizontal	101	1.57	-	28.27	2.41	-
PK	2.451G	106.37	Inf	-Inf	75.49	3	Horizontal	101	1.57	-	28.45	2.43	-
AV	2.4498G	92.93	Inf	-Inf	62.06	3	Horizontal	101	1.57	-	28.45	2.42	-
PK	2.4862G	61.63	74.00	-12.37	30.63	3	Horizontal	101	1.57	-	28.56	2.44	-
AV	2.4835G	45.19	54.00	-8.81	14.20	3	Horizontal	101	1.57	-	28.55	2.44	-




Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

07/10/2020

2437MHz_TX




EUT Y_2TX
Setting 71
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87402G	46.86	74.00	-27.14	40.86	3	Vertical	19	1.80	-	33.10	4.70	31.80
AV	4.87714G	31.86	54.00	-22.14	25.85	3	Vertical	19	1.80	-	33.11	4.70	31.80
PK	7.31G	51.17	74.00	-22.83	41.45	3	Vertical	333	1.68	-	36.40	5.75	32.43
AV	7.30848G	36.48	54.00	-17.52	26.76	3	Vertical	333	1.68	-	36.40	5.75	32.43



Test Mode: Mode 2






Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2447MHz_TX

07/10/2020




EUT_Y_2TX
Setting 70
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	62.37	74.00	-11.63	31.69	3	Vertical	255	2.43	-	28.27	2.41	-
AV	2.3882G	46.64	54.00	-7.36	15.97	3	Vertical	255	2.43	-	28.26	2.41	-
PK	2.4458G	113.95	Inf	-Inf	83.09	3	Vertical	255	2.43	-	28.44	2.42	-
AV	2.4494G	100.25	Inf	-Inf	69.38	3	Vertical	255	2.43	-	28.45	2.42	-
PK	2.4842G	73.78	74.00	-0.22	42.79	3	Vertical	255	2.43	-	28.55	2.44	-
AV	2.4835G	51.30	54.00	-2.70	20.31	3	Vertical	255	2.43	-	28.55	2.44	-

Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2447MHz_TX

07/10/2020



EUT_Y_2TX
Setting 70
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	55.88	74.00	-18.12	25.20	3	Horizontal	82	2.13	-	28.27	2.41	-
AV	2.3878G	43.41	54.00	-10.59	12.74	3	Horizontal	82	2.13	-	28.26	2.41	-
PK	2.4602G	102.44	Inf	-Inf	71.53	3	Horizontal	82	2.13	-	28.48	2.43	-
AV	2.4618G	88.78	Inf	-Inf	57.86	3	Horizontal	82	2.13	-	28.49	2.43	-
PK	2.4835G	63.36	74.00	-10.64	32.37	3	Horizontal	82	2.13	-	28.55	2.44	-
AV	2.4942G	44.59	54.00	-9.41	13.56	3	Horizontal	82	2.13	-	28.58	2.45	-




Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

07/10/2020

2447MHz_TX




EUT Y_2TX
Setting 70
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89402G	48.62	74.00	-25.38	42.55	3	Vertical	71	1.79	-	33.18	4.70	31.81
AV	4.8926G	32.17	54.00	-21.83	26.11	3	Vertical	71	1.79	-	33.17	4.70	31.81
PK	7.33804G	50.65	74.00	-23.35	40.92	3	Vertical	327	2.29	-	36.40	5.77	32.44
AV	7.34456G	36.62	54.00	-17.38	26.89	3	Vertical	327	2.29	-	36.40	5.77	32.44



Test Mode: Mode 2






Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2452MHz_TX

07/10/2020



EUT_Y_2TX
Setting 66
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	58.95	74.00	-15.05	28.27	3	Vertical	240	2.23	-	28.27	2.41	-
AV	2.39G	46.73	54.00	-7.27	16.05	3	Vertical	240	2.23	-	28.27	2.41	-
PK	2.4508G	114.26	Inf	-Inf	83.38	3	Vertical	240	2.23	-	28.45	2.43	-
AV	2.448G	101.06	Inf	-Inf	70.20	3	Vertical	240	2.23	-	28.44	2.42	-
PK	2.4848G	73.82	74.00	-0.18	42.83	3	Vertical	240	2.23	-	28.55	2.44	-
AV	2.4835G	53.88	54.00	-0.12	22.89	3	Vertical	240	2.23	-	28.55	2.44	-




Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

07/10/2020

2452MHz_TX




EUT Y_2TX
Setting 66
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3756G	56.52	74.00	-17.48	25.88	3	Horizontal	95	1.45	-	28.23	2.41	-
AV	2.3824G	43.91	54.00	-10.09	13.25	3	Horizontal	95	1.45	-	28.25	2.41	-
PK	2.458G	105.29	Inf	-Inf	74.39	3	Horizontal	95	1.45	-	28.47	2.43	-
AV	2.4576G	91.83	Inf	-Inf	60.93	3	Horizontal	95	1.45	-	28.47	2.43	-
PK	2.4844G	65.57	74.00	-8.43	34.58	3	Horizontal	95	1.45	-	28.55	2.44	-
AV	2.484G	46.71	54.00	-7.29	15.72	3	Horizontal	95	1.45	-	28.55	2.44	-



Test Mode: Mode 2






Test Mode: Mode 2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

07/10/2020

2452MHz_TX



EUT Y_2TX
Setting 66
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90448G	45.19	74.00	-28.81	39.10	3	Horizontal	338	1.80	-	33.20	4.70	31.81
AV	4.90088G	31.29	54.00	-22.71	25.20	3	Horizontal	338	1.80	-	33.20	4.70	31.81
PK	7.35324G	49.34	74.00	-24.66	39.61	3	Horizontal	214	1.80	-	36.40	5.78	32.45
AV	7.35416G	35.36	54.00	-18.64	25.63	3	Horizontal	214	1.80	-	36.40	5.78	32.45



Test Mode: Mode 3
Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	2.491G	53.99	54.00	-0.01	3	Vertical	244	2.23	-



Test Mode: Mode 3

VHT20_Nss2,(MCS0)_2TX
2412MHz_TX

08/10/2020




EUT Y_2TX
Setting 71
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	71.54	74.00	-2.46	40.86	3	Vertical	255	1.80	-	28.27	2.41	-
AV	2.39G	52.12	54.00	-1.88	21.44	3	Vertical	255	1.80	-	28.27	2.41	-
PK	2.4158G	112.81	Inf	-Inf	82.05	3	Vertical	255	1.80	-	28.35	2.41	-
AV	2.4138G	103.28	Inf	-Inf	72.53	3	Vertical	255	1.80	-	28.34	2.41	-




Test Mode: Mode 3






Test Mode: Mode 3






Test Mode: Mode 3






Test Mode: Mode 3






Test Mode: Mode 3






Test Mode: Mode 3






Test Mode: Mode 3






Test Mode: Mode 3






Test Mode: Mode 3






Test Mode: Mode 3






Test Mode: Mode 3






Test Mode: Mode 3






Test Mode: Mode 3






Test Mode: Mode 3






Test Mode: Mode 3






Test Mode: Mode 3






Test Mode: Mode 3






Test Mode: Mode 3





Test Mode: Mode 3






Test Mode: Mode 3

802.11ax HEW20_Nss2,(MCS0)_2TX

08/10/2020

2412MHz_TX



EUT Y_2TX
Setting 70
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	73.83	74.00	-0.17	43.15	3	Vertical	255	1.86	-	28.27	2.41	-
AV	2.39G	51.39	54.00	-2.61	20.71	3	Vertical	255	1.86	-	28.27	2.41	-
PK	2.4076G	114.38	Inf	-Inf	83.66	3	Vertical	255	1.86	-	28.32	2.40	-
AV	2.413G	97.18	Inf	-Inf	66.43	3	Vertical	255	1.86	-	28.34	2.41	-




Test Mode: Mode 3

802.11ax HEW20_Nss2,(MCS0)_2TX

08/10/2020

2412MHz_TX




EUT Y_2TX
Setting 70
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	62.10	74.00	-11.90	31.42	3	Horizontal	135	1.91	-	28.27	2.41	-
AV	2.3898G	44.82	54.00	-9.18	14.14	3	Horizontal	135	1.91	-	28.27	2.41	-
PK	2.4092G	105.11	Inf	-Inf	74.38	3	Horizontal	135	1.91	-	28.33	2.40	-
AV	2.4142G	88.60	Inf	-Inf	57.85	3	Horizontal	135	1.91	-	28.34	2.41	-




Test Mode: Mode 3






Test Mode: Mode 3





Test Mode: Mode 3






Test Mode: Mode 3

802.11ax HEW20_Nss2,(MCS0)_2TX

08/10/2020

2462MHz_TX




EUT Y_2TX
Setting 68
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4602G	104.87	Inf	-Inf	73.96	3	Horizontal	54	2.89	-	28.48	2.43	-
AV	2.457G	94.16	Inf	-Inf	63.26	3	Horizontal	54	2.89	-	28.47	2.43	-
PK	2.4848G	59.03	74.00	-14.97	28.04	3	Horizontal	54	2.89	-	28.55	2.44	-
AV	2.485G	46.49	54.00	-7.51	15.49	3	Horizontal	54	2.89	-	28.56	2.44	-




Test Mode: Mode 3





Test Mode: Mode 3






Test Mode: Mode 3

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2422MHz_TX



EUT_Y_2TX
Setting 61
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	68.41	74.00	-5.59	37.73	3	Vertical	285	1.86	-	28.27	2.41	-
AV	2.3884G	53.81	54.00	-0.19	23.13	3	Vertical	285	1.86	-	28.27	2.41	-
PK	2.4148G	109.66	Inf	-Inf	78.91	3	Vertical	285	1.86	-	28.34	2.41	-
AV	2.4168G	98.81	Inf	-Inf	68.05	3	Vertical	285	1.86	-	28.35	2.41	-
PK	2.4856G	57.52	74.00	-16.48	26.52	3	Vertical	285	1.86	-	28.56	2.44	-
AV	2.4835G	47.59	54.00	-6.41	16.60	3	Vertical	285	1.86	-	28.55	2.44	-




Test Mode: Mode 3

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2422MHz_TX




EUT Y_2TX
Setting 61
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3828G	58.28	74.00	-15.72	27.62	3	Horizontal	134	1.92	-	28.25	2.41	-
AV	2.3844G	47.16	54.00	-6.84	16.50	3	Horizontal	134	1.92	-	28.25	2.41	-
PK	2.4176G	99.37	Inf	-Inf	68.61	3	Horizontal	134	1.92	-	28.35	2.41	-
AV	2.4168G	88.77	Inf	-Inf	58.01	3	Horizontal	134	1.92	-	28.35	2.41	-
PK	2.4872G	55.79	74.00	-18.21	24.79	3	Horizontal	134	1.92	-	28.56	2.44	-
AV	2.4992G	46.02	54.00	-7.98	14.97	3	Horizontal	134	1.92	-	28.60	2.45	-



Test Mode: Mode 3






Test Mode: Mode 3

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2422MHz_TX



EUT Y_2TX
Setting 61
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88016G	44.09	74.00	-29.91	38.07	3	Horizontal	88	2.94	-	33.12	4.70	31.80
AV	4.86272G	33.17	54.00	-20.83	27.22	3	Horizontal	88	2.94	-	33.05	4.70	31.80




Test Mode: Mode 3

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2437MHz_TX



EUT Y_2TX
Setting 69
02-E-K-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	72.64	74.00	-1.36	41.96	3	Vertical	244	2.23	-	28.27	2.41	-
AV	2.3894G	53.86	54.00	-0.14	23.18	3	Vertical	244	2.23	-	28.27	2.41	-
PK	2.4406G	112.03	Inf	-Inf	81.19	3	Vertical	244	2.23	-	28.42	2.42	-
AV	2.4434G	101.23	Inf	-Inf	70.38	3	Vertical	244	2.23	-	28.43	2.42	-
PK	2.4906G	69.91	74.00	-4.09	38.89	3	Vertical	244	2.23	-	28.57	2.45	-
AV	2.491G	53.99	54.00	-0.01	22.97	3	Vertical	244	2.23	-	28.57	2.45	-

Test Mode: Mode 3

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2437MHz_TX




EUT_Y_2TX
Setting 69
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	61.83	74.00	-12.17	31.15	3	Horizontal	135	1.83	-	28.27	2.41	-
AV	2.383G	47.10	54.00	-6.90	16.44	3	Horizontal	135	1.83	-	28.25	2.41	-
PK	2.4326G	101.54	Inf	-Inf	70.72	3	Horizontal	135	1.83	-	28.40	2.42	-
AV	2.431G	90.28	Inf	-Inf	59.47	3	Horizontal	135	1.83	-	28.39	2.42	-
PK	2.4842G	61.18	74.00	-12.82	30.19	3	Horizontal	135	1.83	-	28.55	2.44	-
AV	2.4838G	47.08	54.00	-6.92	16.09	3	Horizontal	135	1.83	-	28.55	2.44	-



Test Mode: Mode 3






Test Mode: Mode 3

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2437MHz_TX



EUT Y_2TX
Setting 69
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86184G	44.07	74.00	-29.93	38.11	3	Horizontal	227	2.55	-	33.05	4.70	31.79
AV	4.8756G	33.62	54.00	-20.38	27.62	3	Horizontal	227	2.55	-	33.10	4.70	31.80




Test Mode: Mode 3

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2452MHz_TX



EUT Y_2TX
Setting 64
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	59.37	74.00	-14.63	28.69	3	Vertical	231	1.64	-	28.27	2.41	-
AV	2.3736G	48.02	54.00	-5.98	17.39	3	Vertical	231	1.64	-	28.22	2.41	-
PK	2.4484G	110.17	Inf	-Inf	79.30	3	Vertical	231	1.64	-	28.45	2.42	-
AV	2.4472G	100.07	Inf	-Inf	69.21	3	Vertical	231	1.64	-	28.44	2.42	-
PK	2.4848G	68.22	74.00	-5.78	37.23	3	Vertical	231	1.64	-	28.55	2.44	-
AV	2.486G	53.14	54.00	-0.86	22.14	3	Vertical	231	1.64	-	28.56	2.44	-




Test Mode: Mode 3

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2452MHz_TX




EUT Y_2TX
Setting 64
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.374G	56.00	74.00	-18.00	25.37	3	Horizontal	50	2.82	-	28.22	2.41	-
AV	2.3776G	45.57	54.00	-8.43	14.93	3	Horizontal	50	2.82	-	28.23	2.41	-
PK	2.4492G	101.34	Inf	-Inf	70.47	3	Horizontal	50	2.82	-	28.45	2.42	-
AV	2.4484G	90.74	Inf	-Inf	59.87	3	Horizontal	50	2.82	-	28.45	2.42	-
PK	2.4904G	58.51	74.00	-15.49	27.49	3	Horizontal	50	2.82	-	28.57	2.45	-
AV	2.4848G	47.44	54.00	-6.56	16.45	3	Horizontal	50	2.82	-	28.55	2.44	-



Test Mode: Mode 3






Test Mode: Mode 3

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2452MHz_TX



EUT Y_2TX
Setting 64
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91664G	44.57	74.00	-29.43	38.46	3	Horizontal	48	1.78	-	33.22	4.70	31.81
AV	4.9136G	33.92	54.00	-20.08	27.82	3	Horizontal	48	1.78	-	33.21	4.70	31.81



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	7.23474G	46.88	54.00	-7.12	Vertical

