

425L natural stainless steel single door freezer featuring 3 star energy efficiency, a real stainless steel finish and automatic icemaker.

RRP AUS \$3,199.00





Product Details

FEATURES

Energy efficiency
Enjoy a big performance
without a big bill. Our
refrigerators are designed be
energy efficient protecting
the environment and reducing
your power costs.

Fast Ice function
When adding a large amount
of food to the freezer, simply
use the Fast Ice function,
which decreases the
temperature to -23C for 90
minutes before returning to
the pre-set mode.

FreshPlus Cooling
Keep your ingredients at their
fresh flavourful best. When
the fridge door is open, the
innovative FreshPlus
technology immediately
begins the recooling process
to replace the lost cold air
faster when the door closes.
This ensures better
preservation of farm fresh
food and helps minimise
waste.

Multi-flow air delivery
The intelligent airflow system
evenly disperses air to
ensure optimum temperatures
so your food is kept fresher
for longer.

Multi-function electronic touch controls
Ideally located on the inside of the cabinet, you can set the temperature and use functions such as boost mode, fast ice, holiday mode and drinks chill with just a touch of a button.

Door alarm
An alarm sounds if the door is left open to help keep the interior cool and reduce the risk of spoilage.

Frost free
Save your precious time with
a freezer that doesn't ice up
and need manual defrosting.

LED Lighting
With our new LED lighting at
both the top and sides of the
fridge, the light-filled interior
illuminates the content of
your fridge so you can find
anything you need quickly
and easily.

R600a refrigerant
Our fridges use R600a, a
non-synthetic refrigerant
thats more environmentally
friendly than the commonly
used R134a.

BENEFITS





Power saver

Enjoy a big performance without a big bill. Our refrigerators are designed be energy efficient protecting the environment and reducing your power costs.

Stylish and smart

High quality, mark-resistant real stainless steel lends a touch of class to any kitchen. Inside, the generous interior marries innovation and style in equal measure.

Ice on the go

You'll love the efficient, always-ready ice-maker in your new freezer. Efficient and compact, it's ideal for hot summer days or effortless entertaining.

Keep it cool

The freezer door is one of the most opened in any household, which is why we came up with FreshPlus technology to help maintain the perfect temperature inside your freezer. It automatically detects when it needs to begin cooling, keeping the temperature down to lock the freshness in.



Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Additional domestic warranty for the sealed refrigeration system only (yrs)	3
Refrigerator Type	vertical freezer
Exterior door finish	Stainless steel
Handle design	bar handle
Fridge door opening	left
Cooling system	frost free
Refrigerant	R600a
Plumbed water supply required	Yes
	·

DIMENSIONS

Total height (mm)	1725
Cabinet height (mm)	1705
Total width (mm)	699
Cabinet width (mm)	693
Total depth (mm)	773
Cabinet depth (mm)	641
Depth door open 90degree (mm)	1360
Freezer compartment capacity (gross in litres)	425
Total Gross Capacity (L)	425
Total Net Capacity (L)	386

ENERGY

Energy Star Rating	3

REFRIGERATOR SYSTEM

Controls	electronic (with display)
Controls location	internal



Basket/Drawer runner


system


ENERGY		REFRIGERATOR SY	REFRIGERATOR SYSTEM			
Energy consumption 440 (KWhr/yr)		Controls type	touch fast ice function			
Energy consumption (KWhr/yr) FREEZER COMPARTMENT ICE FACILITY Ice Maker Automatic	Control functions					
		Door alarm	freezer			
FREEZER COMPART	ΓMENT	SHELVING				
ICE FACILITY		Shelving	glass shelf			
Ice Maker Automatic		Number of shelves	4			
BASKET/DRAWER		LIGHTING				
Full width plastic basket	3	Main light	LED			
		-				

telescopic





Dimensions






Minimum Recommended Airspaces









If you have a cupboard above the refrigerator with a rear gap of less than

100mm (Y), recommended minimum clearance at the top of the refigerator increases from 30mm to 70mm (X).

Please note: Doors are designed to sit proud of cabinetry (not flush).

When positioned in a corner area, spacing of at least 400mm on the hinge side will allow the doors to open enough to enable the removal of bins and shelves.

Front face of bench aligned to front corner edge of cabinet.

Single Door	Door width	Total depth	Maximum	Cabinet	Cabinet depth	Depth door
Models	(W)	(D)	height (H)	width (W1)	(D1)	open (D2)
ERE5047SB, EFE4227SB	699	773	1725	693	641	1360

For connection kit installation instructions go to electrolux.com.au

Important! Please ensure that the access to your kitchen (including doorways, corridors, island benches, etc.) allows sufficient clearance to move your fridge into position. Please note! Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640 fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230 fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz