


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	27.00	39.00	66.00	68.30	-2.30	peak	
2		5150.000	11.06	39.00	50.06	54.00	-3.94	AVG	
3	X	5192.600	45.60	39.14	84.74	54.00	30.74	AVG	no limit
4	*	5193.400	61.30	39.15	100.45	68.30	32.15	peak	no limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5190MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10380.30	35.63	11.08	46.71	68.30	-21.59	peak	
2	*	10380.30	24.56	11.08	35.64	54.00	-18.36	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5232.400	45.14	39.27	84.41	54.00	30.41	AVG	no limit
2	*	5233.800	60.13	39.27	99.40	68.30	31.10	peak	no limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10460.10	35.71	10.96	46.67	68.30	-21.63	peak	
2	*	10460.10	25.24	10.96	36.20	54.00	-17.80	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5232.600	62.14	39.27	101.41	68.30	33.11	peak	no limit
2	X	5232.800	46.91	39.27	86.18	54.00	32.18	AVG	no limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX N40 Mode 5230MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10460.00	35.12	10.96	46.08	68.30	-22.22	peak	
2	*	10460.00	24.86	10.96	35.82	54.00	-18.18	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5261.400	51.76	39.37	91.13	54.00	37.13	AVG	no limit
2	X	5262.600	63.09	39.38	102.47	68.30	34.17	peak	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10519.98	41.51	10.92	52.43	68.30	-15.87	peak	
2	*	10519.98	30.47	10.92	41.39	54.00	-12.61	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5258.100	63.86	39.36	103.22	68.30	34.92	peak	no limit
2	*	5261.100	52.54	39.37	91.91	54.00	37.91	AVG	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5260MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10519.98	48.37	10.92	59.29	68.30	-9.01	peak	
2	*	10519.98	36.10	10.92	47.02	54.00	-6.98	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5298.200	63.06	39.49	102.55	68.30	34.25	peak	no limit
2	*	5298.700	51.75	39.50	91.25	54.00	37.25	AVG	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.02	42.41	11.00	53.41	68.30	-14.89	peak	
2	*	10600.02	32.60	11.00	43.60	54.00	-10.40	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5298.700	52.54	39.50	92.04	54.00	38.04	AVG	no limit
2	X	5301.100	63.16	39.50	102.66	68.30	34.36	peak	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.02	48.31	11.00	59.31	68.30	-8.99	peak	
2	*	10600.02	36.59	11.00	47.59	54.00	-6.41	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5321.200	63.02	39.57	102.59	68.30	34.29	peak	no limit
2	*	5321.400	51.73	39.57	91.30	54.00	37.30	AVG	no limit
3		5350.000	21.02	39.66	60.68	68.30	-7.62	peak	
4		5350.000	9.63	39.66	49.29	54.00	-4.71	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10639.24	32.33	11.04	43.37	68.30	-24.93	peak	
2	*	10639.96	42.46	11.04	53.50	68.30	-14.80	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5317.200	64.19	39.55	103.74	68.30	35.44	peak	no limit
2	*	5320.900	52.68	39.57	92.25	54.00	38.25	AVG	no limit
3		5350.000	26.58	39.66	66.24	68.30	-2.06	peak	
4		5350.000	11.83	39.66	51.49	54.00	-2.51	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5320MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10639.96	35.77	11.04	46.81	54.00	-7.19	AVG	
2		10639.96	47.12	11.04	58.16	68.30	-10.14	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5261.300	52.50	39.37	91.87	54.00	37.87	AVG	no limit
2	X	5261.900	61.98	39.37	101.35	68.30	33.05	peak	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10640.30	40.62	11.04	51.66	68.30	-16.64	peak	
2	*	10640.30	29.56	11.04	40.60	54.00	-13.40	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5261.100	53.46	39.37	92.83	54.00	38.83	AVG	no limit
2	X	5261.500	63.92	39.37	103.29	68.30	34.99	peak	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5260MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10520.00	40.02	10.92	50.94	68.30	-17.36	peak	
2	*	10520.00	29.74	10.92	40.66	54.00	-13.34	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5297.900	62.51	39.49	102.00	68.30	33.70	peak	no limit
2	*	5298.900	52.11	39.50	91.61	54.00	37.61	AVG	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10520.30	39.87	10.93	50.80	68.30	-17.50	peak	
2	*	10520.30	29.75	10.93	40.68	54.00	-13.32	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5299.000	53.56	39.50	93.06	54.00	39.06	AVG	no limit
2	X	5299.200	64.00	39.50	103.50	68.30	35.20	peak	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX A Mode 5300MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.10	40.24	11.00	51.24	68.30	-17.06	peak	
2	*	10600.10	29.43	11.00	40.43	54.00	-13.57	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5321.100	62.26	39.57	101.83	68.30	33.53	peak	no limit
2	*	5321.200	52.05	39.57	91.62	54.00	37.62	AVG	no limit
3		5350.000	22.00	39.66	61.66	68.30	-6.64	peak	
4		5350.000	9.26	39.66	48.92	54.00	-5.08	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.10	40.01	11.00	51.01	68.30	-17.29	peak	
2	*	10600.10	29.92	11.00	40.92	54.00	-13.08	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5317.700	63.85	39.55	103.40	68.30	35.10	peak	no limit
2	*	5321.200	53.32	39.57	92.89	54.00	38.89	AVG	no limit
3		5350.000	23.24	39.66	62.90	68.30	-5.40	peak	
4		5350.000	11.77	39.66	51.43	54.00	-2.57	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10640.10	40.34	11.04	51.38	68.30	-16.92	peak	
2	*	10640.10	30.12	11.04	41.16	54.00	-12.84	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5262.400	59.76	39.37	99.13	68.30	30.83	peak	no limit
2	X	5272.400	45.02	39.40	84.42	54.00	30.42	AVG	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10540.10	35.89	10.95	46.84	68.30	-21.46	peak	
2	*	10540.10	25.67	10.95	36.62	54.00	-17.38	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5272.600	47.03	39.40	86.43	54.00	32.43	AVG	no limit
2	*	5277.000	62.35	39.42	101.77	68.30	33.47	peak	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10540.00	35.24	10.95	46.19	68.30	-22.11	peak	
2	*	10540.00	25.98	10.95	36.93	54.00	-17.07	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5312.400	42.57	39.53	82.10	54.00	28.10	AVG	no limit
2	*	5313.200	57.71	39.54	97.25	68.30	28.95	peak	no limit
3		5350.000	26.07	39.66	65.73	68.30	-2.57	peak	
4		5350.000	9.56	39.66	49.22	54.00	-4.78	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10620.30	35.82	11.02	46.84	68.30	-21.46	peak	
2	*	10620.30	25.92	11.02	36.94	54.00	-17.06	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5312.600	44.95	39.54	84.49	54.00	30.49	AVG	no limit
2	*	5315.000	60.02	39.54	99.56	68.30	31.26	peak	no limit
3	X	5350.000	30.48	39.66	70.14	68.30	1.84	peak	
4		5350.000	11.20	39.66	50.86	54.00	-3.14	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10620.00	35.28	11.02	46.30	68.30	-22.00	peak	
2	*	10620.00	25.02	11.02	36.04	54.00	-17.96	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	9.08	40.03	49.11	68.30	-19.19	peak	
2		5460.000	0.06	40.03	40.09	54.00	-13.91	AVG	
3		5470.000	19.81	40.06	59.87	68.30	-8.43	peak	
4		5470.000	5.62	40.06	45.68	54.00	-8.32	AVG	
5	*	5501.400	51.92	40.17	92.09	54.00	38.09	AVG	no limit
6	X	5501.600	63.10	40.17	103.27	68.30	34.97	peak	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11000.60	43.58	11.38	54.96	68.30	-13.34	peak	
2	*	11000.60	34.63	11.38	46.01	54.00	-7.99	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	16.47	40.03	56.50	68.30	-11.80	peak	
2		5460.000	1.45	40.03	41.48	54.00	-12.52	AVG	
3		5470.000	22.99	40.06	63.05	68.30	-5.25	peak	
4		5470.000	7.44	40.06	47.50	54.00	-6.50	AVG	
5	*	5501.200	52.74	40.17	92.91	54.00	38.91	AVG	no limit
6	X	5504.200	64.89	40.18	105.07	68.30	36.77	peak	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11000.10	45.56	11.38	56.94	68.30	-11.36	peak	
2	*	11000.10	35.26	11.38	46.64	54.00	-7.36	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5581.100	51.68	40.50	92.18	54.00	38.18	AVG	no limit
2	X	5581.800	62.89	40.50	103.39	68.30	35.09	peak	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11160.20	44.56	11.88	56.44	68.30	-11.86	peak	
2	*	11160.20	34.37	11.88	46.25	54.00	-7.75	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5581.200	52.64	40.50	93.14	54.00	39.14	AVG	no limit
2	X	5581.600	63.95	40.50	104.45	68.30	36.15	peak	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11159.90	43.25	11.88	55.13	68.30	-13.17	peak	
2	*	11159.90	34.02	11.88	45.90	54.00	-8.10	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5698.800	62.52	40.98	103.50	68.30	35.20	peak	no limit
2	*	5699.000	51.49	40.99	92.48	54.00	38.48	AVG	no limit
3		5725.000	21.29	41.10	62.39	68.30	-5.91	peak	
4		5725.000	8.82	41.10	49.92	54.00	-4.08	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.30	43.75	12.63	56.38	68.30	-11.92	peak	
2	*	11400.30	34.56	12.63	47.19	54.00	-6.81	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5697.800	63.88	40.98	104.86	68.30	36.56	peak	no limit
2	*	5698.900	52.42	40.99	93.41	54.00	39.41	AVG	no limit
3		5725.000	23.87	41.10	64.97	68.30	-3.33	peak	
4		5725.000	10.54	41.10	51.64	54.00	-2.36	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.10	43.12	12.63	55.75	68.30	-12.55	peak	
2	*	11400.10	34.15	12.63	46.78	54.00	-7.22	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	13.91	40.03	53.94	68.30	-14.36	peak	
2		5460.000	1.46	40.03	41.49	54.00	-12.51	AVG	
3		5470.000	24.03	40.06	64.09	68.30	-4.21	peak	
4		5470.000	7.91	40.06	47.97	54.00	-6.03	AVG	
5	*	5501.200	52.92	40.17	93.09	54.00	39.09	AVG	no limit
6	X	5503.700	63.50	40.18	103.68	68.30	35.38	peak	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11000.20	40.96	11.38	52.34	68.30	-15.96	peak	
2	*	11000.20	30.41	11.38	41.79	54.00	-12.21	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	18.86	40.03	58.89	68.30	-9.41	peak	
2		5460.000	3.28	40.03	43.31	54.00	-10.69	AVG	
3		5470.000	24.39	40.06	64.45	68.30	-3.85	peak	
4		5470.000	10.05	40.06	50.11	54.00	-3.89	AVG	
5	*	5501.500	53.64	40.17	93.81	54.00	39.81	AVG	no limit
6	X	5503.500	64.31	40.18	104.49	68.30	36.19	peak	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11000.00	40.85	11.38	52.23	68.30	-16.07	peak	
2	*	11000.00	30.25	11.38	41.63	54.00	-12.37	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5581.200	48.57	40.50	89.07	54.00	35.07	AVG	no limit
2	X	5581.800	58.04	40.50	98.54	68.30	30.24	peak	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11160.40	40.85	11.88	52.73	68.30	-15.57	peak	
2	*	11160.40	30.79	11.88	42.67	54.00	-11.33	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5581.200	49.99	40.50	90.49	54.00	36.49	AVG	no limit
2	X	5582.000	59.64	40.50	100.14	68.30	31.84	peak	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11160.06	40.42	11.88	52.30	68.30	-16.00	peak	
2	*	11160.06	30.41	11.88	42.29	54.00	-11.71	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5698.900	51.41	40.99	92.40	54.00	38.40	AVG	no limit
2	X	5701.100	61.74	40.99	102.73	68.30	34.43	peak	no limit
3		5725.000	22.11	41.10	63.21	68.30	-5.09	peak	
4		5725.000	7.49	41.10	48.59	54.00	-5.41	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.20	36.42	12.63	49.05	68.30	-19.25	peak	
2	*	11400.20	26.72	12.63	39.35	54.00	-14.65	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5699.000	52.85	40.99	93.84	54.00	39.84	AVG	no limit
2	X	5699.300	63.25	40.99	104.24	68.30	35.94	peak	no limit
3		5725.000	22.64	41.10	63.74	68.30	-4.56	peak	
4		5725.000	8.80	41.10	49.90	54.00	-4.10	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11400.20	36.53	12.63	49.16	68.30	-19.14	peak	
2	*	11400.20	26.17	12.63	38.80	54.00	-15.20	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	18.01	40.03	58.04	68.30	-10.26	peak	
2		5460.000	2.63	40.03	42.66	54.00	-11.34	AVG	
3		5470.000	22.60	40.06	62.66	68.30	-5.64	peak	
4		5470.000	8.14	40.06	48.20	54.00	-5.80	AVG	
5	*	5513.000	59.42	40.22	99.64	68.30	31.34	peak	no limit
6	X	5515.000	43.90	40.23	84.13	54.00	30.13	AVG	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11020.00	36.09	11.44	47.53	68.30	-20.77	peak	
2	*	11020.00	25.53	11.44	36.97	54.00	-17.03	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	18.02	40.03	58.05	68.30	-10.25	peak	
2		5460.000	4.36	40.03	44.39	54.00	-9.61	AVG	
3		5470.000	24.04	40.06	64.10	68.30	-4.20	peak	
4		5470.000	10.27	40.06	50.33	54.00	-3.67	AVG	
5	X	5507.400	45.78	40.19	85.97	54.00	31.97	AVG	no limit
6	*	5514.000	60.54	40.22	100.76	68.30	32.46	peak	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11020.30	35.62	11.44	47.06	68.30	-21.24	peak	
2	*	11020.30	25.71	11.44	37.15	54.00	-16.85	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5545.000	45.38	40.35	85.73	54.00	31.73	AVG	no limit
2	*	5546.400	60.41	40.35	100.76	68.30	32.46	peak	no limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11100.10	36.87	11.69	48.56	68.30	-19.74	peak	
2	*	11100.10	26.52	11.69	38.21	54.00	-15.79	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5545.000	46.85	40.35	87.20	54.00	33.20	AVG	no limit
2	*	5547.800	61.97	40.36	102.33	68.30	34.03	peak	no limit