ThinkCentre M630e Tiny 10YM0009GE

WithDraw

0

Product ThinkCentre M630e Tiny

Region WE

Country Germany

Machine Type 10YM

TopSeller TopSeller

Processor Core i3-8145U (2C / 4T, 2.1 / 3.9GHz, 4MB)

vPro No

Graphics Integrated Intel UHD Graphics 620

Monitor Cable None

Memory 1x 4GB DDR4-2666

Storage 128GB SSD 2.5" SATA6Gb/s

Optical None

WLAN + Bluetooth None

Ethernet Integrated

Optional Rear Ports None

Chassis Intrusion Switch Chassis Intrusion Switch

Kensington Cable Lock None

Adapter Cage None

Toolless Chassis Screw None

Speaker 1.5Wx1

Dust Filter None

VESA Mount None

Stand None

Keyboard / Mouse USB / USB

Power Supply 65W Adapter

TUV Low Noise None

Operating System Windows 10 Pro 64

Warranty 1-year, Onsite

End of Support 2025-04-12

Announce Date 2019-03-12

www.lenovo.com

This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.

http://psref.lenovo.com

PSREF

Visit psref website for the latest version of Product Specifcations Reference. © Lenovo, 2019. All rights reserved.



ThinkCentre M630e Tiny Platform Specifications

Product Specifications Reference (PSREF)

| Processor | Intel [®] Pentium [®] , or 8th Generation Intel Core™ i3 / i5 Processor | | | | | | | None | | | | |
|--|---|--|-------------|------|----------------------|------------------------|------------------|---|---|-----------------------------|--------------------------------------|--|
| | Processor | Processor Cores / Frequency Threads Base/Max(GHz) Cache | | | | Integrated Graphics | Security chip | Firmware TPM 2.0, integrated in chipset Security slot (in rear for optional Boot sequence control | | | | |
| | Pentium Gold 5405U | 2/4 | 2.3G | 2 MB | (Up to) DDR4-2133 | UHD 610 | | Security slot (In rea Kensington[®] Micros | rear for optional Boot sequence control Boot without keyboard and mouse | | | |
| | Core i3-8145U | 2/4 | 2.1G / 3.9G | 4 MB | DDR4-2400 | UHD 620 | | Chassis intrusion s | Chassis intrusion switch | | | |
| | Core i5-8265U | 4/8 | 1.6G / 3.9G | 6 MB | DDR4-2400 | UHD 620 | | | | | b protection, allows keyboard/ | |
| Memory | 16GB max, DDR4-2666*, one 260-pin SO-DIMM sockets, non-ECC * System automatically clocks down for the processors with lower memory controller | | | | | | Koyboard | Hard disk password | | | | |
| Storage | Some: Hard Drive / SATA 6.0Gb/s, 2.5", 5400 rpm or 7200 rpm | | | | | | Mouse | Some: Lenovo Calliope Mouse (USB connector), black | | | | |
| Onboard SATA | Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" Some: M.2 SSD (2280) / PCIe NVMe, PCIe 3.0 x 4, 32Gb/s Some: M.2 SSD (2242) / PCIe NVMe, PCIe 3.0 x 2, 16Gb/s One onboard SATA 6.0Gb/s connector | | | | | | Mechanical | Tiny (1L), black color; metal case • Optional dust filter • One 2.5" bay for HDD/SSD, two M.2 slots (one for WLAN, one for M.2 SSD) | | | | |
| Graphics | Intel HD Graphics 610/620 in processor, uses main memory, DirectX [®] 12, one DisplayPort [™] , one HDMI, up to 2 independent displays; <i>Max resolution:</i> 4096x2304 (DP)@60Hz; 4096x2304 (HDMI)@24Hz Optional DP to VGA dongle or DP to HDMI 1.4 dongle | | | | | | - | | Dimension | ns (WxDxH) | Weight (Approx.) | |
| | | | | | | | | Tiny only | | 20" X 1.36" 9mm X 34.5mm | 2.91 lb (1.32 kg), vary by config | |
| Monitor cable | | | | | | | VESA mount | None Optional system floor stand for vertical orientation | | | | |
| Chipset | | | | | | | Floor Stand | | | | | |
| Front ports* (Std.) | d.) One USB 3.1 Gen1, one USB 3.1 Type-C Gen 1, one microphone (3.5mm), | | | | | | Power supply | Some: 65 watts adapter, autosensing, 88% PSU | | | | |
| Rear ports* (Std.) Rear ports* (Opt.) | one headphone / microphone combo jack (3.5mm) ports* (Std.) Two USB 3.1 Gen1, two USB 2.0, one ethernet (RJ-45), one DisplayPort, one HDM ports* (Opt.) None | | | | | | Limited warranty | Some: 1-year, depot service / service upgrades available Some: 1-year, limited onsite service / service upgrades available | | | | |
| | * Depending on many factors, actual data transfer speed may be lower than theoretical speed | | | | | | Preload | | | | | |
| Audio support | Realtek ALC233VB / internal speaker (1.5 watt) | | | | | | | Some: Windows [®] 10 Pro 64-bit Some: Windows 10 Home 64-bit | | | | |
| WLAN | Gigabit ethernet, Realtek RTL8111HN-CG | | | | | | | Preloaded applications (only some listed) | | | | |
| | | | | | | | | Lenovo Vantage Microsoft Office preloaded; purchase a product key to activate | | | | |
| | | | | | | | | LinkedIn | | | | |
| | | | | | | | Environment | ENERGY STAR® 7.0, ErP Lot 3, TCO, RoHS-compliant, WEEE, REACH | | | | |
| | | | | | | | MIL-SPEC test | Coming soon | | | | |
| Bluetooth Ethernet Ethernet (Opt.) | | | | | | | Accessories | For compatible accessories, please go to http://smartfind.lenovo.com | | | | |

Note: The specifications above may not be available in all regions.

Lenovo, Mar 2019

ThinkCentre M630e Tiny





(intel)













(intel) inside (intel)