


802.11ax HEW20_Nss2,(MCS0)_3TX

PSD

5500MHz

16/10/2020

CF 5.5GHz
 Span 30MHz
 RBW 1MHz
 VBW 3MHz
 Sweep Time 20ms
 Detector Type RMS



Sum
 Port 1
 Port 2
 Port 3

Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.21	10.21	5.45	6.05	5.22


802.11ax HEW40_Nss2,(MCS0)_3TX

PSD

5510MHz

17/10/2020

CF 5.51GHz
 Span 60MHz
 RBW 1MHz
 VBW 3MHz
 Sweep Time 20ms
 Detector Type RMS



Sum
 Port 1
 Port 2
 Port 3

Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.77	5.77	0.87	1.28	1.83


802.11ax HEW80_Nss2,(MCS0)_3TX

PSD

5530MHz

17/10/2020

CF 5.53GHz
 Span 120MHz
 RBW 1MHz
 VBW 3MHz
 Sweep Time 20ms
 Detector Type RMS



Sum
 Port 1
 Port 2
 Port 3

Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.77	3.77	-0.93	-1.03	-0.68



**Mode 3, Non-beamforming mode: 5GHz High Band 3T3S SDM
Summary**

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11ac VHT20_Nss3,(MCS0)_3TX	10.05
802.11ac VHT40_Nss3,(MCS0)_3TX	5.48
802.11ac VHT80_Nss3,(MCS0)_3TX	3.12
802.11ax HEW20_Nss3,(MCS0)_3TX	9.76
802.11ax HEW40_Nss3,(MCS0)_3TX	5.11
802.11ax HEW80_Nss3,(MCS0)_3TX	3.62




RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ac VHT20_Nss3,(MCS0)_3TX	-	-	-	-	-	-	-
5500MHz	Pass	1.18	5.22	5.73	5.18	10.05	11.00
802.11ac VHT40_Nss3,(MCS0)_3TX	-	-	-	-	-	-	-
5510MHz	Pass	1.18	0.52	0.92	1.01	5.48	11.00
802.11ac VHT80_Nss3,(MCS0)_3TX	-	-	-	-	-	-	-
5530MHz	Pass	1.18	-1.65	-1.60	-1.43	3.12	11.00
802.11ax HEW20_Nss3,(MCS0)_3TX	-	-	-	-	-	-	-
5500MHz	Pass	1.18	5.09	5.21	4.90	9.76	11.00
802.11ax HEW40_Nss3,(MCS0)_3TX	-	-	-	-	-	-	-
5510MHz	Pass	1.18	0.21	0.71	0.48	5.11	11.00
802.11ax HEW80_Nss3,(MCS0)_3TX	-	-	-	-	-	-	-
5530MHz	Pass	1.18	-1.21	-1.03	-0.97	3.62	11.00

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;







Mode 4, Beamforming mode: 5GHz Low Band 2T1S and 5GHz High Band 3T1S Beamforming Summary

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	10.87
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	7.94
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	0.54
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	10.65
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	8.03
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	0.45
5.47-5.725GHz	-
802.11ac VHT20-BF_Nss1,(MCS0)_3TX	10.86
802.11ac VHT40-BF_Nss1,(MCS0)_3TX	8.04
802.11ac VHT80-BF_Nss1,(MCS0)_3TX	5.4
802.11ax HEW20-BF_Nss1,(MCS0)_3TX	10.81
802.11ax HEW40-BF_Nss1,(MCS0)_3TX	8.1
802.11ax HEW80-BF_Nss1,(MCS0)_3TX	5.02
5.725-5.85GHz	-
802.11ac VHT20-BF_Nss1,(MCS0)_3TX	9.03
802.11ac VHT40-BF_Nss1,(MCS0)_3TX	6.29
802.11ac VHT80-BF_Nss1,(MCS0)_3TX	2.58
802.11ax HEW20-BF_Nss1,(MCS0)_3TX	8.78
802.11ax HEW40-BF_Nss1,(MCS0)_3TX	5.99
802.11ax HEW80-BF_Nss1,(MCS0)_3TX	2.76

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5260MHz	Pass	5.25	8.04	7.76		10.87	11.00
5300MHz	Pass	5.25	7.1	7.48		10.25	11.00
5320MHz	Pass	5.25	5.84	6.46		9.07	11.00
802.11ac VHT20-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-
5500MHz	Pass	5.95	4.38	4.75	4.01	9.04	11.00
5580MHz	Pass	5.95	6.17	6.61	5.67	10.79	11.00
5620MHz	Pass	5.95	6.95	5.94	5.5	10.86	11.00
5700MHz	Pass	5.95	5.65	4.8	4.48	9.58	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.95	6.6	5.81	5.42	10.56	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.76	5.06	4.12	3.74	9.03	30.00
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5270MHz	Pass	5.25	5.37	4.73		7.94	11.00
5310MHz	Pass	5.25	-0.65	-0.6		2.31	11.00
802.11ac VHT40-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-
5510MHz	Pass	5.95	-0.53	-0.01	0.04	4.47	11.00
5550MHz	Pass	5.95	2.99	3.46	3.46	7.93	11.00
5630MHz	Pass	5.95	3.55	3.66	2.85	8.00	11.00
5670MHz	Pass	5.95	2.89	2.74	2.17	7.13	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.95	3.72	3.61	3.02	8.04	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.76	2.19	1.51	1.09	6.29	30.00
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5290MHz	Pass	5.25	-2.23	-2.73		0.54	11.00
802.11ac VHT80-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-
5530MHz	Pass	5.95	-2.14	-2.14	-2	2.62	11.00
5610MHz	Pass	5.95	0.95	0.35	0.58	5.40	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.95	0.66	-0.12	0.22	4.94	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.76	-1.75	-2.82	-1.96	2.58	30.00
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5260MHz	Pass	5.25	7.94	7.42		10.65	11.00
5300MHz	Pass	5.25	7.28	7.57		10.37	11.00
5320MHz	Pass	5.25	5.25	5.56		8.34	11.00
802.11ax HEW20-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-
5500MHz	Pass	5.95	5.01	5.17	4.84	9.67	11.00
5580MHz	Pass	5.95	6.06	6.64	5.74	10.81	11.00
5620MHz	Pass	5.95	5.49	4.82	4.47	9.62	11.00
5700MHz	Pass	5.95	3.22	2.68	2.12	7.33	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.95	6.34	5.44	5.23	10.34	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.76	4.9	3.67	3.58	8.78	30.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5270MHz	Pass	5.25	5.44	4.68		8.03	11.00
5310MHz	Pass	5.25	-0.24	-0.2		2.69	11.00
802.11ax HEW40-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-
5510MHz	Pass	5.95	-0.7	-0.24	-0.23	4.30	11.00









Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5550MHz	Pass	5.95	2.96	3.59	3.54	8.02	11.00
5630MHz	Pass	5.95	3.45	3.35	2.59	7.76	11.00
5670MHz	Pass	5.95	3.73	3.66	3.08	8.10	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.95	3.52	3.23	2.84	7.92	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.76	1.7	1.18	1	5.99	30.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5290MHz	Pass	5.25	-2.3	-2.76		0.45	11.00
802.11ax HEW80-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-
5530MHz	Pass	5.95	-3.01	-2.66	-2.93	1.83	11.00
5610MHz	Pass	5.95	0.73	0.23	0.25	5.02	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.95	0.69	0.1	0.19	4.95	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.76	-1.42	-2.72	-1.85	2.76	30.00




DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;






























































Mode 5, Beamforming mode: 5GHz High Band 3T2S Beamforming Summary

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11ac VHT20-BF_Nss2,(MCS0)_3TX	10.25
802.11ac VHT40-BF_Nss2,(MCS0)_3TX	4.10
802.11ac VHT80-BF_Nss2,(MCS0)_3TX	1.63
802.11ax HEW20-BF_Nss2,(MCS0)_3TX	9.73
802.11ax HEW40-BF_Nss2,(MCS0)_3TX	4.16
802.11ax HEW80-BF_Nss2,(MCS0)_3TX	1.10

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ac VHT20-BF_Nss2,(MCS0)_3TX	-	-	-	-	-	-	-
5500MHz	Pass	2.94	6.25	5.97	6.12	10.25	11.00
802.11ac VHT40-BF_Nss2,(MCS0)_3TX	-	-	-	-	-	-	-
5510MHz	Pass	2.94	-0.26	-0.31	-0.04	4.10	11.00
802.11ac VHT80-BF_Nss2,(MCS0)_3TX	-	-	-	-	-	-	-
5530MHz	Pass	2.94	-2.79	-2.91	-2.55	1.63	11.00
802.11ax HEW20-BF_Nss2,(MCS0)_3TX	-	-	-	-	-	-	-
5500MHz	Pass	2.94	5.06	5.26	4.85	9.73	11.00
802.11ax HEW40-BF_Nss2,(MCS0)_3TX	-	-	-	-	-	-	-
5510MHz	Pass	2.94	-0.82	-0.24	-0.30	4.16	11.00
802.11ax HEW80-BF_Nss2,(MCS0)_3TX	-	-	-	-	-	-	-
5530MHz	Pass	2.94	-3.57	-3.42	-3.30	1.10	11.00

DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;


802.11ac VHT20-BF_Nss2,(MCS0)_3TX

PSD

5500MHz

16/10/2020

CF 5.5GHz
 Span 30MHz
 RBW 1MHz
 VBW 3MHz
 Sweep Time 20ms
 Detector Type RMS



Sum
 Port 1
 Port 2
 Port 3

Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.25	10.25	6.25	5.97	6.12


802.11ac VHT40-BF_Nss2,(MCS0)_3TX

PSD

5510MHz

16/10/2020

CF 5.51GHz
 Span 60MHz
 RBW 1MHz
 VBW 3MHz
 Sweep Time 20ms
 Detector Type RMS



Sum
 Port 1
 Port 2
 Port 3

Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.10	4.10	-0.26	-0.31	-0.04


802.11ac VHT80-BF_Nss2,(MCS0)_3TX

PSD

5530MHz




16/10/2020

CF 5.53GHz
 Span 120MHz
 RBW 1MHz
 VBW 3MHz
 Sweep Time 20ms
 Detector Type RMS



Sum
 Port 1
 Port 2
 Port 3

Sum	PD	Port 1	Port 2	Port 3
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.63	1.63	-2.79	-2.91	-2.55






**Mode 1, Non-beamforming mode: 5GHz Low Band 2T1S and 5GHz High Band 3T1S CDD
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20_Nss1,(MCS0)_3TX	Pass	PK	5.4698G	68.19	68.20	-0.01	3	Vertical	314	1.03	-

802.11a_Nss1,(6Mbps)_2TX

09/10/2020

5260MHz_TX




EUT Y_2TX
Setting 108
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	64.27	74.00	-9.73	59.27	3	Vertical	171	1.57	-	33.90	6.43	35.33
AV	5.15G	49.22	54.00	-4.78	44.22	3	Vertical	171	1.57	-	33.90	6.43	35.33
PK	5.2636G	121.30	Inf	-Inf	116.03	3	Vertical	171	1.57	-	34.05	6.43	35.21
AV	5.2642G	110.79	Inf	-Inf	105.50	3	Vertical	171	1.57	-	34.06	6.43	35.20
PK	5.3596G	66.59	74.00	-7.41	60.83	3	Vertical	171	1.57	-	34.38	6.48	35.10
AV	5.35G	51.34	54.00	-2.66	45.57	3	Vertical	171	1.57	-	34.40	6.48	35.11

802.11a_Nss1,(6Mbps)_2TX

09/10/2020

5260MHz_TX




EUT Y_2TX
Setting 108
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	57.96	74.00	-16.04	52.97	3	Horizontal	162	1.94	-	33.90	6.43	35.34
AV	5.1412G	45.91	54.00	-8.09	40.92	3	Horizontal	162	1.94	-	33.90	6.43	35.34
PK	5.254G	109.77	Inf	-Inf	104.54	3	Horizontal	162	1.94	-	34.02	6.43	35.22
AV	5.254G	99.17	Inf	-Inf	93.94	3	Horizontal	162	1.94	-	34.02	6.43	35.22
PK	5.3626G	59.33	74.00	-14.67	53.58	3	Horizontal	162	1.94	-	34.37	6.48	35.10
AV	5.3536G	46.86	54.00	-7.14	41.10	3	Horizontal	162	1.94	-	34.39	6.48	35.11

802.11a_Nss1,(6Mbps)_2TX

09/10/2020

5260MHz_TX




EUT Y_2TX
Setting 108
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4888G	55.40	68.20	-12.80	42.38	3	Vertical	303	1.80	-	38.18	9.70	34.86
PK	15.771G	58.83	74.00	-15.17	44.69	3	Vertical	249	2.22	-	37.42	11.89	35.17
AV	15.7354G	46.18	54.00	-7.82	31.90	3	Vertical	249	2.22	-	37.56	11.87	35.15

802.11a_Nss1,(6Mbps)_2TX

09/10/2020

5260MHz_TX




EUT Y_2TX
Setting 108
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5538G	54.95	68.20	-13.25	41.85	3	Horizontal	186	2.36	-	38.20	9.71	34.81
PK	15.7764G	62.63	74.00	-11.37	48.53	3	Horizontal	130	2.01	-	37.39	11.89	35.18
AV	15.7806G	50.55	54.00	-3.45	36.46	3	Horizontal	130	2.01	-	37.38	11.89	35.18

802.11a_Nss1,(6Mbps)_2TX

09/10/2020

5300MHz_TX




EUT Y_2TX
Setting 94
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	118.66	Inf	-Inf	113.19	3	Vertical	56	1.67	-	34.19	6.45	35.17
AV	5.298G	108.84	Inf	-Inf	103.37	3	Vertical	56	1.67	-	34.19	6.45	35.17
PK	5.3508G	70.76	74.00	-3.24	64.99	3	Vertical	56	1.67	-	34.40	6.48	35.11
AV	5.35G	53.92	54.00	-0.08	48.15	3	Vertical	56	1.67	-	34.40	6.48	35.11

802.11a_Nss1,(6Mbps)_2TX

09/10/2020

5300MHz_TX




EUT Y_2TX
Setting 94
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.304G	105.30	Inf	-Inf	99.79	3	Horizontal	175	1.88	-	34.22	6.45	35.16
AV	5.304G	95.59	Inf	-Inf	90.08	3	Horizontal	175	1.88	-	34.22	6.45	35.16
PK	5.3528G	60.64	74.00	-13.36	54.88	3	Horizontal	175	1.88	-	34.39	6.48	35.11
AV	5.3524G	47.39	54.00	-6.61	41.62	3	Horizontal	175	1.88	-	34.40	6.48	35.11

802.11a_Nss1,(6Mbps)_2TX

09/10/2020

5300MHz_TX




EUT Y_2TX
Setting 94
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.602G	54.98	74.00	-19.02	41.83	3	Vertical	36	2.46	-	38.20	9.72	34.77
PK	15.9006G	59.42	74.00	-14.58	45.23	3	Vertical	264	2.78	-	37.50	11.95	35.26
AV	15.907G	46.59	54.00	-7.41	32.40	3	Vertical	264	2.78	-	37.50	11.95	35.26

802.11a_Nss1,(6Mbps)_2TX

09/10/2020

5300MHz_TX




EUT Y_2TX
Setting 94
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5626G	55.36	68.20	-12.84	42.25	3	Horizontal	322	2.30	-	38.20	9.71	34.80
PK	15.8866G	62.41	74.00	-11.59	48.25	3	Horizontal	132	2.42	-	37.47	11.94	35.25
AV	15.9006G	50.01	54.00	-3.99	35.82	3	Horizontal	132	2.42	-	37.50	11.95	35.26

802.11a_Nss1,(6Mbps)_2TX

09/10/2020

5320MHz_TX




EUT Y_2TX
Setting 84
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3156G	115.65	Inf	-Inf	110.08	3	Vertical	182	1.54	-	34.26	6.46	35.15
AV	5.3154G	106.48	Inf	-Inf	100.91	3	Vertical	182	1.54	-	34.26	6.46	35.15
PK	5.3548G	72.58	74.00	-1.42	66.82	3	Vertical	182	1.54	-	34.39	6.48	35.11
AV	5.35G	53.98	54.00	-0.02	48.21	3	Vertical	182	1.54	-	34.40	6.48	35.11

802.11a_Nss1,(6Mbps)_2TX

09/10/2020

5320MHz_TX




EUT Y_2TX
Setting 84
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	102.79	Inf	-Inf	97.17	3	Horizontal	100	2.39	-	34.30	6.46	35.14
AV	5.3258G	93.00	Inf	-Inf	87.38	3	Horizontal	100	2.39	-	34.30	6.46	35.14
PK	5.356G	61.36	74.00	-12.64	55.60	3	Horizontal	100	2.39	-	34.39	6.48	35.11
AV	5.3504G	47.19	54.00	-6.81	41.42	3	Horizontal	100	2.39	-	34.40	6.48	35.11

802.11a_Nss1,(6Mbps)_2TX

09/10/2020

5320MHz_TX




EUT Y_2TX
Setting 84
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9568G	59.40	74.00	-14.60	45.21	3	Vertical	240	2.14	-	37.50	11.98	35.29
AV	15.9604G	46.62	54.00	-7.38	32.43	3	Vertical	240	2.14	-	37.50	11.98	35.29

802.11a_Nss1,(6Mbps)_2TX

09/10/2020

5320MHz_TX




EUT Y_2TX
Setting 84
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.951G	60.34	74.00	-13.66	46.15	3	Horizontal	142	2.35	-	37.50	11.98	35.29
AV	15.9602G	47.23	54.00	-6.77	33.04	3	Horizontal	142	2.35	-	37.50	11.98	35.29

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5500MHz_TX




EUT Y_3TX
Setting 65
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	62.91	74.00	-11.09	56.75	3	Vertical	321	1.00	-	34.56	6.59	34.99
AV	5.4596G	48.71	54.00	-5.29	42.55	3	Vertical	321	1.00	-	34.56	6.59	34.99
PK	5.4694G	68.01	68.20	-0.19	61.87	3	Vertical	321	1.00	-	34.52	6.60	34.98
PK	5.5006G	114.39	Inf	-Inf	108.29	3	Vertical	321	1.00	-	34.40	6.65	34.95
AV	5.501G	104.62	Inf	-Inf	98.52	3	Vertical	321	1.00	-	34.40	6.65	34.95

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5500MHz_TX




EUT Y_3TX
Setting 65
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	60.00	74.00	-14.00	53.84	3	Horizontal	148	1.08	-	34.57	6.59	35.00
AV	5.4536G	47.60	54.00	-6.40	41.43	3	Horizontal	148	1.08	-	34.59	6.58	35.00
PK	5.4678G	60.59	68.20	-7.61	54.44	3	Horizontal	148	1.08	-	34.53	6.60	34.98
PK	5.5038G	108.80	Inf	-Inf	102.68	3	Horizontal	148	1.08	-	34.41	6.66	34.95
AV	5.504G	99.92	Inf	-Inf	93.80	3	Horizontal	148	1.08	-	34.41	6.66	34.95

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5500MHz_TX




EUT V_3TX
Setting 65
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0008G	55.91	74.00	-18.09	42.19	3	Vertical	354	1.33	-	38.40	9.80	34.48
AV	11.0322G	42.91	54.00	-11.09	29.16	3	Vertical	354	1.33	-	38.43	9.81	34.49
PK	16.4934G	61.08	68.20	-7.12	45.84	3	Vertical	274	2.02	-	37.90	12.17	34.83

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5500MHz_TX




EUT V_3TX
Setting 65
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9978G	56.81	74.00	-17.19	43.09	3	Horizontal	148	1.08	-	38.40	9.80	34.48
AV	10.9986G	43.99	54.00	-10.01	30.27	3	Horizontal	148	1.08	-	38.40	9.80	34.48
PK	16.4604G	61.50	68.20	-6.70	46.30	3	Horizontal	56	2.45	-	37.90	12.16	34.86

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5580MHz_TX




EUT Y_3TX
Setting 89
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4438G	60.48	74.00	-13.52	54.36	3	Vertical	204	1.00	-	34.56	6.57	35.01
AV	5.4534G	48.27	54.00	-5.73	42.10	3	Vertical	204	1.00	-	34.59	6.58	35.00
PK	5.4696G	60.65	68.20	-7.55	54.51	3	Vertical	204	1.00	-	34.52	6.60	34.98
PK	5.5746G	118.66	Inf	-Inf	112.45	3	Vertical	204	1.00	-	34.40	6.76	34.95
AV	5.5752G	109.03	Inf	-Inf	102.82	3	Vertical	204	1.00	-	34.40	6.76	34.95
PK	5.7276G	61.76	68.20	-6.44	55.64	3	Vertical	204	1.00	-	34.20	6.86	34.94

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5580MHz_TX




EUT Y_3TX
Setting 89
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4432G	60.11	74.00	-13.89	54.00	3	Horizontal	41	1.35	-	34.56	6.56	35.01
PK	5.4618G	60.56	68.20	-7.64	54.41	3	Horizontal	41	1.35	-	34.55	6.59	34.99
AV	5.4594G	47.72	54.00	-6.28	41.56	3	Horizontal	41	1.35	-	34.56	6.59	34.99
PK	5.5776G	115.23	Inf	-Inf	109.02	3	Horizontal	41	1.35	-	34.39	6.77	34.95
AV	5.5776G	105.98	Inf	-Inf	99.77	3	Horizontal	41	1.35	-	34.39	6.77	34.95
PK	5.7264G	61.30	68.20	-6.90	55.18	3	Horizontal	41	1.35	-	34.20	6.86	34.94

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5580MHz_TX




EUT V_3TX
Setting 89
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1393G	56.26	74.00	-17.74	42.42	3	Vertical	300	1.70	-	38.54	9.83	34.53
AV	11.1405G	42.63	54.00	-11.37	28.79	3	Vertical	300	1.70	-	38.54	9.83	34.53
PK	16.7355G	67.18	68.20	-1.02	50.73	3	Vertical	243	1.83	-	38.91	12.26	34.72

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5580MHz_TX




EUT V_3TX
Setting 89
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1607G	56.29	74.00	-17.71	42.43	3	Horizontal	17	2.25	-	38.56	9.83	34.53
AV	11.1603G	43.48	54.00	-10.52	29.62	3	Horizontal	17	2.25	-	38.56	9.83	34.53
PK	16.7451G	67.97	68.20	-0.23	51.48	3	Horizontal	327	2.55	-	38.94	12.26	34.71

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5620MHz_TX




EUT V_3TX
Setting 86
03-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.425G	61.04	74.00	-12.96	55.08	3	Vertical	135	1.00	-	34.45	6.54	35.03
PK	5.464G	61.80	68.20	-6.40	55.65	3	Vertical	135	1.00	-	34.54	6.60	34.99
AV	5.46G	48.24	54.00	-5.76	42.08	3	Vertical	135	1.00	-	34.56	6.59	34.99
PK	5.621G	119.55	Inf	-Inf	113.34	3	Vertical	135	1.00	-	34.34	6.81	34.94
AV	5.621G	92.10	Inf	-Inf	85.89	3	Vertical	135	1.00	-	34.34	6.81	34.94
PK	5.727G	62.97	68.20	-5.23	56.85	3	Vertical	135	1.00	-	34.20	6.86	34.94

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5620MHz_TX




EUT V_3TX
Setting 86
03-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	60.25	74.00	-13.75	54.11	3	Horizontal	30	1.75	-	34.58	6.57	35.01
AV	5.455G	47.63	54.00	-6.37	41.47	3	Horizontal	30	1.75	-	34.58	6.58	35.00
PK	5.468G	59.63	68.20	-8.57	53.48	3	Horizontal	30	1.75	-	34.53	6.60	34.98
PK	5.619G	113.41	Inf	-Inf	107.20	3	Horizontal	30	1.75	-	34.34	6.81	34.94
AV	5.619G	87.82	Inf	-Inf	81.61	3	Horizontal	30	1.75	-	34.34	6.81	34.94
PK	5.795G	61.46	68.20	-6.74	55.29	3	Horizontal	30	1.75	-	34.20	6.90	34.93

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5620MHz_TX




EUT V_3TX
Setting 86
03-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.24612G	56.60	74.00	-17.40	42.71	3	Vertical	98	2.46	-	38.60	9.85	34.56
AV	11.24036G	43.19	54.00	-10.81	29.30	3	Vertical	98	2.46	-	38.60	9.85	34.56
PK	16.85952G	64.31	68.20	-3.89	47.33	3	Vertical	242	1.86	-	39.34	12.30	34.66

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5620MHz_TX




EUT V_3TX
Setting 86
03-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.24918G	56.11	74.00	-17.89	42.22	3	Horizontal	221	1.89	-	38.60	9.85	34.56
AV	11.2322G	43.13	54.00	-10.87	29.24	3	Horizontal	221	1.89	-	38.60	9.85	34.56
PK	16.85802G	68.03	68.20	-0.17	51.06	3	Horizontal	327	1.85	-	39.33	12.30	34.66

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5700MHz_TX




EUT V_3TX
Setting 74
03-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7016G	117.13	Inf	-Inf	111.02	3	Vertical	315	1.02	-	34.20	6.85	34.94
AV	5.7014G	90.60	Inf	-Inf	84.49	3	Vertical	315	1.02	-	34.20	6.85	34.94
PK	5.7268G	68.08	68.20	-0.12	61.96	3	Vertical	315	1.02	-	34.20	6.86	34.94

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5700MHz_TX



EUT Y_3TX
Setting 74
03-C-B-4-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	112.06	Inf	-Inf	105.95	3	Horizontal	136	1.80	-	34.20	6.85	34.94
AV	5.7016G	86.58	Inf	-Inf	80.47	3	Horizontal	136	1.80	-	34.20	6.85	34.94
PK	5.7282G	65.66	68.20	-2.54	59.54	3	Horizontal	136	1.80	-	34.20	6.86	34.94



802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5700MHz_TX




EUT Y_3TX
Setting 74
03-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4082G	57.64	74.00	-16.36	43.56	3	Vertical	52	1.89	-	38.82	9.88	34.62
AV	11.40996G	43.72	54.00	-10.28	29.64	3	Vertical	52	1.89	-	38.82	9.88	34.62

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5700MHz_TX




EUT Y_3TX
Setting 74
03-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41482G	56.75	74.00	-17.25	42.66	3	Horizontal	327	2.47	-	38.83	9.88	34.62
AV	11.40984G	43.66	54.00	-10.34	29.58	3	Horizontal	327	2.47	-	38.82	9.88	34.62

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
Setting 80
03-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	59.75	74.00	-14.25	53.57	3	Vertical	323	1.00	-	34.60	6.58	35.00
AV	5.4572G	47.82	54.00	-6.18	41.66	3	Vertical	323	1.00	-	34.57	6.59	35.00
PK	5.4644G	59.88	68.20	-8.32	53.73	3	Vertical	323	1.00	-	34.54	6.60	34.99
PK	5.7176G	117.72	Inf	-Inf	111.60	3	Vertical	323	1.00	-	34.20	6.86	34.94
AV	5.7188G	91.12	Inf	-Inf	85.00	3	Vertical	323	1.00	-	34.20	6.86	34.94
PK	5.93G	62.10	68.20	-6.10	55.54	3	Vertical	323	1.00	-	34.52	6.96	34.92

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
Setting 80
03-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	60.31	74.00	-13.69	54.13	3	Horizontal	14	2.17	-	34.60	6.58	35.00
AV	5.456G	47.47	54.00	-6.53	41.31	3	Horizontal	14	2.17	-	34.58	6.58	35.00
PK	5.4692G	59.21	68.20	-8.99	53.07	3	Horizontal	14	2.17	-	34.52	6.60	34.98
PK	5.7212G	113.25	Inf	-Inf	107.13	3	Horizontal	14	2.17	-	34.20	6.86	34.94
AV	5.7212G	88.16	Inf	-Inf	82.04	3	Horizontal	14	2.17	-	34.20	6.86	34.94
PK	5.8892G	61.14	68.20	-7.06	54.73	3	Horizontal	14	2.17	-	34.40	6.94	34.93

802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5720MHz Straddle 5.47-5.725GHz_TX



EUT V_3TX
Setting 80
03-C-B-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4433G	57.32	74.00	-16.68	43.17	3	Vertical	241	1.07	-	38.89	9.89	34.63
AV	11.43914G	43.88	54.00	-10.12	29.74	3	Vertical	241	1.07	-	38.88	9.89	34.63
PK	17.14734G	64.19	68.20	-4.01	45.99	3	Vertical	351	1.80	-	40.39	12.40	34.59



802.11a_Nss1,(6Mbps)_3TX

09/10/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT V_3TX
Setting 80
03-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44346G	56.99	74.00	-17.01	42.84	3	Horizontal	312	1.62	-	38.89	9.89	34.63
AV	11.4496G	43.69	54.00	-10.31	29.53	3	Horizontal	312	1.62	-	38.90	9.89	34.63
PK	17.15772G	67.99	68.20	-0.21	49.73	3	Horizontal	14	2.35	-	40.43	12.41	34.58

802.11ac VHT20_Nss1,(MCS0)_2TX

09/10/2020

5260MHz_TX




EUT Y_2TX
Setting 108
03-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	66.36	74.00	-7.64	61.37	3	Vertical	172	1.62	-	33.90	6.43	35.34
AV	5.15G	48.30	54.00	-5.70	43.30	3	Vertical	172	1.62	-	33.90	6.43	35.33
PK	5.2648G	121.14	Inf	-Inf	115.85	3	Vertical	172	1.62	-	34.06	6.43	35.20
AV	5.2546G	101.02	Inf	-Inf	95.79	3	Vertical	172	1.62	-	34.02	6.43	35.22
PK	5.35G	66.53	74.00	-7.47	60.76	3	Vertical	172	1.62	-	34.40	6.48	35.11
AV	5.35G	50.11	54.00	-3.89	44.34	3	Vertical	172	1.62	-	34.40	6.48	35.11

802.11ac VHT20_Nss1,(MCS0)_2TX

09/10/2020

5260MHz_TX




EUT Y_2TX
Setting 108
03-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1304G	59.10	74.00	-14.90	54.12	3	Horizontal	0	2.29	-	33.90	6.43	35.35
AV	5.15G	45.48	54.00	-8.52	40.48	3	Horizontal	0	2.29	-	33.90	6.43	35.33
PK	5.2618G	108.82	Inf	-Inf	103.55	3	Horizontal	0	2.29	-	34.05	6.43	35.21
AV	5.2546G	90.96	Inf	-Inf	85.73	3	Horizontal	0	2.29	-	34.02	6.43	35.22
PK	5.353G	60.49	74.00	-13.51	54.73	3	Horizontal	0	2.29	-	34.39	6.48	35.11
AV	5.3542G	46.52	54.00	-7.48	40.76	3	Horizontal	0	2.29	-	34.39	6.48	35.11

802.11ac VHT20_Nss1,(MCS0)_2TX

09/10/2020

5260MHz_TX




EUT Y_2TX
Setting 108
03-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77622G	59.79	74.00	-14.21	45.68	3	Vertical	184	2.20	-	37.40	11.89	35.18
AV	15.77608G	45.61	54.00	-8.39	31.50	3	Vertical	184	2.20	-	37.40	11.89	35.18

802.11ac VHT20_Nss1,(MCS0)_2TX

09/10/2020

5260MHz_TX




EUT Y_2TX
Setting 108
03-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76992G	62.80	74.00	-11.20	48.67	3	Horizontal	126	1.79	-	37.42	11.88	35.17
AV	15.77988G	48.15	54.00	-5.85	34.06	3	Horizontal	126	1.79	-	37.38	11.89	35.18

802.11ac VHT20_Nss1,(MCS0)_2TX

09/10/2020

5300MHz_TX




EUT Y_2TX
Setting 94
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	118.79	Inf	-Inf	115.09	3	Vertical	169	1.90	-	33.09	5.30	34.69
AV	5.2972G	107.87	Inf	-Inf	104.17	3	Vertical	169	1.90	-	33.09	5.30	34.69
PK	5.3524G	72.01	74.00	-1.99	68.27	3	Vertical	169	1.90	-	33.10	5.35	34.71
AV	5.35G	53.61	54.00	-0.39	49.87	3	Vertical	169	1.90	-	33.10	5.35	34.71

802.11ac VHT20_Nss1,(MCS0)_2TX

09/10/2020

5300MHz_TX




EUT Y_2TX
Setting 94
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.296G	109.57	Inf	-Inf	105.88	3	Horizontal	74	2.62	-	33.08	5.30	34.69
AV	5.296G	98.02	Inf	-Inf	94.33	3	Horizontal	74	2.62	-	33.08	5.30	34.69
PK	5.35G	63.28	74.00	-10.72	59.54	3	Horizontal	74	2.62	-	33.10	5.35	34.71
AV	5.3516G	47.16	54.00	-6.84	43.42	3	Horizontal	74	2.62	-	33.10	5.35	34.71

802.11ac VHT20_Nss1,(MCS0)_2TX

09/10/2020

5300MHz_TX




EUT Y_2TX
Setting 94
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60173G	53.43	74.00	-20.57	42.60	3	Vertical	2	2.22	-	38.50	7.51	35.18
AV	10.60047G	39.95	54.00	-14.05	29.13	3	Vertical	2	2.22	-	38.50	7.51	35.19
PK	15.90067G	56.51	74.00	-17.49	43.92	3	Vertical	334	1.44	-	38.50	9.28	35.19
AV	15.89933G	43.01	54.00	-10.99	30.42	3	Vertical	334	1.44	-	38.50	9.28	35.19

802.11ac VHT20_Nss1,(MCS0)_2TX

09/10/2020

5300MHz_TX




EUT Y_2TX
Setting 94
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60263G	54.02	74.00	-19.98	43.19	3	Horizontal	190	2.60	-	38.50	7.51	35.18
AV	10.60084G	39.81	54.00	-14.19	28.99	3	Horizontal	190	2.60	-	38.50	7.51	35.19
PK	15.89136G	58.02	74.00	-15.98	45.43	3	Horizontal	295	2.41	-	38.49	9.28	35.18
AV	15.9141G	43.45	54.00	-10.55	30.88	3	Horizontal	295	2.41	-	38.49	9.28	35.20

802.11ac VHT20_Nss1,(MCS0)_2TX

09/10/2020

5320MHz_TX




EUT Y_2TX
Setting 83
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	116.17	Inf	-Inf	112.45	3	Vertical	177	2.05	-	33.10	5.32	34.70
AV	5.325G	105.73	Inf	-Inf	102.00	3	Vertical	177	2.05	-	33.10	5.33	34.70
PK	5.3522G	71.55	74.00	-2.45	67.81	3	Vertical	177	2.05	-	33.10	5.35	34.71
AV	5.35G	53.86	54.00	-0.14	50.12	3	Vertical	177	2.05	-	33.10	5.35	34.71

802.11ac VHT20_Nss1,(MCS0)_2TX

09/10/2020

5320MHz_TX




EUT Y_2TX
Setting 83
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	107.22	Inf	-Inf	103.49	3	Horizontal	74	2.57	-	33.10	5.32	34.69
AV	5.3212G	95.47	Inf	-Inf	91.75	3	Horizontal	74	2.57	-	33.10	5.32	34.70
PK	5.351G	63.45	74.00	-10.55	59.71	3	Horizontal	74	2.57	-	33.10	5.35	34.71
AV	5.3506G	47.34	54.00	-6.66	43.60	3	Horizontal	74	2.57	-	33.10	5.35	34.71

802.11ac VHT20_Nss1,(MCS0)_2TX

09/10/2020

5320MHz_TX




EUT Y_2TX
Setting 83
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63855G	53.49	74.00	-20.51	42.62	3	Vertical	209	1.97	-	38.50	7.52	35.15
AV	10.6376G	39.79	54.00	-14.21	28.92	3	Vertical	209	1.97	-	38.50	7.52	35.15
PK	15.95821G	56.35	74.00	-17.65	43.87	3	Vertical	51	1.31	-	38.44	9.29	35.25
AV	15.9594G	43.04	54.00	-10.96	30.56	3	Vertical	51	1.31	-	38.44	9.29	35.25

802.11ac VHT20_Nss1,(MCS0)_2TX

09/10/2020

5320MHz_TX




EUT Y_2TX
Setting 83
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63751G	53.93	74.00	-20.07	43.06	3	Horizontal	243	2.24	-	38.50	7.52	35.15
AV	10.63764G	39.90	54.00	-14.10	29.03	3	Horizontal	243	2.24	-	38.50	7.52	35.15
PK	15.9528G	57.58	74.00	-16.42	45.08	3	Horizontal	75	2.04	-	38.45	9.29	35.24
AV	15.9568G	43.60	54.00	-10.40	31.12	3	Horizontal	75	2.04	-	38.44	9.29	35.25

802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5500MHz_TX




EUT Y_3TX
Setting 69
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	61.07	74.00	-12.93	56.78	3	Vertical	314	1.03	-	33.63	5.40	34.74
AV	5.4594G	48.17	54.00	-5.83	43.88	3	Vertical	314	1.03	-	33.64	5.40	34.75
PK	5.4698G	68.19	68.20	-0.01	63.86	3	Vertical	314	1.03	-	33.68	5.40	34.75
PK	5.495G	116.90	Inf	-Inf	112.48	3	Vertical	314	1.03	-	33.78	5.40	34.76
AV	5.5042G	105.20	Inf	-Inf	100.75	3	Vertical	314	1.03	-	33.81	5.40	34.76

802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5500MHz_TX




EUT Y_3TX
Setting 69
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	59.84	74.00	-14.16	55.56	3	Horizontal	291	2.03	-	33.62	5.40	34.74
AV	5.4592G	45.77	54.00	-8.23	41.48	3	Horizontal	291	2.03	-	33.64	5.40	34.75
PK	5.4688G	62.17	68.20	-6.03	57.84	3	Horizontal	291	2.03	-	33.68	5.40	34.75
PK	5.4944G	109.97	Inf	-Inf	105.55	3	Horizontal	291	2.03	-	33.78	5.40	34.76
AV	5.4994G	99.85	Inf	-Inf	95.41	3	Horizontal	291	2.03	-	33.80	5.40	34.76

802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5500MHz_TX




EUT Y_3TX
Setting 69
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00234G	53.86	74.00	-20.14	42.66	3	Vertical	26	1.15	-	38.40	7.65	34.85
AV	10.99798G	38.85	54.00	-15.15	27.65	3	Vertical	26	1.15	-	38.40	7.65	34.85

802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5500MHz_TX




EUT V_3TX
Setting 69
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00136G	52.23	74.00	-21.77	41.03	3	Horizontal	359	2.38	-	38.40	7.65	34.85
AV	10.99824G	38.93	54.00	-15.07	27.73	3	Horizontal	359	2.38	-	38.40	7.65	34.85

802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5580MHz_TX




EUT V_3TX
Setting 84
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4344G	59.72	74.00	-14.28	55.58	3	Vertical	201	1.19	-	33.48	5.40	34.74
PK	5.4688G	59.32	68.20	-8.88	54.99	3	Vertical	201	1.19	-	33.68	5.40	34.75
AV	5.4576G	45.88	54.00	-8.12	41.59	3	Vertical	201	1.19	-	33.63	5.40	34.74
PK	5.5824G	118.49	Inf	-Inf	113.86	3	Vertical	201	1.19	-	33.96	5.40	34.73
AV	5.5776G	106.59	Inf	-Inf	101.96	3	Vertical	201	1.19	-	33.96	5.40	34.73
PK	5.7624G	60.67	68.20	-7.53	55.55	3	Vertical	201	1.19	-	34.30	5.48	34.66

802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5580MHz_TX




EUT Y_3TX
Setting 84
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4384G	58.57	74.00	-15.43	54.40	3	Horizontal	289	2.29	-	33.51	5.40	34.74
PK	5.4696G	58.01	68.20	-10.19	53.68	3	Horizontal	289	2.29	-	33.68	5.40	34.75
AV	5.46G	45.39	54.00	-8.61	41.10	3	Horizontal	289	2.29	-	33.64	5.40	34.75
PK	5.5752G	114.85	Inf	-Inf	110.23	3	Horizontal	289	2.29	-	33.95	5.40	34.73
AV	5.5744G	104.23	Inf	-Inf	99.61	3	Horizontal	289	2.29	-	33.95	5.40	34.73
PK	5.728G	59.61	68.20	-8.59	54.65	3	Horizontal	289	2.29	-	34.17	5.46	34.67

802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5580MHz_TX



EUT V_3TX
Setting 84
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16G	52.65	74.00	-21.35	41.48	3	Vertical	14	2.86	-	38.30	7.71	34.84
AV	11.15911G	39.20	54.00	-14.80	28.03	3	Vertical	14	2.86	-	38.30	7.71	34.84
PK	16.7442G	63.57	68.20	-4.63	47.60	3	Vertical	238	1.80	-	40.63	9.56	34.22



802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5580MHz_TX




EUT V_3TX
Setting 84
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16241G	52.92	74.00	-21.08	41.75	3	Horizontal	210	2.42	-	38.30	7.71	34.84
AV	11.15915G	39.42	54.00	-14.58	28.25	3	Horizontal	210	2.42	-	38.30	7.71	34.84
PK	16.742G	68.05	68.20	-0.15	52.09	3	Horizontal	324	1.95	-	40.63	9.56	34.23

802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5620MHz_TX




EUT V_3TX
Setting 90
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	59.26	74.00	-14.74	54.99	3	Vertical	213	1.00	-	33.61	5.40	34.74
AV	5.456G	46.12	54.00	-7.88	41.84	3	Vertical	213	1.00	-	33.62	5.40	34.74
PK	5.467G	59.65	68.20	-8.55	55.33	3	Vertical	213	1.00	-	33.67	5.40	34.75
PK	5.618G	118.16	Inf	-Inf	113.40	3	Vertical	213	1.00	-	34.07	5.41	34.72
AV	5.618G	105.97	Inf	-Inf	101.21	3	Vertical	213	1.00	-	34.07	5.41	34.72
PK	5.827G	61.20	68.20	-7.00	55.82	3	Vertical	213	1.00	-	34.52	5.50	34.64

802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5620MHz_TX




EUT Y_3TX
Setting 90
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.438G	58.97	74.00	-15.03	54.81	3	Horizontal	287	2.28	-	33.50	5.40	34.74
PK	5.462G	58.52	68.20	-9.68	54.22	3	Horizontal	287	2.28	-	33.65	5.40	34.75
AV	5.451G	45.50	54.00	-8.50	41.24	3	Horizontal	287	2.28	-	33.60	5.40	34.74
PK	5.615G	115.28	Inf	-Inf	110.53	3	Horizontal	287	2.28	-	34.06	5.41	34.72
AV	5.615G	104.81	Inf	-Inf	100.06	3	Horizontal	287	2.28	-	34.06	5.41	34.72
PK	5.725G	60.86	68.20	-7.34	55.92	3	Horizontal	287	2.28	-	34.15	5.46	34.67

802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5620MHz_TX



EUT V_3TX
Setting 90
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23871G	52.67	74.00	-21.33	41.44	3	Vertical	282	1.23	-	38.34	7.73	34.84
AV	11.2395G	38.79	54.00	-15.21	27.56	3	Vertical	282	1.23	-	38.34	7.73	34.84
PK	16.8704G	63.46	68.20	-4.74	46.95	3	Vertical	356	1.00	-	40.87	9.60	33.96



802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5620MHz_TX



EUT V_3TX
Setting 90
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.24097G	52.91	74.00	-21.09	41.68	3	Horizontal	55	2.10	-	38.34	7.73	34.84
AV	11.24037G	39.09	54.00	-14.91	27.86	3	Horizontal	55	2.10	-	38.34	7.73	34.84
PK	16.8621G	68.18	68.20	-0.02	51.70	3	Horizontal	324	1.91	-	40.86	9.60	33.98



802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5700MHz_TX




EUT V_3TX
Setting 72
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7026G	113.73	Inf	-Inf	108.94	3	Vertical	201	1.15	-	34.02	5.45	34.68
AV	5.7022G	101.48	Inf	-Inf	96.70	3	Vertical	201	1.15	-	34.01	5.45	34.68
PK	5.727G	65.63	68.20	-2.57	60.68	3	Vertical	201	1.15	-	34.16	5.46	34.67

802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5700MHz_TX




EUT Y_3TX
Setting 72
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6974G	110.30	Inf	-Inf	105.52	3	Horizontal	30	1.44	-	34.01	5.45	34.68
AV	5.7024G	99.78	Inf	-Inf	95.00	3	Horizontal	30	1.44	-	34.01	5.45	34.68
PK	5.7282G	67.83	68.20	-0.37	62.87	3	Horizontal	30	1.44	-	34.17	5.46	34.67

802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5700MHz_TX




EUT V_3TX
Setting 72
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39938G	52.89	74.00	-21.11	41.43	3	Vertical	129	2.91	-	38.50	7.79	34.83
AV	11.39938G	38.96	54.00	-15.04	27.50	3	Vertical	129	2.91	-	38.50	7.79	34.83

802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5700MHz_TX




EUT V_3TX
Setting 72
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39827G	52.75	74.00	-21.25	41.29	3	Horizontal	109	1.70	-	38.50	7.79	34.83
AV	11.40119G	38.95	54.00	-15.05	27.49	3	Horizontal	109	1.70	-	38.50	7.79	34.83

802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
Setting 80
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	58.20	74.00	-15.80	53.93	3	Vertical	211	1.04	-	33.61	5.40	34.74
AV	5.4476G	45.22	54.00	-8.78	40.98	3	Vertical	211	1.04	-	33.58	5.40	34.74
PK	5.47G	58.41	68.20	-9.79	54.08	3	Vertical	211	1.04	-	33.68	5.40	34.75
PK	5.7224G	115.37	Inf	-Inf	110.46	3	Vertical	211	1.04	-	34.13	5.46	34.68
AV	5.7176G	103.63	Inf	-Inf	98.74	3	Vertical	211	1.04	-	34.11	5.46	34.68
PK	5.9264G	60.87	68.20	-7.33	54.96	3	Vertical	211	1.04	-	35.01	5.50	34.60

802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
Setting 80
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4308G	58.12	74.00	-15.88	54.01	3	Horizontal	265	1.62	-	33.45	5.40	34.74
PK	5.4656G	57.91	68.20	-10.29	53.60	3	Horizontal	265	1.62	-	33.66	5.40	34.75
AV	5.4548G	44.90	54.00	-9.10	40.62	3	Horizontal	265	1.62	-	33.62	5.40	34.74
PK	5.7224G	112.32	Inf	-Inf	107.41	3	Horizontal	265	1.62	-	34.13	5.46	34.68
AV	5.7272G	102.01	Inf	-Inf	97.06	3	Horizontal	265	1.62	-	34.16	5.46	34.67
PK	5.85G	60.64	68.20	-7.56	55.07	3	Horizontal	265	1.62	-	34.70	5.50	34.63

802.11ac VHT20_Nss1,(MCS0)_3TX
5720MHz Straddle 5.47-5.725GHz_TX

09/10/2020




EUT V_3TX
Setting 80
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43967G	53.08	74.00	-20.92	41.65	3	Vertical	159	2.68	-	38.46	7.80	34.83
AV	11.44056G	38.94	54.00	-15.06	27.51	3	Vertical	159	2.68	-	38.46	7.80	34.83
PK	17.16127G	63.81	68.20	-4.39	46.33	3	Vertical	113	2.38	-	41.58	9.71	33.81

802.11ac VHT20_Nss1,(MCS0)_3TX

09/10/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT V_3TX
Setting 80
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44204G	53.83	74.00	-20.17	42.40	3	Horizontal	24	1.96	-	38.46	7.80	34.83
AV	11.44057G	40.14	54.00	-13.86	28.71	3	Horizontal	24	1.96	-	38.46	7.80	34.83
PK	17.1462G	67.80	68.20	-0.40	50.36	3	Horizontal	22	1.91	-	41.54	9.70	33.80

802.11ac VHT40_Nss1,(MCS0)_2TX

09/10/2020

5270MHz_TX




EUT_Y_2TX
Setting 90
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	60.89	74.00	-13.11	57.64	3	Vertical	183	2.00	-	32.71	5.17	34.63
AV	5.15G	49.07	54.00	-4.93	45.83	3	Vertical	183	2.00	-	32.70	5.17	34.63
PK	5.273G	115.65	Inf	-Inf	112.07	3	Vertical	183	2.00	-	32.99	5.27	34.68
AV	5.2658G	106.29	Inf	-Inf	102.74	3	Vertical	183	2.00	-	32.96	5.27	34.68
PK	5.351G	68.08	74.00	-5.92	64.34	3	Vertical	183	2.00	-	33.10	5.35	34.71
AV	5.351G	53.24	54.00	-0.76	49.50	3	Vertical	183	2.00	-	33.10	5.35	34.71

802.11ac VHT40_Nss1,(MCS0)_2TX

09/10/2020

5270MHz_TX




EUT Y_2TX
Setting 90
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1338G	57.34	74.00	-16.66	54.07	3	Horizontal	88	2.60	-	32.73	5.17	34.63
AV	5.147G	45.49	54.00	-8.51	42.24	3	Horizontal	88	2.60	-	32.71	5.17	34.63
PK	5.2556G	105.46	Inf	-Inf	101.95	3	Horizontal	88	2.60	-	32.92	5.26	34.67
AV	5.2658G	95.73	Inf	-Inf	92.18	3	Horizontal	88	2.60	-	32.96	5.27	34.68
PK	5.3522G	59.40	74.00	-14.60	55.66	3	Horizontal	88	2.60	-	33.10	5.35	34.71
AV	5.35G	47.33	54.00	-6.67	43.59	3	Horizontal	88	2.60	-	33.10	5.35	34.71

802.11ac VHT40_Nss1,(MCS0)_2TX

09/10/2020

5270MHz_TX




EUT Y_2TX
Setting 90
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54354G	52.78	68.20	-15.42	42.02	3	Vertical	194	2.33	-	38.50	7.49	35.23
PK	15.81522G	56.91	74.00	-17.09	44.33	3	Vertical	285	2.99	-	38.42	9.26	35.10
AV	15.82398G	44.40	54.00	-9.60	31.83	3	Vertical	285	2.99	-	38.42	9.26	35.11

802.11ac VHT40_Nss1,(MCS0)_2TX

09/10/2020

5270MHz_TX




EUT Y_2TX
Setting 90
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53988G	53.99	68.20	-14.21	43.24	3	Horizontal	232	1.10	-	38.50	7.49	35.24
PK	15.80766G	57.93	74.00	-16.07	45.35	3	Horizontal	132	2.30	-	38.41	9.26	35.09
AV	15.81984G	45.54	54.00	-8.46	32.97	3	Horizontal	132	2.30	-	38.42	9.26	35.11

802.11ac VHT40_Nss1,(MCS0)_2TX

09/10/2020

5310MHz_TX




EUT Y_2TX
Setting 67
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	109.52	Inf	-Inf	105.83	3	Vertical	180	2.13	-	33.08	5.30	34.69
AV	5.3004G	100.08	Inf	-Inf	96.37	3	Vertical	180	2.13	-	33.10	5.30	34.69
PK	5.35G	68.29	74.00	-5.71	64.55	3	Vertical	180	2.13	-	33.10	5.35	34.71
AV	5.35G	53.42	54.00	-0.58	49.68	3	Vertical	180	2.13	-	33.10	5.35	34.71

802.11ac VHT40_Nss1,(MCS0)_2TX

09/10/2020

5310MHz_TX




EUT Y_2TX
Setting 67
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	99.99	Inf	-Inf	96.29	3	Horizontal	84	2.54	-	33.09	5.30	34.69
AV	5.3056G	90.19	Inf	-Inf	86.47	3	Horizontal	84	2.54	-	33.10	5.31	34.69
PK	5.3508G	61.66	74.00	-12.34	57.92	3	Horizontal	84	2.54	-	33.10	5.35	34.71
AV	5.3508G	46.86	54.00	-7.14	43.12	3	Horizontal	84	2.54	-	33.10	5.35	34.71

802.11ac VHT40_Nss1,(MCS0)_2TX

09/10/2020

5310MHz_TX



EUT Y_2TX
Setting 67
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61785G	54.04	74.00	-19.96	43.19	3	Vertical	36	1.85	-	38.50	7.52	35.17
AV	10.62128G	41.73	54.00	-12.27	30.88	3	Vertical	36	1.85	-	38.50	7.52	35.17
PK	15.93229G	56.93	74.00	-17.07	44.39	3	Vertical	306	1.28	-	38.47	9.29	35.22
AV	15.93216G	44.56	54.00	-9.44	32.02	3	Vertical	306	1.28	-	38.47	9.29	35.22



802.11ac VHT40_Nss1,(MCS0)_2TX

09/10/2020

5310MHz_TX




EUT Y_2TX
Setting 67
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61786G	53.86	74.00	-20.14	43.01	3	Horizontal	309	2.07	-	38.50	7.52	35.17
AV	10.62127G	41.59	54.00	-12.41	30.74	3	Horizontal	309	2.07	-	38.50	7.52	35.17
PK	15.92926G	57.33	74.00	-16.67	44.79	3	Horizontal	313	1.13	-	38.47	9.29	35.22
AV	15.9322G	44.60	54.00	-9.40	32.06	3	Horizontal	313	1.13	-	38.47	9.29	35.22

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5510MHz_TX




EUT Y_3TX
Setting 63
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.63	74.00	-10.37	59.34	3	Vertical	317	1.00	-	33.64	5.40	34.75
AV	5.4596G	48.45	54.00	-5.55	44.16	3	Vertical	317	1.00	-	33.64	5.40	34.75
PK	5.4696G	67.43	68.20	-0.77	63.10	3	Vertical	317	1.00	-	33.68	5.40	34.75
PK	5.5192G	111.93	Inf	-Inf	107.44	3	Vertical	317	1.00	-	33.84	5.40	34.75
AV	5.5144G	100.95	Inf	-Inf	96.47	3	Vertical	317	1.00	-	33.83	5.40	34.75

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5510MHz_TX




EUT Y_3TX
Setting 63
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4304G	59.08	74.00	-14.92	54.97	3	Horizontal	286	2.04	-	33.44	5.40	34.73
PK	5.4692G	61.64	68.20	-6.56	57.31	3	Horizontal	286	2.04	-	33.68	5.40	34.75
AV	5.46G	46.76	54.00	-7.24	42.47	3	Horizontal	286	2.04	-	33.64	5.40	34.75
PK	5.5196G	104.87	Inf	-Inf	100.38	3	Horizontal	286	2.04	-	33.84	5.40	34.75
AV	5.5144G	95.87	Inf	-Inf	91.39	3	Horizontal	286	2.04	-	33.83	5.40	34.75

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5510MHz_TX




EUT V_3TX
Setting 63
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0281G	53.00	74.00	-21.00	41.82	3	Vertical	228	2.64	-	38.37	7.66	34.85
AV	11.0094G	40.45	54.00	-13.55	29.26	3	Vertical	228	2.64	-	38.39	7.65	34.85
PK	16.5154G	62.23	68.20	-5.97	47.37	3	Vertical	305	2.01	-	40.08	9.48	34.70

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5510MHz_TX




EUT V_3TX
Setting 63
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0265G	52.37	74.00	-21.63	41.19	3	Horizontal	310	1.59	-	38.37	7.66	34.85
AV	11.002G	40.61	54.00	-13.39	29.41	3	Horizontal	310	1.59	-	38.40	7.65	34.85
PK	16.5521G	61.87	68.20	-6.33	46.95	3	Horizontal	15	1.80	-	40.05	9.49	34.62

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5550MHz_TX




EUT Y_3TX
Setting 89
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4534G	66.15	74.00	-7.85	61.88	3	Vertical	203	1.11	-	33.61	5.40	34.74
AV	5.4582G	50.86	54.00	-3.14	46.57	3	Vertical	203	1.11	-	33.63	5.40	34.74
PK	5.4684G	67.78	68.20	-0.42	63.46	3	Vertical	203	1.11	-	33.67	5.40	34.75
PK	5.538G	115.28	Inf	-Inf	110.75	3	Vertical	203	1.11	-	33.88	5.40	34.75
AV	5.5476G	105.34	Inf	-Inf	100.78	3	Vertical	203	1.11	-	33.90	5.40	34.74

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5550MHz_TX




EUT Y_3TX
Setting 89
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	61.29	74.00	-12.71	57.01	3	Horizontal	289	1.99	-	33.62	5.40	34.74
AV	5.4588G	48.30	54.00	-5.70	44.01	3	Horizontal	289	1.99	-	33.64	5.40	34.75
PK	5.4696G	63.14	68.20	-5.06	58.81	3	Horizontal	289	1.99	-	33.68	5.40	34.75
PK	5.5644G	111.87	Inf	-Inf	107.28	3	Horizontal	289	1.99	-	33.93	5.40	34.74
AV	5.5644G	102.47	Inf	-Inf	97.88	3	Horizontal	289	1.99	-	33.93	5.40	34.74

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5550MHz_TX




EUT V_3TX
Setting 89
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0987G	52.84	74.00	-21.16	41.71	3	Vertical	186	1.24	-	38.30	7.68	34.85
AV	11.09927G	40.42	54.00	-13.58	29.29	3	Vertical	186	1.24	-	38.30	7.68	34.85
PK	16.63816G	63.04	68.20	-5.16	47.77	3	Vertical	239	1.79	-	40.19	9.52	34.44

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5550MHz_TX




EUT V_3TX
Setting 89
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09891G	52.65	74.00	-21.35	41.52	3	Horizontal	289	2.14	-	38.30	7.68	34.85
AV	11.09994G	40.55	54.00	-13.45	29.42	3	Horizontal	289	2.14	-	38.30	7.68	34.85
PK	16.64762G	65.12	68.20	-3.08	49.77	3	Horizontal	325	1.92	-	40.24	9.53	34.42

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5630MHz_TX




EUT Y_3TX
Setting 93
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.423G	58.99	74.00	-15.01	54.94	3	Vertical	201	1.13	-	33.38	5.40	34.73
PK	5.462G	59.04	68.20	-9.16	54.74	3	Vertical	201	1.13	-	33.65	5.40	34.75
AV	5.457G	47.77	54.00	-6.23	43.48	3	Vertical	201	1.13	-	33.63	5.40	34.74
PK	5.638G	115.89	Inf	-Inf	111.03	3	Vertical	201	1.13	-	34.15	5.42	34.71
AV	5.637G	105.52	Inf	-Inf	100.66	3	Vertical	201	1.13	-	34.15	5.42	34.71
PK	5.725G	68.06	68.20	-0.14	63.12	3	Vertical	201	1.13	-	34.15	5.46	34.67

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5630MHz_TX




EUT Y_3TX
Setting 93
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	59.04	74.00	-14.96	54.80	3	Horizontal	287	2.29	-	33.58	5.40	34.74
AV	5.447G	47.09	54.00	-6.91	42.85	3	Horizontal	287	2.29	-	33.58	5.40	34.74
PK	5.464G	58.71	68.20	-9.49	54.40	3	Horizontal	287	2.29	-	33.66	5.40	34.75
PK	5.62G	112.47	Inf	-Inf	107.69	3	Horizontal	287	2.29	-	34.08	5.41	34.71
AV	5.62G	103.39	Inf	-Inf	98.61	3	Horizontal	287	2.29	-	34.08	5.41	34.71
PK	5.729G	65.51	68.20	-2.69	60.55	3	Horizontal	287	2.29	-	34.17	5.46	34.67

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5630MHz_TX




EUT V_3TX
Setting 93
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.26135G	52.51	74.00	-21.49	41.25	3	Vertical	114	1.00	-	38.36	7.74	34.84
AV	11.2587G	40.73	54.00	-13.27	29.47	3	Vertical	114	1.00	-	38.36	7.74	34.84
PK	16.90584G	63.46	68.20	-4.74	46.81	3	Vertical	312	2.01	-	40.92	9.62	33.89

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5630MHz_TX




EUT V_3TX
Setting 93
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.26219G	53.02	74.00	-20.98	41.76	3	Horizontal	174	2.47	-	38.36	7.74	34.84
AV	11.26009G	40.27	54.00	-13.73	29.01	3	Horizontal	174	2.47	-	38.36	7.74	34.84
PK	16.90216G	66.67	68.20	-1.53	50.03	3	Horizontal	323	1.85	-	40.91	9.62	33.89

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5670MHz_TX




EUT Y_3TX
Setting 77
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.658G	111.27	Inf	-Inf	106.37	3	Vertical	199	1.21	-	34.17	5.43	34.70
AV	5.6824G	100.97	Inf	-Inf	96.15	3	Vertical	199	1.21	-	34.07	5.44	34.69
PK	5.7268G	67.58	68.20	-0.62	62.63	3	Vertical	199	1.21	-	34.16	5.46	34.67

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5670MHz_TX




EUT V_3TX
Setting 77
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6648G	107.87	Inf	-Inf	103.00	3	Horizontal	291	2.23	-	34.14	5.43	34.70
AV	5.66G	96.81	Inf	-Inf	91.92	3	Horizontal	291	2.23	-	34.16	5.43	34.70
PK	5.728G	64.20	68.20	-4.00	59.24	3	Horizontal	291	2.23	-	34.17	5.46	34.67

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5670MHz_TX




EUT V_3TX
Setting 77
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3521G	52.57	74.00	-21.43	41.19	3	Vertical	45	1.28	-	38.45	7.77	34.84
AV	11.3517G	39.51	54.00	-14.49	28.13	3	Vertical	45	1.28	-	38.45	7.77	34.84
PK	17.0081G	63.02	68.20	-5.18	45.85	3	Vertical	153	2.79	-	41.22	9.65	33.70

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5670MHz_TX




EUT V_3TX
Setting 77
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34147G	52.53	74.00	-21.47	41.16	3	Horizontal	122	1.74	-	38.44	7.77	34.84
AV	11.3401G	38.70	54.00	-15.30	27.33	3	Horizontal	122	1.74	-	38.44	7.77	34.84
PK	17.03G	62.56	68.20	-5.64	45.35	3	Horizontal	22	2.59	-	41.26	9.66	33.71

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT V_3TX
Setting 87
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	58.83	74.00	-15.17	54.54	3	Vertical	200	1.13	-	33.64	5.40	34.75
AV	5.458G	46.74	54.00	-7.26	42.45	3	Vertical	200	1.13	-	33.63	5.40	34.74
PK	5.4676G	58.22	68.20	-9.98	53.90	3	Vertical	200	1.13	-	33.67	5.40	34.75
PK	5.7124G	113.10	Inf	-Inf	108.25	3	Vertical	200	1.13	-	34.07	5.46	34.68
AV	5.7172G	103.87	Inf	-Inf	98.99	3	Vertical	200	1.13	-	34.10	5.46	34.68
PK	5.8624G	61.06	68.20	-7.14	55.46	3	Vertical	200	1.13	-	34.72	5.50	34.62

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
Setting 87
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	57.99	74.00	-16.01	53.70	3	Horizontal	205	1.51	-	33.63	5.40	34.74
AV	5.4376G	46.14	54.00	-7.86	41.98	3	Horizontal	205	1.51	-	33.50	5.40	34.74
PK	5.4616G	57.40	68.20	-10.80	53.10	3	Horizontal	205	1.51	-	33.65	5.40	34.75
PK	5.7244G	110.50	Inf	-Inf	105.56	3	Horizontal	205	1.51	-	34.15	5.46	34.67
AV	5.7136G	101.56	Inf	-Inf	96.70	3	Horizontal	205	1.51	-	34.08	5.46	34.68
PK	5.8828G	61.40	68.20	-6.80	55.74	3	Horizontal	205	1.51	-	34.77	5.50	34.61

802.11ac VHT40_Nss1,(MCS0)_3TX

09/10/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT V_3TX
Setting 87
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41962G	53.25	74.00	-20.75	41.80	3	Vertical	276	2.98	-	38.48	7.80	34.83
AV	11.42053G	41.16	54.00	-12.84	29.71	3	Vertical	276	2.98	-	38.48	7.80	34.83
PK	17.1465G	64.95	68.20	-3.25	47.51	3	Vertical	0	1.89	-	41.54	9.70	33.80

802.11ac VHT40_Nss1,(MCS0)_3TX
5710MHz Straddle 5.47-5.725GHz_TX

09/10/2020




EUT V_3TX
Setting 87
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42143G	52.97	74.00	-21.03	41.52	3	Horizontal	158	1.25	-	38.48	7.80	34.83
AV	11.41793G	41.21	54.00	-12.79	29.76	3	Horizontal	158	1.25	-	38.48	7.80	34.83
PK	17.136G	68.04	68.20	-0.16	50.62	3	Horizontal	22	1.94	-	41.51	9.70	33.79

802.11ac VHT80_Nss1,(MCS0)_2TX

09/10/2020

5290MHz_TX




EUT Y_2TX
Setting 67
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.132G	60.06	74.00	-13.94	56.78	3	Vertical	178	2.01	-	32.74	5.17	34.63
AV	5.145G	47.74	54.00	-6.26	44.49	3	Vertical	178	2.01	-	32.71	5.17	34.63
PK	5.275G	107.02	Inf	-Inf	103.42	3	Vertical	178	2.01	-	33.00	5.28	34.68
AV	5.275G	97.24	Inf	-Inf	93.64	3	Vertical	178	2.01	-	33.00	5.28	34.68
PK	5.352G	68.98	74.00	-5.02	65.24	3	Vertical	178	2.01	-	33.10	5.35	34.71
AV	5.35G	53.89	54.00	-0.11	50.15	3	Vertical	178	2.01	-	33.10	5.35	34.71
PK	5.535G	57.66	68.20	-10.54	53.14	3	Vertical	178	2.01	-	33.87	5.40	34.75

802.11ac VHT80_Nss1,(MCS0)_2TX

09/10/2020

5290MHz_TX




EUT Y_2TX
Setting 67
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	57.10	74.00	-16.90	53.85	3	Horizontal	88	2.62	-	32.71	5.17	34.63
AV	5.11G	45.10	54.00	-8.90	41.78	3	Horizontal	88	2.62	-	32.78	5.16	34.62
PK	5.281G	97.38	Inf	-Inf	93.76	3	Horizontal	88	2.62	-	33.02	5.28	34.68
AV	5.281G	87.20	Inf	-Inf	83.58	3	Horizontal	88	2.62	-	33.02	5.28	34.68
PK	5.353G	61.91	74.00	-12.09	58.16	3	Horizontal	88	2.62	-	33.11	5.35	34.71
AV	5.351G	47.07	54.00	-6.93	43.33	3	Horizontal	88	2.62	-	33.10	5.35	34.71
PK	5.488G	57.99	68.20	-10.21	53.60	3	Horizontal	88	2.62	-	33.75	5.40	34.76

802.11ac VHT80_Nss1,(MCS0)_2TX

09/10/2020

5290MHz_TX




EUT Y_2TX
Setting 67
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87298G	57.44	74.00	-16.56	44.86	3	Vertical	256	1.80	-	38.47	9.27	35.16
AV	15.866G	44.77	54.00	-9.23	32.18	3	Vertical	256	1.80	-	38.47	9.27	35.15

802.11ac VHT80_Nss1,(MCS0)_2TX

09/10/2020

5290MHz_TX




EUT Y_2TX
Setting 67
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86892G	57.13	74.00	-16.87	44.55	3	Horizontal	117	2.64	-	38.47	9.27	35.16
AV	15.8601G	45.10	54.00	-8.90	32.52	3	Horizontal	117	2.64	-	38.46	9.27	35.15

802.11ac VHT80_Nss1,(MCS0)_3TX

09/10/2020

5530MHz_TX




EUT Y_3TX
Setting 70
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.326G	57.97	68.20	-10.23	54.24	3	Vertical	197	1.11	-	33.10	5.33	34.70
PK	5.457G	66.35	74.00	-7.65	62.06	3	Vertical	197	1.11	-	33.63	5.40	34.74
AV	5.458G	51.12	54.00	-2.88	46.83	3	Vertical	197	1.11	-	33.63	5.40	34.74
PK	5.463G	67.99	68.20	-0.21	63.69	3	Vertical	197	1.11	-	33.65	5.40	34.75
PK	5.533G	107.24	Inf	-Inf	102.72	3	Vertical	197	1.11	-	33.87	5.40	34.75
AV	5.523G	97.42	Inf	-Inf	92.92	3	Vertical	197	1.11	-	33.85	5.40	34.75
PK	5.734G	60.37	68.20	-7.83	55.37	3	Vertical	197	1.11	-	34.20	5.47	34.67

802.11ac VHT80_Nss1,(MCS0)_3TX

09/10/2020

5530MHz_TX




EUT Y_3TX
Setting 70
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.34G	57.13	68.20	-11.07	53.39	3	Horizontal	282	2.24	-	33.10	5.34	34.70
PK	5.457G	65.08	74.00	-8.92	60.79	3	Horizontal	282	2.24	-	33.63	5.40	34.74
AV	5.459G	50.23	54.00	-3.77	45.94	3	Horizontal	282	2.24	-	33.64	5.40	34.75
PK	5.47G	65.92	68.20	-2.28	61.59	3	Horizontal	282	2.24	-	33.68	5.40	34.75
PK	5.545G	104.30	Inf	-Inf	99.75	3	Horizontal	282	2.24	-	33.89	5.40	34.74
AV	5.545G	95.13	Inf	-Inf	90.58	3	Horizontal	282	2.24	-	33.89	5.40	34.74
PK	5.777G	59.06	68.20	-9.14	53.92	3	Horizontal	282	2.24	-	34.30	5.49	34.65

802.11ac VHT80_Nss1,(MCS0)_3TX

09/10/2020

5530MHz_TX




EUT Y_3TX
Setting 70
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06258G	53.67	74.00	-20.33	42.51	3	Vertical	359	2.97	-	38.34	7.67	34.85
AV	11.07068G	41.17	54.00	-12.83	30.02	3	Vertical	359	2.97	-	38.33	7.67	34.85
PK	16.59996G	62.24	68.20	-5.96	47.25	3	Vertical	357	1.00	-	40.00	9.51	34.52

802.11ac VHT80_Nss1,(MCS0)_3TX

09/10/2020

5530MHz_TX




EUT Y_3TX
Setting 70
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05862G	53.71	74.00	-20.29	42.55	3	Horizontal	22	1.75	-	38.34	7.67	34.85
AV	11.06372G	40.82	54.00	-13.18	29.66	3	Horizontal	22	1.75	-	38.34	7.67	34.85
PK	16.58646G	61.84	68.20	-6.36	46.87	3	Horizontal	286	2.71	-	40.01	9.51	34.55

802.11ac VHT80_Nss1,(MCS0)_3TX

09/10/2020

5610MHz_TX




EUT Y_3TX
Setting 86
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	62.22	74.00	-11.78	57.94	3	Vertical	201	1.15	-	33.62	5.40	34.74
AV	5.457G	49.46	54.00	-4.54	45.17	3	Vertical	201	1.15	-	33.63	5.40	34.74
PK	5.465G	64.51	68.20	-3.69	60.20	3	Vertical	201	1.15	-	33.66	5.40	34.75
PK	5.603G	110.60	Inf	-Inf	105.91	3	Vertical	201	1.15	-	34.01	5.40	34.72
AV	5.603G	100.69	Inf	-Inf	96.00	3	Vertical	201	1.15	-	34.01	5.40	34.72
PK	5.725G	67.80	68.20	-0.40	62.86	3	Vertical	201	1.15	-	34.15	5.46	34.67

802.11ac VHT80_Nss1,(MCS0)_3TX

09/10/2020

5610MHz_TX




EUT Y_3TX
Setting 86
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	59.87	74.00	-14.13	55.61	3	Horizontal	289	2.29	-	33.60	5.40	34.74
AV	5.455G	48.60	54.00	-5.40	44.32	3	Horizontal	289	2.29	-	33.62	5.40	34.74
PK	5.47G	61.51	68.20	-6.69	57.18	3	Horizontal	289	2.29	-	33.68	5.40	34.75
PK	5.62G	108.11	Inf	-Inf	103.33	3	Horizontal	289	2.29	-	34.08	5.41	34.71
AV	5.62G	99.08	Inf	-Inf	94.30	3	Horizontal	289	2.29	-	34.08	5.41	34.71
PK	5.725G	64.91	68.20	-3.29	59.97	3	Horizontal	289	2.29	-	34.15	5.46	34.67

802.11ac VHT80_Nss1,(MCS0)_3TX

09/10/2020

5610MHz_TX




EUT V_3TX
Setting 86
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21888G	53.76	74.00	-20.24	42.55	3	Vertical	85	2.75	-	38.32	7.73	34.84
AV	11.22344G	40.94	54.00	-13.06	29.73	3	Vertical	85	2.75	-	38.32	7.73	34.84
PK	16.82672G	63.02	68.20	-5.18	46.65	3	Vertical	77	1.37	-	40.83	9.59	34.05

802.11ac VHT80_Nss1,(MCS0)_3TX

09/10/2020

5610MHz_TX




EUT V_3TX
Setting 86
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22446G	53.04	74.00	-20.96	41.83	3	Horizontal	1	1.50	-	38.32	7.73	34.84
AV	11.2197G	40.65	54.00	-13.35	29.44	3	Horizontal	1	1.50	-	38.32	7.73	34.84
PK	16.82716G	64.30	68.20	-3.90	47.93	3	Horizontal	324	1.89	-	40.83	9.59	34.05

802.11ac VHT80_Nss1,(MCS0)_3TX

09/10/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT V_3TX
Setting 91
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4392G	59.73	74.00	-14.27	55.56	3	Vertical	200	1.15	-	33.51	5.40	34.74
PK	5.468G	59.15	68.20	-9.05	54.83	3	Vertical	200	1.15	-	33.67	5.40	34.75
AV	5.4572G	47.80	54.00	-6.20	43.51	3	Vertical	200	1.15	-	33.63	5.40	34.74
PK	5.6828G	112.14	Inf	-Inf	107.32	3	Vertical	200	1.15	-	34.07	5.44	34.69
AV	5.6828G	102.01	Inf	-Inf	97.19	3	Vertical	200	1.15	-	34.07	5.44	34.69
PK	5.8568G	67.41	68.20	-0.79	61.82	3	Vertical	200	1.15	-	34.71	5.50	34.62

802.11ac VHT80_Nss1,(MCS0)_3TX

09/10/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT V_3TX
Setting 91
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4488G	58.93	74.00	-15.07	54.68	3	Horizontal	29	2.32	-	33.59	5.40	34.74
AV	5.4524G	47.38	54.00	-6.62	43.11	3	Horizontal	29	2.32	-	33.61	5.40	34.74
PK	5.4656G	59.05	68.20	-9.15	54.74	3	Horizontal	29	2.32	-	33.66	5.40	34.75
PK	5.7212G	108.05	Inf	-Inf	103.14	3	Horizontal	29	2.32	-	34.13	5.46	34.68
AV	5.7164G	99.28	Inf	-Inf	94.40	3	Horizontal	29	2.32	-	34.10	5.46	34.68
PK	5.852G	67.98	68.20	-0.22	62.41	3	Horizontal	29	2.32	-	34.70	5.50	34.63

802.11ac VHT80_Nss1,(MCS0)_3TX

09/10/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT V_3TX
Setting 91
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3746G	52.85	74.00	-21.15	41.44	3	Vertical	276	1.80	-	38.47	7.78	34.84
AV	11.38582G	40.66	54.00	-13.34	29.21	3	Vertical	276	1.80	-	38.49	7.79	34.83
PK	17.0844G	63.05	68.20	-5.15	45.75	3	Vertical	21	1.80	-	41.37	9.68	33.75

802.11ac VHT80_Nss1,(MCS0)_3TX
5690MHz Straddle 5.47-5.725GHz_TX

09/10/2020




EUT V_3TX
Setting 91
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39284G	52.92	74.00	-21.08	41.47	3	Horizontal	176	1.80	-	38.49	7.79	34.83
AV	11.38018G	40.62	54.00	-13.38	29.19	3	Horizontal	176	1.80	-	38.48	7.78	34.83
PK	17.07174G	65.29	68.20	-2.91	48.01	3	Horizontal	22	1.97	-	41.34	9.68	33.74

802.11ax HEW20_Nss1,(MCS0)_2TX

09/10/2020

5260MHz_TX




EUT Y_2TX
Setting 108
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	67.21	74.00	-6.79	63.96	3	Vertical	179	2.15	-	32.71	5.17	34.63
AV	5.149G	50.84	54.00	-3.16	47.60	3	Vertical	179	2.15	-	32.70	5.17	34.63
PK	5.2528G	123.50	Inf	-Inf	120.01	3	Vertical	179	2.15	-	32.91	5.25	34.67
AV	5.2552G	109.88	Inf	-Inf	106.37	3	Vertical	179	2.15	-	32.92	5.26	34.67
PK	5.3518G	70.19	74.00	-3.81	66.45	3	Vertical	179	2.15	-	33.10	5.35	34.71
AV	5.3518G	53.80	54.00	-0.20	50.06	3	Vertical	179	2.15	-	33.10	5.35	34.71

802.11ax HEW20_Nss1,(MCS0)_2TX

09/10/2020

5260MHz_TX




EUT Y_2TX
Setting 108
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1406G	59.43	74.00	-14.57	56.17	3	Horizontal	83	2.60	-	32.72	5.17	34.63
AV	5.15G	44.57	54.00	-9.43	41.33	3	Horizontal	83	2.60	-	32.70	5.17	34.63
PK	5.2606G	113.27	Inf	-Inf	109.74	3	Horizontal	83	2.60	-	32.94	5.26	34.67
AV	5.2534G	100.46	Inf	-Inf	96.97	3	Horizontal	83	2.60	-	32.91	5.25	34.67
PK	5.3512G	62.30	74.00	-11.70	58.56	3	Horizontal	83	2.60	-	33.10	5.35	34.71
AV	5.3512G	46.11	54.00	-7.89	42.37	3	Horizontal	83	2.60	-	33.10	5.35	34.71

802.11ax HEW20_Nss1,(MCS0)_2TX

09/10/2020

5260MHz_TX




EUT Y_2TX
Setting 108
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78064G	59.83	74.00	-14.17	47.28	3	Vertical	144	1.93	-	38.36	9.26	35.07
AV	15.77824G	45.17	54.00	-8.83	32.61	3	Vertical	144	1.93	-	38.36	9.26	35.06

802.11ax HEW20_Nss1,(MCS0)_2TX

09/10/2020

5260MHz_TX




EUT Y_2TX
Setting 108
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78492G	61.36	74.00	-12.64	48.80	3	Horizontal	129	1.79	-	38.37	9.26	35.07
AV	15.78252G	47.42	54.00	-6.58	34.86	3	Horizontal	129	1.79	-	38.37	9.26	35.07

802.11ax HEW20_Nss1,(MCS0)_2TX

09/10/2020

5300MHz_TX




EUT Y_2TX
Setting 93
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2928G	120.35	Inf	-Inf	116.68	3	Vertical	180	2.13	-	33.07	5.29	34.69
AV	5.2952G	107.76	Inf	-Inf	104.07	3	Vertical	180	2.13	-	33.08	5.30	34.69
PK	5.35G	71.79	74.00	-2.21	68.05	3	Vertical	180	2.13	-	33.10	5.35	34.71
AV	5.35G	53.87	54.00	-0.13	50.13	3	Vertical	180	2.13	-	33.10	5.35	34.71

802.11ax HEW20_Nss1,(MCS0)_2TX

09/10/2020

5300MHz_TX




EUT Y_2TX
Setting 93
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2928G	110.41	Inf	-Inf	106.74	3	Horizontal	89	2.63	-	33.07	5.29	34.69
AV	5.2956G	97.99	Inf	-Inf	94.30	3	Horizontal	89	2.63	-	33.08	5.30	34.69
PK	5.35G	62.42	74.00	-11.58	58.68	3	Horizontal	89	2.63	-	33.10	5.35	34.71
AV	5.35G	47.27	54.00	-6.73	43.53	3	Horizontal	89	2.63	-	33.10	5.35	34.71

802.11ax HEW20_Nss1,(MCS0)_2TX

09/10/2020

5300MHz_TX




EUT Y_2TX
Setting 93
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90124G	58.98	74.00	-15.02	46.39	3	Vertical	105	1.80	-	38.50	9.28	35.19
AV	15.90164G	44.56	54.00	-9.44	31.97	3	Vertical	105	1.80	-	38.50	9.28	35.19

802.11ax HEW20_Nss1,(MCS0)_2TX

09/10/2020

5300MHz_TX




EUT Y_2TX
Setting 93
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90004G	60.67	74.00	-13.33	48.08	3	Horizontal	127	1.80	-	38.50	9.28	35.19
AV	15.89984G	46.72	54.00	-7.28	34.13	3	Horizontal	127	1.80	-	38.50	9.28	35.19

802.11ax HEW20_Nss1,(MCS0)_2TX

09/10/2020

5320MHz_TX




EUT Y_2TX
Setting 83
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	116.40	Inf	-Inf	112.68	3	Vertical	176	1.76	-	33.10	5.32	34.70
AV	5.3176G	104.92	Inf	-Inf	101.19	3	Vertical	176	1.76	-	33.10	5.32	34.69
PK	5.35G	71.41	74.00	-2.59	67.67	3	Vertical	176	1.76	-	33.10	5.35	34.71
AV	5.35G	53.92	54.00	-0.08	50.18	3	Vertical	176	1.76	-	33.10	5.35	34.71

802.11ax HEW20_Nss1,(MCS0)_2TX

09/10/2020

5320MHz_TX




EUT Y_2TX
Setting 83
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	108.42	Inf	-Inf	104.70	3	Horizontal	74	2.52	-	33.10	5.32	34.70
AV	5.3212G	95.12	Inf	-Inf	91.40	3	Horizontal	74	2.52	-	33.10	5.32	34.70
PK	5.35G	67.37	74.00	-6.63	63.63	3	Horizontal	74	2.52	-	33.10	5.35	34.71
AV	5.35G	48.24	54.00	-5.76	44.50	3	Horizontal	74	2.52	-	33.10	5.35	34.71

802.11ax HEW20_Nss1,(MCS0)_2TX

09/10/2020

5320MHz_TX




EUT Y_2TX
Setting 83
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9522G	58.36	74.00	-15.64	45.86	3	Vertical	157	1.09	-	38.45	9.29	35.24
AV	15.9664G	43.98	54.00	-10.02	31.52	3	Vertical	157	1.09	-	38.43	9.29	35.26

802.11ax HEW20_Nss1,(MCS0)_2TX

09/10/2020

5320MHz_TX




EUT Y_2TX
Setting 83
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96448G	59.51	74.00	-14.49	47.03	3	Horizontal	125	1.81	-	38.44	9.29	35.25
AV	15.95752G	44.72	54.00	-9.28	32.24	3	Horizontal	125	1.81	-	38.44	9.29	35.25

802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5500MHz_TX




EUT Y_3TX
Setting 66
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	65.14	74.00	-8.86	60.85	3	Vertical	317	1.05	-	33.64	5.40	34.75
AV	5.4594G	47.79	54.00	-6.21	43.50	3	Vertical	317	1.05	-	33.64	5.40	34.75
PK	5.4688G	67.92	68.20	-0.28	63.59	3	Vertical	317	1.05	-	33.68	5.40	34.75
PK	5.5044G	118.67	Inf	-Inf	114.22	3	Vertical	317	1.05	-	33.81	5.40	34.76
AV	5.5046G	103.79	Inf	-Inf	99.34	3	Vertical	317	1.05	-	33.81	5.40	34.76

802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5500MHz_TX




EUT Y_3TX
Setting 66
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4514G	58.78	74.00	-15.22	54.51	3	Horizontal	293	1.66	-	33.61	5.40	34.74
PK	5.4638G	62.06	68.20	-6.14	57.75	3	Horizontal	293	1.66	-	33.66	5.40	34.75
AV	5.4586G	45.62	54.00	-8.38	41.34	3	Horizontal	293	1.66	-	33.63	5.40	34.75
PK	5.4942G	111.94	Inf	-Inf	107.52	3	Horizontal	293	1.66	-	33.78	5.40	34.76
AV	5.4988G	98.92	Inf	-Inf	94.48	3	Horizontal	293	1.66	-	33.80	5.40	34.76

802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5500MHz_TX



EUT V_3TX
Setting 66
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9987G	53.94	74.00	-20.06	42.74	3	Vertical	67	1.13	-	38.40	7.65	34.85
AV	10.99566G	38.66	54.00	-15.34	27.46	3	Vertical	67	1.13	-	38.40	7.65	34.85
PK	16.50346G	60.12	68.20	-8.08	45.26	3	Vertical	116	2.76	-	40.10	9.48	34.72

802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5500MHz_TX




EUT V_3TX
Setting 66
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00424G	52.68	74.00	-21.32	41.48	3	Horizontal	346	1.33	-	38.40	7.65	34.85
AV	10.99808G	38.68	54.00	-15.32	27.48	3	Horizontal	346	1.33	-	38.40	7.65	34.85
PK	16.49944G	59.64	68.20	-8.56	44.80	3	Horizontal	153	2.33	-	40.10	9.47	34.73

802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5580MHz_TX




EUT V_3TX
Setting 84
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4408G	58.84	74.00	-15.16	54.65	3	Vertical	200	1.19	-	33.53	5.40	34.74
PK	5.468G	58.76	68.20	-9.44	54.44	3	Vertical	200	1.19	-	33.67	5.40	34.75
AV	5.4576G	45.78	54.00	-8.22	41.49	3	Vertical	200	1.19	-	33.63	5.40	34.74
PK	5.5728G	119.42	Inf	-Inf	114.80	3	Vertical	200	1.19	-	33.95	5.40	34.73
AV	5.5824G	106.63	Inf	-Inf	102.00	3	Vertical	200	1.19	-	33.96	5.40	34.73
PK	5.7744G	60.27	68.20	-7.93	55.14	3	Vertical	200	1.19	-	34.30	5.49	34.66

802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5580MHz_TX




EUT V_3TX
Setting 84
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4312G	58.51	74.00	-15.49	54.40	3	Horizontal	288	2.28	-	33.45	5.40	34.74
PK	5.4664G	58.46	68.20	-9.74	54.14	3	Horizontal	288	2.28	-	33.67	5.40	34.75
AV	5.4552G	45.41	54.00	-8.59	41.13	3	Horizontal	288	2.28	-	33.62	5.40	34.74
PK	5.5768G	116.10	Inf	-Inf	111.48	3	Horizontal	288	2.28	-	33.95	5.40	34.73
AV	5.5744G	103.90	Inf	-Inf	99.28	3	Horizontal	288	2.28	-	33.95	5.40	34.73
PK	5.7496G	59.77	68.20	-8.43	54.67	3	Horizontal	288	2.28	-	34.30	5.47	34.67

802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5580MHz_TX




EUT V_3TX
Setting 84
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16298G	53.83	74.00	-20.17	42.66	3	Vertical	110	1.94	-	38.30	7.71	34.84
AV	11.16004G	39.26	54.00	-14.74	28.09	3	Vertical	110	1.94	-	38.30	7.71	34.84
PK	16.7382G	64.67	68.20	-3.53	48.73	3	Vertical	238	1.80	-	40.61	9.56	34.23

802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5580MHz_TX




EUT V_3TX
Setting 84
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1594G	53.59	74.00	-20.41	42.42	3	Horizontal	37	2.17	-	38.30	7.71	34.84
AV	11.16012G	39.27	54.00	-14.73	28.10	3	Horizontal	37	2.17	-	38.30	7.71	34.84
PK	16.74236G	68.00	68.20	-0.20	52.04	3	Horizontal	323	1.93	-	40.63	9.56	34.23

802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5620MHz_TX




EUT V_3TX
Setting 85
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6242G	121.58	Inf	-Inf	116.78	3	Vertical	318	1.06	-	34.10	5.41	34.71
AV	5.6146G	107.93	Inf	-Inf	103.18	3	Vertical	318	1.06	-	34.06	5.41	34.72
PK	5.7262G	62.95	68.20	-5.25	58.00	3	Vertical	318	1.06	-	34.16	5.46	34.67

802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5620MHz_TX




EUT Y_3TX
Setting 85
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6254G	115.56	Inf	-Inf	110.76	3	Horizontal	288	2.28	-	34.10	5.41	34.71
AV	5.6146G	103.80	Inf	-Inf	99.05	3	Horizontal	288	2.28	-	34.06	5.41	34.72
PK	5.764G	60.63	68.20	-7.57	55.51	3	Horizontal	288	2.28	-	34.30	5.48	34.66

802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5620MHz_TX




EUT V_3TX
Setting 85
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23552G	54.04	74.00	-19.96	42.81	3	Vertical	13	1.86	-	38.34	7.73	34.84
AV	11.24084G	40.59	54.00	-13.41	29.36	3	Vertical	13	1.86	-	38.34	7.73	34.84
PK	16.8612G	66.00	68.20	-2.20	49.52	3	Vertical	239	1.90	-	40.86	9.60	33.98

802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5620MHz_TX




EUT V_3TX
Setting 85
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.242G	54.48	74.00	-19.52	43.25	3	Horizontal	148	2.17	-	38.34	7.73	34.84
AV	11.24088G	40.64	54.00	-13.36	29.41	3	Horizontal	148	2.17	-	38.34	7.73	34.84
PK	16.86144G	67.82	68.20	-0.38	51.34	3	Horizontal	325	1.88	-	40.86	9.60	33.98

802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5700MHz_TX




EUT V_3TX
Setting 64
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.697G	112.95	Inf	-Inf	108.18	3	Vertical	201	1.10	-	34.01	5.45	34.69
AV	5.7022G	99.29	Inf	-Inf	94.51	3	Vertical	201	1.10	-	34.01	5.45	34.68
PK	5.7262G	68.16	68.20	-0.04	63.21	3	Vertical	201	1.10	-	34.16	5.46	34.67

802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5700MHz_TX




EUT Y_3TX
Setting 64
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7042G	110.94	Inf	-Inf	106.14	3	Horizontal	204	1.55	-	34.03	5.45	34.68
AV	5.704G	97.55	Inf	-Inf	92.76	3	Horizontal	204	1.55	-	34.02	5.45	34.68
PK	5.7262G	66.57	68.20	-1.63	61.62	3	Horizontal	204	1.55	-	34.16	5.46	34.67

802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5700MHz_TX



EUT V_3TX
Setting 64
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40326G	52.97	74.00	-21.03	41.51	3	Vertical	167	1.81	-	38.50	7.79	34.83
AV	11.40454G	39.06	54.00	-14.94	27.60	3	Vertical	167	1.81	-	38.50	7.79	34.83
PK	17.0968G	61.72	68.20	-6.48	44.41	3	Vertical	360	2.57	-	41.39	9.68	33.76



802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5700MHz_TX




EUT V_3TX
Setting 64
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3957G	53.10	74.00	-20.90	41.64	3	Horizontal	245	2.74	-	38.50	7.79	34.83
AV	11.39892G	38.99	54.00	-15.01	27.53	3	Horizontal	245	2.74	-	38.50	7.79	34.83
PK	17.09962G	61.99	68.20	-6.21	44.67	3	Horizontal	52	2.80	-	41.40	9.68	33.76

802.11ax HEW20_Nss1,(MCS0)_3TX

09/10/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
Setting 78
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	117.12	Inf	-Inf	112.24	3	Vertical	200	1.13	-	34.10	5.46	34.68
AV	5.7176G	102.98	Inf	-Inf	98.09	3	Vertical	200	1.13	-	34.11	5.46	34.68
PK	5.864G	61.08	68.20	-7.12	55.47	3	Vertical	200	1.13	-	34.73	5.50	34.62

802.11ax HEW20_Nss1,(MCS0)_3TX
5720MHz Straddle 5.47-5.725GHz_TX

09/10/2020




EUT Y_3TX
Setting 78
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7256G	114.58	Inf	-Inf	109.64	3	Horizontal	214	1.06	-	34.15	5.46	34.67
AV	5.7208G	101.67	Inf	-Inf	96.77	3	Horizontal	214	1.06	-	34.12	5.46	34.68
PK	5.9072G	61.29	68.20	-6.91	55.54	3	Horizontal	214	1.06	-	34.86	5.50	34.61

802.11ax HEW20_Nss1,(MCS0)_3TX
5720MHz Straddle 5.47-5.725GHz_TX

09/10/2020




EUT Y_3TX
Setting 78
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43456G	53.21	74.00	-20.79	41.77	3	Vertical	72	1.06	-	38.47	7.80	34.83
AV	11.44116G	38.94	54.00	-15.06	27.51	3	Vertical	72	1.06	-	38.46	7.80	34.83
PK	17.15648G	64.13	68.20	-4.07	46.66	3	Vertical	315	2.56	-	41.57	9.70	33.80



802.11ax HEW20_Nss1,(MCS0)_3TX
5720MHz Straddle 5.47-5.725GHz_TX

09/10/2020




EUT Y_3TX
Setting 78
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44732G	53.50	74.00	-20.50	42.07	3	Horizontal	124	1.95	-	38.45	7.81	34.83
AV	11.44132G	39.07	54.00	-14.93	27.64	3	Horizontal	124	1.95	-	38.46	7.80	34.83
PK	17.16136G	68.01	68.20	-0.19	50.53	3	Horizontal	23	1.87	-	41.58	9.71	33.81

802.11ax HEW40_Nss1,(MCS0)_2TX

09/10/2020

5270MHz_TX




EUT Y_2TX
Setting 90
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.86	74.00	-12.14	58.62	3	Vertical	185	1.97	-	32.70	5.17	34.63
AV	5.1494G	49.74	54.00	-4.26	46.50	3	Vertical	185	1.97	-	32.70	5.17	34.63
PK	5.2754G	118.26	Inf	-Inf	114.66	3	Vertical	185	1.97	-	33.00	5.28	34.68
AV	5.276G	106.31	Inf	-Inf	102.71	3	Vertical	185	1.97	-	33.00	5.28	34.68
PK	5.351G	67.77	74.00	-6.23	64.03	3	Vertical	185	1.97	-	33.10	5.35	34.71
AV	5.351G	53.94	54.00	-0.06	50.20	3	Vertical	185	1.97	-	33.10	5.35	34.71

802.11ax HEW40_Nss1,(MCS0)_2TX

09/10/2020

5270MHz_TX




EUT Y_2TX
Setting 90
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1386G	57.89	74.00	-16.11	54.63	3	Horizontal	88	2.58	-	32.72	5.17	34.63
AV	5.1302G	45.54	54.00	-8.46	42.26	3	Horizontal	88	2.58	-	32.74	5.17	34.63
PK	5.2556G	105.60	Inf	-Inf	102.09	3	Horizontal	88	2.58	-	32.92	5.26	34.67
AV	5.2532G	95.99	Inf	-Inf	92.50	3	Horizontal	88	2.58	-	32.91	5.25	34.67
PK	5.3534G	61.24	74.00	-12.76	57.49	3	Horizontal	88	2.58	-	33.11	5.35	34.71
AV	5.3516G	47.72	54.00	-6.28	43.98	3	Horizontal	88	2.58	-	33.10	5.35	34.71

802.11ax HEW40_Nss1,(MCS0)_2TX

09/10/2020

5270MHz_TX




EUT Y_2TX
Setting 90
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8026G	57.36	74.00	-16.64	44.79	3	Vertical	289	1.80	-	38.40	9.26	35.09
AV	15.81424G	44.68	54.00	-9.32	32.11	3	Vertical	289	1.80	-	38.41	9.26	35.10

802.11ax HEW40_Nss1,(MCS0)_2TX

09/10/2020

5270MHz_TX




EUT Y_2TX
Setting 90
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.82G	57.81	74.00	-16.19	45.24	3	Horizontal	128	2.02	-	38.42	9.26	35.11
AV	15.81332G	45.18	54.00	-8.82	32.61	3	Horizontal	128	2.02	-	38.41	9.26	35.10

802.11ax HEW40_Nss1,(MCS0)_2TX

09/10/2020

5310MHz_TX




EUT Y_2TX
Setting 67
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	112.26	Inf	-Inf	108.54	3	Vertical	163	1.85	-	33.10	5.31	34.69
AV	5.2968G	99.77	Inf	-Inf	96.07	3	Vertical	163	1.85	-	33.09	5.30	34.69
PK	5.35G	69.76	74.00	-4.24	66.02	3	Vertical	163	1.85	-	33.10	5.35	34.71
AV	5.35G	53.86	54.00	-0.14	50.12	3	Vertical	163	1.85	-	33.10	5.35	34.71

802.11ax HEW40_Nss1,(MCS0)_2TX

09/10/2020

5310MHz_TX




EUT Y_2TX
Setting 67
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3156G	101.88	Inf	-Inf	98.15	3	Horizontal	89	2.62	-	33.10	5.32	34.69
AV	5.2928G	90.28	Inf	-Inf	86.61	3	Horizontal	89	2.62	-	33.07	5.29	34.69
PK	5.3524G	59.80	74.00	-14.20	56.06	3	Horizontal	89	2.62	-	33.10	5.35	34.71
AV	5.3508G	47.43	54.00	-6.57	43.69	3	Horizontal	89	2.62	-	33.10	5.35	34.71

802.11ax HEW40_Nss1,(MCS0)_2TX

09/10/2020

5310MHz_TX




EUT Y_2TX
Setting 67
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9202G	58.23	74.00	-15.77	45.68	3	Vertical	149	2.71	-	38.48	9.28	35.21
AV	15.93708G	45.86	54.00	-8.14	33.34	3	Vertical	149	2.71	-	38.46	9.29	35.23

802.11ax HEW40_Nss1,(MCS0)_2TX

09/10/2020

5310MHz_TX




EUT Y_2TX
Setting 67
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92988G	58.09	74.00	-15.91	45.55	3	Horizontal	345	1.69	-	38.47	9.29	35.22
AV	15.93184G	45.70	54.00	-8.30	33.16	3	Horizontal	345	1.69	-	38.47	9.29	35.22

802.11ax HEW40_Nss1,(MCS0)_3TX

09/10/2020

5510MHz_TX




EUT Y_3TX
Setting 64
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	62.77	74.00	-11.23	58.49	3	Vertical	320	1.00	-	33.62	5.40	34.74
AV	5.46G	49.65	54.00	-4.35	45.36	3	Vertical	320	1.00	-	33.64	5.40	34.75
PK	5.4692G	67.91	68.20	-0.29	63.58	3	Vertical	320	1.00	-	33.68	5.40	34.75
PK	5.5156G	114.62	Inf	-Inf	110.14	3	Vertical	320	1.00	-	33.83	5.40	34.75
AV	5.5156G	102.22	Inf	-Inf	97.74	3	Vertical	320	1.00	-	33.83	5.40	34.75

802.11ax HEW40_Nss1,(MCS0)_3TX

09/10/2020

5510MHz_TX




EUT Y_3TX
Setting 64
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	60.45	74.00	-13.55	56.16	3	Horizontal	290	1.78	-	33.64	5.40	34.75
AV	5.4588G	47.42	54.00	-6.58	43.13	3	Horizontal	290	1.78	-	33.64	5.40	34.75
PK	5.4688G	61.22	68.20	-6.98	56.89	3	Horizontal	290	1.78	-	33.68	5.40	34.75
PK	5.5192G	108.14	Inf	-Inf	103.65	3	Horizontal	290	1.78	-	33.84	5.40	34.75
AV	5.514G	96.37	Inf	-Inf	91.89	3	Horizontal	290	1.78	-	33.83	5.40	34.75

802.11ax HEW40_Nss1,(MCS0)_3TX

09/10/2020

5510MHz_TX



EUT V_3TX
Setting 64
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0246G	52.49	74.00	-21.51	41.30	3	Vertical	195	1.48	-	38.38	7.66	34.85
AV	11.0226G	40.33	54.00	-13.67	29.14	3	Vertical	195	1.48	-	38.38	7.66	34.85
PK	16.53226G	60.53	68.20	-7.67	45.63	3	Vertical	254	1.15	-	40.07	9.49	34.66



802.11ax HEW40_Nss1,(MCS0)_3TX

09/10/2020

5510MHz_TX




EUT V_3TX
Setting 64
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.025G	52.65	74.00	-21.35	41.47	3	Horizontal	261	2.54	-	38.37	7.66	34.85
AV	11.0216G	40.23	54.00	-13.77	29.04	3	Horizontal	261	2.54	-	38.38	7.66	34.85
PK	16.52922G	60.04	68.20	-8.16	45.15	3	Horizontal	265	2.58	-	40.07	9.49	34.67

802.11ax HEW40_Nss1,(MCS0)_3TX

09/10/2020

5550MHz_TX




EUT Y_3TX
Setting 86
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	64.37	74.00	-9.63	60.08	3	Vertical	203	1.18	-	33.63	5.40	34.74
AV	5.4576G	50.09	54.00	-3.91	45.80	3	Vertical	203	1.18	-	33.63	5.40	34.74
PK	5.4678G	68.18	68.20	-0.02	63.86	3	Vertical	203	1.18	-	33.67	5.40	34.75
PK	5.5374G	116.67	Inf	-Inf	112.15	3	Vertical	203	1.18	-	33.87	5.40	34.75
AV	5.5428G	105.16	Inf	-Inf	100.61	3	Vertical	203	1.18	-	33.89	5.40	34.74

802.11ax HEW40_Nss1,(MCS0)_3TX

09/10/2020

5550MHz_TX



EUT Y_3TX
Setting 86
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	60.08	74.00	-13.92	55.79	3	Horizontal	295	2.37	-	33.63	5.40	34.74
PK	5.4618G	64.35	68.20	-3.85	60.05	3	Horizontal	295	2.37	-	33.65	5.40	34.75
AV	5.46G	48.17	54.00	-5.83	43.88	3	Horizontal	295	2.37	-	33.64	5.40	34.75
PK	5.5554G	114.76	Inf	-Inf	110.19	3	Horizontal	295	2.37	-	33.91	5.40	34.74
AV	5.5656G	102.28	Inf	-Inf	97.69	3	Horizontal	295	2.37	-	33.93	5.40	34.74



802.11ax HEW40_Nss1,(MCS0)_3TX

09/10/2020

5550MHz_TX




EUT V_3TX
Setting 86
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10048G	53.56	74.00	-20.44	42.42	3	Vertical	106	1.19	-	38.30	7.69	34.85
AV	11.09466G	41.17	54.00	-12.83	30.03	3	Vertical	106	1.19	-	38.31	7.68	34.85
PK	16.6449G	63.88	68.20	-4.32	48.56	3	Vertical	238	1.84	-	40.22	9.53	34.43

802.11ax HEW40_Nss1,(MCS0)_3TX

09/10/2020

5550MHz_TX




EUT V_3TX
Setting 86
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10066G	53.49	74.00	-20.51	42.35	3	Horizontal	192	2.51	-	38.30	7.69	34.85
AV	11.10942G	40.97	54.00	-13.03	29.83	3	Horizontal	192	2.51	-	38.30	7.69	34.85
PK	16.64484G	64.29	68.20	-3.91	48.97	3	Horizontal	256	2.22	-	40.22	9.53	34.43

802.11ax HEW40_Nss1,(MCS0)_3TX

09/10/2020

5630MHz_TX




EUT_V_3TX
Setting 90
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6174G	116.87	Inf	-Inf	112.11	3	Vertical	201	1.16	-	34.07	5.41	34.72
AV	5.6378G	105.41	Inf	-Inf	100.55	3	Vertical	201	1.16	-	34.15	5.42	34.71
PK	5.7254G	67.78	68.20	-0.42	62.84	3	Vertical	201	1.16	-	34.15	5.46	34.67

802.11ax HEW40_Nss1,(MCS0)_3TX

09/10/2020

5630MHz_TX



EUT Y_3TX
Setting 90
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6354G	115.14	Inf	-Inf	110.29	3	Horizontal	288	2.26	-	34.14	5.42	34.71
AV	5.6348G	103.83	Inf	-Inf	98.98	3	Horizontal	288	2.26	-	34.14	5.42	34.71
PK	5.726G	64.37	68.20	-3.83	59.42	3	Horizontal	288	2.26	-	34.16	5.46	34.67



802.11ax HEW40_Nss1,(MCS0)_3TX

09/10/2020

5630MHz_TX




EUT V_3TX
Setting 90
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2519G	53.61	74.00	-20.39	42.36	3	Vertical	340	1.79	-	38.35	7.74	34.84
AV	11.25748G	40.86	54.00	-13.14	29.60	3	Vertical	340	1.79	-	38.36	7.74	34.84
PK	16.88094G	64.09	68.20	-4.11	47.54	3	Vertical	183	1.00	-	40.88	9.61	33.94

802.11ax HEW40_Nss1,(MCS0)_3TX

09/10/2020

5630MHz_TX




EUT V_3TX
Setting 90
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.27002G	53.01	74.00	-20.99	41.74	3	Horizontal	8	2.98	-	38.37	7.74	34.84
AV	11.26822G	40.70	54.00	-13.30	29.43	3	Horizontal	8	2.98	-	38.37	7.74	34.84
PK	16.88712G	66.22	68.20	-1.98	49.64	3	Horizontal	324	1.89	-	40.89	9.61	33.92

802.11ax HEW40_Nss1,(MCS0)_3TX

09/10/2020

5670MHz_TX



EUT Y_3TX
Setting 78
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6576G	113.30	Inf	-Inf	108.40	3	Vertical	198	1.22	-	34.17	5.43	34.70
AV	5.6776G	101.80	Inf	-Inf	96.96	3	Vertical	198	1.22	-	34.09	5.44	34.69
PK	5.7276G	67.92	68.20	-0.28	62.96	3	Vertical	198	1.22	-	34.17	5.46	34.67



802.11ax HEW40_Nss1,(MCS0)_3TX

09/10/2020

5670MHz_TX




EUT Y_3TX
Setting 78
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6752G	110.64	Inf	-Inf	105.79	3	Horizontal	288	2.19	-	34.10	5.44	34.69
AV	5.6648G	99.69	Inf	-Inf	94.82	3	Horizontal	288	2.19	-	34.14	5.43	34.70
PK	5.7252G	66.40	68.20	-1.80	61.46	3	Horizontal	288	2.19	-	34.15	5.46	34.67

802.11ax HEW40_Nss1,(MCS0)_3TX

09/10/2020

5670MHz_TX




EUT Y_3TX
Setting 78
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3411G	52.76	74.00	-21.24	41.39	3	Vertical	180	2.47	-	38.44	7.77	34.84
AV	11.33594G	40.46	54.00	-13.54	29.09	3	Vertical	180	2.47	-	38.44	7.77	34.84
PK	17.01094G	61.53	68.20	-6.67	44.36	3	Vertical	240	1.22	-	41.22	9.65	33.70

802.11ax HEW40_Nss1,(MCS0)_3TX

09/10/2020

5670MHz_TX




EUT V_3TX
Setting 78
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33518G	53.03	74.00	-20.97	41.66	3	Horizontal	299	1.89	-	38.44	7.77	34.84
AV	11.33514G	40.29	54.00	-13.71	28.92	3	Horizontal	299	1.89	-	38.44	7.77	34.84
PK	17.01916G	62.21	68.20	-5.99	45.01	3	Horizontal	159	1.21	-	41.24	9.66	33.70

802.11ax HEW40_Nss1,(MCS0)_3TX
5710MHz Straddle 5.47-5.725GHz_TX

09/10/2020




EUT Y_3TX
Setting 89
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7068G	115.90	Inf	-Inf	111.09	3	Vertical	201	1.43	-	34.04	5.45	34.68
AV	5.7124G	104.40	Inf	-Inf	99.55	3	Vertical	201	1.43	-	34.07	5.46	34.68
PK	5.8508G	62.27	68.20	-5.93	56.70	3	Vertical	201	1.43	-	34.70	5.50	34.63

802.11ax HEW40_Nss1,(MCS0)_3TX
5710MHz Straddle 5.47-5.725GHz_TX

09/10/2020




EUT Y_3TX
Setting 89
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7164G	113.77	Inf	-Inf	108.89	3	Horizontal	213	1.09	-	34.10	5.46	34.68
AV	5.7156G	103.20	Inf	-Inf	98.33	3	Horizontal	213	1.09	-	34.09	5.46	34.68
PK	5.8508G	61.91	68.20	-6.29	56.34	3	Horizontal	213	1.09	-	34.70	5.50	34.63



802.11ax HEW40_Nss1,(MCS0)_3TX
5710MHz Straddle 5.47-5.725GHz_TX

09/10/2020




EUT V_3TX
Setting 89
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41444G	52.48	74.00	-21.52	41.02	3	Vertical	177	2.57	-	38.49	7.80	34.83
AV	11.42612G	41.07	54.00	-12.93	29.63	3	Vertical	177	2.57	-	38.47	7.80	34.83
PK	17.12664G	64.65	68.20	-3.55	47.26	3	Vertical	356	1.83	-	41.48	9.69	33.78



802.11ax HEW40_Nss1,(MCS0)_3TX
5710MHz Straddle 5.47-5.725GHz_TX

09/10/2020




EUT V_3TX
Setting 89
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42976G	53.53	74.00	-20.47	42.09	3	Horizontal	335	1.73	-	38.47	7.80	34.83
AV	11.41768G	40.98	54.00	-13.02	29.53	3	Horizontal	335	1.73	-	38.48	7.80	34.83
PK	17.12136G	68.12	68.20	-0.08	50.75	3	Horizontal	25	1.93	-	41.46	9.69	33.78

802.11ax HEW80_Nss1,(MCS0)_2TX

09/10/2020

5290MHz_TX




EUT Y_2TX
Setting 63
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	59.13	74.00	-14.87	55.89	3	Vertical	182	1.98	-	32.70	5.17	34.63
AV	5.145G	47.21	54.00	-6.79	43.96	3	Vertical	182	1.98	-	32.71	5.17	34.63
PK	5.272G	108.46	Inf	-Inf	104.88	3	Vertical	182	1.98	-	32.99	5.27	34.68
AV	5.28G	97.43	Inf	-Inf	93.81	3	Vertical	182	1.98	-	33.02	5.28	34.68
PK	5.356G	66.32	74.00	-7.68	62.56	3	Vertical	182	1.98	-	33.11	5.36	34.71
AV	5.351G	53.82	54.00	-0.18	50.08	3	Vertical	182	1.98	-	33.10	5.35	34.71
PK	5.525G	58.12	68.20	-10.08	53.62	3	Vertical	182	1.98	-	33.85	5.40	34.75

802.11ax HEW80_Nss1,(MCS0)_2TX

09/10/2020

5290MHz_TX




EUT Y_2TX
Setting 63
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.077G	57.93	74.00	-16.07	54.65	3	Horizontal	89	2.61	-	32.75	5.14	34.61
AV	5.069G	45.20	54.00	-8.80	41.93	3	Horizontal	89	2.61	-	32.74	5.13	34.60
PK	5.278G	98.55	Inf	-Inf	94.94	3	Horizontal	89	2.61	-	33.01	5.28	34.68
AV	5.276G	86.98	Inf	-Inf	83.38	3	Horizontal	89	2.61	-	33.00	5.28	34.68
PK	5.375G	58.60	74.00	-15.40	54.79	3	Horizontal	89	2.61	-	33.15	5.37	34.71
AV	5.351G	47.01	54.00	-6.99	43.27	3	Horizontal	89	2.61	-	33.10	5.35	34.71
PK	5.502G	59.04	68.20	-9.16	54.60	3	Horizontal	89	2.61	-	33.80	5.40	34.76

802.11ax HEW80_Nss1,(MCS0)_2TX

09/10/2020

5290MHz_TX




EUT Y_2TX
Setting 63
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8722G	57.65	74.00	-16.35	45.07	3	Vertical	109	2.54	-	38.47	9.27	35.16
AV	15.87572G	44.69	54.00	-9.31	32.09	3	Vertical	109	2.54	-	38.48	9.28	35.16

802.11ax HEW80_Nss1,(MCS0)_2TX

09/10/2020

5290MHz_TX




EUT Y_2TX
Setting 63
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86812G	57.05	74.00	-16.95	44.47	3	Horizontal	282	1.80	-	38.47	9.27	35.16
AV	15.86904G	45.23	54.00	-8.77	32.65	3	Horizontal	282	1.80	-	38.47	9.27	35.16

802.11ax HEW80_Nss1,(MCS0)_3TX

09/10/2020

5530MHz_TX




EUT Y_3TX
Setting 72
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	57.47	68.20	-10.73	53.75	3	Vertical	199	1.80	-	33.10	5.31	34.69
PK	5.457G	64.59	74.00	-9.41	60.30	3	Vertical	199	1.80	-	33.63	5.40	34.74
AV	5.457G	51.25	54.00	-2.75	46.96	3	Vertical	199	1.80	-	33.63	5.40	34.74
PK	5.466G	67.97	68.20	-0.23	63.66	3	Vertical	199	1.80	-	33.66	5.40	34.75
PK	5.533G	108.43	Inf	-Inf	103.91	3	Vertical	199	1.80	-	33.87	5.40	34.75
AV	5.543G	96.83	Inf	-Inf	92.28	3	Vertical	199	1.80	-	33.89	5.40	34.74
PK	5.753G	59.71	68.20	-8.49	54.59	3	Vertical	199	1.80	-	34.30	5.48	34.66

802.11ax HEW80_Nss1,(MCS0)_3TX

09/10/2020

5530MHz_TX




EUT Y_3TX
Setting 72
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	57.06	68.20	-11.14	53.33	3	Horizontal	290	2.04	-	33.10	5.33	34.70
PK	5.452G	64.82	74.00	-9.18	60.55	3	Horizontal	290	2.04	-	33.61	5.40	34.74
AV	5.459G	51.55	54.00	-2.45	47.26	3	Horizontal	290	2.04	-	33.64	5.40	34.75
PK	5.47G	66.80	68.20	-1.40	62.47	3	Horizontal	290	2.04	-	33.68	5.40	34.75
PK	5.529G	106.82	Inf	-Inf	102.31	3	Horizontal	290	2.04	-	33.86	5.40	34.75
AV	5.52G	95.86	Inf	-Inf	91.37	3	Horizontal	290	2.04	-	33.84	5.40	34.75
PK	5.755G	59.52	68.20	-8.68	54.40	3	Horizontal	290	2.04	-	34.30	5.48	34.66

802.11ax HEW80_Nss1,(MCS0)_3TX

09/10/2020

5530MHz_TX



EUT V_3TX
Setting 72
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0638G	53.15	74.00	-20.85	41.99	3	Vertical	8	2.10	-	38.34	7.67	34.85
AV	11.05776G	40.76	54.00	-13.24	29.60	3	Vertical	8	2.10	-	38.34	7.67	34.85
PK	16.58752G	61.10	68.20	-7.10	46.13	3	Vertical	153	2.89	-	40.01	9.51	34.55



802.11ax HEW80_Nss1,(MCS0)_3TX

09/10/2020

5530MHz_TX




EUT V_3TX
Setting 72
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05794G	53.05	74.00	-20.95	41.89	3	Horizontal	113	2.93	-	38.34	7.67	34.85
AV	11.05886G	40.99	54.00	-13.01	29.83	3	Horizontal	113	2.93	-	38.34	7.67	34.85
PK	16.59296G	60.24	68.20	-7.96	45.26	3	Horizontal	350	2.40	-	40.01	9.51	34.54

802.11ax HEW80_Nss1,(MCS0)_3TX

09/10/2020

5610MHz_TX




EUT V_3TX
Setting 86
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	60.84	74.00	-13.16	56.56	3	Vertical	200	1.28	-	33.62	5.40	34.74
AV	5.458G	49.37	54.00	-4.63	45.08	3	Vertical	200	1.28	-	33.63	5.40	34.74
PK	5.467G	62.48	68.20	-5.72	58.16	3	Vertical	200	1.28	-	33.67	5.40	34.75
PK	5.623G	112.54	Inf	-Inf	107.73	3	Vertical	200	1.28	-	34.11	5.41	34.71
AV	5.623G	100.91	Inf	-Inf	96.12	3	Vertical	200	1.28	-	34.09	5.41	34.71
PK	5.733G	67.98	68.20	-0.22	62.98	3	Vertical	200	1.28	-	34.20	5.47	34.67

802.11ax HEW80_Nss1,(MCS0)_3TX

09/10/2020

5610MHz_TX



EUT V_3TX
Setting 86
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	60.54	74.00	-13.46	56.28	3	Horizontal	292	2.29	-	33.60	5.40	34.74
AV	5.456G	48.44	54.00	-5.56	44.16	3	Horizontal	292	2.29	-	33.62	5.40	34.74
PK	5.468G	61.13	68.20	-7.07	56.81	3	Horizontal	292	2.29	-	33.67	5.40	34.75
PK	5.58G	109.57	Inf	-Inf	104.94	3	Horizontal	292	2.29	-	33.96	5.40	34.73
AV	5.62G	99.33	Inf	-Inf	94.55	3	Horizontal	292	2.29	-	34.08	5.41	34.71
PK	5.731G	65.05	68.20	-3.15	60.06	3	Horizontal	292	2.29	-	34.19	5.47	34.67



802.11ax HEW80_Nss1,(MCS0)_3TX

09/10/2020

5610MHz_TX




EUT V_3TX
Setting 86
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22096G	53.41	74.00	-20.59	42.20	3	Vertical	64	1.59	-	38.32	7.73	34.84
AV	11.22864G	40.82	54.00	-13.18	29.60	3	Vertical	64	1.59	-	38.33	7.73	34.84
PK	16.82924G	61.61	68.20	-6.59	45.24	3	Vertical	73	1.42	-	40.83	9.59	34.05

802.11ax HEW80_Nss1,(MCS0)_3TX

09/10/2020

5610MHz_TX




EUT V_3TX
Setting 86
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22464G	53.73	74.00	-20.27	42.52	3	Horizontal	72	1.07	-	38.32	7.73	34.84
AV	11.22182G	40.98	54.00	-13.02	29.77	3	Horizontal	72	1.07	-	38.32	7.73	34.84
PK	16.83474G	61.59	68.20	-6.61	45.20	3	Horizontal	174	1.29	-	40.83	9.59	34.03

802.11ax HEW80_Nss1,(MCS0)_3TX
5690MHz Straddle 5.47-5.725GHz_TX

09/10/2020




EUT Y_3TX
Setting 90
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4488G	58.84	74.00	-15.16	54.59	3	Vertical	198	1.32	-	33.59	5.40	34.74
AV	5.4584G	47.52	54.00	-6.48	43.24	3	Vertical	198	1.32	-	33.63	5.40	34.75
PK	5.468G	59.01	68.20	-9.19	54.69	3	Vertical	198	1.32	-	33.67	5.40	34.75
PK	5.6924G	113.33	Inf	-Inf	108.54	3	Vertical	198	1.32	-	34.03	5.45	34.69
AV	5.6984G	101.43	Inf	-Inf	96.65	3	Vertical	198	1.32	-	34.01	5.45	34.68
PK	5.8532G	67.86	68.20	-0.34	62.28	3	Vertical	198	1.32	-	34.71	5.50	34.63

802.11ax HEW80_Nss1,(MCS0)_3TX
5690MHz Straddle 5.47-5.725GHz_TX

09/10/2020




EUT Y_3TX
Setting 90
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	59.14	74.00	-14.86	54.86	3	Horizontal	259	1.85	-	33.62	5.40	34.74
AV	5.4392G	47.16	54.00	-6.84	42.99	3	Horizontal	259	1.85	-	33.51	5.40	34.74
PK	5.462G	58.39	68.20	-9.81	54.09	3	Horizontal	259	1.85	-	33.65	5.40	34.75
PK	5.7128G	109.81	Inf	-Inf	104.95	3	Horizontal	259	1.85	-	34.08	5.46	34.68
AV	5.6984G	98.81	Inf	-Inf	94.03	3	Horizontal	259	1.85	-	34.01	5.45	34.68
PK	5.8508G	67.94	68.20	-0.26	62.37	3	Horizontal	259	1.85	-	34.70	5.50	34.63

802.11ax HEW80_Nss1,(MCS0)_3TX
5690MHz Straddle 5.47-5.725GHz_TX

09/10/2020




EUT V_3TX
Setting 90
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38328G	52.78	74.00	-21.22	41.35	3	Vertical	58	2.49	-	38.48	7.78	34.83
AV	11.3854G	40.43	54.00	-13.57	28.99	3	Vertical	58	2.49	-	38.49	7.78	34.83
PK	17.07512G	64.55	68.20	-3.65	47.26	3	Vertical	263	1.02	-	41.35	9.68	33.74

802.11ax HEW80_Nss1,(MCS0)_3TX
5690MHz Straddle 5.47-5.725GHz_TX

09/10/2020



EUT V_3TX
Setting 90
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38068G	53.40	74.00	-20.60	41.97	3	Horizontal	184	1.07	-	38.48	7.78	34.83
AV	11.3774G	40.51	54.00	-13.49	29.08	3	Horizontal	184	1.07	-	38.48	7.78	34.83
PK	17.06956G	65.05	68.20	-3.15	47.78	3	Horizontal	341	1.87	-	41.34	9.67	33.74




Mode 2, Non-beamforming mode: 5GHz Low Band 2T1S and 5GHz High Band 3T1S CDD
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_3TX	Pass	AV	5.458G	53.95	54.00	-0.05	3	Vertical	89	1.15	-

802.11ac VHT20_Nss2,(MCS0)_3TX

16/10/2020

5500MHz_TX




EUT Y_3TX
Setting 75
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	62.18	74.00	-11.82	57.89	3	Vertical	199	1.04	-	33.64	5.40	34.75
AV	5.456G	48.35	54.00	-5.65	44.07	3	Vertical	199	1.04	-	33.62	5.40	34.74
PK	5.4694G	68.01	68.20	-0.19	63.68	3	Vertical	199	1.04	-	33.68	5.40	34.75
PK	5.5038G	114.59	Inf	-Inf	110.14	3	Vertical	199	1.04	-	33.81	5.40	34.76
AV	5.5016G	104.05	Inf	-Inf	99.61	3	Vertical	199	1.04	-	33.80	5.40	34.76

802.11ac VHT20_Nss2,(MCS0)_3TX

16/10/2020

5500MHz_TX




EUT Y_3TX
Setting 75
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	59.48	74.00	-14.52	55.19	3	Horizontal	39	1.75	-	33.63	5.40	34.74
AV	5.4588G	47.33	54.00	-6.67	43.04	3	Horizontal	39	1.75	-	33.64	5.40	34.75
PK	5.469G	62.93	68.20	-5.27	58.60	3	Horizontal	39	1.75	-	33.68	5.40	34.75
PK	5.499G	111.80	Inf	-Inf	107.36	3	Horizontal	39	1.75	-	33.80	5.40	34.76
AV	5.4978G	101.85	Inf	-Inf	97.42	3	Horizontal	39	1.75	-	33.79	5.40	34.76

802.11ac VHT20_Nss2,(MCS0)_3TX

16/10/2020

5500MHz_TX




EUT V_3TX
Setting 75
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9977G	52.50	74.00	-21.50	41.30	3	Vertical	244	1.80	-	38.40	7.65	34.85
AV	11.0092G	40.22	54.00	-13.78	29.03	3	Vertical	244	1.80	-	38.39	7.65	34.85
PK	16.5149G	60.34	68.20	-7.86	45.47	3	Vertical	119	1.22	-	40.09	9.48	34.70

802.11ac VHT20_Nss2,(MCS0)_3TX

16/10/2020

5500MHz_TX




EUT V_3TX
Setting 75
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9821G	52.81	74.00	-21.19	41.64	3	Horizontal	259	2.47	-	38.40	7.64	34.87
AV	10.992G	40.38	54.00	-13.62	29.19	3	Horizontal	259	2.47	-	38.40	7.65	34.86
PK	16.5063G	62.34	68.20	-5.86	47.49	3	Horizontal	359	1.94	-	40.09	9.48	34.72

802.11ac VHT40_Nss2,(MCS0)_3TX

16/10/2020

5510MHz_TX




EUT Y_3TX
Setting 72
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	64.22	74.00	-9.78	59.93	3	Vertical	202	1.19	-	33.63	5.40	34.74
AV	5.4596G	48.99	54.00	-5.01	44.70	3	Vertical	202	1.19	-	33.64	5.40	34.75
PK	5.4676G	67.99	68.20	-0.21	63.67	3	Vertical	202	1.19	-	33.67	5.40	34.75
PK	5.5144G	110.51	Inf	-Inf	106.03	3	Vertical	202	1.19	-	33.83	5.40	34.75
AV	5.5136G	101.11	Inf	-Inf	96.63	3	Vertical	202	1.19	-	33.83	5.40	34.75

802.11ac VHT40_Nss2,(MCS0)_3TX

16/10/2020

5510MHz_TX




EUT Y_3TX
Setting 72
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.03	74.00	-12.97	56.74	3	Horizontal	291	1.80	-	33.64	5.40	34.75
AV	5.458G	47.35	54.00	-6.65	43.06	3	Horizontal	291	1.80	-	33.63	5.40	34.74
PK	5.4696G	65.20	68.20	-3.00	60.87	3	Horizontal	291	1.80	-	33.68	5.40	34.75
PK	5.504G	106.06	Inf	-Inf	101.61	3	Horizontal	291	1.80	-	33.81	5.40	34.76
AV	5.518G	97.50	Inf	-Inf	93.01	3	Horizontal	291	1.80	-	33.84	5.40	34.75

802.11ac VHT40_Nss2,(MCS0)_3TX

16/10/2020

5510MHz_TX




EUT V_3TX
Setting 72
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01304G	52.56	74.00	-21.44	41.37	3	Vertical	70	1.80	-	38.39	7.65	34.85
AV	11.01152G	40.26	54.00	-13.74	29.07	3	Vertical	70	1.80	-	38.39	7.65	34.85
PK	16.52988G	61.24	68.20	-6.96	46.35	3	Vertical	261	2.08	-	40.07	9.49	34.67

802.11ac VHT40_Nss2,(MCS0)_3TX

16/10/2020

5510MHz_TX




EUT V_3TX
Setting 72
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.028G	52.69	74.00	-21.31	41.51	3	Horizontal	127	1.80	-	38.37	7.66	34.85
AV	11.0162G	40.06	54.00	-13.94	28.87	3	Horizontal	127	1.80	-	38.38	7.66	34.85
PK	16.52908G	61.40	68.20	-6.80	46.51	3	Horizontal	3	2.97	-	40.07	9.49	34.67

802.11ac VHT80_Nss2,(MCS0)_3TX

16/10/2020

5530MHz_TX




EUT Y_3TX
Setting 73
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.343G	57.87	68.20	-10.33	54.13	3	Vertical	197	1.08	-	33.10	5.34	34.70
PK	5.452G	68.23	74.00	-5.77	63.96	3	Vertical	197	1.08	-	33.61	5.40	34.74
AV	5.456G	51.94	54.00	-2.06	47.66	3	Vertical	197	1.08	-	33.62	5.40	34.74
PK	5.464G	67.96	68.20	-0.24	63.65	3	Vertical	197	1.08	-	33.66	5.40	34.75
PK	5.534G	106.83	Inf	-Inf	102.31	3	Vertical	197	1.08	-	33.87	5.40	34.75
AV	5.534G	98.02	Inf	-Inf	93.50	3	Vertical	197	1.08	-	33.87	5.40	34.75
PK	5.757G	59.41	68.20	-8.79	54.29	3	Vertical	197	1.08	-	34.30	5.48	34.66

802.11ac VHT80_Nss2,(MCS0)_3TX

16/10/2020

5530MHz_TX




EUT Y_3TX
Setting 73
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.343G	57.03	68.20	-11.17	53.29	3	Horizontal	287	2.42	-	33.10	5.34	34.70
PK	5.453G	65.75	74.00	-8.25	61.48	3	Horizontal	287	2.42	-	33.61	5.40	34.74
AV	5.452G	50.93	54.00	-3.07	46.66	3	Horizontal	287	2.42	-	33.61	5.40	34.74
PK	5.461G	65.24	68.20	-2.96	60.95	3	Horizontal	287	2.42	-	33.64	5.40	34.75
PK	5.544G	104.44	Inf	-Inf	99.89	3	Horizontal	287	2.42	-	33.89	5.40	34.74
AV	5.518G	95.54	Inf	-Inf	91.05	3	Horizontal	287	2.42	-	33.84	5.40	34.75
PK	5.749G	59.85	68.20	-8.35	54.76	3	Horizontal	287	2.42	-	34.29	5.47	34.67

802.11ac VHT80_Nss2,(MCS0)_3TX

16/10/2020

5530MHz_TX




EUT V_3TX
Setting 73
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05024G	52.69	74.00	-21.31	41.52	3	Vertical	31	2.46	-	38.35	7.67	34.85
AV	11.06196G	41.90	54.00	-12.10	30.74	3	Vertical	31	2.46	-	38.34	7.67	34.85
PK	16.59896G	60.65	68.20	-7.55	45.66	3	Vertical	276	1.80	-	40.00	9.51	34.52

802.11ac VHT80_Nss2,(MCS0)_3TX

16/10/2020

5530MHz_TX




EUT V_3TX
Setting 73
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06944G	51.94	74.00	-22.06	40.79	3	Horizontal	185	1.22	-	38.33	7.67	34.85
AV	11.05504G	41.57	54.00	-12.43	30.41	3	Horizontal	185	1.22	-	38.34	7.67	34.85
PK	16.58448G	60.95	68.20	-7.25	45.98	3	Horizontal	103	1.93	-	40.02	9.50	34.55

802.11ax HEW20_Nss2,(MCS0)_3TX

16/10/2020

5500MHz_TX




EUT Y_3TX
Setting 75
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	63.99	74.00	-10.01	59.70	3	Vertical	201	1.21	-	33.64	5.40	34.75
AV	5.4586G	48.88	54.00	-5.12	44.60	3	Vertical	201	1.21	-	33.63	5.40	34.75
PK	5.4662G	68.07	68.20	-0.13	63.76	3	Vertical	201	1.21	-	33.66	5.40	34.75
PK	5.5026G	116.86	Inf	-Inf	112.41	3	Vertical	201	1.21	-	33.81	5.40	34.76
AV	5.501G	104.63	Inf	-Inf	100.19	3	Vertical	201	1.21	-	33.80	5.40	34.76

802.11ax HEW20_Nss2,(MCS0)_3TX

16/10/2020

5500MHz_TX




EUT Y_3TX
Setting 75
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	60.53	74.00	-13.47	56.24	3	Horizontal	287	2.11	-	33.63	5.40	34.74
AV	5.4558G	47.58	54.00	-6.42	43.30	3	Horizontal	287	2.11	-	33.62	5.40	34.74
PK	5.4698G	66.21	68.20	-1.99	61.88	3	Horizontal	287	2.11	-	33.68	5.40	34.75
PK	5.4948G	112.30	Inf	-Inf	107.88	3	Horizontal	287	2.11	-	33.78	5.40	34.76
AV	5.4976G	102.06	Inf	-Inf	97.63	3	Horizontal	287	2.11	-	33.79	5.40	34.76

802.11ax HEW20_Nss2,(MCS0)_3TX

16/10/2020

5500MHz_TX




EUT V_3TX
Setting 75
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9958G	52.25	74.00	-21.75	41.05	3	Vertical	327	2.39	-	38.40	7.65	34.85
AV	10.99508G	39.88	54.00	-14.12	28.68	3	Vertical	327	2.39	-	38.40	7.65	34.85
PK	16.50488G	61.61	68.20	-6.59	46.75	3	Vertical	359	1.80	-	40.10	9.48	34.72

802.11ax HEW20_Nss2,(MCS0)_3TX

16/10/2020

5500MHz_TX




EUT V_3TX
Setting 75
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00408G	52.82	74.00	-21.18	41.62	3	Horizontal	239	2.38	-	38.40	7.65	34.85
AV	11.00892G	40.00	54.00	-14.00	28.81	3	Horizontal	239	2.38	-	38.39	7.65	34.85
PK	16.50452G	62.97	68.20	-5.23	48.11	3	Horizontal	359	1.86	-	40.10	9.48	34.72

802.11ax HEW40_Nss2,(MCS0)_3TX

16/10/2020

5510MHz_TX




EUT Y_3TX
Setting 70
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.43	74.00	-10.57	59.14	3	Vertical	199	1.03	-	33.64	5.40	34.75
AV	5.4596G	49.00	54.00	-5.00	44.71	3	Vertical	199	1.03	-	33.64	5.40	34.75
PK	5.4664G	67.98	68.20	-0.22	63.66	3	Vertical	199	1.03	-	33.67	5.40	34.75
PK	5.5116G	113.27	Inf	-Inf	108.81	3	Vertical	199	1.03	-	33.82	5.40	34.76
AV	5.512G	99.72	Inf	-Inf	95.26	3	Vertical	199	1.03	-	33.82	5.40	34.76

802.11ax HEW40_Nss2,(MCS0)_3TX

16/10/2020

5510MHz_TX




EUT Y_3TX
Setting 70
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	63.17	74.00	-10.83	58.88	3	Horizontal	292	2.32	-	33.64	5.40	34.75
AV	5.458G	47.69	54.00	-6.31	43.40	3	Horizontal	292	2.32	-	33.63	5.40	34.74
PK	5.47G	64.38	68.20	-3.82	60.05	3	Horizontal	292	2.32	-	33.68	5.40	34.75
PK	5.5228G	107.98	Inf	-Inf	103.48	3	Horizontal	292	2.32	-	33.85	5.40	34.75
AV	5.524G	96.62	Inf	-Inf	92.12	3	Horizontal	292	2.32	-	33.85	5.40	34.75

802.11ax HEW40_Nss2,(MCS0)_3TX

16/10/2020

5510MHz_TX




EUT Y_3TX
Setting 70
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01152G	51.94	74.00	-22.06	40.75	3	Vertical	157	2.83	-	38.39	7.65	34.85
AV	11.01332G	40.09	54.00	-13.91	28.90	3	Vertical	157	2.83	-	38.39	7.65	34.85
PK	16.52136G	61.26	68.20	-6.94	46.39	3	Vertical	119	1.80	-	40.08	9.48	34.69

802.11ax HEW40_Nss2,(MCS0)_3TX

16/10/2020

5510MHz_TX




EUT Y_3TX
Setting 70
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0164G	51.63	74.00	-22.37	40.44	3	Horizontal	335	1.35	-	38.38	7.66	34.85
AV	11.01576G	39.96	54.00	-14.04	28.77	3	Horizontal	335	1.35	-	38.38	7.66	34.85
PK	16.53512G	61.39	68.20	-6.81	46.50	3	Horizontal	328	2.24	-	40.06	9.49	34.66

802.11ax HEW80_Nss2,(MCS0)_3TX

16/10/2020

5530MHz_TX




EUT Y_3TX
Setting 73
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	56.92	68.20	-11.28	53.20	3	Vertical	89	1.15	-	33.10	5.31	34.69
PK	5.453G	64.52	74.00	-9.48	60.25	3	Vertical	89	1.15	-	33.61	5.40	34.74
AV	5.458G	53.95	54.00	-0.05	49.66	3	Vertical	89	1.15	-	33.63	5.40	34.74
PK	5.469G	66.34	68.20	-1.86	62.01	3	Vertical	89	1.15	-	33.68	5.40	34.75
PK	5.517G	109.47	Inf	-Inf	104.99	3	Vertical	89	1.15	-	33.83	5.40	34.75
AV	5.54G	99.55	Inf	-Inf	95.01	3	Vertical	89	1.15	-	33.88	5.40	34.74
PK	5.735G	60.63	68.20	-7.57	55.62	3	Vertical	89	1.15	-	34.21	5.47	34.67

802.11ax HEW80_Nss2,(MCS0)_3TX

16/10/2020

5530MHz_TX




EUT Y_3TX
Setting 73
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.289G	57.09	68.20	-11.11	53.42	3	Horizontal	287	2.13	-	33.06	5.29	34.68
PK	5.459G	66.49	74.00	-7.51	62.20	3	Horizontal	287	2.13	-	33.64	5.40	34.75
AV	5.459G	51.45	54.00	-2.55	47.16	3	Horizontal	287	2.13	-	33.64	5.40	34.75
PK	5.464G	64.42	68.20	-3.78	60.11	3	Horizontal	287	2.13	-	33.66	5.40	34.75
PK	5.542G	105.19	Inf	-Inf	100.65	3	Horizontal	287	2.13	-	33.88	5.40	34.74
AV	5.543G	95.71	Inf	-Inf	91.16	3	Horizontal	287	2.13	-	33.89	5.40	34.74
PK	5.761G	59.41	68.20	-8.79	54.29	3	Horizontal	287	2.13	-	34.30	5.48	34.66

802.11ax HEW80_Nss2,(MCS0)_3TX

16/10/2020

5530MHz_TX




EUT V_3TX
Setting 73
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06292G	52.49	74.00	-21.51	41.33	3	Vertical	58	2.80	-	38.34	7.67	34.85
AV	11.06692G	41.91	54.00	-12.09	30.76	3	Vertical	58	2.80	-	38.33	7.67	34.85
PK	16.59166G	62.31	68.20	-5.89	47.33	3	Vertical	102	1.75	-	40.01	9.51	34.54

802.11ax HEW80_Nss2,(MCS0)_3TX

16/10/2020

5530MHz_TX



EUT V_3TX
Setting 73
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05568G	52.60	74.00	-21.40	41.44	3	Horizontal	356	1.03	-	38.34	7.67	34.85
AV	11.0582G	41.75	54.00	-12.25	30.59	3	Horizontal	356	1.03	-	38.34	7.67	34.85
PK	16.59404G	61.74	68.20	-6.46	46.75	3	Horizontal	162	2.12	-	40.01	9.51	34.53




**Mode 3, Non-beamforming mode: 5GHz High Band 3T3S SDM
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT40_Nss3,(MCS0)_3TX	Pass	PK	5.4648G	68.17	68.20	-0.03	3	Vertical	199	1.00	-

802.11ac VHT20_Nss3,(MCS0)_3TX

16/10/2020

5500MHz_TX




EUT Y_3TX
Setting 75
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	61.94	74.00	-12.06	57.65	3	Vertical	200	1.21	-	33.64	5.40	34.75
AV	5.4594G	48.29	54.00	-5.71	44.00	3	Vertical	200	1.21	-	33.64	5.40	34.75
PK	5.4678G	68.10	68.20	-0.10	63.78	3	Vertical	200	1.21	-	33.67	5.40	34.75
PK	5.4956G	113.90	Inf	-Inf	109.48	3	Vertical	200	1.21	-	33.78	5.40	34.76
AV	5.4978G	103.48	Inf	-Inf	99.05	3	Vertical	200	1.21	-	33.79	5.40	34.76

802.11ac VHT20_Nss3,(MCS0)_3TX

16/10/2020

5500MHz_TX




EUT Y_3TX
Setting 75
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	59.27	74.00	-14.73	54.98	3	Horizontal	271	1.80	-	33.63	5.40	34.74
AV	5.4566G	47.11	54.00	-6.89	42.82	3	Horizontal	271	1.80	-	33.63	5.40	34.74
PK	5.4692G	62.55	68.20	-5.65	58.22	3	Horizontal	271	1.80	-	33.68	5.40	34.75
PK	5.4976G	109.37	Inf	-Inf	104.94	3	Horizontal	271	1.80	-	33.79	5.40	34.76
AV	5.496G	99.68	Inf	-Inf	95.26	3	Horizontal	271	1.80	-	33.78	5.40	34.76

802.11ac VHT20_Nss3,(MCS0)_3TX

16/10/2020

5500MHz_TX




EUT Y_3TX
Setting 75
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99584G	53.25	74.00	-20.75	42.05	3	Vertical	148	2.42	-	38.40	7.65	34.85
AV	10.98896G	40.32	54.00	-13.68	29.13	3	Vertical	148	2.42	-	38.40	7.65	34.86
PK	16.50684G	59.90	68.20	-8.30	45.05	3	Vertical	3	1.72	-	40.09	9.48	34.72

802.11ac VHT20_Nss3,(MCS0)_3TX

16/10/2020

5500MHz_TX




EUT V_3TX
Setting 75
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01368G	53.08	74.00	-20.92	41.89	3	Horizontal	160	2.03	-	38.39	7.65	34.85
AV	11.01194G	40.99	54.00	-13.01	29.80	3	Horizontal	160	2.03	-	38.39	7.65	34.85
PK	16.51482G	60.90	68.20	-7.30	46.03	3	Horizontal	89	1.91	-	40.09	9.48	34.70

802.11ac VHT40_Nss3,(MCS0)_3TX

16/10/2020

5510MHz_TX




EUT Y_3TX
Setting 69
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	63.32	74.00	-10.68	59.04	3	Vertical	199	1.00	-	33.62	5.40	34.74
AV	5.4544G	48.73	54.00	-5.27	44.45	3	Vertical	199	1.00	-	33.62	5.40	34.74
PK	5.4648G	68.17	68.20	-0.03	63.86	3	Vertical	199	1.00	-	33.66	5.40	34.75
PK	5.518G	110.67	Inf	-Inf	106.18	3	Vertical	199	1.00	-	33.84	5.40	34.75
AV	5.518G	99.28	Inf	-Inf	94.79	3	Vertical	199	1.00	-	33.84	5.40	34.75

802.11ac VHT40_Nss3,(MCS0)_3TX

16/10/2020

5510MHz_TX




EUT Y_3TX
Setting 69
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.43	74.00	-11.57	58.14	3	Horizontal	283	2.29	-	33.64	5.40	34.75
AV	5.4596G	47.67	54.00	-6.33	43.38	3	Horizontal	283	2.29	-	33.64	5.40	34.75
PK	5.4684G	66.13	68.20	-2.07	61.81	3	Horizontal	283	2.29	-	33.67	5.40	34.75
PK	5.5196G	105.89	Inf	-Inf	101.40	3	Horizontal	283	2.29	-	33.84	5.40	34.75
AV	5.5184G	95.85	Inf	-Inf	91.36	3	Horizontal	283	2.29	-	33.84	5.40	34.75

802.11ac VHT40_Nss3,(MCS0)_3TX

16/10/2020

5510MHz_TX




EUT V_3TX
Setting 69
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01754G	53.00	74.00	-21.00	41.81	3	Vertical	316	2.28	-	38.38	7.66	34.85
AV	11.01954G	40.49	54.00	-13.51	29.30	3	Vertical	316	2.28	-	38.38	7.66	34.85
PK	16.5286G	60.45	68.20	-7.75	45.56	3	Vertical	108	2.35	-	40.07	9.49	34.67

802.11ac VHT40_Nss3,(MCS0)_3TX

16/10/2020

5510MHz_TX




EUT V_3TX
Setting 69
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02442G	52.77	74.00	-21.23	41.58	3	Horizontal	266	1.98	-	38.38	7.66	34.85
AV	11.02454G	40.34	54.00	-13.66	29.15	3	Horizontal	266	1.98	-	38.38	7.66	34.85
PK	16.53744G	60.74	68.20	-7.46	45.84	3	Horizontal	330	1.71	-	40.06	9.49	34.65

802.11ac VHT80_Nss3,(MCS0)_3TX

16/10/2020

5530MHz_TX




EUT Y_3TX
Setting 71
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	57.15	68.20	-11.05	53.43	3	Vertical	200	1.00	-	33.10	5.32	34.70
PK	5.454G	66.07	74.00	-7.93	61.79	3	Vertical	200	1.00	-	33.62	5.40	34.74
AV	5.46G	52.05	54.00	-1.95	47.76	3	Vertical	200	1.00	-	33.64	5.40	34.75
PK	5.47G	68.02	68.20	-0.18	63.69	3	Vertical	200	1.00	-	33.68	5.40	34.75
PK	5.519G	107.16	Inf	-Inf	102.67	3	Vertical	200	1.00	-	33.84	5.40	34.75
AV	5.518G	97.53	Inf	-Inf	93.04	3	Vertical	200	1.00	-	33.84	5.40	34.75
PK	5.766G	60.15	68.20	-8.05	55.03	3	Vertical	200	1.00	-	34.30	5.48	34.66

802.11ac VHT80_Nss3,(MCS0)_3TX

16/10/2020

5530MHz_TX




EUT Y_3TX
Setting 71
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.321G	57.26	68.20	-10.94	53.54	3	Horizontal	284	2.87	-	33.10	5.32	34.70
PK	5.453G	63.39	74.00	-10.61	59.12	3	Horizontal	284	2.87	-	33.61	5.40	34.74
AV	5.454G	50.36	54.00	-3.64	46.08	3	Horizontal	284	2.87	-	33.62	5.40	34.74
PK	5.463G	64.50	68.20	-3.70	60.20	3	Horizontal	284	2.87	-	33.65	5.40	34.75
PK	5.543G	103.40	Inf	-Inf	98.85	3	Horizontal	284	2.87	-	33.89	5.40	34.74
AV	5.533G	93.99	Inf	-Inf	89.47	3	Horizontal	284	2.87	-	33.87	5.40	34.75
PK	5.739G	58.28	68.20	-9.92	53.25	3	Horizontal	284	2.87	-	34.23	5.47	34.67

802.11ac VHT80_Nss3,(MCS0)_3TX

16/10/2020

5530MHz_TX




EUT V_3TX
Setting 71
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05602G	52.47	74.00	-21.53	41.31	3	Vertical	12	2.47	-	38.34	7.67	34.85
AV	11.05852G	41.80	54.00	-12.20	30.64	3	Vertical	12	2.47	-	38.34	7.67	34.85
PK	16.58626G	60.88	68.20	-7.32	45.91	3	Vertical	167	2.07	-	40.01	9.51	34.55

802.11ac VHT80_Nss3,(MCS0)_3TX

16/10/2020

5530MHz_TX




EUT V_3TX
Setting 71
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06444G	52.57	74.00	-21.43	41.41	3	Horizontal	220	1.03	-	38.34	7.67	34.85
AV	11.05512G	42.44	54.00	-11.56	31.28	3	Horizontal	220	1.03	-	38.34	7.67	34.85
PK	16.59254G	60.98	68.20	-7.22	46.00	3	Horizontal	329	2.31	-	40.01	9.51	34.54

802.11ax HEW20_Nss3,(MCS0)_3TX

16/10/2020

5500MHz_TX




EUT Y_3TX
Setting 73
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	60.41	74.00	-13.59	56.12	3	Vertical	202	1.08	-	33.63	5.40	34.74
AV	5.457G	48.26	54.00	-5.74	43.97	3	Vertical	202	1.08	-	33.63	5.40	34.74
PK	5.4696G	67.99	68.20	-0.21	63.66	3	Vertical	202	1.08	-	33.68	5.40	34.75
PK	5.501G	113.88	Inf	-Inf	109.44	3	Vertical	202	1.08	-	33.80	5.40	34.76
AV	5.4984G	102.93	Inf	-Inf	98.50	3	Vertical	202	1.08	-	33.79	5.40	34.76

802.11ax HEW20_Nss3,(MCS0)_3TX

16/10/2020

5500MHz_TX




EUT Y_3TX
Setting 73
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	60.94	74.00	-13.06	56.65	3	Horizontal	286	2.04	-	33.63	5.40	34.74
AV	5.4542G	47.63	54.00	-6.37	43.35	3	Horizontal	286	2.04	-	33.62	5.40	34.74
PK	5.4626G	65.36	68.20	-2.84	61.06	3	Horizontal	286	2.04	-	33.65	5.40	34.75
PK	5.5018G	112.12	Inf	-Inf	107.68	3	Horizontal	286	2.04	-	33.80	5.40	34.76
AV	5.4978G	99.68	Inf	-Inf	95.25	3	Horizontal	286	2.04	-	33.79	5.40	34.76

802.11ax HEW20_Nss3,(MCS0)_3TX

16/10/2020

5500MHz_TX




EUT V_3TX
Setting 73
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99518G	53.55	74.00	-20.45	42.35	3	Vertical	213	1.68	-	38.40	7.65	34.85
AV	10.99954G	40.83	54.00	-13.17	29.63	3	Vertical	213	1.68	-	38.40	7.65	34.85
PK	16.49874G	61.94	68.20	-6.26	47.11	3	Vertical	182	1.14	-	40.09	9.47	34.73

802.11ax HEW20_Nss3,(MCS0)_3TX

16/10/2020

5500MHz_TX




EUT V_3TX
Setting 73
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99516G	53.03	74.00	-20.97	41.83	3	Horizontal	357	2.28	-	38.40	7.65	34.85
AV	10.99546G	40.95	54.00	-13.05	29.75	3	Horizontal	357	2.28	-	38.40	7.65	34.85
PK	16.49682G	61.58	68.20	-6.62	46.75	3	Horizontal	90	1.91	-	40.09	9.47	34.73

802.11ax HEW40_Nss3,(MCS0)_3TX

16/10/2020

5510MHz_TX




EUT Y_3TX
Setting 67
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	63.22	74.00	-10.78	58.93	3	Vertical	198	1.05	-	33.64	5.40	34.75
AV	5.4564G	50.02	54.00	-3.98	45.73	3	Vertical	198	1.05	-	33.63	5.40	34.74
PK	5.47G	67.98	68.20	-0.22	63.65	3	Vertical	198	1.05	-	33.68	5.40	34.75
PK	5.518G	111.46	Inf	-Inf	106.97	3	Vertical	198	1.05	-	33.84	5.40	34.75
AV	5.5132G	99.22	Inf	-Inf	94.74	3	Vertical	198	1.05	-	33.83	5.40	34.75

802.11ax HEW40_Nss3,(MCS0)_3TX

16/10/2020

5510MHz_TX




EUT Y_3TX
Setting 67
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	60.78	74.00	-13.22	56.49	3	Horizontal	268	2.16	-	33.63	5.40	34.74
AV	5.46G	49.10	54.00	-4.90	44.81	3	Horizontal	268	2.16	-	33.64	5.40	34.75
PK	5.47G	64.65	68.20	-3.55	60.32	3	Horizontal	268	2.16	-	33.68	5.40	34.75
PK	5.518G	106.04	Inf	-Inf	101.55	3	Horizontal	268	2.16	-	33.84	5.40	34.75
AV	5.5172G	95.88	Inf	-Inf	91.40	3	Horizontal	268	2.16	-	33.83	5.40	34.75

802.11ax HEW40_Nss3,(MCS0)_3TX

16/10/2020

5510MHz_TX




EUT V_3TX
Setting 67
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01876G	52.51	74.00	-21.49	41.32	3	Vertical	161	2.20	-	38.38	7.66	34.85
AV	11.01514G	41.50	54.00	-12.50	30.31	3	Vertical	161	2.20	-	38.38	7.66	34.85
PK	16.53292G	62.04	68.20	-6.16	47.14	3	Vertical	112	1.32	-	40.07	9.49	34.66

802.11ax HEW40_Nss3,(MCS0)_3TX

16/10/2020

5510MHz_TX




EUT V_3TX
Setting 67
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02098G	52.84	74.00	-21.16	41.65	3	Horizontal	193	2.63	-	38.38	7.66	34.85
AV	11.01856G	41.89	54.00	-12.11	30.70	3	Horizontal	193	2.63	-	38.38	7.66	34.85
PK	16.5297G	62.09	68.20	-6.11	47.20	3	Horizontal	313	2.80	-	40.07	9.49	34.67

802.11ax HEW80_Nss3,(MCS0)_3TX

16/10/2020

5530MHz_TX




EUT Y_3TX
Setting 73
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	57.18	68.20	-11.02	53.46	3	Vertical	209	1.00	-	33.10	5.32	34.70
PK	5.454G	69.83	74.00	-4.17	65.55	3	Vertical	209	1.00	-	33.62	5.40	34.74
AV	5.454G	53.78	54.00	-0.22	49.50	3	Vertical	209	1.00	-	33.62	5.40	34.74
PK	5.466G	67.53	68.20	-0.67	63.22	3	Vertical	209	1.00	-	33.66	5.40	34.75
PK	5.546G	107.46	Inf	-Inf	102.91	3	Vertical	209	1.00	-	33.89	5.40	34.74
AV	5.54G	97.05	Inf	-Inf	92.51	3	Vertical	209	1.00	-	33.88	5.40	34.74
PK	5.77G	60.18	68.20	-8.02	55.05	3	Vertical	209	1.00	-	34.30	5.49	34.66

802.11ax HEW80_Nss3,(MCS0)_3TX

16/10/2020

5530MHz_TX



EUT Y_3TX
Setting 73
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3G	57.79	68.20	-10.41	54.08	3	Horizontal	273	2.36	-	33.10	5.30	34.69
PK	5.459G	66.12	74.00	-7.88	61.83	3	Horizontal	273	2.36	-	33.64	5.40	34.75
AV	5.458G	51.84	54.00	-2.16	47.55	3	Horizontal	273	2.36	-	33.63	5.40	34.74
PK	5.466G	64.79	68.20	-3.41	60.48	3	Horizontal	273	2.36	-	33.66	5.40	34.75
PK	5.536G	105.78	Inf	-Inf	101.26	3	Horizontal	273	2.36	-	33.87	5.40	34.75
AV	5.541G	94.68	Inf	-Inf	90.14	3	Horizontal	273	2.36	-	33.88	5.40	34.74
PK	5.776G	60.34	68.20	-7.86	55.21	3	Horizontal	273	2.36	-	34.30	5.49	34.66