

Page: 1 of 128

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT





FCC Applicant: Murata Manufacturing Co., Ltd.

1-10-1, Higashikotari, Nagaokakyo-shi, Kyoto 617-8555 Japan

FCC Manufacturer: Murata Manufacturing Co., Ltd.

1-10-1, Higashikotari, Nagaokakyo-shi, Kyoto 617-8555 Japan

Murata Manufacturing Co., Ltd. **ISED Applicant:**

1-10-1, Higashikotari, Nagaokakyo-shi, Kyoto 617-8555 Japan

ISED Manufacturer: Murata Manufacturing Co., Ltd.

1-10-1, Higashikotari, Nagaokakyo-shi, Kyoto 617-8555 Japan

Communication Module **Product Name:**

Brand Name: muRata

Model No.: LBEE5ZZ1XL, LBEE5ZZ2XS

Model Difference: Refer to section 1.8

E2/2022/10036 **Report Number:**

FCC ID VPYLBEE5ZZ1XL

IC: 772C-LBEE5ZZ1XL

Date of EUT Received: January 11, 2022

Date of Test: January 19, 2022~April 01, 2022

Issue Date: June 16, 2022

Approved By

Jay Lin

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.247, ISED RSS-247.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 2 of 128

Revision History						
Report Number	Revision	Description	Issue Date	Revised By	Remark	
E2/2022/10036	00	Original.	June 16, 2022	Yami Kuo		

Note:

- 1 . The remark "*" indicates modification of the report upon requests from certification body.
- 2 Variant information of model numbers is provided by the applicant, test results of this report are applicable to the sample EUT(s) received and assessments of RSE, output power, emission bandwidth and frequency separation are conducted to ensure compliance.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「門砂山株の程本田台の「POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH THE WITH THE

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北産業園區五工路 134 號 及公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 3 of 128

Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	7
3	SUMMARY OF TEST RESULTS	10
4	DESCRIPTION OF TEST MODES	11
5	MEASUREMENT UNCERTAINTY	13
6	MEASUREMENT EQUIPMENT USED	14
7	CONDUCTED EMISSION TEST	16
8	PEAK OUTPUT POWER MEASUREMENT	22
9	EMISSION BANDWIDTH MEASUREMENT	27
10	CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	38
11	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	48
12	FREQUENCY SEPARATION	115
13	NUMBER OF HOPPING FREQUENCY	120
14	TIME OF OCCUPANCY (DWELL TIME)	123
15	ANTENNA RECHIREMENT	128

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音音光性到角成之体而具ま 「同時以後而程本音句之子を音音を表示を立む音曲音句子 不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 4 of 128

GENERAL INFORMATION

1.1 **Product Description**

Product Name:	Communication Module
Brand Name:	muRata
Model No.:	LBEE5ZZ1XL, LBEE5ZZ2XS
Model Difference:	Refer to section 1.8
Hardware Version:	1
Firmware Version:	17.80.200.204
EUT Series No.:	1XL: Sample. No2 2XS: Sample. No5
Power Supply:	3.3Vdc, 1.8Vdc
Test Software (Name/Version)	Tera Term V4.105 / Dut labtool v2.0.0.85

1.2 **RF Specification**

Radio Technology:	BT BR+EDR
Channel number:	79 channels
Modulation type:	GFSK + π/4DQPSK + 8DPSK
Transmit Power:	1XL: 6.05 dBm 2XS: 6.08 dBm
Frequency Range:	2.402GHz – 2.480GHz
Dwell Time:	≦ 0.4s

1.3 **Antenna Designation**

Antenna	Freq.	Peak Antenna
Type	(MHz)	Gain (dBi)
Dipole	2402-2480	3.2

Note:

- Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the highest gain as the worst case scenarios.
- Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「門砂山株の程本田台の「POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH THE WITH THE



Page: 5 of 128

1.4 **Test Methodology of Applied Standards**

FCC Part 15, Subpart C §15.247 FCC KDB 558074 D01 15.247 Meas. Guidance v05r02 RSS-247 issue 2 Feb. 2017 RSS-Gen, Issue 5 (Amendment 2, February 2021) ANSI C63.10:2013

1.5 **Test Facility**

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier
		SAC 1		
		SAC 3		
		Conduction 1		
	No.134, Wu Kung Road, New Taipei	Conducted 1		
	Industrial Park, Wuku District, New	Conducted 2	TW0027	
	Taipei City, Taiwan.	Conducted 3	_	TW3702
		Conducted 4		
		Conducted 5		
SGS Taiwan Ltd.		Conducted 6		
Central RF Lab.		Conduction C		
(TAF code 3702)		SAC C	TW0028	
(1741 COUC 5702)		SAC D		
		SAC G		
	No.2, Keji 1st Rd., Guishan District,	Conducted A		
	Taoyuan City, Taiwan 333	Conducted B		
	ladydair City, Taiwair 555	Conducted C		
		Conducted D		
		Conducted E		
		Conducted F		
		Conducted G		

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

1.6 **Special Accessories**

There is no special accessory used while test was conducted.

1.7 **Equipment Modifications**

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 6 of 128

1.8 **Model Difference**

LBEE5ZZ1XL has a dedicated antenna port for BT. LBEE5ZZ2XS BT shares same antenna port with WLAN. Some passive components are different between models as below.

LBEE5ZZ1XL	LBEE5ZZ2XS
C 336 No mounted	C336 mounted
C337 mounted	C337 No mounted
L310 mounted	L310 No mounted

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音音光性到角成之体而具ま 「同時以後而程本音句之子を音音を表示を立む音曲音句子 不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 7 of 128

2 SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

2.3.3 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 8 of 128

2.4 **Measurement Results Explanation Example**

2.4.1 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m*6m*6m semi-ane choic chamber, the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

2.4.2 For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 9 of 128

2.5 **Test Configuration**



2.6 Control Unit(s)

	` '				
Conducted Emission Test Site: Conducted D					
EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE.					
Notebook	Lenovo	T420	S0012599	N/A	N/A
Notebook	Lenovo	L420	S0011721	N/A	N/A

Radiated Emission Test Site: SAC D						
EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE.						
LAN Cable	向聯	VPH-02	1500021123	N.C.R	N.C.R	
Notebook	Lenovo	T470	P0001293	N/A	N/A	
Adapter	FSP	FSP065-REBN2	H6081012364	N.C.R	N.C.R	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「門砂山株の程本田台の一大型子間田町町・不り市の内模型・ This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 10 of 128

3 SUMMARY OF TEST RESULTS

FCC Rules	ISED Rules	Description Of Test	Result
§15.207(a)	RSS-Gen §8.8	AC Power Line Conducted Emission	Compliant
§15.247(b)(1)	RSS-247 §5.4 b	Peak Output Power	Compliant
§15.247(a)(1)	RSS-247 §5.1 b RSS-Gen §6.7	Emission Bandwidth	Compliant
§15.205 §15.209 §15.247(d)	RSS-247 §5.5 RSS-Gen §8.9 RSS-Gen §8.10	Conducted & Radiated Band Edge and Spurious Emission	Compliant
§15.247(a)(1)	RSS-247 §5.1 b	Frequency Separation	Compliant
§15.247(a)(1)(iii)	RSS-247 §5.1 d	Number of hopping frequency Time of Occupancy	Compliant
§15.203	N/A	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音音光性到角成之体而具ま 「同時以後而程本音句之子を音音を表示を立む音曲音句子 不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 11 of 128

DESCRIPTION OF TEST MODES

4.1 Operated in 2400 ~ 2483.5MHz Band

79 channels are provided for Bluetooth

1		, —	79 Charmers are provided for Bidetooth							
ITEM	FREQUENCY	ITEM	FREQUENCY	ITEM	FREQUENCY	ITEM	FREQUENCY			
1	2402 MHz	21	2422 MHz	41	2442 MHz	71	2462 MHz			
2	2403 MHz	22	2423 MHz	42	2443 MHz	72	2463 MHz			
3	2404 MHz	23	2424 MHz	43	2444 MHz	73	2464 MHz			
4	2405 MHz	24	2425 MHz	44	2445 MHz	74	2465 MHz			
5	2406 MHz	25	2426 MHz	45	2446 MHz	75	2466 MHz			
6	2407 MHz	26	2427 MHz	46	2447 MHz	76	2467 MHz			
7	2408 MHz	27	2428 MHz	47	2448 MHz	77	2468 MHz			
8	2409 MHz	28	2429 MHz	48	2449 MHz	78	2469 MHz			
9	2410 MHz	29	2430 MHz	49	2450 MHz	79	2470 MHz			
10	2411 MHz	30	2431 MHz	50	2451 MHz	70	2471 MHz			
11	2412 MHz	31	2432 MHz	51	2452 MHz	71	2472 MHz			
12	2413 MHz	32	2433 MHz	52	2453 MHz	72	2473 MHz			
13	2414 MHz	33	2434 MHz	53	2454 MHz	73	2474 MHz			
14	2415 MHz	34	2435 MHz	54	2455 MHz	74	2475 MHz			
15	2416 MHz	35	2436 MHz	55	2456 MHz	75	2476 MHz			
16	2417 MHz	36	2437 MHz	56	2457 MHz	76	2477 MHz			
17	2418 MHz	37	2438 MHz	57	2458 MHz	77	2478 MHz			
18	2419 MHz	38	2439 MHz	58	2459 MHz	78	2479 MHz			
19	2420 MHz	39	2440 MHz	59	2460 MHz	79	2480 MHz			
20	2421 MHz	40	2441 MHz	60	2461 MHz					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音音光性到角成之体而具ま 「同時以後而程本音句之子を音音を表示を立む音曲音句子 不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 12 of 128

4.2 The Worst Test Modes and Channel Details

- The EUT has been tested under operating condition.
- Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.
- Investigation has been done on all the possible configurations for searching the worst case.

MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	PACKET TYPE		
RADIATED EMISSION TEST (BELOW 1 GHz)						
Bluetooth	0 to 78	39	GFSK	DH5		
RADIATED EMISSION TEST (ABOVE 1 GHz)						
Bluetooth	0 to 78	0,39,78	GFSK/8-DPSK	DH5/3DH5		

Note: The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for channel Low, Mid and High, the worst case position was reported.

	-	ANTNNA PORT CONDUCTE	D TEST							
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	PACKET TYPE						
	Peak Output Power, 20dB Band Width									
	0 to 78	0,39,78	GFSK	DH5						
Bluetooth	0 to 78	0,39,78	π/4-DQPSK	2DH5						
	0 to 78	0,39,78	8-DPSK	3DH5						
	Band Edge									
Bluetooth	0 to 78	0,78	GFSK/8-DPSK	DH5/3DH5						
		Frequency Separation	on							
Bluetooth	0 to 78	0,1,2,38,39,40,76,77,78	GFSK π/4-DQPSK 8-DPSK	DH5 2DH5 3DH5						
		Number of hopping frequency	uency							
Bluetooth	0 to 78	0,78	GFSK/8-DPSK	DH5/3DH5						
		Time of Occupancy(Dwe	II time)							
			GFSK	DH1/DH3/DH5						
Bluetooth	0 to 78	0 to 78 39	π/4-DQPSK	2DH1/2DH3/2DH						
			8-DPSK	3DH1/3DH3/3DH						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 13 of 128

MEASUREMENT UNCERTAINTY

Test Items	l	Jncertair	nty
AC Power Line Conducted Emission	+/-	2.34	dB
Output Power measurement	+/-	1	dB
Emission Bandwidth	+/-	1.53	Hz
Undesignable radiated emission measurement	+/-	1.68	dB
Frequency Separation	+/-	1.53	Hz
Number of hopping frequency	+/-	1.53	Hz
Time of Occupancy	+/-	1.53	Hz
Temperature	+/-	0.4	°C
Humidity	+/-	3.5	%
DC / AC Power Source	+/-	1	%

Radiated Spurious Emission Measurement Uncertainty								
Polarization: Vertical	+/-	2.57	dB	9kHz~30MHz				
	+/-	4.85	dB	30MHz - 1000MHz				
	+/-	4.45	dB	1GHz - 18GHz				
	+/-	4.24	dB	18GHz - 40GHz				
	+/-	2.57	dB	9kHz~30MHz				
Polarization: Horizontal	+/-	4.37	dB	30MHz - 1000MHz				
Polarization. Horizontal	+/-	4.45	dB	1GHz - 18GHz				
	+/-	4.24	dB	18GHz - 40GHz				

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「門砂山株の程本田台の「POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH THE WITH THE



Page: 14 of 128

MEASUREMENT EQUIPMENT USED

6.1 **Emission from AC power line**

AC	AC Power-Line Conducted Emission Test Site: Conduction C										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.						
LISN	SCHWARZBECK Mess- Elektronik	NSLK8127	974	04/19/2021	04/18/2022						
LISN	SCHWARZBECK Mess- Elektronik	NSLK8127	974	04/13/2022	04/12/2023						
EMI Test Receiver	R&S	ESCI	101342	04/28/2021	04/27/2022						
EMI Test Receiver	R&S	ESCI	101342	04/25/2022	04/24/2023						
DC Power Supply	Gwinstek	SPS-3610	GEV856769	08/04/2021	08/03/2022						
DC Power Supply	DHA	DPS-3003	9411005787	08/20/2021	08/19/2022						
Coaxial Cable	EC Lab	RF-HY-CAB- 250	RF-HY-CAB- 250-01	03/27/2022	03/26/2023						
Pulse Limiter	EC Lab	VTSD 9561F- N	04/29/1901	03/27/2022	03/26/2023						
Test Software	audix	e3	E3 20923 SGS Ver.9 (C)	N.C.R	N.C.R						

Conducted Measurement 6.2

Conducted Emission Test Site: Conducted D									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
Spectrum Analyzer	KEYSIGHT	N9010B	MY59071574	06/25/2021	06/24/2022				
Power Meter	Anrits u	ML2496A	1512003	07/27/2021	07/26/2022				
Power Sensor	Anrits u	MA2411B	1339378	07/27/2021	07/26/2022				
Power Sensor	Anrits u	MA2411B	1339379	07/27/2021	07/26/2022				
DC Power Supply	Agilent	E3640A	MY53130054	09/30/2021	09/29/2022				
DC Power Supply	Agilent	E3640A	MY53140006	05/28/2021	05/27/2022				
DC Power Supply	HOLA	DP-3003	D7070035	05/28/2021	05/27/2022				
DC Power Supply	Gwinstek	SPS-3610	GEV856767	09/29/2021	09/28/2022				
Attenuator	Marvelous	MVE2213-10	RF13	11/18/2021	11/17/2022				
Attenuator	Marvelous	WATT-218FS-10	RF15	11/18/2021	11/17/2022				
Attenuator	KEYSIGHT	8494B	TH60075424	05/07/2021	05/06/2022				
Coupler	narda	MDC2044-20	RF36	11/18/2021	11/17/2022				
DC Block	PASTERNACK	PE8210	RF158	11/18/2021	11/17/2022				
Splitter	Marvelous Microwave	MVE8576	RF256	11/18/2021	11/17/2022				
RF Switch	E-INSTRUMENT TECH LTD	ETF-1801	EC2100175	09/10/2021	09/09/2022				
Coaxial Cables	Woken	00100A1F2A196C	RF62	11/18/2021	11/17/2022				
Coaxial Cables	Woken	00100A1F2A196C	RF64	11/18/2021	11/17/2022				
Coaxial Cables	Woken	00100A1F1A185C	RF71	11/18/2021	11/17/2022				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音音光性到角成之体而具ま 「同時以後而程本音句之子を音音を表示を立む音曲音句子 不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 15 of 128

6.3 **Radiated Measurement**

	Radiated Emission Test Site: SAC D								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
Broadband Antenna	SCHWARZBECK	VULB 9168	9168-617	11/12/2021	11/11/2022				
Horn Antenna	Schwarzbeck	BBHA9170	185	08/06/2021	08/05/2022				
Horn Antenna	Schwarzbeck	BBHA9120D	1341	06/04/2021	06/03/2022				
Loop Antenna	ETS.LINDGREN	6502	148045	09/29/2021	09/28/2022				
Loop Antenna	ETS.LINDGREN	6502	143303	05/07/2021	05/06/2022				
3m Site NSA	SGS	966 chamber D	N/A	07/12/2021	07/11/2022				
Test Software	audix	e3	E3 20923 SGS Ver.9 (C	N.C.R	N.C.R				
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120200	03/24/2021	03/23/2022				
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120200	03/24/2022	03/23/2023				
Pre-Amplifier	EMC Instruments	EMC184045B	980135	10/27/2021	10/26/2022				
Pre-Amplifier	EMC Instruments	EMC9135	980234	11/18/2021	11/17/2022				
Pre-Amplifier	EMC Instruments	EMC12630SE	980273	11/18/2021	11/17/2022				
DC Power Supply	Gwinstek	SPS-3610	GEV856769	08/04/2021	08/03/2022				
DC Power Supply	DHA	DPS-3003	9411005787	08/20/2021	08/19/2022				
Coaxial Cable	Huber+Suhner	RG 214/U	W21.01	11/18/2021	11/17/2022				
Coaxial Cable	Huber Suhner	EMC106-SM-SM-7200	150703	11/18/2021	11/17/2022				
Coaxial Cable	Huber Suhner	SUCOFLEX 104	MY17413/4	11/18/2021	11/17/2022				
Attenuator	Marvelous	WATT-218FS-10	RF17	11/18/2021	11/17/2022				

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音音光性到角成之体而具ま 「同時以後而程本音句之子を音音を表示を立む音曲音句子 不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 16 of 128

CONDUCTED EMISSION TEST

Standard Applicable 7.1

Frequency within 150 kHz to 30MHz shall not exceed the limit table as below.

Frequency range	Limits dB(uV)				
MHz	Quasi-peak	Average			
0.15 to 0.50	66 to 56	56 to 46			
0.50 to 5	56	46			
5 to 30	60	50			


Note

- 1. The lower limit shall apply at the transition frequencies
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

7.2 **EUT Setup**

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

7.3 **Test Setup**



7.4 **Measurement Procedure**

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all frequency measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 17 of 128

7.5 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「門砂山株の程本田台の「POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH THE WITH THE

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 18 of 128

AC POWER LINE CONDUCTED EMISSION TEST DATA

1XL


Report Number :E2/2022/10036 Test Site :Conduction C

Test Mode :BT Test Date :2022-04-01

:120V/60Hz Temp./Humi. :20.8/63 Power

Probe :L1 Engineer :Jack Tseng

Note: :Adapter:FSP0065-REBN2, 1XL



rieq.	Mode	Reading Level	Factor	FS	LIIIII	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV	dΒμV	dB
0.189	Peak	36.29	10.27	46.56	64.06	-17.50
0.283	Average	34.70	10.29	44.99	50.72	-5.73
0.283	QP	34.80	10.29	45.09	60.72	-15.63
0.318	Peak	32.52	10.29	42.82	59.75	-16.93
0.377	Peak	28.44	10.30	38.74	58.34	-19.60
1.262	Peak	22.28	10.64	32.92	56.00	-23.08
3.041	Peak	20.00	10.88	30.88	56.00	-25.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「門砂山株の程本田台の「POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH THE WITH THE



Page: 19 of 128


Report Number :E2/2022/10036 Test Site :Conduction C

:BT Test Mode **Test Date** :2022-04-01

Power :120V/60Hz Temp./Humi. :20.8/63

Probe :N :Jack Tseng Engineer

Note: :Adapter:FSP0065-REBN2, 1XL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV	dΒμV	dB
0.283	Peak	35.38	10.28	45.67	60.72	-15.05
0.377	Peak	30.79	10.29	41.09	58.34	-17.26
1.262	Peak	22.83	10.61	33.44	56.00	-22.56
2.946	Peak	20.40	10.86	31.26	56.00	-24.74
13.551	Peak	16.57	10.71	27.28	60.00	-32.72
25.591	Peak	23.02	11.01	34.03	60.00	-25.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com.tw/1 erms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 20 of 128

2XS


Report Number :E2/2022/10036 Test Site :Conduction C

:BT :2022-04-01 Test Mode **Test Date**

Power :120V/60Hz Temp./Humi. :20.8/63

Probe :L1 Engineer :Jack Tseng

:Adapter:FSP0065-REBN2, 2XS Note:



Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
PK/QP/AV	dΒμV	dB	dΒμV	dΒμV	dB
Peak	37.79	10.27	48.06	64.06	-16.00
Peak	34.05	10.29	44.34	60.63	-16.30
Peak	32.03	10.30	42.33	58.25	-15.93
Peak	22.60	10.31	32.92	56.41	-23.49
Peak	17.25	10.60	27.86	56.00	-28.14
Peak	12.39	10.76	23.15	56.00	-32.85
	Mode PK/QP/AV Peak Peak Peak Peak Peak	Mode PK/QP/AV Reading Level dBμV Peak 37.79 Peak 34.05 Peak 32.03 Peak 22.60 Peak 17.25	Mode PK/QP/AV Reading Level dBμV dB Peak 37.79 10.27 Peak 34.05 10.29 Peak 32.03 10.30 Peak 22.60 10.31 Peak 17.25 10.60	Mode Pk/QP/AV Reading Level dB μV FS dB μV Peak 37.79 10.27 48.06 Peak 34.05 10.29 44.34 Peak 32.03 10.30 42.33 Peak 22.60 10.31 32.92 Peak 17.25 10.60 27.86	Mode PK/QP/AVReading Level dB μVFS dB μV $dB \mu V$ Peak37.7910.2748.0664.06Peak34.0510.2944.3460.63Peak32.0310.3042.3358.25Peak22.6010.3132.9256.41Peak17.2510.6027.8656.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「門砂山株の程本田台の「POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH THE WITH THE



Page: 21 of 128


Report Number :E2/2022/10036 Test Site :Conduction C

:BT :2022-04-01 Test Mode **Test Date**

Power :120V/60Hz Temp./Humi. :20.8/63

Probe :N :Jack Tseng Engineer

Note: :Adapter:FSP0065-REBN2, 2XS



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV	dΒμV	dB
0.191	Peak	37.65	10.27	47.92	63.98	-16.06
0.286	Peak	34.08	10.28	44.37	60.63	-16.26
0.381	Peak	32.02	10.29	42.31	58.25	-15.95
1.223	Peak	19.60	10.57	30.17	56.00	-25.83
3.107	Peak	16.17	10.82	26.99	56.00	-29.01
21.147	Peak	24.43	10.88	35.31	60.00	-24.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「門砂山株の程本田台の「POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH THE WITH THE



Page: 22 of 128


8 PEAK OUTPUT POWER MEASUREMENT

8.1 Standard Applicable

For frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 hopping channels, The Limit: 1Watt. For all other frequency hopping systems in the 2400 – 2483.5MHz band: The Limit: 0.125 Watts. The power limit for 1Mbps is 1watt, and 2Mbps, 3Mbps and AFH mode are 0.125 watts.

The e.i.r.p. shall not exceed 4 W.

8.2 Test Setup



8.3 Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows ANSI C63.10 Measurement Guidelines.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter or spectrum. (Max Hold, Detector = Peak, RBW >=20dB bandwidth)
- 4. Record the max. reading.
- 5. Repeat above procedures until all default test channel is completed.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 23 of 128

8.4 Peak & Average Power Measurement Result

1XL

1M BR mode (Peak):

	. ,				
СН	Freq. (MHz)	Power set	Peak Output Power (dBm)	Output Power (mW)	Limit (mW)
Low	2402	6	6.05	4.027	1000
Mid	2441	6	5.91	3.899	1000
High	2480	6	5.97	3.954	1000

1M BR mode (Average):

III BR House (Average).								
СН	Freq. (MHz)	Power set	Max. Avg.Output include tune up tolerance Power (dBm)	Output Power (mW)	Limit (mW)			
Low	2402	6	5.95	3.939	1000			
Mid	2441	6	5.79	3.796	1000			
High	2480	6	5.88	3.876	1000			

2M EDR mode (Peak):

СН	Freq. (MHz)	Power set	Peak Output Power (dBm)	Output Power (mW)	Limit (mW)
Low	2402	6	5.19	3.304	125
Mid	2441	6	5.05	3.199	125
High	2480	6	5.12	3.251	125

2M EDR mode (Average):

Zim EDIT mode (Average).							
СН	Freq. (MHz)	Power set	Max. Avg.Output include tune up tolerance Power (dBm)	Output Power (mW)	Limit (mW)		
Low	2402	6	2.88	1.943	125		
Mid	2441	6	2.76	1.890	125		
High	2480	6	2.83	1.920	125		

3M EDR mode (Peak):

СН	Freq. (MHz)	Power set	Peak Output Power (dBm)	Output Power (mW)	Limit (mW)
Low	2402	6	5.39	3.459	125
Mid	2441	6	5.24	3.342	125
High	2480	6	5.31	3.396	125

NOTE: cable loss as dB that offsets in the spectrum

3M EDR mode (Average):

СН	Freq. (MHz)	Power set	Max. Avg.Output include tune up tolerance Power (dBm)	Output Power (mW)	Limit (mW)
Low	2402	6	2.95	1.974	125
Mid	2441	6	2.81	1.912	125
High	2480	6	2.89	1.947	125

*Note: Max. Output include tune up tolerance Power measured by using average detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「門砂山株の程本田台の「POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH THE WITH THE

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北産業園區五工路 134 號 公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 24 of 128

2XS

1M BR mode (Peak):

СН	Freq. (MHz)	Power set	Peak Output Power (dBm)	Output Power (mW)	Limit (mW)
Low	2402	5	6.08	4.055	1000
Mid	2441	5	5.95	3.936	1000
High	2480	5	6.02	3.999	1000

2M EDR mode (Peak):

, ,									
СН	Freq. (MHz)	Power set	Peak Output Power (dBm)	Output Power (mW)	Limit (mW)				
Low	2402	5	5.31	3.396	125				
Mid	2441	5	5.18	3.296	125				
High	2480	5	5.25	3.350	125				

3M EDR mode (Peak):

СН	Freq. (MHz)	Power set	Peak Output Power (dBm)	Output Power (mW)	Limit (mW)
Low	2402	5	5.58	3.614	125
Mid	2441	5	5.46	3.516	125
High	2480	5	5.51	3.556	125

NOTE: cable loss as dB that offsets in the spectrum

1M BR mode (Average):

СН	Freq. (MHz)	Power set	Max. Avg.Output include tune up tolerance Power (dBm)	Output Power (mW)	Limit (mW)
Low	2402	5	5.96	3.941	1000
Mid	2441	5	5.86	3.852	1000
High	2480	5	5.91	3.896	1000

2M EDR mode (Average):

СН	Freq. (MHz)	Power set	Max. Avg.Output include tune up tolerance Power (dBm)	Output Power (mW)	Limit (mW)
Low	2402	5	2.87	1.935	125
Mid	2441	5	2.70	1.861	125
High	2480	5	2.80	1.904	125

3M EDR mode (Average):

СН	Freq. (MHz)	Power set	Max. Avg.Output include tune up tolerance Power (dBm)	Output Power (mW)	Limit (mW)
Low	2402	5	2.93	1.965	125
Mid	2441	5	2.81	1.912	125
High	2480	5	2.88	1.943	125

*Note: Max. Output include tune up tolerance Power measured by using average detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「門砂山株の程本田台の「POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH THE WITH THE

ISGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 25 of 128

8.5 **EIRP Measurement Result**

1XL

1M BR mode EIRP

Channel	Frequency (MHz)	Power set	Max. Avg. Output include tune up tolerance Power (dBm)	Antenna Gain (dBi)	EIRP (mW)	Limit (mW)
Low	2402	6	5.95	3.20	8.230	4000
Mid	2441	6	5.79	3.20	7.932	4000
High	2480	6	5.88	3.20	8.098	4000

2M EDR mode EIRP

Channel	Frequency (MHz)	Power set	Max. Avg.Output include tune up tolerance Power (dBm)	Antenna Gain (dBi)	EIRP (mW)	Limit (mW)
Low	2402	6	2.88	3.20	4.059	4000
Mid	2441	6	2.76	3.20	3.948	4000
High	2480	6	2.83	3.20	4.012	4000

3M EDR mode EIRP

Channel	Frequency (MHz)	Power set	Max. Avg.Output include tune up tolerance Power (dBm)	Antenna Gain (dBi)	EIRP (mW)	Limit (mW)
Low	2402	6	2.95	3.20	4.125	4000
Mid	2441	6	2.81	3.20	3.994	4000
High	2480	6	2.89	3.20	4.068	4000

* Note: EIRP = Average Power + Gain

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音音光性到角成之体而具ま 「同時以後而程本音句之子を音音を表示を立む音曲音句子 不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 26 of 128

2XS

1M BR mode EIRP

Channel	Frequency (MHz)	Power set	Max. Avg. Output include tune up tolerance Power (dBm)	Antenna Gain (dBi)	EIRP (mW)	Limit (mW)
Low	2402	5	5.96	3.20	8.235	4000
Mid	2441	5	5.86	3.20	8.047	4000
High	2480	5	5.91	3.20	8.140	4000

2M EDR mode EIRP

Channel	Frequency (MHz)	Power set	Max. Avg.Output include tune up tolerance Power (dBm)	Antenna Gain (dBi)	EIRP (mW)	Limit (mW)
Low	2402	5	2.87	3.20	4.042	4000
Mid	2441	5	2.70	3.20	3.887	4000
High	2480	5	2.80	3.20	3.978	4000

3M EDR mode EIRP

Channel	Frequency (MHz)	Power set	Max. Avg.Output include tune up tolerance Power (dBm)	Antenna Gain (dBi)	EIRP (mW)	Limit (mW)
Low	2402	5	2.93	3.20	4.106	4000
Mid	2441	5	2.81	3.20	3.994	4000
High	2480	5	2.88	3.20	4.059	4000

* **Note:** EIRP = Average Power + Gain

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音音光性到角成之体而具ま 「同時以後而程本音句之子を音音を表示を立む音曲音句子 不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 27 of 128

EMISSION BANDWIDTH MEASUREMENT

Standard Applicable

For frequency hopping systems operating in the 2400 MHz-2483.5 MHz no limit for 20dB bandwidth.

9.2 **Test Setup**



9.3 **Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows ANSI C63.10:2013.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set the spectrum analyzer as

RBW= 1 % to 5% of OBW.

VBW = 3 X RBW

Span= 2 to 5 times of the OBW,

Sweep=auto,

Detector = Peak, and Max hold for 20dB Bandwidth test.

- 5. Mark the peak frequency and -20dB (upper and lower) frequency
- 6. Set the spectrum analyzer as

RBW= 1 % to 5% of 99% Bandwidth,

VBW ≥ 3 X RBW,

Span= large enough to capture all products of the modulation process,

Sweep=auto,

Detector = Peak, and Max hold for 99% Bandwidth test.

- 7. Mark the peak frequency and 99%dB (upper and lower) frequency
- 8. Repeat above procedures until all test default channel is completed

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions at http://www.sgs.com.tw/Terms-and-Conditions at http://www.sgs.com.tw/Terms-and-Conditions.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 28 of 128

9.4 20dB Bandwidth

1XL **GFSK**

СН	20 dB BW (MHz)	2/3 BW (MHz)
Low	0.9645	0.64
Mid	0.9654	0.64
High	0.9663	0.64

π/4-DQPSK

СН	20 dB BW	2/3 BW
СП	(MHz)	(MHz)
Low	1.288	0.86
Mid	1.288	0.86
High	1.289	0.86

8-DPSK

СН	20 dB BW (MHz)	2/3 BW (MHz)
Low	1.305	0.87
Mid	1.306	0.87
High	1.306	0.87

2XS **GFSK**

СН	20 dB BW (MHz)	2/3 BW (MHz)
Low	0.9843	0.66
Mid	0.9839	0.66
High	0.987	0.66

π/4-DQPSK

СН	20 dB BW (MHz)	2/3 BW (MHz)
Low	1.287	0.86
Mid	1.287	0.86
High	1.288	0.86

8-DPSK

СН	20 dB BW (MHz)	2/3 BW (MHz)
Low	1.297	0.86
Mid	1.298	0.87
High	1.299	0.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音音光性到角成之体而具ま 「同時以後而程本音句之子を音音を表示を立む音曲音句子 不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 29 of 128

9.5 99% Bandwidth

1XL **GFSK**

СН	99% BW
СП	(MHz)
Low	0.86326
Mid	0.86581
High	0.8657

π/4-DQPSK

СН	99% BW (MHz)
Low	1.1754
Mid	1.1768
High	1.1754

8-DPSK

СН	99% BW
	(MHz)
Low	1.1807
Mid	1.1818
High	1.1822

2XS **GFSK**

СН	99% BW (MHz)
Low	0.87851
Mid	0.87877
High	0.88466

π/4-DQPSK

СН	99% BW (MHz)
Low	1.1706
Mid	1.1704
High	1.1707

8-DPSK

СН	99% BW (MHz)
Low	1.1723
Mid	1.1724
High	1.1726

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音音光性到角成之体而具ま 「同時以後而程本音句之子を音音を表示を立む音曲音句子 不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 30 of 128

1XL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

W # X

MRF分月就好・L軟百倍米階頁別規定人株の目具「門砂山株の程本田台の「POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH THE WITH THE

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw

Feb 14, 2022 9:59:12 AM


Feb 11, 2022 6:06:26 PM

.:: 🐺 🖽




Page: 31 of 128


OBW 20dB_8DPSK_3M_DH5_2402MHz



OBW 20dB_8DPSK_3M_DH5_2441MHz



OBW 20dB_8DPSK_3M_DH5_2480MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音音光性到角成之体而具ま 「同時以後而程本音句之子を音音を表示を立む音曲音句子 不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 32 of 128

2XS



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

.# 👺 👭 💢

MRF分月就好・L軟百倍米階頁別規定人株の目具「門砂山株の程本田台の「POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH THE WITH THE

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw

Feb 11, 2022 3:18:45 PM


Feb 11, 2022 4:23:24 PM

.:: 🐺 🖽




Page: 33 of 128


OBW 20dB_8DPSK_3M_DH5_2402MHz



OBW 20dB_8DPSK_3M_DH5_2441MHz



OBW 20dB_8DPSK_3M_DH5_2480MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音音光性到角成之体而具ま 「同時以後而程本音句之子を音音を表示を立む音曲音句子 不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 34 of 128

1XL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


W # X

MRF分月就好・L軟百倍米階頁別規定人株の目具「門砂山株の程本田台の「POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH THE WITH THE




Page: 35 of 128


IC OBW 99%_8DPSK_3M_DH5_2402MHz



IC OBW 99%_8DPSK_3M_DH5_2441MHz



IC OBW 99%_8DPSK_3M_DH5_2480MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「門砂山株の程本田台の「POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH THE WITH THE

ISGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 36 of 128

2XS



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


MRF分月就好・L軟百倍米階頁別規定人株の目具「門砂山株の程本田台の「POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH THE WITH THE

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw




Page: 37 of 128


IC OBW 99%_8DPSK_3M_DH5_2402MHz



IC OBW 99%_8DPSK_3M_DH5_2441MHz



IC OBW 99%_8DPSK_3M_DH5_2480MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

MRF分月就好・L軟百倍米階頁別規定人株の目具「門砂山株の程本田台の「POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH TO POPULK ROTE WITH THE WITH TO POPULK ROTE WITH THE WITH THE

ISGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號




Page: 38 of 128

10 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT

Standard Applicable 10.1

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a) & RSS-Gen §8.10, must also comply with the radiated emission limits specified in §15.209(a) & RSS-Gen §8.9.

10.2 Test Setup



10.3 **Measurement Procedure**

10.3.1 **Conducted Band Edge:**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows ANSI C63.10:2013.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set center frequency of spectrum analyzer = operating frequency.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Sweep = auto
- 6. Mark Peak, 2.3999GHz and 2.4836GHz and record the max. level.
- 7. Repeat above procedures until all frequency measured were complete.

10.3.2 **Conducted Spurious Emission:**

- To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows ANSI C63.10:2013.
- 3. Set RBW = 100 kHz & VBW = 300 kHz, Detector = Peak, Sweep = Auto
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



10.4 Measurement Result

See next page for test plots.

Report No.: E2/2022/10036

Page: 39 of 128

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方方式の子 L軟音音光性到角成之体而具ま 「同時以後而程本音句之子を音音を表示を立む音曲音句子 不可能的技術。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



■ ? Feb 11, 2022 **●** 6:05:37 PM


Report No.: E2/2022/10036

Page: 40 of 128

1XL



 $\pm X$




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 41 of 128

Band Edge_8DPSK_3M_DH5_2402MHz Spectrum Analyzer 1 Frequency v Ö KEYSIGHT Input RF ettings PNNNNI Mkr2 2.400 00 GHz 110.000000 MHz 1 Spectrum Scale/Div 10 dB -46.60 dBi Swept Span Zero Span Full Span Start Freq 2.310000000 GHz AUTO TUNE Span 110.0 MHz Sweep 10.5 ms (1001 pts) Center 2.36500 GH #Res BW 100 kHz Auto Man Function Function Width Function Value Mode Trace Sca Freq Offse 0 Hz Feb 14, 2022 10:14:57 AM .:: 👺







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 42 of 128

Hopping Band Edge_8DPSK_3M_DH5_2402MHz Spectrum Analyzer 1 Swept SA ٥ KEYSIGHT Input RF Settings PNNNN Mkr3 2.365 44 GHz 110.000000 MHz 1 Spectrum Scale/Div 10 dB -47.37 dBr Swept Span Zero Span Full Span Start Freq 2.310000000 GHz AUTO TUNE Center 2.36500 GH #Res BW 100 kHz Auto Man Function Function Width Function Value Freq Offse 0 Hz Feb 14, 2022 10:33:49 AM Hopping Band Edge_8DPSK_3M_DH5_2480MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 www.sgs.com.tw

■ 7 C ■ ? Feb 11, 2022 ●


X Axis Scale
Log


... 🐺




Page: 43 of 128

Spurious Emission_ $\pi/4DQPSK_2M_DH5_2402MHz$ ٥ KEYSIGHT Input RF ut 7: 50 O 12.515000000 GHz PNNNN Mkr4 23.952 GHz 24.9700000 GHz 1 Spectrum Scale/Div 10 dB -41.83 dBi Swept Span Zero Span Full Span 30.000000 MHz AUTO TUNE Center 12.52 GHz #Res BW 100 kHz Auto Man Mode Trace So Function Function Width Function Value Freq Offse 0 Hz Feb 14, 2022 9:54:56 AM # ₩ Spurious Emission_π/4DQPSK_2M_DH5_2441MHz









Spurious Emission_8DPSK_3M_DH5_2441MHz



Spurious Emission_8DPSK_3M_DH5_2480MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號