

Prepared for:  
**Driftless Extracts LLC**

1110 Leed Pkwy  
Plain, WI USA 53577


## Broad Spectrum Water Soluble

Batch ID or Lot Number: <b>2022-O-WCO-0004-0001</b>	Test: <b>Potency</b>	Reported: <b>26Aug2022</b>	USDA License: N/A
Matrix: Concentrate	Test ID: T000218814	Started: 25Aug2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 24Aug2022	Status: N/A

## Cannabinoids


	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.028	0.078	1.000	10.00	
Cannabichromenic Acid (CBCA)	0.025	0.072	ND	ND	
Cannabidiol (CBD)	0.058	0.204	32.040	320.40	
Cannabidiolic Acid (CBDA)	0.059	0.209	ND	ND	
Cannabidivarin (CBDV)	0.014	0.048	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.025	0.087	ND	ND	
Cannabigerol (CBG)	0.016	0.044	ND	ND	
Cannabigerolic Acid (CBGA)	0.066	0.186	ND	ND	
Cannabinol (CBN)	0.020	0.058	0.420	4.20	
Cannabinolic Acid (CBNA)	0.045	0.127	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.078	0.221	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.071	0.201	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.063	0.178	ND	ND	
Tetrahydrocannabivarin (THCV)	0.014	0.040	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.056	0.157	ND	ND	
<b>Total Cannabinoids</b>			<b>33.460</b>	<b>334.60</b>	
Total Potential THC			ND	ND	
Total Potential CBD			32.040	320.40	

## Final Approval



Jacob Miller  
26Aug2022  
03:19:00 PM MDT

PREPARED BY / DATE



Sam Smith  
26Aug2022  
03:26:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/2e3b6244-6f6d-43d2-8990-3fa262f2aa26.1>

### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).  
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDa \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02  
2e3b62446f6d43d289903fa262f2aa26.1