

# **OVERVIEW**



1. Optical drive *	8. DisplayPort
2. Microphone mute button	9. Power connector
3. USB-C 3.2 Gen 2	10. Serial or HDMI *
4. 1x USB 3.2 Gen 2 + 1x USB 3.2 Gen 1	11. Ethernet (RJ-45)
5. Headphone / microphone combo jack (3.5mm)	12. 3x USB 3.2 Gen 1
6. Power button	13. Kensington Security Slot
7. Card reader *	

## Notes:

• Ports with \* are only available on selected models



## **PERFORMANCE**

## **Processor**

## **Processor Family**

Intel® Celeron®, Intel Pentium®, 10th Generation Intel Core™ i3, or 11th Generation Intel Core i5 / i7 / i9 Processor

#### Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Celeron G5905	2	2	3.5GHz	-	4MB	DDR4-2666	Intel UHD Graphics 610
Celeron G5925	2	2	3.6GHz	-	4MB	DDR4-2666	Intel UHD Graphics 610
Pentium Gold G6405	2	4	4.1GHz	-	4MB	DDR4-2666	Intel UHD Graphics 610
Pentium Gold G6505	2	4	4.2GHz	-	4MB	DDR4-2666	Intel UHD Graphics 630
Pentium Gold G6605	2	4	4.3GHz	-	4MB	DDR4-2666	Intel UHD Graphics 630
Core i3-10105	4	8	3.7GHz	4.4GHz	6MB	DDR4-2666	Intel UHD Graphics 630
Core i3-10305	4	8	3.8GHz	4.5GHz	8MB	DDR4-2666	Intel UHD Graphics 630
Core i3-10325	4	8	3.9GHz	4.7GHz	8MB	DDR4-2666	Intel UHD Graphics 630
Core i5-11400	6	12	2.6GHz	4.4GHz	12MB	DDR4-3200	Intel UHD Graphics 730
Core i5-11500	6	12	2.7GHz	4.6GHz	12MB	DDR4-3200	Intel UHD Graphics 750
Core i5-11600	6	12	2.8GHz	4.8GHz	12MB	DDR4-3200	Intel UHD Graphics 750
Core i7-11700	8	16	2.5GHz	4.9GHz	16MB	DDR4-3200	Intel UHD Graphics 750
Core i9-11900	8	16	2.5GHz	5.2GHz	16MB	DDR4-3200	Intel UHD Graphics 750

## **Operating System**

## Operating System\*\*

- Windows® 11 Pro 64
- Windows 11 Home 64
- Windows 11 Home 64 Single Language
- Windows 11 DG Windows 10 Pro 64
- Windows 10 Pro 64
- Windows 10 Home 64
- Windows 10 Home 64 Single Language
- Windows 10 IoT Enterprise
- Ubuntu Linux
- No operating system

## **Graphics**

## Graphics\*\*[1]

Graphics	Туре	Memory	Connector	Max Resolution	Key Features
Intel UHD graphics 610	Integrated	Shared	1x DP 1.4b, 1x optional HDMI® 2.1	4096x2304@60Hz(DP), 4096x2160@60Hz(HDMI)	DirectX® 12
Intel UHD graphics 630	Integrated Shared		1x DP 1.4b, 1x optional HDMI 2.1	4096x2304@60Hz(DP), 4096x2160@60Hz(HDMI)	DirectX 12
Intel UHD graphics 730	Integrated	Shared	1x DP 1.4b, 1x optional HDMI 2.1	4096x2304@60Hz(DP), 4096x2160@60Hz(HDMI)	DirectX 12
Intel UHD graphics 750	Integrated	Shared	1x DP 1.4b, 1x optional HDMI 2.1	4096x2304@60Hz(DP), 4096x2160@60Hz(HDMI)	DirectX 12

#### Notes:

## **Monitor Support**

<sup>1.</sup> The information of integrated graphics are not applicable for the models without integrated graphics (for the details, please refer to processor section)



## **Monitor Support**

Supports up to 3 independent displays via native display and 2 external monitor; supports external monitors via DisplayPort™ and optional HDMI

## **Chipset**

## Chipset

Intel B560 chipset

## **Memory**

## Max Memory[1]

Up to 64GB DDR4-3200

#### **Memory Slots**

Two DDR4 SO-DIMM slots, dual-channel capable

## Memory Type\*\*[2]

- DDR4-2666
- DDR4-3200

#### Notes:

- 1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.
- 2. Installed memory is actually 3200MHz, but may run at 2666MHz, 2933 MHz or 3200MHz depending on the memory support capability of processor

## **Storage**

## Storage Support[1]

Up to two drives, 1x 2.5" HDD + 1x M.2 SSD

- 2.5" HDD up to 2TB
- M.2 SSD up to 1TB

## Storage Type\*\*\*

Disk Type	Interface	RPM	Security
2.5" SATA HDD	SATA 6Gb/s	5.4K	-
2.5" SATA HDD	SATA 6Gb/s	7.2K	-
M.2 2242 SSD	PCIe® NVMe®, PCIe 3.0 x4	-	-
M.2 2280 SSD	PCIe NVMe, PCIe 3.0 x4	-	Opal

## RAID

No support

#### Notes:

1. The storage capacity supported is based on the test results with current Lenovo storage offerings. The system may support larger storage as the technology develops.

## **Removable Storage**

#### Optical\*\*

- DVD-ROM, SATA 1.5Gb/s, slim (9.0mm)
- DVD burner (DVD±RW), SATA 1.5Gb/s, slim (9.0mm)
- None

## **Card Reader**

- 3-in-1 card reader
- · No card reader

#### Multi-Media

## **Audio Chip**

High Definition (HD) Audio, Realtek® ALC233 codec

## **Speakers**



Stereo speakers, 2W x2, Dolby® Atmos®

#### Microphone

- Dual array microphone
- No microphone

#### Camera\*\*

- FHD 1080p, with ThinkShutter (physical switch on/off)
- IR & FHD 1080p, with ThinkShutter (physical switch on/off), Windows Hello support
- · No camera

## **Power Supply**

## Power Supply\*\*

Power	Туре	Efficiency	Key Features	
135W	Adapter	89%	Autosensing	
170W	Adapter	89%	Autosensing	

## **DESIGN**

## **Display**

## Display\*\*[1][2]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
21.5	, FHD (1920x1080)	None	IPS	250 nits	Anti- glare	16:9	1000:1	72% NTSC	horizontal: +/- 89°, vertical: +/- 89°	Borderless design (88% screen to body ratio), support low blue light mode
21.5	, FHD (1920x1080)	Multi- touch	IPS	250 nits	Anti- glare	16:9	1000:1	72% NTSC	horizontal: +/- 89°, vertical: +/- 89°	Borderless design (88% screen to body ratio), support low blue light mode

#### **Touchscreen**

- Advanced In-cell Touch (AIT), supports 10-point touch
- Non-touch

#### Notes:

1. California Electronic Waste Recycling Fee

In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to https://www.calrecycle.ca.gov/Electronics/Consumer

2. IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS

## **Input Device**

## Keyboard\*\*

- Lenovo Calliope Keyboard (USB connector), black
- Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black
- Lenovo Traditional Keyboard (USB connector), black
- No keyboard folio

## Mouse\*\*

- Lenovo Calliope Mouse (USB connector), black
- Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black
- Lenovo Fingerprint Mouse (USB connector), Windows Hello support, black
- No mouse

## Mechanical

## Buttons

- Power button
- Microphone mute button



#### **Form Factor**

AIO (21.5 inches)

#### **Dimensions (WxDxH)**

490.1 x 55.6 x 312.3 mm (19.3 x 2.2 x 12.3 inches), no stand, with ODD, with camera

#### Weight

8.1 kg (17.9 lbs) at maximum configuration

#### **Case Color**

Black

#### **Bays**

- 1x 2.5" disk bay
- 1x slim ODD bay

#### **Expansion Slots**

Two M.2 slots (one for WLAN, one for SSD)

Toolless cover and stand assembly / removal

## Stand\*\*

**EOU** 

- Full function monitor stand, supports -5° to +30° tilt, up to 80mm lift
- UltraFlex IV stand, supports -5° to +70° tilt, up to 164mm lift (flat mode) / up to 115mm lift (vertical mode)
- · No stand

#### Mounting

Supports VESA mount 100mm

Supports Smart Power On

## CONNECTIVITY

## Network

## **Onboard Ethernet**

One gigabit Ethernet, Realtek RTL8111K, 1x RJ-45, supports Wake-on-LAN

#### **Optional Ethernet**

No optional Ethernet

#### WLAN + Bluetooth®\*\*[1]

- Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi® + Bluetooth 5.0, M.2 card
- Intel Wireless-AC 9560, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.1, M.2 card
- Intel Wi-Fi 6 AX201, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card
- · No WLAN and Bluetooth

#### Notes:

1. Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitation

#### Ports<sup>11</sup>

#### Rear Ports[1][2]

- 3x USB 3.2 Gen 1
- 1x DisplayPort
- 1x Ethernet (RJ-45)

### Optional Rear Ports\*\*

- 1x HDMI
- 1x serial

#### **Right Ports**

- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 2
- 1x USB-C<sup>®</sup> 3.2 Gen 2 (support data transfer and 5V@3A charging)
- 1x headphone / microphone combo jack (3.5mm)



## **Optional Right Ports**

1x card reader

#### Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s

2. For video ports on discrete graphics, please see graphics section

## **Monitor Cable**

#### Monitor Cable\*\*\*

- DP to VGA dongle
- DP to dual DP dongle
- DP to DVI-D dongle
- DP to HDMI 1.4 dongle
- · No monitor cable

## **SECURITY & PRIVACY**

## **Security**

#### **Security Chip**

Discrete TPM 2.0, TCG certified

#### **Physical Locks**

Kensington® Security Slot™, 3 x 7 mm

#### **Chassis Intrusion Switch**

- · Chassis intrusion switch
- · No chassis intrusion switch

#### **Fingerprint Reader**

- · Touch style fingerprint reader on mouse
- · No fingerprint reader

#### **Other Security**

(Optional) ThinkShutter camera cover

## **BIOS Security**

- · Administrator password
- Power-on password
- Hard disk password
- Boot sequence control
- · Boot without keyboard and mouse
- Self-healing BIOS
- Smart USB protection (allows keyboard / mouse only, blocks all storage devices)
- · Individual USB port disablement

## **MANAGEABILITY**

## **System Management**

## **System Management**

Non-vPro

## **SERVICE**

## Warranty

Base Warranty\*\*[1]

## ThinkCentre M70a Gen 2



- 1-year depot service
- 1-year limited onsite service
- 3-year limited onsite service
- No base warranty

#### Notes:

1. More information of warranty policy, please access https://pcsupport.lenovo.com/warranty.

## **ENVIRONMENTAL**

## **Operating Environment**

#### **Temperature**

Operating: 5°C (41°F) to 35°C (95°F)
 Storage: -20°C (-4°F) to 60°C (140°F)

#### Humidity

Operating: 20% to 80%

## **Altitude**

Operating: 0 m (0 ft) to 3048 m (10,000 ft)
Storage: 0 m (0 ft) to 12192 m (40,000 ft)

## **CERTIFICATIONS**

## **Green Certifications**

#### **Green Certifications**

- EPEAT™ Silver
- ENERGY STAR® 8.0
- ErP Lot 3
- TCO Certified 8.0
- TCO edge
- RoHS compliant

## **Other Certifications**

## **Other Certifications**

- TÜV Rheinland® Eye Comfort Certification
- TÜV Rheinland Low Blue Light
- (Optional) TÜV Rheinland Ultra Low Noise

#### Mil-Spec Test

MIL-STD-810H military test passed (Low Pressure [Altitude], High Temperature, Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fungus, Solar Radiation)

- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Feature with \*\*\* means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- · The specifications on this page may not be available in all regions, and may be changed or updated without

























