



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11g CH11 2462MHz																																																													
1	Vertical	Fundamental																																																												
Peak	<p>Date: 7 120 Level (dBuV/m) Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL Project : RSNV 1000 0000Hz VBW 3000 0000Hz Mode : 100934-01 Mode : Mode 17 MEI : #92-G0B22G032165001G Plane : Y with Accessory : 6M PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.08</td> <td>56.28</td> <td>-17.72</td> <td>74.88</td> <td>58.58</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>111</td> <td>114</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2463.08	56.28	-17.72	74.88	58.58	32.87	5.66	31.95	111	114	Peak	<p>Date: 5 120 Level (dBuV/m) Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : RSNV 1000 0000Hz VBW 3000 0000Hz Mode : 100934-01 Mode : Mode 17 MEI : #92-G0B22G032165001G Plane : Y with Accessory : 6M PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>108.88</td> <td>34.88</td> <td>74.00</td> <td>182.38</td> <td>32.85</td> <td>5.64</td> <td>32.85</td> <td>111</td> <td>114</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2462.00	108.88	34.88	74.00	182.38	32.85	5.64	32.85	111	114	Peak
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	2463.08	56.28	-17.72	74.88	58.58	32.87	5.66	31.95	111	114	Peak																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	2462.00	108.88	34.88	74.00	182.38	32.85	5.64	32.85	111	114	Peak																																																			
Avg.	<p>Date: 8 120 Level (dBuV/m) Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL Project : RSNV 1000 0000Hz VBW 1.0000Hz Mode : 100934-01 Mode : Mode 17 MEI : #92-G0B22G032165001G Plane : Y with Accessory : 6M PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.76</td> <td>44.68</td> <td>-9.32</td> <td>54.88</td> <td>38.98</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>111</td> <td>114</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2463.76	44.68	-9.32	54.88	38.98	32.87	5.66	31.95	111	114	Average	<p>Date: 6 120 Level (dBuV/m) Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL Project : RSNV 1000 0000Hz VBW 1.0000Hz Mode : 100934-01 Mode : Mode 17 MEI : #92-G0B22G032165001G Plane : Y with Accessory : 6M PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>98.25</td> <td>44.25</td> <td>54.00</td> <td>92.65</td> <td>32.85</td> <td>5.64</td> <td>32.85</td> <td>111</td> <td>114</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2462.00	98.25	44.25	54.00	92.65	32.85	5.64	32.85	111	114	Average
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	2463.76	44.68	-9.32	54.88	38.98	32.87	5.66	31.95	111	114	Average																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	2462.00	98.25	44.25	54.00	92.65	32.85	5.64	32.85	111	114	Average																																																			



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11g CH12 2467MHz																																																													
1	Horizontal	Fundamental																																																												
Peak	<p>Date: 15 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RSV1 1000 0000Hz VBW 3000 0000Hz Mode : 100934-01 Mode : Mode 18 MEI : #92-G0B22G032165001G Plane : Y with Accessory : 6M PowerSetting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>-9.88</td> <td>74.88</td> <td>58.42</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>136</td> <td>178 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	-9.88	74.88	58.42	32.87	5.66	31.95	136	178 Peak	<p>Date: 13 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RSV1 1000 0000Hz VBW 3000 0000Hz Mode : 100934-01 Mode : Mode 18 MEI : #92-G0B22G032165001G Plane : Y with Accessory : 6M PowerSetting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>187.15</td> <td>33.15</td> <td>74.88</td> <td>181.43</td> <td>32.83</td> <td>5.64</td> <td>31.95</td> <td>136</td> <td>178 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	187.15	33.15	74.88	181.43	32.83	5.64	31.95	136	178 Peak	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2467.00	-9.88	74.88	58.42	32.87	5.66	31.95	136	178 Peak																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2467.00	187.15	33.15	74.88	181.43	32.83	5.64	31.95	136	178 Peak																																																				
Avg.	<p>Date: 16 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : AVG_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RSV1 1000 0000Hz VBW 1.0000Hz Mode : 100934-01 Mode : Mode 18 MEI : #92-G0B22G032165001G Plane : Y with Accessory : 6M PowerSetting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.52</td> <td>58.48</td> <td>-3.52</td> <td>54.88</td> <td>44.78</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>136</td> <td>178 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.52	58.48	-3.52	54.88	44.78	32.87	5.66	31.95	136	178 Average	<p>Date: 14 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : AVG_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RSV1 1000 0000Hz VBW 1.0000Hz Mode : 100934-01 Mode : Mode 18 MEI : #92-G0B22G032165001G Plane : Y with Accessory : 6M PowerSetting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>97.46</td> <td>43.46</td> <td>54.88</td> <td>91.74</td> <td>32.83</td> <td>5.64</td> <td>31.95</td> <td>136</td> <td>178 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	97.46	43.46	54.88	91.74	32.83	5.64	31.95	136	178 Average
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2467.52	58.48	-3.52	54.88	44.78	32.87	5.66	31.95	136	178 Average																																																				
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2467.00	97.46	43.46	54.88	91.74	32.83	5.64	31.95	136	178 Average																																																				



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11g CH12 2467MHz																																																											
1	Vertical	Fundamental																																																										
Peak	<p>Date: 19 12₁ Level (dBuV/m)</p> <p>Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL : RSW: 1000.000kHz VBW: 3000.000kHz Project : 100934-01 Mode : Mode 18 MEI : #92-G0B22G032165001G Plane : Y with Accessory : 6M PowerSetting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2465.08</td> <td>62.99</td> <td>-11.81</td> <td>74.80</td> <td>57.21</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>133</td> <td>133 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2465.08	62.99	-11.81	74.80	57.21	32.87	5.66	31.95	133	133 Peak	<p>Date: 17 12₁ Level (dBuV/m)</p> <p>Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL : RSW: 1000.000kHz VBW: 3000.000kHz Project : 100934-01 Mode : Mode 18 MEI : #92-G0B22G032165001G Plane : Y with Accessory : 6M PowerSetting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>185.93</td> <td>31.93</td> <td>74.80</td> <td>100.21</td> <td>32.85</td> <td>5.64</td> <td>31.95</td> <td>133</td> <td>133 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2467.00	185.93	31.93	74.80	100.21	32.85	5.64	31.95	133	133 Peak
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																					
1	2465.08	62.99	-11.81	74.80	57.21	32.87	5.66	31.95	133	133 Peak																																																		
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																					
1	2467.00	185.93	31.93	74.80	100.21	32.85	5.64	31.95	133	133 Peak																																																		
Avg.	<p>Date: 20 12₁ Level (dBuV/m)</p> <p>Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL : RSW: 1000.000kHz VBW: 1.000kHz Project : 100934-01 Mode : Mode 18 MEI : #92-G0B22G032165001G Plane : Y with Accessory : 6M PowerSetting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2465.52</td> <td>49.74</td> <td>-4.26</td> <td>54.80</td> <td>43.96</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>133</td> <td>133 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2465.52	49.74	-4.26	54.80	43.96	32.87	5.66	31.95	133	133 Average	<p>Date: 18 12₁ Level (dBuV/m)</p> <p>Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL : RSW: 1000.000kHz VBW: 1.000kHz Project : 100934-01 Mode : Mode 18 MEI : #92-G0B22G032165001G Plane : Y with Accessory : 6M PowerSetting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>96.85</td> <td>42.85</td> <td>54.80</td> <td>98.35</td> <td>32.85</td> <td>5.64</td> <td>31.95</td> <td>133</td> <td>133 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2467.00	96.85	42.85	54.80	98.35	32.85	5.64	31.95	133	133 Average
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																					
1	2465.52	49.74	-4.26	54.80	43.96	32.87	5.66	31.95	133	133 Average																																																		
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																					
1	2467.00	96.85	42.85	54.80	98.35	32.85	5.64	31.95	133	133 Average																																																		







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11g CH13 2472MHz																																																													
1	Horizontal	Fundamental																																																												
Peak	<p>Date: 15 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RSMW: 1000.000kHz VBW: 3000.000kHz Project : 100934-01 Mode : Mode 19 MEI : #92-G0R22G032165001G Plane : Y with Accessory : 6M PowerSetting 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.44</td> <td>61.78</td> <td>-12.22</td> <td>74.88</td> <td>56.00</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>182</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2484.44	61.78	-12.22	74.88	56.00	32.87	5.66	31.95	132	182	Peak	<p>Date: 13 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL RSMW: 1000.000kHz VBW: 3000.000kHz Project : 100934-01 Mode : Mode 19 MEI : #92-G0R22G032165001G Plane : Y with Accessory : 6M PowerSetting 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>189.34</td> <td>31.34</td> <td>74.00</td> <td>99.56</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>182</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2472.00	189.34	31.34	74.00	99.56	32.87	5.66	31.95	132	182	Peak
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2484.44	61.78	-12.22	74.88	56.00	32.87	5.66	31.95	132	182	Peak																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2472.00	189.34	31.34	74.00	99.56	32.87	5.66	31.95	132	182	Peak																																																			
Avg.	<p>Date: 16 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RSMW: 1000.000kHz VBW: 1.000kHz Project : 100934-01 Mode : Mode 19 MEI : #92-G0R22G032165001G Plane : Y with Accessory : 6M PowerSetting 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.12</td> <td>58.26</td> <td>-3.74</td> <td>54.88</td> <td>44.48</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>182</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2484.12	58.26	-3.74	54.88	44.48	32.87	5.66	31.95	132	182	Average	<p>Date: 14 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RSMW: 1000.000kHz VBW: 1.000kHz Project : 100934-01 Mode : Mode 19 MEI : #92-G0R22G032165001G Plane : Y with Accessory : 6M PowerSetting 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>95.35</td> <td>41.55</td> <td>54.00</td> <td>89.57</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>182</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2472.00	95.35	41.55	54.00	89.57	32.87	5.66	31.95	132	182	Average
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2484.12	58.26	-3.74	54.88	44.48	32.87	5.66	31.95	132	182	Average																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2472.00	95.35	41.55	54.00	89.57	32.87	5.66	31.95	132	182	Average																																																			



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11g CH13 2472MHz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 19 12₁ Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL Project : RSVW 1000 0000Hz VBW 3000 0000Hz Mode : 100934-01 Mode : Mode 19 MEI : #92-G0R22G032165001G Plane : Y with Accessory : 6M PowerSetting 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>74.00</td> <td>54.06</td> <td>32.07</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>134</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	74.00	54.06	32.07	5.66	31.95	132	134	Peak	<p>Date: 17 12₁ Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : RSVW 1000 0000Hz VBW 3000 0000Hz Mode : 100934-01 Mode : Mode 19 MEI : #92-G0R22G032165001G Plane : Y with Accessory : 6M PowerSetting 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>183.32</td> <td>29.32</td> <td>74.00</td> <td>97.54</td> <td>32.07</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>134</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	183.32	29.32	74.00	97.54	32.07	5.66	31.95	132	134	Peak		
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	74.00	54.06	32.07	5.66	31.95	132	134	Peak																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	183.32	29.32	74.00	97.54	32.07	5.66	31.95	132	134	Peak																																																					
Avg.	<p>Date: 20 12₁ Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL Project : RSVW 1000 0000Hz VBW 1.0000Hz Mode : 100934-01 Mode : Mode 19 MEI : #92-G0R22G032165001G Plane : Y with Accessory : 6M PowerSetting 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>49.24</td> <td>-4.76</td> <td>54.06</td> <td>43.46</td> <td>32.07</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>134</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	49.24	-4.76	54.06	43.46	32.07	5.66	31.95	132	134	Average	<p>Date: 18 12₁ Level (dBuV/m)</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL Project : RSVW 1000 0000Hz VBW 1.0000Hz Mode : 100934-01 Mode : Mode 19 MEI : #92-G0R22G032165001G Plane : Y with Accessory : 6M PowerSetting 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>93.68</td> <td>39.68</td> <td>54.06</td> <td>87.98</td> <td>32.07</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>134</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	93.68	39.68	54.06	87.98	32.07	5.66	31.95	132	134	Average
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	49.24	-4.76	54.06	43.46	32.07	5.66	31.95	132	134	Average																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	93.68	39.68	54.06	87.98	32.07	5.66	31.95	132	134	Average																																																					



2.4GHz 2400~2483.5MHz
WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11n HT20 CH01 2412MHz																																																															
1	Horizontal	Fundamental																																																														
Peak	 <p>Date: 1 Date: 2022-05-11</p> <p>Site : 03CH02-S2 Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 20 MEI : #87 G03022G032165001H Plane : Y with Accessory MCS0 PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.79</td> <td>54.52</td> <td>-19.48</td> <td>74.00</td> <td>49.52</td> <td>31.70</td> <td>5.55</td> <td>32.25</td> <td>100</td> <td>276 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.79	54.52	-19.48	74.00	49.52	31.70	5.55	32.25	100	276 Peak	 <p>Date: 3 Date: 2022-05-11</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 20 MEI : #87 G03022G032165001H Plane : Y with Accessory MCS0 PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>109.33</td> <td>35.33</td> <td>74.00</td> <td>104.20</td> <td>31.80</td> <td>5.57</td> <td>32.24</td> <td>100</td> <td>276 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.33	35.33	74.00	104.20	31.80	5.57	32.24	100	276 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2389.79	54.52	-19.48	74.00	49.52	31.70	5.55	32.25	100	276 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2412.00	109.33	35.33	74.00	104.20	31.80	5.57	32.24	100	276 Peak																																																						
Avg.	 <p>Date: 3 Date: 2022-05-11</p> <p>Site : 03CH02-S2 Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 1.000kHz Project : 1D0934-01 Mode : Mode 20 MEI : #87 G03022G032165001H Plane : Y with Accessory MCS0 PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2390.00</td> <td>44.00</td> <td>-10.00</td> <td>54.00</td> <td>38.99</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>100</td> <td>276 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2390.00	44.00	-10.00	54.00	38.99	31.70	5.55	32.24	100	276 Average	 <p>Date: 4 Date: 2022-05-11</p> <p>Site : 03CH02-S2 Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 1.000kHz Project : 1D0934-01 Mode : Mode 20 MEI : #87 G03022G032165001H Plane : Y with Accessory MCS0 PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>99.50</td> <td>45.50</td> <td>54.00</td> <td>94.37</td> <td>31.80</td> <td>5.57</td> <td>32.24</td> <td>100</td> <td>276 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.50	45.50	54.00	94.37	31.80	5.57	32.24	100	276 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2390.00	44.00	-10.00	54.00	38.99	31.70	5.55	32.24	100	276 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2412.00	99.50	45.50	54.00	94.37	31.80	5.57	32.24	100	276 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11n HT20 CH01 2412MHz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 5 12₁ Level (dBuV/m) Date: 2022-05-11</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL Project : RSVW 1000 0000Hz VBW 3000 0000Hz Mode : 100934-01 Mode : Mode 20 IMEI : #87 G0B22G032165001H Plane : Y with Accessory MCS9 PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.70</td> <td>51.58</td> <td>-22.42</td> <td>74.80</td> <td>46.58</td> <td>31.70</td> <td>5.55</td> <td>32.25</td> <td>100</td> <td>175 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.70	51.58	-22.42	74.80	46.58	31.70	5.55	32.25	100	175 Peak	<p>Date: 7 12₁ Level (dBuV/m) Date: 2022-05-11</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : RSVW 1000 0000Hz VBW 3000 0000Hz Mode : 100934-01 Mode : Mode 20 IMEI : #87 G0B22G032165001H Plane : Y with Accessory MCS9 PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>181.66</td> <td>27.66</td> <td>74.00</td> <td>96.53</td> <td>31.80</td> <td>5.57</td> <td>32.24</td> <td>100</td> <td>175 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	181.66	27.66	74.00	96.53	31.80	5.57	32.24	100	175 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2389.70	51.58	-22.42	74.80	46.58	31.70	5.55	32.25	100	175 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2412.00	181.66	27.66	74.00	96.53	31.80	5.57	32.24	100	175 Peak																																																						
Avg.	<p>Date: 6 12₁ Level (dBuV/m) Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL Project : RSVW 1000 0000Hz VBW 1.0000Hz Mode : 100934-01 Mode : Mode 20 IMEI : #87 G0B22G032165001H Plane : Y with Accessory MCS9 PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2390.00</td> <td>41.28</td> <td>-12.72</td> <td>54.00</td> <td>36.27</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>100</td> <td>175 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2390.00	41.28	-12.72	54.00	36.27	31.70	5.55	32.24	100	175 Average	<p>Date: 8 12₁ Level (dBuV/m) Date: 2022-05-11</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL Project : RSVW 1000 0000Hz VBW 1.0000Hz Mode : 100934-01 Mode : Mode 20 IMEI : #87 G0B22G032165001H Plane : Y with Accessory MCS9 PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>91.80</td> <td>37.80</td> <td>54.00</td> <td>86.67</td> <td>31.80</td> <td>5.57</td> <td>32.24</td> <td>100</td> <td>175 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	91.80	37.80	54.00	86.67	31.80	5.57	32.24	100	175 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2390.00	41.28	-12.72	54.00	36.27	31.70	5.55	32.24	100	175 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2412.00	91.80	37.80	54.00	86.67	31.80	5.57	32.24	100	175 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11n HT20 CH06 2437MHz - L																																																													
1	Horizontal	Fundamental																																																												
Peak	<p>Date: 1 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RSV1 1000 0000kHz VBW 3000 0000kHz Mode : 100934-01 MEI : Mode 21 Plane : #92-GOR22G032165001G Y with Accessory MCS9 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.82</td> <td>53.96</td> <td>-20.84</td> <td>74.80</td> <td>48.96</td> <td>31.70</td> <td>5.55</td> <td>32.25</td> <td>171</td> <td>182</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg	1	2388.82	53.96	-20.84	74.80	48.96	31.70	5.55	32.25	171	182	Peak	<p>Date: 3 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RSV1 1000 0000kHz VBW 3000 0000kHz Mode : 100934-01 MEI : Mode 21 Plane : #92-GOR22G032165001G Y with Accessory MCS9 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>118.42</td> <td>36.42</td> <td>74.80</td> <td>104.95</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>171</td> <td>182</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg	1	2437.00	118.42	36.42	74.80	104.95	32.00	5.61	32.14	171	182	Peak
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg																																																						
1	2388.82	53.96	-20.84	74.80	48.96	31.70	5.55	32.25	171	182	Peak																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg																																																						
1	2437.00	118.42	36.42	74.80	104.95	32.00	5.61	32.14	171	182	Peak																																																			
Avg.	<p>Date: 2 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL Project : RSV1 1000 0000kHz VBW 1.0000kHz Mode : 100934-01 MEI : Mode 21 Plane : #92-GOR22G032165001G Y with Accessory MCS9 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.94</td> <td>43.69</td> <td>-10.31</td> <td>54.00</td> <td>38.68</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>171</td> <td>182</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg	1	2389.94	43.69	-10.31	54.00	38.68	31.70	5.55	32.24	171	182	Average	<p>Date: 4 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL Project : RSV1 1000 0000kHz VBW 1.0000kHz Mode : 100934-01 MEI : Mode 21 Plane : #92-GOR22G032165001G Y with Accessory MCS9 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>106.52</td> <td>46.52</td> <td>54.00</td> <td>95.05</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>171</td> <td>182</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg	1	2437.00	106.52	46.52	54.00	95.05	32.00	5.61	32.14	171	182	Average
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg																																																						
1	2389.94	43.69	-10.31	54.00	38.68	31.70	5.55	32.24	171	182	Average																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg																																																						
1	2437.00	106.52	46.52	54.00	95.05	32.00	5.61	32.14	171	182	Average																																																			



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																															
ANT	802.11n HT20 CH06 2437MHz - R																															
1	Horizontal	Fundamental																														
Peak	<p>Date: 5 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100934-01 Mode : Mode 21 IMEI : #52-G0B22G032165001G Plane : V with Accessory</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>54.79</td> <td>-19.21</td> <td>74.88</td> <td>49.01</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>171</td> <td>182</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg		1	2483.62	54.79	-19.21	74.88	49.01	32.87	5.66	31.95	171	182	Peak	Left blank
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																									
1	2483.62	54.79	-19.21	74.88	49.01	32.87	5.66	31.95	171	182	Peak																					
Avg.	<p>Date: 6 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL Project : 100934-01 Mode : Mode 21 IMEI : #52-G0B22G032165001G Plane : V with Accessory</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.55</td> <td>49.76</td> <td>-18.24</td> <td>54.88</td> <td>37.98</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>171</td> <td>182</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg		1	2483.55	49.76	-18.24	54.88	37.98	32.87	5.66	31.95	171	182	Average	Left blank
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																									
1	2483.55	49.76	-18.24	54.88	37.98	32.87	5.66	31.95	171	182	Average																					



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11n HT20 CH06 2437MHz - L																																																													
1	Vertical	Fundamental																																																												
Peak	<p>Date: 7 12 Level (dBuV/m) Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL Project : RSW-1000 000kHz VBW 3000 000kHz Mode : 100934-01 Mode : Mode 21 IMEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2379.86</td> <td>52.68</td> <td>-21.32</td> <td>74.88</td> <td>47.70</td> <td>31.70</td> <td>5.53</td> <td>32.25</td> <td>100</td> <td>118 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg	1	2379.86	52.68	-21.32	74.88	47.70	31.70	5.53	32.25	100	118 Peak	<p>Date: 9 12 Level (dBuV/m) Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : RSW-1000 000kHz VBW 3000 000kHz Mode : 100934-01 Mode : Mode 21 IMEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>187.58</td> <td>33.58</td> <td>74.00</td> <td>182.83</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>100</td> <td>118 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg	1	2437.00	187.58	33.58	74.00	182.83	32.00	5.61	32.14	100	118 Peak
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																					
1	2379.86	52.68	-21.32	74.88	47.70	31.70	5.53	32.25	100	118 Peak																																																				
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																					
1	2437.00	187.58	33.58	74.00	182.83	32.00	5.61	32.14	100	118 Peak																																																				
Avg.	<p>Date: 8 12 Level (dBuV/m) Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL Project : RSW-1000 000kHz VBW 1.000kHz Mode : 100934-01 Mode : Mode 21 IMEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.94</td> <td>42.17</td> <td>-11.83</td> <td>54.80</td> <td>37.16</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>100</td> <td>118 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg	1	2389.94	42.17	-11.83	54.80	37.16	31.70	5.55	32.24	100	118 Average	<p>Date: 10 12 Level (dBuV/m) Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL Project : RSW-1000 000kHz VBW 1.000kHz Mode : 100934-01 Mode : Mode 21 IMEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>97.82</td> <td>43.82</td> <td>54.00</td> <td>92.35</td> <td>32.00</td> <td>5.61</td> <td>32.14</td> <td>100</td> <td>118 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg	1	2437.00	97.82	43.82	54.00	92.35	32.00	5.61	32.14	100	118 Average
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																					
1	2389.94	42.17	-11.83	54.80	37.16	31.70	5.55	32.24	100	118 Average																																																				
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cn	deg																																																					
1	2437.00	97.82	43.82	54.00	92.35	32.00	5.61	32.14	100	118 Average																																																				



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																								
ANT	802.11n HT20 CH06 2437MHz - R																																								
1	Vertical	Fundamental																																							
Peak	<p>Date: 11 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL Project : RSVI-1000 3000kHz VEWV-3000 000kHz Mode : 100934-01 Plane : Mode 21 MEI : #92-G0B22G032165001G Plane : V with Accessory MCS9 Powersetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.50</td> <td>54.53</td> <td>-19.47</td> <td>74.80</td> <td>48.75</td> <td>32.07</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>118</td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2437.50	54.53	-19.47	74.80	48.75	32.07	5.66	31.95	100	118		Peak	Left Blank
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg																														
1	2437.50	54.53	-19.47	74.80	48.75	32.07	5.66	31.95	100	118		Peak																													
Avg.	<p>Date: 12 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL Project : RSVI-1000 3000kHz VEWV-1.000kHz Mode : 100934-01 Plane : Mode 21 MEI : #92-G0B22G032165001G Plane : V with Accessory MCS9 Powersetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.55</td> <td>49.16</td> <td>-10.84</td> <td>54.80</td> <td>37.58</td> <td>32.07</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>118</td> <td></td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2437.55	49.16	-10.84	54.80	37.58	32.07	5.66	31.95	100	118		Average	Left Blank
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg																														
1	2437.55	49.16	-10.84	54.80	37.58	32.07	5.66	31.95	100	118		Average																													



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11n HT20 CH11 2462MHz																																																																			
1	Horizontal	Fundamental																																																																		
Peak	<p>Date: 3 Date: 2022-05-11</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RSMV 1000.000kHz VBWV 3000.000kHz Project : 100934-01 Mode : Mode 22 IMEI : #87-G0B22G032165001H Plane : Y with Accessory MCS9 PowerRating 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.28</td> <td>57.52</td> <td>-16.48</td> <td>74.00</td> <td>51.74</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>122</td> <td>276 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg		1	2462.28	57.52	-16.48	74.00	51.74	32.87	5.66	31.95	122	276 Peak	<p>Date: 1 Date: 2022-05-11</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL RSMV 1000.000kHz VBWV 3000.000kHz Project : 100934-01 Mode : Mode 22 IMEI : #87-G0B22G032165001H Plane : Y with Accessory MCS9 PowerRating 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>189.67</td> <td>35.67</td> <td>74.00</td> <td>184.05</td> <td>32.85</td> <td>5.64</td> <td>32.85</td> <td>122</td> <td>276 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg		1	2462.00	189.67	35.67	74.00	184.05	32.85	5.64	32.85	122	276 Peak
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg																																																											
1	2462.28	57.52	-16.48	74.00	51.74	32.87	5.66	31.95	122	276 Peak																																																										
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg																																																											
1	2462.00	189.67	35.67	74.00	184.05	32.85	5.64	32.85	122	276 Peak																																																										
Avg.	<p>Date: 4 Date: 2022-05-11</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RSMV 1000.000kHz VBWV 1.000kHz Project : 100934-01 Mode : Mode 22 IMEI : #87-G0B22G032165001H Plane : Y with Accessory MCS9 PowerRating 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.76</td> <td>45.88</td> <td>-6.12</td> <td>54.00</td> <td>49.18</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>122</td> <td>276 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg		1	2463.76	45.88	-6.12	54.00	49.18	32.87	5.66	31.95	122	276 Average	<p>Date: 2 Date: 2022-05-11</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RSMV 1000.000kHz VBWV 1.000kHz Project : 100934-01 Mode : Mode 22 IMEI : #87-G0B22G032165001H Plane : Y with Accessory MCS9 PowerRating 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>180.11</td> <td>46.11</td> <td>54.00</td> <td>94.49</td> <td>32.85</td> <td>5.64</td> <td>32.85</td> <td>122</td> <td>276 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg		1	2462.00	180.11	46.11	54.00	94.49	32.85	5.64	32.85	122	276 Average
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg																																																											
1	2463.76	45.88	-6.12	54.00	49.18	32.87	5.66	31.95	122	276 Average																																																										
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	dB	cm	deg																																																											
1	2462.00	180.11	46.11	54.00	94.49	32.85	5.64	32.85	122	276 Average																																																										



WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m																																																													
ANT	802.11n HT20 CH11 2462MHz																																																													
1	Vertical	Fundamental																																																												
Peak	<p>Date: 7 Date: 2022-05-11</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL Project : RSW1 1000 0000Hz VBW 3000 0000Hz Mode : 100934-01 Mode : Mode 22 IMEI : #87 G0B22G032165001H Plane : Y with Accessory MCS9 PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.76</td> <td>52.94</td> <td>-21.86</td> <td>74.80</td> <td>47.11</td> <td>32.10</td> <td>5.68</td> <td>31.95</td> <td>100</td> <td>175</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2462.76	52.94	-21.86	74.80	47.11	32.10	5.68	31.95	100	175	Peak	<p>Date: 5 Date: 2022-05-11</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : RSW1 1000 0000Hz VBW 3000 0000Hz Mode : 100934-01 Mode : Mode 22 IMEI : #87 G0B22G032165001H Plane : Y with Accessory MCS9 PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>104.24</td> <td>30.24</td> <td>74.00</td> <td>98.42</td> <td>32.03</td> <td>5.64</td> <td>32.05</td> <td>100</td> <td>175</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2462.00	104.24	30.24	74.00	98.42	32.03	5.64	32.05	100	175	Peak
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	2462.76	52.94	-21.86	74.80	47.11	32.10	5.68	31.95	100	175	Peak																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	2462.00	104.24	30.24	74.00	98.42	32.03	5.64	32.05	100	175	Peak																																																			
Avg.	<p>Date: 8 Date: 2022-05-11</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL Project : RSW1 1000 0000Hz VBW 1.0000Hz Mode : 100934-01 Mode : Mode 22 IMEI : #87 G0B22G032165001H Plane : Y with Accessory MCS9 PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2463.04</td> <td>41.87</td> <td>-12.13</td> <td>54.00</td> <td>36.09</td> <td>32.07</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>175</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2463.04	41.87	-12.13	54.00	36.09	32.07	5.66	31.95	100	175	Average	<p>Date: 6 Date: 2022-05-11</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL Project : RSW1 1000 0000Hz VBW 1.0000Hz Mode : 100934-01 Mode : Mode 22 IMEI : #87 G0B22G032165001H Plane : Y with Accessory MCS9 PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>94.04</td> <td>40.04</td> <td>54.00</td> <td>88.42</td> <td>32.03</td> <td>5.64</td> <td>32.05</td> <td>100</td> <td>175</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2462.00	94.04	40.04	54.00	88.42	32.03	5.64	32.05	100	175	Average
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	2463.04	41.87	-12.13	54.00	36.09	32.07	5.66	31.95	100	175	Average																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																							
1	2462.00	94.04	40.04	54.00	88.42	32.03	5.64	32.05	100	175	Average																																																			



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11n HT20 CH12 2467MHz																																																																			
1	Horizontal	Fundamental																																																																		
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : 100934-01 Mode : Mode 23 MEI : #92-C0-0220032165001G Plane : Y with Accessory MCS0 PowerSetting 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>63.89</td> <td>-10.91</td> <td>74.00</td> <td>57.31</td> <td>32.07</td> <td>5.66</td> <td>31.95</td> <td>112</td> <td>101 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2467.00	63.89	-10.91	74.00	57.31	32.07	5.66	31.95	112	101 Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : 100934-01 Mode : Mode 23 MEI : #92-C0-0220032165001G Plane : Y with Accessory MCS0 PowerSetting 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>106.26</td> <td>32.26</td> <td>74.00</td> <td>100.54</td> <td>32.03</td> <td>5.64</td> <td>31.95</td> <td>112</td> <td>101 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2467.00	106.26	32.26	74.00	100.54	32.03	5.64	31.95	112	101 Peak
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2467.00	63.89	-10.91	74.00	57.31	32.07	5.66	31.95	112	101 Peak																																																										
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2467.00	106.26	32.26	74.00	100.54	32.03	5.64	31.95	112	101 Peak																																																										
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL : RBW 1000.000kHz VBW 1.000kHz Project : 100934-01 Mode : Mode 23 MEI : #92-C0-0220032165001G Plane : Y with Accessory MCS0 PowerSetting 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.52</td> <td>58.15</td> <td>-3.05</td> <td>54.00</td> <td>44.37</td> <td>32.07</td> <td>5.66</td> <td>31.95</td> <td>112</td> <td>101 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2467.52	58.15	-3.05	54.00	44.37	32.07	5.66	31.95	112	101 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL : RBW 1000.000kHz VBW 1.000kHz Project : 100934-01 Mode : Mode 23 MEI : #92-C0-0220032165001G Plane : Y with Accessory MCS0 PowerSetting 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>96.52</td> <td>42.52</td> <td>54.00</td> <td>90.00</td> <td>32.03</td> <td>5.64</td> <td>31.95</td> <td>112</td> <td>101 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2467.00	96.52	42.52	54.00	90.00	32.03	5.64	31.95	112	101 Average
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2467.52	58.15	-3.05	54.00	44.37	32.07	5.66	31.95	112	101 Average																																																										
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2467.00	96.52	42.52	54.00	90.00	32.03	5.64	31.95	112	101 Average																																																										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11n HT20 CH12 2467MHz																																																																			
1	Vertical	Fundamental																																																																		
Peak	<p>Date: 19 Level (dBuV/m) Date: 2022-05-21</p> <p>Site Condition : 03CH02-SZ PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RBNV 1000.000kHz VBW 1.000kHz Project : 100934-01 Mode : Mode 23 MEI : #92-C0-0220032165001G Plane : Y with Accessory MCS0 PowerSetting 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>149.32</td> <td>31.32</td> <td>74.00</td> <td>99.68</td> <td>32.03</td> <td>5.64</td> <td>31.95</td> <td>132</td> <td>112 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2467.00	149.32	31.32	74.00	99.68	32.03	5.64	31.95	132	112 Peak	<p>Date: 17 Level (dBuV/m) Date: 2022-05-21</p> <p>Site Condition : 03CH02-SZ PEAK_74 3m HF_ANT_3117_0107 VERTICAL RBNV 1000.000kHz VBW 1.000kHz Project : 100934-01 Mode : Mode 23 MEI : #92-C0-0220032165001G Plane : Y with Accessory MCS0 PowerSetting 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>149.32</td> <td>31.32</td> <td>74.00</td> <td>99.68</td> <td>32.03</td> <td>5.64</td> <td>31.95</td> <td>132</td> <td>112 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2467.00	149.32	31.32	74.00	99.68	32.03	5.64	31.95	132	112 Peak
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2467.00	149.32	31.32	74.00	99.68	32.03	5.64	31.95	132	112 Peak																																																										
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2467.00	149.32	31.32	74.00	99.68	32.03	5.64	31.95	132	112 Peak																																																										
Avg.	<p>Date: 20 Level (dBuV/m) Date: 2022-05-21</p> <p>Site Condition : 03CH02-SZ AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RBNV 1000.000kHz VBW 1.000kHz Project : 100934-01 Mode : Mode 23 MEI : #92-C0-0220032165001G Plane : Y with Accessory MCS0 PowerSetting 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>48.69</td> <td>-5.31</td> <td>54.00</td> <td>42.91</td> <td>32.07</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>112 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2467.00	48.69	-5.31	54.00	42.91	32.07	5.66	31.95	132	112 Average	<p>Date: 18 Level (dBuV/m) Date: 2022-05-21</p> <p>Site Condition : 03CH02-SZ AVG_54 3m HF_ANT_3117_0107 VERTICAL RBNV 1000.000kHz VBW 1.000kHz Project : 100934-01 Mode : Mode 23 MEI : #92-C0-0220032165001G Plane : Y with Accessory MCS0 PowerSetting 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>48.69</td> <td>-5.31</td> <td>54.00</td> <td>42.91</td> <td>32.07</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>112 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2467.00	48.69	-5.31	54.00	42.91	32.07	5.66	31.95	132	112 Average
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2467.00	48.69	-5.31	54.00	42.91	32.07	5.66	31.95	132	112 Average																																																										
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2467.00	48.69	-5.31	54.00	42.91	32.07	5.66	31.95	132	112 Average																																																										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11n HT20 CH13 2472MHz																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RSW1 1000 000kHz VBW 3000 000kHz Mode : 100934-01 Mode : Mode 24 MEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerSetting B</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna Loss Factor</th> <th>Cable Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.64</td> <td>61.46</td> <td>-12.54</td> <td>74.00</td> <td>55.68</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>181 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	ReadAntenna Loss Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.64	61.46	-12.54	74.00	55.68	32.87	5.66	31.95	132	181 Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : RSW1 1000 000kHz VBW 3000 000kHz Mode : 100934-01 Mode : Mode 24 MEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerSetting B</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna Loss Factor</th> <th>Cable Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>182.29</td> <td>28.29</td> <td>74.00</td> <td>96.51</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>181 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	ReadAntenna Loss Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	182.29	28.29	74.00	96.51	32.87	5.66	31.95	132	181 Peak
Freq	Level	Limit	Line	Level Factor	ReadAntenna Loss Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2483.64	61.46	-12.54	74.00	55.68	32.87	5.66	31.95	132	181 Peak																																																						
Freq	Level	Limit	Line	Level Factor	ReadAntenna Loss Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	182.29	28.29	74.00	96.51	32.87	5.66	31.95	132	181 Peak																																																						
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL Project : RSW1 1000 000kHz VBW 1.000kHz Mode : 100934-01 Mode : Mode 24 MEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerSetting B</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna Loss Factor</th> <th>Cable Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>58.83</td> <td>-3.17</td> <td>54.80</td> <td>45.95</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>181 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	ReadAntenna Loss Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	58.83	-3.17	54.80	45.95	32.87	5.66	31.95	132	181 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL Project : RSW1 1000 000kHz VBW 1.000kHz Mode : 100934-01 Mode : Mode 24 MEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerSetting B</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna Loss Factor</th> <th>Cable Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>92.49</td> <td>38.49</td> <td>54.80</td> <td>86.71</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>181 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	ReadAntenna Loss Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	92.49	38.49	54.80	86.71	32.87	5.66	31.95	132	181 Average
Freq	Level	Limit	Line	Level Factor	ReadAntenna Loss Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2483.52	58.83	-3.17	54.80	45.95	32.87	5.66	31.95	132	181 Average																																																						
Freq	Level	Limit	Line	Level Factor	ReadAntenna Loss Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	92.49	38.49	54.80	86.71	32.87	5.66	31.95	132	181 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11n HT20 CH13 2472MHz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 19 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL Project : RSW 1000 000kHz VBW 3000 000kHz Mode : Mode 24 MEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerSetting 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>69.28</td> <td>-13.72</td> <td>74.00</td> <td>54.50</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>112 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	69.28	-13.72	74.00	54.50	32.87	5.66	31.95	132	112 Peak	<p>Date: 17 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : RSW 1000 000kHz VBW 3000 000kHz Mode : Mode 24 MEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerSetting 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>100.69</td> <td>26.69</td> <td>74.00</td> <td>94.91</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>112 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	100.69	26.69	74.00	94.91	32.87	5.66	31.95	132	112 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2483.50	69.28	-13.72	74.00	54.50	32.87	5.66	31.95	132	112 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	100.69	26.69	74.00	94.91	32.87	5.66	31.95	132	112 Peak																																																						
Avg.	<p>Date: 20 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL Project : RSW 1000 000kHz VBW 1.000kHz Mode : Mode 24 MEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerSetting 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>49.55</td> <td>-4.47</td> <td>54.00</td> <td>43.75</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>112 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	49.55	-4.47	54.00	43.75	32.87	5.66	31.95	132	112 Average	<p>Date: 18 Date: 2022-05-21</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL Project : RSW 1000 000kHz VBW 1.000kHz Mode : Mode 24 MEI : #92-G0B22G032165001G Plane : Y with Accessory MCS9 PowerSetting 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>98.64</td> <td>36.64</td> <td>54.00</td> <td>84.86</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>132</td> <td>112 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	98.64	36.64	54.00	84.86	32.87	5.66	31.95	132	112 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2483.52	49.55	-4.47	54.00	43.75	32.87	5.66	31.95	132	112 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	98.64	36.64	54.00	84.86	32.87	5.66	31.95	132	112 Average																																																						



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																			
ANT	802.11b CH01 2412MHz																																																																																																																																			
1	Horizontal	Vertical																																																																																																																																		
<p>Peak</p> <p>Avg.</p>	<p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 130034-01 Mode : Mode 10 IMEI : #87 G0922G032165001H Plane : Y with Accessory : 1M PowerSetting 19.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/Hz</th> <th>dB</th> <th>dBm/Hz</th> <th>dBm</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>49.82</td> <td>-24.18</td> <td>74.00</td> <td>65.21</td> <td>33.80</td> <td>8.71</td> <td>57.50</td> <td>...</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6432.00</td> <td>51.80</td> <td>-22.20</td> <td>74.00</td> <td>62.34</td> <td>35.45</td> <td>11.31</td> <td>58.04</td> <td>100</td> <td></td> <td></td> <td>89 Peak</td> </tr> <tr> <td>3</td> <td>6432.00</td> <td>47.86</td> <td>-6.94</td> <td>54.00</td> <td>58.34</td> <td>35.45</td> <td>11.31</td> <td>58.04</td> <td>100</td> <td></td> <td></td> <td>89 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/Hz	dB	dBm/Hz	dBm	dB/m	dB	dB	dB	dB	cn	deg		1	4824.00	49.82	-24.18	74.00	65.21	33.80	8.71	57.50	Peak	2	6432.00	51.80	-22.20	74.00	62.34	35.45	11.31	58.04	100			89 Peak	3	6432.00	47.86	-6.94	54.00	58.34	35.45	11.31	58.04	100			89 Average	<p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 130034-01 Mode : Mode 10 IMEI : #87 G0922G032165001H Plane : Y with Accessory : 1M PowerSetting 19.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/Hz</th> <th>dB</th> <th>dBm/Hz</th> <th>dBm</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>49.71</td> <td>-24.27</td> <td>74.00</td> <td>65.12</td> <td>33.80</td> <td>8.71</td> <td>57.00</td> <td>...</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6432.00</td> <td>51.83</td> <td>-22.17</td> <td>74.00</td> <td>63.11</td> <td>35.45</td> <td>11.31</td> <td>58.04</td> <td>100</td> <td></td> <td></td> <td>118 Peak</td> </tr> <tr> <td>3</td> <td>6432.00</td> <td>47.74</td> <td>-6.26</td> <td>54.00</td> <td>59.82</td> <td>35.45</td> <td>11.31</td> <td>58.04</td> <td>100</td> <td></td> <td></td> <td>118 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/Hz	dB	dBm/Hz	dBm	dB/m	dB	dB	dB	dB	cn	deg		1	4824.00	49.71	-24.27	74.00	65.12	33.80	8.71	57.00	Peak	2	6432.00	51.83	-22.17	74.00	63.11	35.45	11.31	58.04	100			118 Peak	3	6432.00	47.74	-6.26	54.00	59.82	35.45	11.31	58.04	100			118 Average
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																								
MHz	dBm/Hz	dB	dBm/Hz	dBm	dB/m	dB	dB	dB	dB	cn	deg																																																																																																																									
1	4824.00	49.82	-24.18	74.00	65.21	33.80	8.71	57.50	Peak																																																																																																																								
2	6432.00	51.80	-22.20	74.00	62.34	35.45	11.31	58.04	100			89 Peak																																																																																																																								
3	6432.00	47.86	-6.94	54.00	58.34	35.45	11.31	58.04	100			89 Average																																																																																																																								
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																								
MHz	dBm/Hz	dB	dBm/Hz	dBm	dB/m	dB	dB	dB	dB	cn	deg																																																																																																																									
1	4824.00	49.71	-24.27	74.00	65.12	33.80	8.71	57.00	Peak																																																																																																																								
2	6432.00	51.83	-22.17	74.00	63.11	35.45	11.31	58.04	100			118 Peak																																																																																																																								
3	6432.00	47.74	-6.26	54.00	59.82	35.45	11.31	58.04	100			118 Average																																																																																																																								



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																												
ANT	802.11b CH06 2437MHz																																																																																																																																												
1	Horizontal	Vertical																																																																																																																																											
Peak Avg.	<p>Date: 27</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100034-01 Mode : Mode 11 MEI : #B7-G0822002165001H Plane : Y with Accessory : 1M PowerSetting 19</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>58.88</td> <td>-23.92</td> <td>74.00</td> <td>65.46</td> <td>33.73</td> <td>8.79</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6498.00</td> <td>58.23</td> <td>-23.77</td> <td>74.00</td> <td>61.57</td> <td>35.49</td> <td>11.33</td> <td>58.16</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>49.67</td> <td>-24.33</td> <td>74.00</td> <td>62.33</td> <td>35.72</td> <td>11.89</td> <td>59.47</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	58.88	-23.92	74.00	65.46	33.73	8.79	57.98	...	Peak	2	6498.00	58.23	-23.77	74.00	61.57	35.49	11.33	58.16	...	Peak	3	7311.00	49.67	-24.33	74.00	62.33	35.72	11.89	59.47	...	Peak	<p>Date: 28</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100034-01 Mode : Mode 11 MEI : #B7-G0822002165001H Plane : Y with Accessory : 1M PowerSetting 19</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>58.17</td> <td>-23.83</td> <td>74.00</td> <td>65.55</td> <td>33.73</td> <td>8.79</td> <td>57.98</td> <td>100</td> <td>267 Peak</td> </tr> <tr> <td>2</td> <td>6498.00</td> <td>47.21</td> <td>-26.79</td> <td>74.00</td> <td>62.08</td> <td>33.73</td> <td>8.79</td> <td>57.98</td> <td>100</td> <td>267 Average</td> </tr> <tr> <td>3</td> <td>6498.00</td> <td>51.23</td> <td>-22.77</td> <td>74.00</td> <td>62.37</td> <td>35.49</td> <td>11.33</td> <td>58.16</td> <td>100</td> <td>117 Peak</td> </tr> <tr> <td>4</td> <td>6498.00</td> <td>47.23</td> <td>-26.77</td> <td>74.00</td> <td>58.87</td> <td>35.49</td> <td>11.33</td> <td>58.16</td> <td>100</td> <td>117 Average</td> </tr> <tr> <td>5</td> <td>7311.00</td> <td>53.59</td> <td>-20.41</td> <td>74.00</td> <td>66.25</td> <td>35.72</td> <td>11.89</td> <td>59.47</td> <td>100</td> <td>196 Peak</td> </tr> <tr> <td>6</td> <td>7311.00</td> <td>48.49</td> <td>-25.51</td> <td>74.00</td> <td>63.15</td> <td>35.72</td> <td>11.89</td> <td>59.47</td> <td>100</td> <td>196 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	58.17	-23.83	74.00	65.55	33.73	8.79	57.98	100	267 Peak	2	6498.00	47.21	-26.79	74.00	62.08	33.73	8.79	57.98	100	267 Average	3	6498.00	51.23	-22.77	74.00	62.37	35.49	11.33	58.16	100	117 Peak	4	6498.00	47.23	-26.77	74.00	58.87	35.49	11.33	58.16	100	117 Average	5	7311.00	53.59	-20.41	74.00	66.25	35.72	11.89	59.47	100	196 Peak	6	7311.00	48.49	-25.51	74.00	63.15	35.72	11.89	59.47	100	196 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	4874.00	58.88	-23.92	74.00	65.46	33.73	8.79	57.98	...	Peak																																																																																																																																			
2	6498.00	58.23	-23.77	74.00	61.57	35.49	11.33	58.16	...	Peak																																																																																																																																			
3	7311.00	49.67	-24.33	74.00	62.33	35.72	11.89	59.47	...	Peak																																																																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	4874.00	58.17	-23.83	74.00	65.55	33.73	8.79	57.98	100	267 Peak																																																																																																																																			
2	6498.00	47.21	-26.79	74.00	62.08	33.73	8.79	57.98	100	267 Average																																																																																																																																			
3	6498.00	51.23	-22.77	74.00	62.37	35.49	11.33	58.16	100	117 Peak																																																																																																																																			
4	6498.00	47.23	-26.77	74.00	58.87	35.49	11.33	58.16	100	117 Average																																																																																																																																			
5	7311.00	53.59	-20.41	74.00	66.25	35.72	11.89	59.47	100	196 Peak																																																																																																																																			
6	7311.00	48.49	-25.51	74.00	63.15	35.72	11.89	59.47	100	196 Average																																																																																																																																			



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																												
ANT	802.11b CH11 2462MHz																																																																																																																																												
1	Horizontal	Vertical																																																																																																																																											
Peak Avg.	<p>Date: 17</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100034-01 Mode : Mode 12 IMEI : #87-G8822032165001H Plane : Y with Accessory : 1M PowerSetting 19.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>51.48</td> <td>-22.00</td> <td>74.00</td> <td>66.70</td> <td>33.70</td> <td>8.00</td> <td>57.00</td> <td>100</td> <td>207 Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>48.24</td> <td>-5.76</td> <td>54.00</td> <td>63.54</td> <td>33.70</td> <td>8.00</td> <td>57.00</td> <td>100</td> <td>207 Average</td> </tr> <tr> <td>3</td> <td>6565.00</td> <td>49.71</td> <td>-24.29</td> <td>74.00</td> <td>61.12</td> <td>35.51</td> <td>11.32</td> <td>58.24</td> <td>100</td> <td>115 Peak</td> </tr> <tr> <td>4</td> <td>7386.00</td> <td>58.25</td> <td>-13.75</td> <td>74.00</td> <td>63.12</td> <td>35.76</td> <td>11.00</td> <td>59.71</td> <td>100</td> <td>198 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	cm	deg		1	4924.00	51.48	-22.00	74.00	66.70	33.70	8.00	57.00	100	207 Peak	2	4924.00	48.24	-5.76	54.00	63.54	33.70	8.00	57.00	100	207 Average	3	6565.00	49.71	-24.29	74.00	61.12	35.51	11.32	58.24	100	115 Peak	4	7386.00	58.25	-13.75	74.00	63.12	35.76	11.00	59.71	100	198 Peak	<p>Date: 18</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100034-01 Mode : Mode 12 IMEI : #87-G8822032165001H Plane : Y with Accessory : 1M PowerSetting 19.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>49.22</td> <td>-24.78</td> <td>74.00</td> <td>64.52</td> <td>35.70</td> <td>8.00</td> <td>57.00</td> <td>100</td> <td>115 Peak</td> </tr> <tr> <td>2</td> <td>6565.00</td> <td>52.86</td> <td>-21.00</td> <td>74.00</td> <td>63.42</td> <td>35.53</td> <td>11.32</td> <td>58.24</td> <td>100</td> <td>115 Average</td> </tr> <tr> <td>3</td> <td>6565.00</td> <td>48.24</td> <td>-5.76</td> <td>54.00</td> <td>59.65</td> <td>35.51</td> <td>11.32</td> <td>58.24</td> <td>100</td> <td>115 Peak</td> </tr> <tr> <td>4</td> <td>7386.00</td> <td>53.25</td> <td>-10.75</td> <td>74.00</td> <td>66.12</td> <td>35.76</td> <td>11.00</td> <td>59.71</td> <td>100</td> <td>198 Peak</td> </tr> <tr> <td>5</td> <td>7386.00</td> <td>49.84</td> <td>-4.16</td> <td>54.00</td> <td>62.71</td> <td>35.76</td> <td>11.00</td> <td>59.71</td> <td>100</td> <td>198 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	cm	deg		1	4924.00	49.22	-24.78	74.00	64.52	35.70	8.00	57.00	100	115 Peak	2	6565.00	52.86	-21.00	74.00	63.42	35.53	11.32	58.24	100	115 Average	3	6565.00	48.24	-5.76	54.00	59.65	35.51	11.32	58.24	100	115 Peak	4	7386.00	53.25	-10.75	74.00	66.12	35.76	11.00	59.71	100	198 Peak	5	7386.00	49.84	-4.16	54.00	62.71	35.76	11.00	59.71	100	198 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	cm	deg																																																																																																																																					
1	4924.00	51.48	-22.00	74.00	66.70	33.70	8.00	57.00	100	207 Peak																																																																																																																																			
2	4924.00	48.24	-5.76	54.00	63.54	33.70	8.00	57.00	100	207 Average																																																																																																																																			
3	6565.00	49.71	-24.29	74.00	61.12	35.51	11.32	58.24	100	115 Peak																																																																																																																																			
4	7386.00	58.25	-13.75	74.00	63.12	35.76	11.00	59.71	100	198 Peak																																																																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	cm	deg																																																																																																																																					
1	4924.00	49.22	-24.78	74.00	64.52	35.70	8.00	57.00	100	115 Peak																																																																																																																																			
2	6565.00	52.86	-21.00	74.00	63.42	35.53	11.32	58.24	100	115 Average																																																																																																																																			
3	6565.00	48.24	-5.76	54.00	59.65	35.51	11.32	58.24	100	115 Peak																																																																																																																																			
4	7386.00	53.25	-10.75	74.00	66.12	35.76	11.00	59.71	100	198 Peak																																																																																																																																			
5	7386.00	49.84	-4.16	54.00	62.71	35.76	11.00	59.71	100	198 Average																																																																																																																																			



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																	
ANT	802.11b CH12 2467MHz																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																
Peak Avg.	<p>Date: 20</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100034-01 Mode : Mode 13 IMEI : #52-G0822020165001G Plane : Y with Accessory : 1M Powersetting 18.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>48.79</td> <td>-25.21</td> <td>74.00</td> <td>64.89</td> <td>33.70</td> <td>8.90</td> <td>57.90</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6576.00</td> <td>52.87</td> <td>-11.13</td> <td>74.00</td> <td>64.30</td> <td>35.51</td> <td>11.32</td> <td>58.26</td> <td>100</td> <td>07 Peak</td> </tr> <tr> <td>3</td> <td>6576.00</td> <td>47.87</td> <td>-6.13</td> <td>54.00</td> <td>59.30</td> <td>35.51</td> <td>11.32</td> <td>58.26</td> <td>100</td> <td>07 Average</td> </tr> <tr> <td>4</td> <td>7041.00</td> <td>46.51</td> <td>-7.49</td> <td>74.00</td> <td>59.40</td> <td>35.77</td> <td>11.10</td> <td>59.76</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	48.79	-25.21	74.00	64.89	33.70	8.90	57.90	---	Peak	2	6576.00	52.87	-11.13	74.00	64.30	35.51	11.32	58.26	100	07 Peak	3	6576.00	47.87	-6.13	54.00	59.30	35.51	11.32	58.26	100	07 Average	4	7041.00	46.51	-7.49	74.00	59.40	35.77	11.10	59.76	---	Peak	<p>Date: 30</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100034-01 Mode : Mode 13 IMEI : #52-G0822020165001G Plane : Y with Accessory : 1M Powersetting 18.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>50.00</td> <td>-24.00</td> <td>74.00</td> <td>65.30</td> <td>35.70</td> <td>8.90</td> <td>57.90</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6576.00</td> <td>53.87</td> <td>-10.13</td> <td>74.00</td> <td>64.30</td> <td>35.51</td> <td>11.32</td> <td>58.26</td> <td>100</td> <td>113 Peak</td> </tr> <tr> <td>3</td> <td>6576.00</td> <td>48.87</td> <td>-5.13</td> <td>54.00</td> <td>60.10</td> <td>35.51</td> <td>11.32</td> <td>58.26</td> <td>100</td> <td>113 Average</td> </tr> <tr> <td>4</td> <td>7041.00</td> <td>49.50</td> <td>-14.50</td> <td>74.00</td> <td>62.87</td> <td>35.77</td> <td>11.10</td> <td>59.76</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	50.00	-24.00	74.00	65.30	35.70	8.90	57.90	---	Peak	2	6576.00	53.87	-10.13	74.00	64.30	35.51	11.32	58.26	100	113 Peak	3	6576.00	48.87	-5.13	54.00	60.10	35.51	11.32	58.26	100	113 Average	4	7041.00	49.50	-14.50	74.00	62.87	35.77	11.10	59.76	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4934.00	48.79	-25.21	74.00	64.89	33.70	8.90	57.90	---	Peak																																																																																																																								
2	6576.00	52.87	-11.13	74.00	64.30	35.51	11.32	58.26	100	07 Peak																																																																																																																								
3	6576.00	47.87	-6.13	54.00	59.30	35.51	11.32	58.26	100	07 Average																																																																																																																								
4	7041.00	46.51	-7.49	74.00	59.40	35.77	11.10	59.76	---	Peak																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4934.00	50.00	-24.00	74.00	65.30	35.70	8.90	57.90	---	Peak																																																																																																																								
2	6576.00	53.87	-10.13	74.00	64.30	35.51	11.32	58.26	100	113 Peak																																																																																																																								
3	6576.00	48.87	-5.13	54.00	60.10	35.51	11.32	58.26	100	113 Average																																																																																																																								
4	7041.00	49.50	-14.50	74.00	62.87	35.77	11.10	59.76	---	Peak																																																																																																																								



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																						
ANT	802.11b CH13 2472MHz																																																																																																																						
1	Horizontal	Vertical																																																																																																																					
Peak Avg.	<p>Date: 20</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100034-01 Mode : Mode 14 MEI : #57-G0820202165001G Plane : Y-Web_Accessory : 1M PowerSetting 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4644.00</td> <td>45.68</td> <td>-20.32</td> <td>74.00</td> <td>68.94</td> <td>33.78</td> <td>8.94</td> <td>57.99</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6592.00</td> <td>46.86</td> <td>-14.14</td> <td>74.00</td> <td>61.38</td> <td>35.52</td> <td>11.33</td> <td>58.27</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7416.00</td> <td>45.87</td> <td>-15.13</td> <td>74.00</td> <td>57.96</td> <td>35.77</td> <td>11.10</td> <td>59.76</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4644.00	45.68	-20.32	74.00	68.94	33.78	8.94	57.99	---	Peak	2	6592.00	46.86	-14.14	74.00	61.38	35.52	11.33	58.27	---	Peak	3	7416.00	45.87	-15.13	74.00	57.96	35.77	11.10	59.76	---	Peak	<p>Date: 30</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100034-01 Mode : Mode 14 MEI : #57-G0820202165001G Plane : Y-Web_Accessory : 1M PowerSetting 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4644.00</td> <td>44.80</td> <td>-19.14</td> <td>74.00</td> <td>68.12</td> <td>33.78</td> <td>8.94</td> <td>57.99</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6592.00</td> <td>42.41</td> <td>-21.59</td> <td>74.00</td> <td>63.86</td> <td>35.52</td> <td>11.31</td> <td>58.27</td> <td>100</td> <td>96 Peak</td> </tr> <tr> <td>3</td> <td>6592.00</td> <td>48.22</td> <td>-15.78</td> <td>74.00</td> <td>59.66</td> <td>35.52</td> <td>11.31</td> <td>58.27</td> <td>100</td> <td>96 Average</td> </tr> <tr> <td>4</td> <td>7416.00</td> <td>45.22</td> <td>-18.78</td> <td>74.00</td> <td>58.11</td> <td>35.77</td> <td>11.09</td> <td>59.76</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4644.00	44.80	-19.14	74.00	68.12	33.78	8.94	57.99	---	Peak	2	6592.00	42.41	-21.59	74.00	63.86	35.52	11.31	58.27	100	96 Peak	3	6592.00	48.22	-15.78	74.00	59.66	35.52	11.31	58.27	100	96 Average	4	7416.00	45.22	-18.78	74.00	58.11	35.77	11.09	59.76	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	4644.00	45.68	-20.32	74.00	68.94	33.78	8.94	57.99	---	Peak																																																																																																													
2	6592.00	46.86	-14.14	74.00	61.38	35.52	11.33	58.27	---	Peak																																																																																																													
3	7416.00	45.87	-15.13	74.00	57.96	35.77	11.10	59.76	---	Peak																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	4644.00	44.80	-19.14	74.00	68.12	33.78	8.94	57.99	---	Peak																																																																																																													
2	6592.00	42.41	-21.59	74.00	63.86	35.52	11.31	58.27	100	96 Peak																																																																																																													
3	6592.00	48.22	-15.78	74.00	59.66	35.52	11.31	58.27	100	96 Average																																																																																																													
4	7416.00	45.22	-18.78	74.00	58.11	35.77	11.09	59.76	---	Peak																																																																																																													



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																															
ANT	802.11g CH01 2412MHz																																																																																																															
1	Horizontal	Vertical																																																																																																														
<p>Peak</p> <p>Avg.</p>	<p>Date: 21 Date: 2022-05-23</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 130034-01 Mode : Mode 15 IMEI : #92 G0922G032165001G Plane : Y with Accessory : 6M PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.33</td> <td>-39.67</td> <td>74.00</td> <td>58.72</td> <td>33.00</td> <td>8.71</td> <td>57.00</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6432.00</td> <td>52.55</td> <td>-11.45</td> <td>74.00</td> <td>63.70</td> <td>35.45</td> <td>11.31</td> <td>58.04</td> <td>100</td> <td>dB Peak</td> </tr> <tr> <td>3</td> <td>6432.00</td> <td>48.53</td> <td>-5.47</td> <td>54.00</td> <td>59.81</td> <td>35.45</td> <td>11.31</td> <td>58.04</td> <td>100</td> <td>dB Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg		1	4824.00	43.33	-39.67	74.00	58.72	33.00	8.71	57.00	...	Peak	2	6432.00	52.55	-11.45	74.00	63.70	35.45	11.31	58.04	100	dB Peak	3	6432.00	48.53	-5.47	54.00	59.81	35.45	11.31	58.04	100	dB Average	<p>Date: 22 Date: 2022-05-23</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 130034-01 Mode : Mode 15 IMEI : #92 G0922G032165001G Plane : Y with Accessory : 6M PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>44.47</td> <td>-29.53</td> <td>74.00</td> <td>59.86</td> <td>33.00</td> <td>8.71</td> <td>57.00</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6432.00</td> <td>52.08</td> <td>-21.92</td> <td>74.00</td> <td>63.28</td> <td>35.45</td> <td>11.31</td> <td>58.04</td> <td>100</td> <td>125 Peak</td> </tr> <tr> <td>3</td> <td>6432.00</td> <td>48.95</td> <td>-5.05</td> <td>54.00</td> <td>60.23</td> <td>35.45</td> <td>11.31</td> <td>58.04</td> <td>100</td> <td>125 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg		1	4824.00	44.47	-29.53	74.00	59.86	33.00	8.71	57.00	...	Peak	2	6432.00	52.08	-21.92	74.00	63.28	35.45	11.31	58.04	100	125 Peak	3	6432.00	48.95	-5.05	54.00	60.23	35.45	11.31	58.04	100	125 Average
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																																							
1	4824.00	43.33	-39.67	74.00	58.72	33.00	8.71	57.00	...	Peak																																																																																																						
2	6432.00	52.55	-11.45	74.00	63.70	35.45	11.31	58.04	100	dB Peak																																																																																																						
3	6432.00	48.53	-5.47	54.00	59.81	35.45	11.31	58.04	100	dB Average																																																																																																						
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																						
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																																							
1	4824.00	44.47	-29.53	74.00	59.86	33.00	8.71	57.00	...	Peak																																																																																																						
2	6432.00	52.08	-21.92	74.00	63.28	35.45	11.31	58.04	100	125 Peak																																																																																																						
3	6432.00	48.95	-5.05	54.00	60.23	35.45	11.31	58.04	100	125 Average																																																																																																						



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																	
ANT	802.11g CH06 2437MHz																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																
Peak Avg.	<p>Date: 21</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100034-01 Mode : Mode 16 IMEI : #52-G0820202165001G Plane : Y with Accessory GM PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4814.00</td> <td>44.17</td> <td>-29.33</td> <td>74.00</td> <td>68.83</td> <td>33.73</td> <td>8.79</td> <td>57.98</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6498.00</td> <td>51.88</td> <td>-20.81</td> <td>74.00</td> <td>64.52</td> <td>35.89</td> <td>11.33</td> <td>58.16</td> <td>100</td> <td>144 Peak</td> </tr> <tr> <td>3</td> <td>6498.00</td> <td>49.96</td> <td>-4.84</td> <td>54.00</td> <td>61.30</td> <td>35.49</td> <td>11.33</td> <td>58.16</td> <td>100</td> <td>144 Average</td> </tr> <tr> <td>4</td> <td>7311.00</td> <td>47.95</td> <td>-26.05</td> <td>74.00</td> <td>69.61</td> <td>35.72</td> <td>11.89</td> <td>59.47</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4814.00	44.17	-29.33	74.00	68.83	33.73	8.79	57.98	---	Peak	2	6498.00	51.88	-20.81	74.00	64.52	35.89	11.33	58.16	100	144 Peak	3	6498.00	49.96	-4.84	54.00	61.30	35.49	11.33	58.16	100	144 Average	4	7311.00	47.95	-26.05	74.00	69.61	35.72	11.89	59.47	---	Peak	<p>Date: 22</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100034-01 Mode : Mode 16 IMEI : #52-G0820202165001G Plane : Y with Accessory GM PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4814.00</td> <td>44.17</td> <td>-29.83</td> <td>74.00</td> <td>59.55</td> <td>33.73</td> <td>8.79</td> <td>57.98</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6498.00</td> <td>51.44</td> <td>-21.56</td> <td>74.00</td> <td>61.78</td> <td>35.49</td> <td>11.33</td> <td>58.16</td> <td>100</td> <td>162 Peak</td> </tr> <tr> <td>3</td> <td>6498.00</td> <td>48.26</td> <td>-15.74</td> <td>54.00</td> <td>59.68</td> <td>35.49</td> <td>11.33</td> <td>58.16</td> <td>100</td> <td>162 Average</td> </tr> <tr> <td>4</td> <td>7311.00</td> <td>49.79</td> <td>-24.21</td> <td>74.00</td> <td>62.45</td> <td>35.72</td> <td>11.89</td> <td>59.47</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4814.00	44.17	-29.83	74.00	59.55	33.73	8.79	57.98	---	Peak	2	6498.00	51.44	-21.56	74.00	61.78	35.49	11.33	58.16	100	162 Peak	3	6498.00	48.26	-15.74	54.00	59.68	35.49	11.33	58.16	100	162 Average	4	7311.00	49.79	-24.21	74.00	62.45	35.72	11.89	59.47	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4814.00	44.17	-29.33	74.00	68.83	33.73	8.79	57.98	---	Peak																																																																																																																								
2	6498.00	51.88	-20.81	74.00	64.52	35.89	11.33	58.16	100	144 Peak																																																																																																																								
3	6498.00	49.96	-4.84	54.00	61.30	35.49	11.33	58.16	100	144 Average																																																																																																																								
4	7311.00	47.95	-26.05	74.00	69.61	35.72	11.89	59.47	---	Peak																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4814.00	44.17	-29.83	74.00	59.55	33.73	8.79	57.98	---	Peak																																																																																																																								
2	6498.00	51.44	-21.56	74.00	61.78	35.49	11.33	58.16	100	162 Peak																																																																																																																								
3	6498.00	48.26	-15.74	54.00	59.68	35.49	11.33	58.16	100	162 Average																																																																																																																								
4	7311.00	49.79	-24.21	74.00	62.45	35.72	11.89	59.47	---	Peak																																																																																																																								



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																	
ANT	802.11g CH11 2462MHz																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																
Peak Avg.	<p>Date: 17</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100034-01 Mode : Mode 17 IMEI : #52-G0822032165001G Plane : Y with Accessory EM PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>45.08</td> <td>-28.40</td> <td>74.00</td> <td>69.00</td> <td>33.70</td> <td>8.90</td> <td>57.90</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6565.00</td> <td>52.14</td> <td>-17.86</td> <td>74.00</td> <td>63.55</td> <td>35.51</td> <td>11.32</td> <td>58.24</td> <td>100</td> <td>82 Peak</td> </tr> <tr> <td>3</td> <td>6565.00</td> <td>47.55</td> <td>-6.45</td> <td>54.00</td> <td>58.96</td> <td>35.51</td> <td>11.32</td> <td>58.24</td> <td>100</td> <td>82 Average</td> </tr> <tr> <td>4</td> <td>7396.00</td> <td>45.80</td> <td>-28.96</td> <td>74.00</td> <td>57.93</td> <td>35.76</td> <td>11.60</td> <td>59.71</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	45.08	-28.40	74.00	69.00	33.70	8.90	57.90	---	Peak	2	6565.00	52.14	-17.86	74.00	63.55	35.51	11.32	58.24	100	82 Peak	3	6565.00	47.55	-6.45	54.00	58.96	35.51	11.32	58.24	100	82 Average	4	7396.00	45.80	-28.96	74.00	57.93	35.76	11.60	59.71	---	Peak	<p>Date: 18</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100034-01 Mode : Mode 17 IMEI : #52-G0822032165001G Plane : Y with Accessory EM PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>45.80</td> <td>-28.94</td> <td>74.00</td> <td>69.36</td> <td>33.70</td> <td>8.90</td> <td>57.90</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6565.00</td> <td>53.28</td> <td>-20.09</td> <td>74.00</td> <td>64.51</td> <td>35.53</td> <td>11.32</td> <td>58.24</td> <td>100</td> <td>121 Peak</td> </tr> <tr> <td>3</td> <td>6565.00</td> <td>48.84</td> <td>-15.16</td> <td>54.00</td> <td>60.25</td> <td>35.51</td> <td>11.32</td> <td>58.24</td> <td>100</td> <td>121 Average</td> </tr> <tr> <td>4</td> <td>7396.00</td> <td>46.66</td> <td>-25.34</td> <td>74.00</td> <td>61.53</td> <td>35.76</td> <td>11.60</td> <td>59.71</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	45.80	-28.94	74.00	69.36	33.70	8.90	57.90	---	Peak	2	6565.00	53.28	-20.09	74.00	64.51	35.53	11.32	58.24	100	121 Peak	3	6565.00	48.84	-15.16	54.00	60.25	35.51	11.32	58.24	100	121 Average	4	7396.00	46.66	-25.34	74.00	61.53	35.76	11.60	59.71	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4924.00	45.08	-28.40	74.00	69.00	33.70	8.90	57.90	---	Peak																																																																																																																								
2	6565.00	52.14	-17.86	74.00	63.55	35.51	11.32	58.24	100	82 Peak																																																																																																																								
3	6565.00	47.55	-6.45	54.00	58.96	35.51	11.32	58.24	100	82 Average																																																																																																																								
4	7396.00	45.80	-28.96	74.00	57.93	35.76	11.60	59.71	---	Peak																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4924.00	45.80	-28.94	74.00	69.36	33.70	8.90	57.90	---	Peak																																																																																																																								
2	6565.00	53.28	-20.09	74.00	64.51	35.53	11.32	58.24	100	121 Peak																																																																																																																								
3	6565.00	48.84	-15.16	54.00	60.25	35.51	11.32	58.24	100	121 Average																																																																																																																								
4	7396.00	46.66	-25.34	74.00	61.53	35.76	11.60	59.71	---	Peak																																																																																																																								



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																	
ANT	802.11g CH12 2467MHz																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																
Peak Avg.	<p>Date: 20</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100034-01 Mode : Mode 18 IMEI : #52-G8822002165001G Plane : Y with Accessory GM PowerSetting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>43.41</td> <td>-20.50</td> <td>74.00</td> <td>58.71</td> <td>33.70</td> <td>8.00</td> <td>57.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6578.00</td> <td>52.12</td> <td>-11.88</td> <td>74.00</td> <td>63.55</td> <td>35.51</td> <td>11.12</td> <td>58.26</td> <td>100</td> <td>55 Peak</td> </tr> <tr> <td>3</td> <td>6578.00</td> <td>48.02</td> <td>-5.08</td> <td>54.00</td> <td>59.45</td> <td>35.51</td> <td>11.12</td> <td>58.26</td> <td>100</td> <td>55 Average</td> </tr> <tr> <td>4</td> <td>7041.00</td> <td>45.00</td> <td>-10.00</td> <td>74.00</td> <td>57.89</td> <td>35.77</td> <td>11.10</td> <td>59.76</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	43.41	-20.50	74.00	58.71	33.70	8.00	57.00	---	Peak	2	6578.00	52.12	-11.88	74.00	63.55	35.51	11.12	58.26	100	55 Peak	3	6578.00	48.02	-5.08	54.00	59.45	35.51	11.12	58.26	100	55 Average	4	7041.00	45.00	-10.00	74.00	57.89	35.77	11.10	59.76	---	Peak	<p>Date: 30</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100034-01 Mode : Mode 18 IMEI : #52-G8822002165001G Plane : Y with Accessory GM PowerSetting 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>43.60</td> <td>-10.34</td> <td>74.00</td> <td>58.96</td> <td>33.70</td> <td>8.00</td> <td>57.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6578.00</td> <td>54.21</td> <td>-11.73</td> <td>74.00</td> <td>65.70</td> <td>35.53</td> <td>11.12</td> <td>58.26</td> <td>100</td> <td>152 Peak</td> </tr> <tr> <td>3</td> <td>6578.00</td> <td>49.77</td> <td>-4.23</td> <td>54.00</td> <td>61.20</td> <td>35.51</td> <td>11.12</td> <td>58.26</td> <td>100</td> <td>152 Average</td> </tr> <tr> <td>4</td> <td>7041.00</td> <td>45.47</td> <td>-10.53</td> <td>74.00</td> <td>58.26</td> <td>35.77</td> <td>11.10</td> <td>59.76</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	43.60	-10.34	74.00	58.96	33.70	8.00	57.00	---	Peak	2	6578.00	54.21	-11.73	74.00	65.70	35.53	11.12	58.26	100	152 Peak	3	6578.00	49.77	-4.23	54.00	61.20	35.51	11.12	58.26	100	152 Average	4	7041.00	45.47	-10.53	74.00	58.26	35.77	11.10	59.76	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4934.00	43.41	-20.50	74.00	58.71	33.70	8.00	57.00	---	Peak																																																																																																																								
2	6578.00	52.12	-11.88	74.00	63.55	35.51	11.12	58.26	100	55 Peak																																																																																																																								
3	6578.00	48.02	-5.08	54.00	59.45	35.51	11.12	58.26	100	55 Average																																																																																																																								
4	7041.00	45.00	-10.00	74.00	57.89	35.77	11.10	59.76	---	Peak																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4934.00	43.60	-10.34	74.00	58.96	33.70	8.00	57.00	---	Peak																																																																																																																								
2	6578.00	54.21	-11.73	74.00	65.70	35.53	11.12	58.26	100	152 Peak																																																																																																																								
3	6578.00	49.77	-4.23	54.00	61.20	35.51	11.12	58.26	100	152 Average																																																																																																																								
4	7041.00	45.47	-10.53	74.00	58.26	35.77	11.10	59.76	---	Peak																																																																																																																								



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																									
ANT	802.11g CH13 2472MHz																																																																																																																									
1	Horizontal	Vertical																																																																																																																								
Peak Avg.	<p>Date: 20</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100034-01 Mode : Mode 19 MEI : #52-G0822032165001G Plane : Y with Accessory : 6M PowerSetting 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4864.00</td> <td>42.99</td> <td>-31.61</td> <td>74.00</td> <td>58.25</td> <td>33.78</td> <td>8.94</td> <td>57.99</td> <td>---</td> </tr> <tr> <td>2</td> <td>6592.00</td> <td>51.44</td> <td>-22.56</td> <td>74.00</td> <td>62.88</td> <td>35.32</td> <td>11.31</td> <td>58.27</td> <td>58 Peak</td> </tr> <tr> <td>3</td> <td>6592.00</td> <td>47.28</td> <td>-6.74</td> <td>54.00</td> <td>58.78</td> <td>35.52</td> <td>11.31</td> <td>58.27</td> <td>58 Average</td> </tr> <tr> <td>4</td> <td>7416.00</td> <td>45.27</td> <td>-8.73</td> <td>74.00</td> <td>58.16</td> <td>35.77</td> <td>11.18</td> <td>59.76</td> <td>---</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4864.00	42.99	-31.61	74.00	58.25	33.78	8.94	57.99	---	2	6592.00	51.44	-22.56	74.00	62.88	35.32	11.31	58.27	58 Peak	3	6592.00	47.28	-6.74	54.00	58.78	35.52	11.31	58.27	58 Average	4	7416.00	45.27	-8.73	74.00	58.16	35.77	11.18	59.76	---	<p>Date: 30</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100034-01 Mode : Mode 19 MEI : #52-G0822032165001G Plane : Y with Accessory : 6M PowerSetting 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4864.00</td> <td>44.80</td> <td>-29.95</td> <td>74.00</td> <td>59.31</td> <td>33.78</td> <td>8.94</td> <td>57.99</td> <td>---</td> </tr> <tr> <td>2</td> <td>6592.00</td> <td>51.95</td> <td>-21.05</td> <td>74.00</td> <td>65.36</td> <td>35.52</td> <td>11.31</td> <td>58.27</td> <td>100 Peak</td> </tr> <tr> <td>3</td> <td>6592.00</td> <td>49.78</td> <td>-14.22</td> <td>54.00</td> <td>61.22</td> <td>35.52</td> <td>11.31</td> <td>58.27</td> <td>100 Average</td> </tr> <tr> <td>4</td> <td>7416.00</td> <td>45.26</td> <td>-8.64</td> <td>74.00</td> <td>58.25</td> <td>35.77</td> <td>11.18</td> <td>59.76</td> <td>---</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4864.00	44.80	-29.95	74.00	59.31	33.78	8.94	57.99	---	2	6592.00	51.95	-21.05	74.00	65.36	35.52	11.31	58.27	100 Peak	3	6592.00	49.78	-14.22	54.00	61.22	35.52	11.31	58.27	100 Average	4	7416.00	45.26	-8.64	74.00	58.25	35.77	11.18	59.76	---
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	4864.00	42.99	-31.61	74.00	58.25	33.78	8.94	57.99	---																																																																																																																	
2	6592.00	51.44	-22.56	74.00	62.88	35.32	11.31	58.27	58 Peak																																																																																																																	
3	6592.00	47.28	-6.74	54.00	58.78	35.52	11.31	58.27	58 Average																																																																																																																	
4	7416.00	45.27	-8.73	74.00	58.16	35.77	11.18	59.76	---																																																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	4864.00	44.80	-29.95	74.00	59.31	33.78	8.94	57.99	---																																																																																																																	
2	6592.00	51.95	-21.05	74.00	65.36	35.52	11.31	58.27	100 Peak																																																																																																																	
3	6592.00	49.78	-14.22	54.00	61.22	35.52	11.31	58.27	100 Average																																																																																																																	
4	7416.00	45.26	-8.64	74.00	58.25	35.77	11.18	59.76	---																																																																																																																	



2.4GHz 2400~2483.5MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																			
ANT	802.11n HT20 CH01 2412MHz																																																																																																																																			
1	Horizontal	Vertical																																																																																																																																		
<p>Peak</p> <p>Avg.</p>	<p>Date: 17 Level (dBuV/m) Date: 2022-05-23</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 130934-01 Mode : Mode 20 IMEI : #87 G0822G032165001H Plane : Y with Accessory MCS0 PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.84</td> <td>-38.16</td> <td>74.00</td> <td>59.25</td> <td>33.80</td> <td>8.71</td> <td>57.00</td> <td>...</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6432.00</td> <td>52.37</td> <td>-31.63</td> <td>74.00</td> <td>63.65</td> <td>35.45</td> <td>11.31</td> <td>58.04</td> <td>100</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>6432.00</td> <td>47.91</td> <td>-6.09</td> <td>54.00</td> <td>59.19</td> <td>35.45</td> <td>11.31</td> <td>58.04</td> <td>100</td> <td>72</td> <td>...</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4824.00	43.84	-38.16	74.00	59.25	33.80	8.71	57.00	Peak	2	6432.00	52.37	-31.63	74.00	63.65	35.45	11.31	58.04	100	Peak	3	6432.00	47.91	-6.09	54.00	59.19	35.45	11.31	58.04	100	72	...	Average	<p>Date: 18 Level (dBuV/m) Date: 2022-05-23</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 130934-01 Mode : Mode 20 IMEI : #87 G0822G032165001H Plane : Y with Accessory MCS0 PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.88</td> <td>-38.28</td> <td>74.00</td> <td>59.19</td> <td>33.80</td> <td>8.71</td> <td>57.00</td> <td>...</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6432.00</td> <td>53.25</td> <td>-28.75</td> <td>74.00</td> <td>66.19</td> <td>35.45</td> <td>11.31</td> <td>58.04</td> <td>100</td> <td>145</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>6432.00</td> <td>48.81</td> <td>-5.19</td> <td>54.00</td> <td>60.89</td> <td>35.45</td> <td>11.31</td> <td>58.04</td> <td>100</td> <td>145</td> <td>...</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4824.00	43.88	-38.28	74.00	59.19	33.80	8.71	57.00	Peak	2	6432.00	53.25	-28.75	74.00	66.19	35.45	11.31	58.04	100	145	...	Peak	3	6432.00	48.81	-5.19	54.00	60.89	35.45	11.31	58.04	100	145	...	Average
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																									
1	4824.00	43.84	-38.16	74.00	59.25	33.80	8.71	57.00	Peak																																																																																																																								
2	6432.00	52.37	-31.63	74.00	63.65	35.45	11.31	58.04	100	Peak																																																																																																																								
3	6432.00	47.91	-6.09	54.00	59.19	35.45	11.31	58.04	100	72	...	Average																																																																																																																								
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																									
1	4824.00	43.88	-38.28	74.00	59.19	33.80	8.71	57.00	Peak																																																																																																																								
2	6432.00	53.25	-28.75	74.00	66.19	35.45	11.31	58.04	100	145	...	Peak																																																																																																																								
3	6432.00	48.81	-5.19	54.00	60.89	35.45	11.31	58.04	100	145	...	Average																																																																																																																								



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																	
ANT	802.11n HT20 CH06 2437MHz																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																
Peak Avg.	<p>Date: 21</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100034-01 Mode : Mode 21 IMEI : #52-G8822002165001G Plane : Y-Web Accessory MCS9 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4814.00</td> <td>44.92</td> <td>-29.00</td> <td>74.00</td> <td>69.30</td> <td>33.73</td> <td>8.79</td> <td>57.90</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6498.00</td> <td>52.80</td> <td>-11.54</td> <td>74.00</td> <td>64.10</td> <td>35.89</td> <td>11.33</td> <td>58.16</td> <td>100</td> <td>88 Peak</td> </tr> <tr> <td>3</td> <td>6498.00</td> <td>48.76</td> <td>-5.24</td> <td>54.00</td> <td>69.10</td> <td>35.49</td> <td>11.33</td> <td>58.16</td> <td>100</td> <td>88 Average</td> </tr> <tr> <td>4</td> <td>7311.00</td> <td>46.85</td> <td>-17.95</td> <td>74.00</td> <td>58.71</td> <td>35.72</td> <td>11.89</td> <td>59.47</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4814.00	44.92	-29.00	74.00	69.30	33.73	8.79	57.90	---	Peak	2	6498.00	52.80	-11.54	74.00	64.10	35.89	11.33	58.16	100	88 Peak	3	6498.00	48.76	-5.24	54.00	69.10	35.49	11.33	58.16	100	88 Average	4	7311.00	46.85	-17.95	74.00	58.71	35.72	11.89	59.47	---	Peak	<p>Date: 22</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100034-01 Mode : Mode 21 IMEI : #52-G8822002165001G Plane : Y-Web Accessory MCS9 PowerSetting 17</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4814.00</td> <td>42.84</td> <td>-11.16</td> <td>74.00</td> <td>58.22</td> <td>33.73</td> <td>8.79</td> <td>57.90</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6498.00</td> <td>52.46</td> <td>-11.54</td> <td>74.00</td> <td>63.90</td> <td>35.49</td> <td>11.33</td> <td>58.16</td> <td>100</td> <td>155 Peak</td> </tr> <tr> <td>3</td> <td>6498.00</td> <td>47.70</td> <td>-16.22</td> <td>54.00</td> <td>59.12</td> <td>35.49</td> <td>11.33</td> <td>58.16</td> <td>100</td> <td>155 Average</td> </tr> <tr> <td>4</td> <td>7311.00</td> <td>48.42</td> <td>-20.58</td> <td>74.00</td> <td>61.88</td> <td>35.72</td> <td>11.89</td> <td>59.47</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4814.00	42.84	-11.16	74.00	58.22	33.73	8.79	57.90	---	Peak	2	6498.00	52.46	-11.54	74.00	63.90	35.49	11.33	58.16	100	155 Peak	3	6498.00	47.70	-16.22	54.00	59.12	35.49	11.33	58.16	100	155 Average	4	7311.00	48.42	-20.58	74.00	61.88	35.72	11.89	59.47	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4814.00	44.92	-29.00	74.00	69.30	33.73	8.79	57.90	---	Peak																																																																																																																								
2	6498.00	52.80	-11.54	74.00	64.10	35.89	11.33	58.16	100	88 Peak																																																																																																																								
3	6498.00	48.76	-5.24	54.00	69.10	35.49	11.33	58.16	100	88 Average																																																																																																																								
4	7311.00	46.85	-17.95	74.00	58.71	35.72	11.89	59.47	---	Peak																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4814.00	42.84	-11.16	74.00	58.22	33.73	8.79	57.90	---	Peak																																																																																																																								
2	6498.00	52.46	-11.54	74.00	63.90	35.49	11.33	58.16	100	155 Peak																																																																																																																								
3	6498.00	47.70	-16.22	54.00	59.12	35.49	11.33	58.16	100	155 Average																																																																																																																								
4	7311.00	48.42	-20.58	74.00	61.88	35.72	11.89	59.47	---	Peak																																																																																																																								



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																									
ANT	802.11n HT20 CH11 2462MHz																																																																																																																									
1	Horizontal	Vertical																																																																																																																								
Peak Avg.	<p>Date: 17</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100034-01 Mode : Mode 22 IMEI : #87-G8822032165001H Plane : Y with Accessory MCS9 PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>45.38</td> <td>-28.78</td> <td>74.00</td> <td>69.60</td> <td>33.78</td> <td>8.90</td> <td>57.90</td> <td>...</td> </tr> <tr> <td>2</td> <td>6565.00</td> <td>51.89</td> <td>-22.28</td> <td>74.00</td> <td>62.58</td> <td>35.51</td> <td>11.32</td> <td>58.24</td> <td>62 Peak</td> </tr> <tr> <td>3</td> <td>6565.00</td> <td>46.62</td> <td>-7.38</td> <td>54.00</td> <td>58.63</td> <td>35.51</td> <td>11.32</td> <td>58.24</td> <td>62 Average</td> </tr> <tr> <td>4</td> <td>7396.00</td> <td>46.53</td> <td>-27.47</td> <td>74.00</td> <td>59.48</td> <td>35.76</td> <td>11.68</td> <td>59.71</td> <td>...</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4924.00	45.38	-28.78	74.00	69.60	33.78	8.90	57.90	...	2	6565.00	51.89	-22.28	74.00	62.58	35.51	11.32	58.24	62 Peak	3	6565.00	46.62	-7.38	54.00	58.63	35.51	11.32	58.24	62 Average	4	7396.00	46.53	-27.47	74.00	59.48	35.76	11.68	59.71	...	<p>Date: 18</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100034-01 Mode : Mode 22 IMEI : #87-G8822032165001H Plane : Y with Accessory MCS9 PowerSetting 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>45.51</td> <td>-30.49</td> <td>74.00</td> <td>58.81</td> <td>35.78</td> <td>8.90</td> <td>57.90</td> <td>...</td> </tr> <tr> <td>2</td> <td>6565.00</td> <td>52.39</td> <td>-21.61</td> <td>74.00</td> <td>63.88</td> <td>35.53</td> <td>11.32</td> <td>58.24</td> <td>100 Peak</td> </tr> <tr> <td>3</td> <td>6565.00</td> <td>47.18</td> <td>-6.81</td> <td>54.00</td> <td>58.68</td> <td>35.51</td> <td>11.32</td> <td>58.24</td> <td>100 Average</td> </tr> <tr> <td>4</td> <td>7396.00</td> <td>47.86</td> <td>-26.84</td> <td>74.00</td> <td>60.63</td> <td>35.76</td> <td>11.68</td> <td>59.71</td> <td>...</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4924.00	45.51	-30.49	74.00	58.81	35.78	8.90	57.90	...	2	6565.00	52.39	-21.61	74.00	63.88	35.53	11.32	58.24	100 Peak	3	6565.00	47.18	-6.81	54.00	58.68	35.51	11.32	58.24	100 Average	4	7396.00	47.86	-26.84	74.00	60.63	35.76	11.68	59.71	...
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																		
1	4924.00	45.38	-28.78	74.00	69.60	33.78	8.90	57.90	...																																																																																																																	
2	6565.00	51.89	-22.28	74.00	62.58	35.51	11.32	58.24	62 Peak																																																																																																																	
3	6565.00	46.62	-7.38	54.00	58.63	35.51	11.32	58.24	62 Average																																																																																																																	
4	7396.00	46.53	-27.47	74.00	59.48	35.76	11.68	59.71	...																																																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																		
1	4924.00	45.51	-30.49	74.00	58.81	35.78	8.90	57.90	...																																																																																																																	
2	6565.00	52.39	-21.61	74.00	63.88	35.53	11.32	58.24	100 Peak																																																																																																																	
3	6565.00	47.18	-6.81	54.00	58.68	35.51	11.32	58.24	100 Average																																																																																																																	
4	7396.00	47.86	-26.84	74.00	60.63	35.76	11.68	59.71	...																																																																																																																	



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																									
ANT	802.11n HT20 CH12 2462MHz																																																																																																																									
1	Horizontal	Vertical																																																																																																																								
Peak Avg.	<p>Date: 27</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100034-01 Mode : Mode 23 IMEI : #52-G8B22032165001G Plane : Y with Accessory MCS9 PowerSetting 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>42.83</td> <td>-11.17</td> <td>74.00</td> <td>58.13</td> <td>33.78</td> <td>8.90</td> <td>57.90</td> <td>---</td> </tr> <tr> <td>2</td> <td>6578.00</td> <td>51.99</td> <td>-12.01</td> <td>74.00</td> <td>63.42</td> <td>35.51</td> <td>11.12</td> <td>58.26</td> <td>75 Peak</td> </tr> <tr> <td>3</td> <td>6578.00</td> <td>47.26</td> <td>-8.44</td> <td>54.00</td> <td>58.09</td> <td>35.51</td> <td>11.12</td> <td>58.26</td> <td>75 Average</td> </tr> <tr> <td>4</td> <td>7040.00</td> <td>41.24</td> <td>-10.76</td> <td>74.00</td> <td>58.13</td> <td>35.77</td> <td>11.10</td> <td>59.76</td> <td>---</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	42.83	-11.17	74.00	58.13	33.78	8.90	57.90	---	2	6578.00	51.99	-12.01	74.00	63.42	35.51	11.12	58.26	75 Peak	3	6578.00	47.26	-8.44	54.00	58.09	35.51	11.12	58.26	75 Average	4	7040.00	41.24	-10.76	74.00	58.13	35.77	11.10	59.76	---	<p>Date: 28</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100034-01 Mode : Mode 23 IMEI : #52-G8B22032165001G Plane : Y with Accessory MCS9 PowerSetting 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>42.62</td> <td>-11.38</td> <td>74.00</td> <td>57.92</td> <td>33.78</td> <td>8.90</td> <td>57.90</td> <td>---</td> </tr> <tr> <td>2</td> <td>6578.00</td> <td>52.77</td> <td>-11.23</td> <td>74.00</td> <td>64.20</td> <td>35.53</td> <td>11.12</td> <td>58.26</td> <td>100 Peak</td> </tr> <tr> <td>3</td> <td>6578.00</td> <td>48.87</td> <td>-15.13</td> <td>54.00</td> <td>60.30</td> <td>35.51</td> <td>11.12</td> <td>58.26</td> <td>100 Average</td> </tr> <tr> <td>4</td> <td>7040.00</td> <td>44.85</td> <td>-19.15</td> <td>74.00</td> <td>57.74</td> <td>35.77</td> <td>11.10</td> <td>59.76</td> <td>---</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4934.00	42.62	-11.38	74.00	57.92	33.78	8.90	57.90	---	2	6578.00	52.77	-11.23	74.00	64.20	35.53	11.12	58.26	100 Peak	3	6578.00	48.87	-15.13	54.00	60.30	35.51	11.12	58.26	100 Average	4	7040.00	44.85	-19.15	74.00	57.74	35.77	11.10	59.76	---
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	4934.00	42.83	-11.17	74.00	58.13	33.78	8.90	57.90	---																																																																																																																	
2	6578.00	51.99	-12.01	74.00	63.42	35.51	11.12	58.26	75 Peak																																																																																																																	
3	6578.00	47.26	-8.44	54.00	58.09	35.51	11.12	58.26	75 Average																																																																																																																	
4	7040.00	41.24	-10.76	74.00	58.13	35.77	11.10	59.76	---																																																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	4934.00	42.62	-11.38	74.00	57.92	33.78	8.90	57.90	---																																																																																																																	
2	6578.00	52.77	-11.23	74.00	64.20	35.53	11.12	58.26	100 Peak																																																																																																																	
3	6578.00	48.87	-15.13	54.00	60.30	35.51	11.12	58.26	100 Average																																																																																																																	
4	7040.00	44.85	-19.15	74.00	57.74	35.77	11.10	59.76	---																																																																																																																	







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																	
ANT	802.11n HT20 CH13 2472MHz																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																
Peak Avg.	<p>Date: 20</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100034-01 Mode : Mode 24 IMEI : #52-G8822032165001G Plane : Y-Web_Accessory MCS9 PowerSetting 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4664.00</td> <td>43.28</td> <td>-29.72</td> <td>74.00</td> <td>58.54</td> <td>33.78</td> <td>8.94</td> <td>57.99</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6592.00</td> <td>52.11</td> <td>-11.89</td> <td>74.00</td> <td>63.55</td> <td>35.52</td> <td>11.33</td> <td>58.27</td> <td>100</td> <td>dB Peak</td> </tr> <tr> <td>3</td> <td>6592.00</td> <td>48.31</td> <td>-5.69</td> <td>54.00</td> <td>59.75</td> <td>35.52</td> <td>11.33</td> <td>58.27</td> <td>100</td> <td>dB Average</td> </tr> <tr> <td>4</td> <td>7416.00</td> <td>44.97</td> <td>-10.03</td> <td>74.00</td> <td>57.86</td> <td>35.77</td> <td>11.18</td> <td>59.76</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4664.00	43.28	-29.72	74.00	58.54	33.78	8.94	57.99	---	Peak	2	6592.00	52.11	-11.89	74.00	63.55	35.52	11.33	58.27	100	dB Peak	3	6592.00	48.31	-5.69	54.00	59.75	35.52	11.33	58.27	100	dB Average	4	7416.00	44.97	-10.03	74.00	57.86	35.77	11.18	59.76	---	Peak	<p>Date: 30</p> <p>Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100034-01 Mode : Mode 24 IMEI : #52-G8822032165001G Plane : Y-Web_Accessory MCS9 PowerSetting 8</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4664.00</td> <td>44.19</td> <td>-29.81</td> <td>74.00</td> <td>59.45</td> <td>33.78</td> <td>8.94</td> <td>57.99</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>6592.00</td> <td>51.69</td> <td>-12.31</td> <td>74.00</td> <td>65.13</td> <td>35.52</td> <td>11.33</td> <td>58.27</td> <td>100</td> <td>122 Peak</td> </tr> <tr> <td>3</td> <td>6592.00</td> <td>48.69</td> <td>-15.31</td> <td>54.00</td> <td>60.13</td> <td>35.52</td> <td>11.33</td> <td>58.27</td> <td>100</td> <td>122 Average</td> </tr> <tr> <td>4</td> <td>7416.00</td> <td>44.63</td> <td>-20.37</td> <td>74.00</td> <td>57.52</td> <td>35.77</td> <td>11.18</td> <td>59.76</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4664.00	44.19	-29.81	74.00	59.45	33.78	8.94	57.99	---	Peak	2	6592.00	51.69	-12.31	74.00	65.13	35.52	11.33	58.27	100	122 Peak	3	6592.00	48.69	-15.31	54.00	60.13	35.52	11.33	58.27	100	122 Average	4	7416.00	44.63	-20.37	74.00	57.52	35.77	11.18	59.76	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4664.00	43.28	-29.72	74.00	58.54	33.78	8.94	57.99	---	Peak																																																																																																																								
2	6592.00	52.11	-11.89	74.00	63.55	35.52	11.33	58.27	100	dB Peak																																																																																																																								
3	6592.00	48.31	-5.69	54.00	59.75	35.52	11.33	58.27	100	dB Average																																																																																																																								
4	7416.00	44.97	-10.03	74.00	57.86	35.77	11.18	59.76	---	Peak																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4664.00	44.19	-29.81	74.00	59.45	33.78	8.94	57.99	---	Peak																																																																																																																								
2	6592.00	51.69	-12.31	74.00	65.13	35.52	11.33	58.27	100	122 Peak																																																																																																																								
3	6592.00	48.69	-15.31	54.00	60.13	35.52	11.33	58.27	100	122 Average																																																																																																																								
4	7416.00	44.63	-20.37	74.00	57.52	35.77	11.18	59.76	---	Peak																																																																																																																								



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11b CH13 2472MHz																																																															
1	Horizontal	Fundamental																																																														
Peak	 <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 30 SN : #24-G03022M03215700B8 Plane : Y with Accessory setting : 1M power setting 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.56</td> <td>58.21</td> <td>-15.79</td> <td>74.00</td> <td>52.58</td> <td>32.18</td> <td>5.68</td> <td>31.95</td> <td>110</td> <td>348 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.56	58.21	-15.79	74.00	52.58	32.18	5.68	31.95	110	348 Peak	 <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 30 SN : #24-G03022M03215700B8 Plane : Y with Accessory setting : 1M power setting 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>106.24</td> <td>32.24</td> <td>74.00</td> <td>100.46</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>110</td> <td>348 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	106.24	32.24	74.00	100.46	32.87	5.66	31.95	110	348 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2487.56	58.21	-15.79	74.00	52.58	32.18	5.68	31.95	110	348 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	106.24	32.24	74.00	100.46	32.87	5.66	31.95	110	348 Peak																																																						
Avg.	 <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 1.000kHz Project : 1D0934-01 Mode : Mode 30 SN : #24-G03022M03215700B8 Plane : Y with Accessory setting : 1M power setting 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.24</td> <td>58.22</td> <td>-3.78</td> <td>54.00</td> <td>44.44</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>110</td> <td>348 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.24	58.22	-3.78	54.00	44.44	32.87	5.66	31.95	110	348 Average	 <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RBW: 1000.000kHz VBW: 1.000kHz Project : 1D0934-01 Mode : Mode 30 SN : #24-G03022M03215700B8 Plane : Y with Accessory setting : 1M power setting 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>102.32</td> <td>48.32</td> <td>54.00</td> <td>96.54</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>110</td> <td>348 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	102.32	48.32	54.00	96.54	32.87	5.66	31.95	110	348 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2487.24	58.22	-3.78	54.00	44.44	32.87	5.66	31.95	110	348 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	102.32	48.32	54.00	96.54	32.87	5.66	31.95	110	348 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11b CH13 2472MHz																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL Project : RSNV 1000 0000kHz VBW 3000 0000kHz Mode : Mode 30 SN : #24-G0B22M03215700B8 Plane setting : Y with Accessory : 1M power setting 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>57.52</td> <td>-16.48</td> <td>74.00</td> <td>51.74</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>147 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	57.52	-16.48	74.00	51.74	32.87	5.66	31.95	100	147 Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : RSNV 1000 0000kHz VBW 3000 0000kHz Mode : Mode 30 SN : #24-G0B22M03215700B8 Plane setting : Y with Accessory : 1M power setting 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>105.58</td> <td>31.58</td> <td>74.00</td> <td>99.00</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>147 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	105.58	31.58	74.00	99.00	32.87	5.66	31.95	100	147 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	57.52	-16.48	74.00	51.74	32.87	5.66	31.95	100	147 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	105.58	31.58	74.00	99.00	32.87	5.66	31.95	100	147 Peak																																																						
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL Project : RSNV 1000 0000kHz VBW 1.0000kHz Mode : Mode 30 SN : #24-G0B22M03215700B8 Plane setting : Y with Accessory : 1M power setting 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>49.44</td> <td>-4.56</td> <td>54.00</td> <td>43.66</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>147 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	49.44	-4.56	54.00	43.66	32.87	5.66	31.95	100	147 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL Project : RSNV 1000 0000kHz VBW 1.0000kHz Mode : Mode 30 SN : #24-G0B22M03215700B8 Plane setting : Y with Accessory : 1M power setting 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>101.78</td> <td>47.78</td> <td>54.00</td> <td>96.00</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>147 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	101.78	47.78	54.00	96.00	32.87	5.66	31.95	100	147 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	49.44	-4.56	54.00	43.66	32.87	5.66	31.95	100	147 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	101.78	47.78	54.00	96.00	32.87	5.66	31.95	100	147 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																						
ANT	802.11b CH13 2472MHz																																																																																																																						
1	Horizontal	Vertical																																																																																																																					
Peak Avg.	<p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100034-01 Mode : Mode 30 SN : #24 G3022M031570058 Site : Y with Accessory Plane : setting : 1M power setting 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamplifier</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>44.78</td> <td>-29.22</td> <td>74.00</td> <td>68.04</td> <td>33.70</td> <td>8.94</td> <td>57.98</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4944.00</td> <td>48.08</td> <td>-25.92</td> <td>74.00</td> <td>68.24</td> <td>35.32</td> <td>11.33</td> <td>58.27</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7416.00</td> <td>44.39</td> <td>-29.61</td> <td>74.00</td> <td>57.28</td> <td>35.77</td> <td>11.10</td> <td>59.76</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	44.78	-29.22	74.00	68.04	33.70	8.94	57.98	---	Peak	2	4944.00	48.08	-25.92	74.00	68.24	35.32	11.33	58.27	---	Peak	3	7416.00	44.39	-29.61	74.00	57.28	35.77	11.10	59.76	---	Peak	<p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100034-01 Mode : Mode 30 SN : #24 G3022M031570058 Site : Y with Accessory Plane : setting : 1M power setting 15.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamplifier</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>52.80</td> <td>-21.92</td> <td>74.00</td> <td>67.34</td> <td>33.70</td> <td>8.94</td> <td>57.98</td> <td>111</td> <td>170 Peak</td> </tr> <tr> <td>2</td> <td>4944.00</td> <td>48.45</td> <td>-25.55</td> <td>74.00</td> <td>64.71</td> <td>33.70</td> <td>8.94</td> <td>57.98</td> <td>---</td> <td>170 Average</td> </tr> <tr> <td>3</td> <td>5291.00</td> <td>49.18</td> <td>-24.99</td> <td>74.00</td> <td>68.24</td> <td>35.52</td> <td>11.31</td> <td>58.27</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7416.00</td> <td>46.24</td> <td>-27.65</td> <td>74.00</td> <td>59.23</td> <td>35.77</td> <td>11.09</td> <td>59.76</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	52.80	-21.92	74.00	67.34	33.70	8.94	57.98	111	170 Peak	2	4944.00	48.45	-25.55	74.00	64.71	33.70	8.94	57.98	---	170 Average	3	5291.00	49.18	-24.99	74.00	68.24	35.52	11.31	58.27	---	Peak	4	7416.00	46.24	-27.65	74.00	59.23	35.77	11.09	59.76	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	4944.00	44.78	-29.22	74.00	68.04	33.70	8.94	57.98	---	Peak																																																																																																													
2	4944.00	48.08	-25.92	74.00	68.24	35.32	11.33	58.27	---	Peak																																																																																																													
3	7416.00	44.39	-29.61	74.00	57.28	35.77	11.10	59.76	---	Peak																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	4944.00	52.80	-21.92	74.00	67.34	33.70	8.94	57.98	111	170 Peak																																																																																																													
2	4944.00	48.45	-25.55	74.00	64.71	33.70	8.94	57.98	---	170 Average																																																																																																													
3	5291.00	49.18	-24.99	74.00	68.24	35.52	11.31	58.27	---	Peak																																																																																																													
4	7416.00	46.24	-27.65	74.00	59.23	35.77	11.09	59.76	---	Peak																																																																																																													



Emission below 1GHz
2.4GHz WIFI 802.11b (LF)

WIFI	2.4GHz 2400~2483.5MHz																																																																																																																																																																																	
ANT	802.11b LF																																																																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																																																																
QP / Peak	<p>Date: 1 Level (dBuV/m)</p> <p>Date: 2022-06-03</p> <p>Site : 03CH05-SZ Condition : FCC CLASS-B 3m VULB9158-01001 HORIZONTAL Project : 133034-01 Mode : Mode 14 MEI : #92-G0B22G032165001G Plane : Y with Accessory : 1M PowerSetting 15.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>89.17</td> <td>28.84</td> <td>-23.40</td> <td>43.58</td> <td>40.28</td> <td>14.04</td> <td>0.56</td> <td>35.18</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>196.84</td> <td>25.73</td> <td>-17.77</td> <td>43.58</td> <td>42.87</td> <td>16.51</td> <td>1.45</td> <td>35.18</td> <td>180</td> <td>288 Peak</td> </tr> <tr> <td>3</td> <td>317.12</td> <td>27.19</td> <td>-18.81</td> <td>46.00</td> <td>40.86</td> <td>20.15</td> <td>1.88</td> <td>34.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>582.93</td> <td>24.92</td> <td>-21.08</td> <td>46.00</td> <td>31.68</td> <td>25.43</td> <td>2.63</td> <td>34.54</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>828.31</td> <td>27.97</td> <td>-18.83</td> <td>46.00</td> <td>38.69</td> <td>28.42</td> <td>3.16</td> <td>34.39</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>974.78</td> <td>29.48</td> <td>-16.55</td> <td>54.00</td> <td>39.11</td> <td>29.99</td> <td>3.43</td> <td>34.13</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB/m	dB/m	dB	cm	deg		1	89.17	28.84	-23.40	43.58	40.28	14.04	0.56	35.18	---	Peak	2	196.84	25.73	-17.77	43.58	42.87	16.51	1.45	35.18	180	288 Peak	3	317.12	27.19	-18.81	46.00	40.86	20.15	1.88	34.00	---	Peak	4	582.93	24.92	-21.08	46.00	31.68	25.43	2.63	34.54	---	Peak	5	828.31	27.97	-18.83	46.00	38.69	28.42	3.16	34.39	---	Peak	6	974.78	29.48	-16.55	54.00	39.11	29.99	3.43	34.13	---	Peak	<p>Date: 2 Level (dBuV/m)</p> <p>Date: 2022-06-03</p> <p>Site : 03CH05-SZ Condition : FCC CLASS-B 3m VULB9158-01001 VERTICAL Project : 133034-01 Mode : Mode 14 MEI : #92-G0B22G032165001G Plane : Y with Accessory : 1M PowerSetting 15.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>36.79</td> <td>28.80</td> <td>-13.14</td> <td>40.00</td> <td>41.84</td> <td>19.38</td> <td>0.54</td> <td>35.00</td> <td>100</td> <td>266 Peak</td> </tr> <tr> <td>2</td> <td>100.14</td> <td>25.95</td> <td>-15.55</td> <td>43.58</td> <td>46.23</td> <td>19.50</td> <td>0.60</td> <td>35.18</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>196.84</td> <td>30.81</td> <td>-13.49</td> <td>43.58</td> <td>47.15</td> <td>16.51</td> <td>1.45</td> <td>35.18</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>322.85</td> <td>24.92</td> <td>-21.41</td> <td>46.00</td> <td>37.35</td> <td>28.44</td> <td>2.90</td> <td>34.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>683.27</td> <td>25.67</td> <td>-20.33</td> <td>46.00</td> <td>33.96</td> <td>25.82</td> <td>2.69</td> <td>34.58</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>980.96</td> <td>29.18</td> <td>-16.82</td> <td>54.00</td> <td>29.71</td> <td>28.13</td> <td>3.46</td> <td>34.12</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB/m	dB/m	dB	cm	deg		1	36.79	28.80	-13.14	40.00	41.84	19.38	0.54	35.00	100	266 Peak	2	100.14	25.95	-15.55	43.58	46.23	19.50	0.60	35.18	---	Peak	3	196.84	30.81	-13.49	43.58	47.15	16.51	1.45	35.18	---	Peak	4	322.85	24.92	-21.41	46.00	37.35	28.44	2.90	34.00	---	Peak	5	683.27	25.67	-20.33	46.00	33.96	25.82	2.69	34.58	---	Peak	6	980.96	29.18	-16.82	54.00	29.71	28.13	3.46	34.12	---	Peak
	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB/m	dB	cm	deg																																																																																																																																																																									
1	89.17	28.84	-23.40	43.58	40.28	14.04	0.56	35.18	---	Peak																																																																																																																																																																								
2	196.84	25.73	-17.77	43.58	42.87	16.51	1.45	35.18	180	288 Peak																																																																																																																																																																								
3	317.12	27.19	-18.81	46.00	40.86	20.15	1.88	34.00	---	Peak																																																																																																																																																																								
4	582.93	24.92	-21.08	46.00	31.68	25.43	2.63	34.54	---	Peak																																																																																																																																																																								
5	828.31	27.97	-18.83	46.00	38.69	28.42	3.16	34.39	---	Peak																																																																																																																																																																								
6	974.78	29.48	-16.55	54.00	39.11	29.99	3.43	34.13	---	Peak																																																																																																																																																																								
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB/m	dB	cm	deg																																																																																																																																																																									
1	36.79	28.80	-13.14	40.00	41.84	19.38	0.54	35.00	100	266 Peak																																																																																																																																																																								
2	100.14	25.95	-15.55	43.58	46.23	19.50	0.60	35.18	---	Peak																																																																																																																																																																								
3	196.84	30.81	-13.49	43.58	47.15	16.51	1.45	35.18	---	Peak																																																																																																																																																																								
4	322.85	24.92	-21.41	46.00	37.35	28.44	2.90	34.00	---	Peak																																																																																																																																																																								
5	683.27	25.67	-20.33	46.00	33.96	25.82	2.69	34.58	---	Peak																																																																																																																																																																								
6	980.96	29.18	-16.82	54.00	29.71	28.13	3.46	34.12	---	Peak																																																																																																																																																																								



<Simultaneous transmission>

2.4GHz 2400~2483.5MHz

WIFI 802.11b & BLE (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11b CH11 2462MHz&BLE CH11(1M)																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Date: 3 Date: 2022-05-12</p> <p>Site Condition : 03CH02-SZ : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #F7 G03E22G032165001H Plane : Y with Accessory : 1M Powersetting 19.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2499.00</td> <td>54.46</td> <td>-19.54</td> <td>74.00</td> <td>48.53</td> <td>32.10</td> <td>5.68</td> <td>31.85</td> <td>170</td> <td>276 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2499.00	54.46	-19.54	74.00	48.53	32.10	5.68	31.85	170	276 Peak	<p>Date: 1 Date: 2022-05-12</p> <p>Site Condition : 03CH02-SZ : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #F7 G03E22G032165001H Plane : Y with Accessory : 1M Powersetting 19.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>189.33</td> <td>35.33</td> <td>74.00</td> <td>183.71</td> <td>32.83</td> <td>5.64</td> <td>32.85</td> <td>170</td> <td>276 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2462.00	189.33	35.33	74.00	183.71	32.83	5.64	32.85	170	276 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2499.00	54.46	-19.54	74.00	48.53	32.10	5.68	31.85	170	276 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2462.00	189.33	35.33	74.00	183.71	32.83	5.64	32.85	170	276 Peak																																																						
Avg.	<p>Date: 4 Date: 2022-05-12</p> <p>Site Condition : 03CH02-SZ : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL : RBW 1000.000kHz VBW 0.010kHz Project : 1D0934-01 Mode : Mode 25 MEI : #F7 G03E22G032165001H Plane : Y with Accessory : 1M Powersetting 19.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>45.42</td> <td>-8.58</td> <td>54.00</td> <td>39.49</td> <td>32.10</td> <td>5.68</td> <td>31.85</td> <td>170</td> <td>276 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2462.00	45.42	-8.58	54.00	39.49	32.10	5.68	31.85	170	276 Average	<p>Date: 2 Date: 2022-05-12</p> <p>Site Condition : 03CH02-SZ : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL : RBW 1000.000kHz VBW 0.010kHz Project : 1D0934-01 Mode : Mode 25 MEI : #F7 G03E22G032165001H Plane : Y with Accessory : 1M Powersetting 19.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>185.63</td> <td>51.63</td> <td>54.00</td> <td>180.81</td> <td>32.83</td> <td>5.64</td> <td>32.85</td> <td>170</td> <td>276 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2462.00	185.63	51.63	54.00	180.81	32.83	5.64	32.85	170	276 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2462.00	45.42	-8.58	54.00	39.49	32.10	5.68	31.85	170	276 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2462.00	185.63	51.63	54.00	180.81	32.83	5.64	32.85	170	276 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11b CH11 2462MHz&BLE CH11(1M)																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSNW: 1000 0000kHz VEW:0.0100kHz Project : 1D0934-01 Mode : Mode 25 MEI : #97 C6:R22G032165001H Plane : Y with Accessory TM Powersetting 19.5 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2500.00</td> <td>42.26</td> <td>-11.74</td> <td>54.00</td> <td>36.33</td> <td>32.10</td> <td>5.68</td> <td>31.85</td> <td>100</td> <td>137 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2500.00	42.26	-11.74	54.00	36.33	32.10	5.68	31.85	100	137 Average	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSNW: 1000 0000kHz VEW:3000 0000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #97 C6:R22G032165001H Plane : Y with Accessory TM Powersetting 19.5 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>102.74</td> <td>28.74</td> <td>74.00</td> <td>97.12</td> <td>32.83</td> <td>5.64</td> <td>32.85</td> <td>100</td> <td>137 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.74	28.74	74.00	97.12	32.83	5.64	32.85	100	137 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2500.00	42.26	-11.74	54.00	36.33	32.10	5.68	31.85	100	137 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2462.00	102.74	28.74	74.00	97.12	32.83	5.64	32.85	100	137 Peak																																																						
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSNW: 1000 0000kHz VEW:0.0100kHz Project : 1D0934-01 Mode : Mode 25 MEI : #97 C6:R22G032165001H Plane : Y with Accessory TM Powersetting 19.5 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2500.00</td> <td>42.26</td> <td>-11.74</td> <td>54.00</td> <td>36.33</td> <td>32.10</td> <td>5.68</td> <td>31.85</td> <td>100</td> <td>137 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2500.00	42.26	-11.74	54.00	36.33	32.10	5.68	31.85	100	137 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RSNW: 1000 0000kHz VEW:0.0100kHz Project : 1D0934-01 Mode : Mode 25 MEI : #97 C6:R22G032165001H Plane : Y with Accessory TM Powersetting 19.5 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>98.93</td> <td>44.93</td> <td>54.00</td> <td>93.31</td> <td>32.83</td> <td>5.64</td> <td>32.85</td> <td>100</td> <td>137 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.93	44.93	54.00	93.31	32.83	5.64	32.85	100	137 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2500.00	42.26	-11.74	54.00	36.33	32.10	5.68	31.85	100	137 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2462.00	98.93	44.93	54.00	93.31	32.83	5.64	32.85	100	137 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11b CH11 2462MHz&BLE CH11(1M)																																																													
1	Horizontal	Fundamental																																																												
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #97 C0R22G032165001H Plane : Y with Accessory : 1M Powersetting 19.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.74</td> <td>51.28</td> <td>-22.72</td> <td>74.00</td> <td>46.28</td> <td>31.70</td> <td>5.55</td> <td>32.25</td> <td>100 368 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	2385.74	51.28	-22.72	74.00	46.28	31.70	5.55	32.25	100 368 Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #97 C0R22G032165001H Plane : Y with Accessory : 1M Powersetting 19.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2424.00</td> <td>96.50</td> <td>22.50</td> <td>74.00</td> <td>91.15</td> <td>31.90</td> <td>5.59</td> <td>32.14</td> <td>100 368 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1 *	2424.00	96.50	22.50	74.00	91.15	31.90	5.59	32.14	100 368 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																						
1	2385.74	51.28	-22.72	74.00	46.28	31.70	5.55	32.25	100 368 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																						
1 *	2424.00	96.50	22.50	74.00	91.15	31.90	5.59	32.14	100 368 Peak																																																					
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3.000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #97 C0R22G032165001H Plane : Y with Accessory : 1M Powersetting 19.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2367.68</td> <td>41.58</td> <td>-12.42</td> <td>54.00</td> <td>35.62</td> <td>31.70</td> <td>5.51</td> <td>32.25</td> <td>100 368 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	2367.68	41.58	-12.42	54.00	35.62	31.70	5.51	32.25	100 368 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VBW: 3.000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #97 C0R22G032165001H Plane : Y with Accessory : 1M Powersetting 19.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2424.00</td> <td>95.62</td> <td>41.62</td> <td>54.00</td> <td>90.27</td> <td>31.90</td> <td>5.59</td> <td>32.14</td> <td>100 368 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1 *	2424.00	95.62	41.62	54.00	90.27	31.90	5.59	32.14	100 368 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																						
1	2367.68	41.58	-12.42	54.00	35.62	31.70	5.51	32.25	100 368 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																						
1 *	2424.00	95.62	41.62	54.00	90.27	31.90	5.59	32.14	100 368 Average																																																					



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11b CH11 2462MHz&BLE CH11(1M)																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 5 Date: 2022-05-12</p> <p>Site Condition : 03CH02-SZ : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL : RSNV 1000 000kHz VEW 3000 000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #97 02R22G032165001H Plane : Y with Accessory : TM Powersetting 19.5 : 6/2Z</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2379.02</td> <td>59.39</td> <td>-23.78</td> <td>74.00</td> <td>45.32</td> <td>31.78</td> <td>5.53</td> <td>32.25</td> <td>183</td> <td>278 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2379.02	59.39	-23.78	74.00	45.32	31.78	5.53	32.25	183	278 Peak	<p>Date: 7 Date: 2022-05-12</p> <p>Site Condition : 03CH02-SZ : PEAK_74 3m HF_ANT_3117_0107 VERTICAL : RSNV 1000 000kHz VEW 3000 000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #97 02R22G032165001H Plane : Y with Accessory : TM Powersetting 19.5 : 6/2Z</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2424.00</td> <td>97.91</td> <td>23.91</td> <td>74.00</td> <td>92.56</td> <td>31.90</td> <td>5.59</td> <td>32.14</td> <td>163</td> <td>278 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2424.00	97.91	23.91	74.00	92.56	31.90	5.59	32.14	163	278 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2379.02	59.39	-23.78	74.00	45.32	31.78	5.53	32.25	183	278 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2424.00	97.91	23.91	74.00	92.56	31.90	5.59	32.14	163	278 Peak																																																						
Avg.	<p>Date: 6 Date: 2022-05-12</p> <p>Site Condition : 03CH02-SZ : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL : RSNV 1000 000kHz VEW 3.000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #97 02R22G032165001H Plane : Y with Accessory : TM Powersetting 19.5 : 6/2Z</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2375.52</td> <td>41.46</td> <td>-12.54</td> <td>54.00</td> <td>35.48</td> <td>31.78</td> <td>5.53</td> <td>32.25</td> <td>183</td> <td>278 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2375.52	41.46	-12.54	54.00	35.48	31.78	5.53	32.25	183	278 Average	<p>Date: 8 Date: 2022-05-12</p> <p>Site Condition : 03CH02-SZ : AVG_54 3m HF_ANT_3117_0107 VERTICAL : RSNV 1000 000kHz VEW 3.000kHz Project : 1D0934-01 Mode : Mode 25 MEI : #97 02R22G032165001H Plane : Y with Accessory : TM Powersetting 19.5 : 6/2Z</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2424.00</td> <td>96.86</td> <td>42.86</td> <td>54.00</td> <td>91.51</td> <td>31.90</td> <td>5.59</td> <td>32.14</td> <td>163</td> <td>278 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2424.00	96.86	42.86	54.00	91.51	31.90	5.59	32.14	163	278 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2375.52	41.46	-12.54	54.00	35.48	31.78	5.53	32.25	183	278 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2424.00	96.86	42.86	54.00	91.51	31.90	5.59	32.14	163	278 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11b CH08 2447MHz&BLE CH01(1M)																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VEW: 3000.000kHz Project : 1D0934-01 Mode : Mode 26 MEI : #97 000220032165001H Plane : Y with Accessory : 1M Powersetting 19.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2369.59</td> <td>59.99</td> <td>-23.81</td> <td>74.00</td> <td>46.01</td> <td>31.70</td> <td>5.53</td> <td>32.25</td> <td>100</td> <td>276 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2369.59	59.99	-23.81	74.00	46.01	31.70	5.53	32.25	100	276 Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VEW: 3000.000kHz Project : 1D0934-01 Mode : Mode 26 MEI : #97 000220032165001H Plane : Y with Accessory : 1M Powersetting 19.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>118.35</td> <td>36.35</td> <td>74.00</td> <td>184.79</td> <td>32.00</td> <td>5.61</td> <td>32.85</td> <td>100</td> <td>276 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	118.35	36.35	74.00	184.79	32.00	5.61	32.85	100	276 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2369.59	59.99	-23.81	74.00	46.01	31.70	5.53	32.25	100	276 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2447.00	118.35	36.35	74.00	184.79	32.00	5.61	32.85	100	276 Peak																																																						
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VEW: 0.0100kHz Project : 1D0934-01 Mode : Mode 26 MEI : #97 000220032165001H Plane : Y with Accessory : 1M Powersetting 19.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2369.08</td> <td>41.36</td> <td>-12.64</td> <td>54.00</td> <td>35.38</td> <td>31.70</td> <td>5.53</td> <td>32.25</td> <td>100</td> <td>276 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2369.08	41.36	-12.64	54.00	35.38	31.70	5.53	32.25	100	276 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VEW: 0.0100kHz Project : 1D0934-01 Mode : Mode 26 MEI : #97 000220032165001H Plane : Y with Accessory : 1M Powersetting 19.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>186.44</td> <td>52.44</td> <td>54.00</td> <td>188.88</td> <td>32.00</td> <td>5.61</td> <td>32.85</td> <td>100</td> <td>276 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	186.44	52.44	54.00	188.88	32.00	5.61	32.85	100	276 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2369.08	41.36	-12.64	54.00	35.38	31.70	5.53	32.25	100	276 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2447.00	186.44	52.44	54.00	188.88	32.00	5.61	32.85	100	276 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																								
ANT	802.11b CH08 2447MHz&BLE CH01(1M)																																								
1	Horizontal	Fundamental																																							
<p>Peak</p>	<p>Date: 5 Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VEW: 3000.000kHz Project : 100934-01 Mode : Mode 26 MEI : 497 C6R22G032165001H Plane : Y with Accessory : 1M Powersetting 19.5 : 60/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.78</td> <td>54.77</td> <td>-19.23</td> <td>74.00</td> <td>48.04</td> <td>32.10</td> <td>5.68</td> <td>31.95</td> <td>100</td> <td></td> <td></td> <td>276 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	dB	dB	cm	deg		1	2489.78	54.77	-19.23	74.00	48.04	32.10	5.68	31.95	100			276 Peak	<p>Left Blank</p>
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	dB	dB	cm	deg																														
1	2489.78	54.77	-19.23	74.00	48.04	32.10	5.68	31.95	100			276 Peak																													
<p>Avg.</p>	<p>Date: 6 Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RSW: 1000.000kHz VEW: 0.0100kHz Project : 100934-01 Mode : Mode 26 MEI : 497 C6R22G032165001H Plane : Y with Accessory : 1M Powersetting 19.5 : 60/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.99</td> <td>46.75</td> <td>-7.25</td> <td>54.00</td> <td>48.02</td> <td>32.10</td> <td>5.68</td> <td>31.95</td> <td>100</td> <td></td> <td></td> <td>276 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	dB	dB	cm	deg		1	2489.99	46.75	-7.25	54.00	48.02	32.10	5.68	31.95	100			276 Average	<p>Left Blank</p>
Freq	Level	Limit	Over	Line	Level	Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB/m	dB	dB	dB	dB	cm	deg																														
1	2489.99	46.75	-7.25	54.00	48.02	32.10	5.68	31.95	100			276 Average																													



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11b CH08 2447MHz&BLE CH01(1M)																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000 000kHz VEW: 3000 000kHz Project : 100934-01 Mode : Mode 26 MEI : #F7-G2B2G032165001H Plane : Y with Accessory TM PowerSetting 19.5 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2366.04</td> <td>59.53</td> <td>-23.47</td> <td>74.00</td> <td>45.57</td> <td>31.70</td> <td>5.53</td> <td>32.25</td> <td>100</td> <td>348 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2366.04	59.53	-23.47	74.00	45.57	31.70	5.53	32.25	100	348 Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000 000kHz VEW: 3000 000kHz Project : 100934-01 Mode : Mode 26 MEI : #F7-G2B2G032165001H Plane : Y with Accessory TM PowerSetting 19.5 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>104.68</td> <td>30.68</td> <td>74.00</td> <td>99.12</td> <td>32.00</td> <td>5.61</td> <td>32.05</td> <td>100</td> <td>348 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2447.00	104.68	30.68	74.00	99.12	32.00	5.61	32.05	100	348 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2366.04	59.53	-23.47	74.00	45.57	31.70	5.53	32.25	100	348 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2447.00	104.68	30.68	74.00	99.12	32.00	5.61	32.05	100	348 Peak																																																						
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000 000kHz VEW: 0 010kHz Project : 100934-01 Mode : Mode 26 MEI : #F7-G2B2G032165001H Plane : Y with Accessory TM PowerSetting 19.5 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2366.14</td> <td>49.22</td> <td>-13.78</td> <td>54.00</td> <td>35.26</td> <td>31.70</td> <td>5.53</td> <td>32.25</td> <td>100</td> <td>348 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2366.14	49.22	-13.78	54.00	35.26	31.70	5.53	32.25	100	348 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000 000kHz VEW: 0 010kHz Project : 100934-01 Mode : Mode 26 MEI : #F7-G2B2G032165001H Plane : Y with Accessory TM PowerSetting 19.5 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>100.77</td> <td>46.77</td> <td>54.00</td> <td>95.21</td> <td>32.00</td> <td>5.61</td> <td>32.05</td> <td>100</td> <td>348 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2447.00	100.77	46.77	54.00	95.21	32.00	5.61	32.05	100	348 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2366.14	49.22	-13.78	54.00	35.26	31.70	5.53	32.25	100	348 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2447.00	100.77	46.77	54.00	95.21	32.00	5.61	32.05	100	348 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																						
ANT	802.11b CH08 2447MHz&BLE CH01(1M)																																						
1	Vertical	Fundamental																																					
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 26 MEI : 497 G:R222G032165001H Plane : Y with Accessory : 1M Powersetting 19.5 : 60/2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2490.13</td> <td>51.83</td> <td>-22.17</td> <td>74.00</td> <td>46.00</td> <td>32.10</td> <td>5.68</td> <td>31.95</td> <td>100</td> <td>348</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBV/m	dB	dBV/m	dBV/m	dB/m	dB	cm	deg	1	2490.13	51.83	-22.17	74.00	46.00	32.10	5.68	31.95	100	348	Peak	Left Blank
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																
MHz	dBV/m	dB	dBV/m	dBV/m	dB/m	dB	cm	deg																															
1	2490.13	51.83	-22.17	74.00	46.00	32.10	5.68	31.95	100	348	Peak																												
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL : RBW: 1000.000kHz VBW: 0.0100kHz Project : 1D0934-01 Mode : Mode 26 MEI : 497 G:R222G032165001H Plane : Y with Accessory : 1M Powersetting 19.5 : 60/2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.99</td> <td>42.78</td> <td>-11.22</td> <td>54.00</td> <td>35.95</td> <td>32.10</td> <td>5.68</td> <td>31.95</td> <td>100</td> <td>348</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBV/m	dB	dBV/m	dBV/m	dB/m	dB	cm	deg	1	2489.99	42.78	-11.22	54.00	35.95	32.10	5.68	31.95	100	348	Average	Left Blank
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																
MHz	dBV/m	dB	dBV/m	dBV/m	dB/m	dB	cm	deg																															
1	2489.99	42.78	-11.22	54.00	35.95	32.10	5.68	31.95	100	348	Average																												



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11b CH08 2447MHz&BLE CH01(1M)																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Date: 2022-05-12</p> <p>Site Condition : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RSNW: 1000.000kHz VEW: 3.000kHz Project : 1D0934-01 Mode : Mode 26 MEI : #97-C6R22G032165001H Plane : Y with Accessory : TM Powersetting 19.5 : 6/2Z</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2381.61</td> <td>59.58</td> <td>-23.42</td> <td>74.00</td> <td>45.60</td> <td>31.70</td> <td>5.53</td> <td>32.25</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2381.61	59.58	-23.42	74.00	45.60	31.70	5.53	32.25	100	360 Peak	<p>Date: 2022-06-02</p> <p>Site Condition : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RSNW: 1000.000kHz VEW: 3.000kHz Project : 1D0934-01 Mode : Mode 26 MEI : #97-C6R22G032165001H Plane : Y with Accessory : TM Powersetting 19.5 : 6/2Z</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>95.75</td> <td>41.75</td> <td>54.00</td> <td>90.74</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	95.75	41.75	54.00	90.74	31.70	5.55	32.24	100	360 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2381.61	59.58	-23.42	74.00	45.60	31.70	5.53	32.25	100	360 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2482.00	95.75	41.75	54.00	90.74	31.70	5.55	32.24	100	360 Peak																																																						
Avg.	<p>Date: 2022-05-12</p> <p>Site Condition : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RSNW: 1000.000kHz VEW: 3.000kHz Project : 1D0934-01 Mode : Mode 26 MEI : #97-C6R22G032165001H Plane : Y with Accessory : TM Powersetting 19.5 : 6/2Z</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2366.39</td> <td>41.70</td> <td>-12.30</td> <td>54.00</td> <td>56.74</td> <td>31.70</td> <td>5.51</td> <td>32.25</td> <td>100</td> <td>360 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2366.39	41.70	-12.30	54.00	56.74	31.70	5.51	32.25	100	360 Average	<p>Date: 2022-06-02</p> <p>Site Condition : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RSNW: 1000.000kHz VEW: 3.000kHz Project : 1D0934-01 Mode : Mode 26 MEI : #97-C6R22G032165001H Plane : Y with Accessory : TM Powersetting 19.5 : 6/2Z</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>94.82</td> <td>48.82</td> <td>54.00</td> <td>89.81</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>100</td> <td>360 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	94.82	48.82	54.00	89.81	31.70	5.55	32.24	100	360 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2366.39	41.70	-12.30	54.00	56.74	31.70	5.51	32.25	100	360 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2482.00	94.82	48.82	54.00	89.81	31.70	5.55	32.24	100	360 Average																																																						







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11b CH08 2447MHz&BLE CH01(1M)																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 5 Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 26 MEI : #97-C6-0220G032165001H Plane : Y with Accessory TM Powersetting 19.5 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2383.08</td> <td>51.31</td> <td>-22.69</td> <td>74.00</td> <td>46.33</td> <td>31.70</td> <td>5.53</td> <td>32.25</td> <td>103</td> <td>270 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2383.08	51.31	-22.69	74.00	46.33	31.70	5.53	32.25	103	270 Peak	<p>Date: 7 Date: 2022-06-02</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 26 MEI : #97-C6-0220G032165001H Plane : Y with Accessory TM Powersetting 19.5 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>98.10</td> <td>24.10</td> <td>74.00</td> <td>93.09</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>103</td> <td>270 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	98.10	24.10	74.00	93.09	31.70	5.55	32.24	103	270 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2383.08	51.31	-22.69	74.00	46.33	31.70	5.53	32.25	103	270 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2482.00	98.10	24.10	74.00	93.09	31.70	5.55	32.24	103	270 Peak																																																						
Avg.	<p>Date: 6 Date: 2022-05-12</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3.000kHz Project : 1D0934-01 Mode : Mode 26 MEI : #97-C6-0220G032165001H Plane : Y with Accessory TM Powersetting 19.5 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2367.65</td> <td>41.35</td> <td>-12.65</td> <td>54.00</td> <td>36.39</td> <td>31.70</td> <td>5.53</td> <td>32.25</td> <td>103</td> <td>270 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2367.65	41.35	-12.65	54.00	36.39	31.70	5.53	32.25	103	270 Average	<p>Date: 8 Date: 2022-06-02</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW: 3.000kHz Project : 1D0934-01 Mode : Mode 26 MEI : #97-C6-0220G032165001H Plane : Y with Accessory TM Powersetting 19.5 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.00</td> <td>97.21</td> <td>43.21</td> <td>54.00</td> <td>92.20</td> <td>31.70</td> <td>5.55</td> <td>32.24</td> <td>103</td> <td>270 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	97.21	43.21	54.00	92.20	31.70	5.55	32.24	103	270 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2367.65	41.35	-12.65	54.00	36.39	31.70	5.53	32.25	103	270 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2482.00	97.21	43.21	54.00	92.20	31.70	5.55	32.24	103	270 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11b CH13 2472MHz&BLE CH39(2M)																																																															
1	Horizontal	Fundamental																																																														
Peak	<p>Date: 3 Date: 2022-05-23</p> <p>Site Condition : 03CH02-SZ : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL : RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 27 MEI : #92-C0-0220G032165001G Plane : Y with Accessory : 1M Powersetting 15.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.88</td> <td>57.61</td> <td>-16.39</td> <td>74.00</td> <td>51.83</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>110</td> <td>161 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.88	57.61	-16.39	74.00	51.83	32.87	5.66	31.95	110	161 Peak	<p>Date: 1 Date: 2022-05-23</p> <p>Site Condition : 03CH02-SZ : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL : RSW: 1000.000kHz VBW: 3000.000kHz Project : 1D0934-01 Mode : Mode 27 MEI : #92-C0-0220G032165001G Plane : Y with Accessory : 1M Powersetting 15.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.44</td> <td>26.44</td> <td>74.00</td> <td>94.66</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>110</td> <td>161 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.44	26.44	74.00	94.66	32.87	5.66	31.95	110	161 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2483.88	57.61	-16.39	74.00	51.83	32.87	5.66	31.95	110	161 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	100.44	26.44	74.00	94.66	32.87	5.66	31.95	110	161 Peak																																																						
Avg.	<p>Date: 4 Date: 2022-05-23</p> <p>Site Condition : 03CH02-SZ : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL : RSW: 1000.000kHz VBW: 1.000kHz Project : 1D0934-01 Mode : Mode 27 MEI : #92-C0-0220G032165001G Plane : Y with Accessory : 1M Powersetting 15.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2482.16</td> <td>59.51</td> <td>-3.49</td> <td>54.00</td> <td>44.73</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>110</td> <td>161 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2482.16	59.51	-3.49	54.00	44.73	32.87	5.66	31.95	110	161 Average	<p>Date: 2 Date: 2022-05-23</p> <p>Site Condition : 03CH02-SZ : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL : RSW: 1000.000kHz VBW: 1.000kHz Project : 1D0934-01 Mode : Mode 27 MEI : #92-C0-0220G032165001G Plane : Y with Accessory : 1M Powersetting 15.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>96.68</td> <td>42.68</td> <td>54.00</td> <td>90.90</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>110</td> <td>161 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.68	42.68	54.00	90.90	32.87	5.66	31.95	110	161 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2482.16	59.51	-3.49	54.00	44.73	32.87	5.66	31.95	110	161 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	96.68	42.68	54.00	90.90	32.87	5.66	31.95	110	161 Peak																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11b CH13 2472MHz&BLE CH39(2M)																																																															
1	Vertical	Fundamental																																																														
<p>Peak</p>	 <p>Date: 7 Date: 2022-05-23</p> <p>Site Condition : 03CH02-SZ : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL : RSW:1000.000kHz VBW:3000.000kHz</p> <p>Project : 1D0934-01 Mode : Mode 27 MEI : #92-C6R22G032165001G Plane : Y with Accessory : IM PowerSetting 15.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.00</td> <td>55.45</td> <td>-18.55</td> <td>74.00</td> <td>49.67</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>112</td> <td>286 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.00	55.45	-18.55	74.00	49.67	32.87	5.66	31.95	112	286 Peak	 <p>Date: 5 Date: 2022-05-23</p> <p>Site Condition : 03CH02-SZ : PEAK_74 3m HF_ANT_3117_0107 VERTICAL : RSW:1000.000kHz VBW:3000.000kHz</p> <p>Project : 1D0934-01 Mode : Mode 27 MEI : #92-C6R22G032165001G Plane : Y with Accessory : IM PowerSetting 15.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.18</td> <td>25.18</td> <td>74.00</td> <td>93.40</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>112</td> <td>286 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.18	25.18	74.00	93.40	32.87	5.66	31.95	112	286 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2484.00	55.45	-18.55	74.00	49.67	32.87	5.66	31.95	112	286 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	99.18	25.18	74.00	93.40	32.87	5.66	31.95	112	286 Peak																																																						
<p>Avg.</p>	 <p>Date: 8 Date: 2022-05-23</p> <p>Site Condition : 03CH02-SZ : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL : RSW:1000.000kHz VBW:1.000kHz</p> <p>Project : 1D0934-01 Mode : Mode 27 MEI : #92-C6R22G032165001G Plane : Y with Accessory : IM PowerSetting 15.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.28</td> <td>47.75</td> <td>-6.25</td> <td>54.00</td> <td>41.97</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>112</td> <td>286 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.28	47.75	-6.25	54.00	41.97	32.87	5.66	31.95	112	286 Average	 <p>Date: 6 Date: 2022-05-23</p> <p>Site Condition : 03CH02-SZ : AVG_54 3m HF_ANT_3117_0107 VERTICAL : RSW:1000.000kHz VBW:1.000kHz</p> <p>Project : 1D0934-01 Mode : Mode 27 MEI : #92-C6R22G032165001G Plane : Y with Accessory : IM PowerSetting 15.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>96.14</td> <td>42.14</td> <td>54.00</td> <td>90.36</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>112</td> <td>286 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.14	42.14	54.00	90.36	32.87	5.66	31.95	112	286 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2487.28	47.75	-6.25	54.00	41.97	32.87	5.66	31.95	112	286 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	96.14	42.14	54.00	90.36	32.87	5.66	31.95	112	286 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																														
ANT	802.11b CH13 2472MHz&BLE CH39(2M)																																																														
1	Horizontal	Fundamental																																																													
Peak	<p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RSNW 1000 0000kHz VEW 0.010kHz Project : 100934-01 Mode : Mode 27 MEI : #52 C-0220G032165001G Plane : Y with Accessory : TM Powersetting 15.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.00</td> <td>58.61</td> <td>-15.39</td> <td>74.00</td> <td>52.83</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>191 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.00	58.61	-15.39	74.00	52.83	32.87	5.66	31.95	100	191 Peak	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RSNW 1000 0000kHz VEW 0.010kHz Project : 100934-01 Mode : Mode 27 MEI : #52 C-0220G032165001G Plane : Y with Accessory : TM Powersetting 15.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>48.22</td> <td>54.00</td> <td>96.44</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>191 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	48.22	54.00	96.44	32.87	5.66	31.95	100	191 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2484.00	58.61	-15.39	74.00	52.83	32.87	5.66	31.95	100	191 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2472.00	48.22	54.00	96.44	32.87	5.66	31.95	100	191 Average																																																						
Avg.	<p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RSNW 1000 0000kHz VEW 0.010kHz Project : 100934-01 Mode : Mode 27 MEI : #52 C-0220G032165001G Plane : Y with Accessory : TM Powersetting 15.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>58.59</td> <td>-3.41</td> <td>54.00</td> <td>44.81</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>191 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	58.59	-3.41	54.00	44.81	32.87	5.66	31.95	100	191 Average	<p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL RSNW 1000 0000kHz VEW 0.010kHz Project : 100934-01 Mode : Mode 27 MEI : #52 C-0220G032165001G Plane : Y with Accessory : TM Powersetting 15.5 : 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>48.22</td> <td>54.00</td> <td>96.44</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>191 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	48.22	54.00	96.44	32.87	5.66	31.95	100	191 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2472.00	58.59	-3.41	54.00	44.81	32.87	5.66	31.95	100	191 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2472.00	48.22	54.00	96.44	32.87	5.66	31.95	100	191 Average																																																						



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																															
ANT	802.11b CH13 2472MHz&BLE CH39(2M)																																																															
1	Vertical	Fundamental																																																														
Peak	<p>Date: 7 Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW:3000.000kHz Project : 100934-01 Mode : Mode 27 IMEI : #92-G0B22G032165001G Plane : Y with Accessory 1M Powersetting 15.5 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.84</td> <td>55.68</td> <td>-18.32</td> <td>74.00</td> <td>49.00</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>92 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2486.84	55.68	-18.32	74.00	49.00	32.87	5.66	31.95	100	92 Peak	<p>Date: 5 Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW:3000.000kHz Project : 100934-01 Mode : Mode 27 IMEI : #92-G0B22G032165001G Plane : Y with Accessory 1M Powersetting 15.5 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2474.00</td> <td>101.72</td> <td>27.72</td> <td>74.00</td> <td>95.94</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>92 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2474.00	101.72	27.72	74.00	95.94	32.87	5.66	31.95	100	92 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2486.84	55.68	-18.32	74.00	49.00	32.87	5.66	31.95	100	92 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2474.00	101.72	27.72	74.00	95.94	32.87	5.66	31.95	100	92 Peak																																																						
Avg.	<p>Date: 8 Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW:0.010kHz Project : 100934-01 Mode : Mode 27 IMEI : #92-G0B22G032165001G Plane : Y with Accessory 1M Powersetting 15.5 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.00</td> <td>47.82</td> <td>-6.18</td> <td>54.00</td> <td>42.04</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>92 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.00	47.82	-6.18	54.00	42.04	32.87	5.66	31.95	100	92 Average	<p>Date: 6 Date: 2022-05-23</p> <p>Site : 03CH02-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL RSW: 1000.000kHz VBW:0.010kHz Project : 100934-01 Mode : Mode 27 IMEI : #92-G0B22G032165001G Plane : Y with Accessory 1M Powersetting 15.5 6/2/2</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>97.91</td> <td>43.91</td> <td>54.00</td> <td>92.13</td> <td>32.87</td> <td>5.66</td> <td>31.95</td> <td>100</td> <td>92 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	97.91	43.91	54.00	92.13	32.87	5.66	31.95	100	92 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2484.00	47.82	-6.18	54.00	42.04	32.87	5.66	31.95	100	92 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2472.00	97.91	43.91	54.00	92.13	32.87	5.66	31.95	100	92 Average																																																						



2.4GHz 2400~2483.5MHz



WIFI 802.11b&BLE (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																																																																																									
ANT	802.11b CH11 2462MHz&BLE CH11(1M)																																																																																																																																																																																																																									
1	Horizontal	Vertical																																																																																																																																																																																																																								
Peak Avg.	<p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 150034-01 Mode : Mode 25 IMEI : #67 G0822G032165001H Plane : Y with Accessory IM Powersetting 19.5</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>4848.00</td><td>42.87</td><td>-11.13</td><td>74.00</td><td>58.23</td><td>33.88</td><td>8.74</td><td>57.98</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>4924.00</td><td>51.54</td><td>-22.46</td><td>74.00</td><td>66.84</td><td>33.78</td><td>8.90</td><td>57.98</td><td>100</td><td>311 Peak</td></tr> <tr><td>3</td><td>4924.00</td><td>49.83</td><td>-14.17</td><td>54.00</td><td>65.13</td><td>33.78</td><td>8.90</td><td>57.98</td><td>100</td><td>266 Average</td></tr> <tr><td>4</td><td>6565.00</td><td>51.13</td><td>-22.87</td><td>74.00</td><td>62.54</td><td>35.51</td><td>11.32</td><td>58.24</td><td>100</td><td>92 Peak</td></tr> <tr><td>5</td><td>6565.00</td><td>45.34</td><td>-8.66</td><td>54.00</td><td>56.75</td><td>35.51</td><td>11.32</td><td>58.24</td><td>100</td><td>245 Average</td></tr> <tr><td>6</td><td>7272.00</td><td>45.45</td><td>-28.55</td><td>74.00</td><td>57.92</td><td>35.71</td><td>11.19</td><td>59.37</td><td>---</td><td>Peak</td></tr> <tr><td>7</td><td>7366.00</td><td>51.66</td><td>-22.34</td><td>74.00</td><td>64.53</td><td>35.76</td><td>11.88</td><td>59.71</td><td>100</td><td>311 Peak</td></tr> <tr><td>8</td><td>7366.00</td><td>45.15</td><td>-8.87</td><td>54.00</td><td>58.00</td><td>35.76</td><td>11.88</td><td>59.71</td><td>100</td><td>59 Average</td></tr> </tbody> </table>	Frq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	1	4848.00	42.87	-11.13	74.00	58.23	33.88	8.74	57.98	---	Peak	2	4924.00	51.54	-22.46	74.00	66.84	33.78	8.90	57.98	100	311 Peak	3	4924.00	49.83	-14.17	54.00	65.13	33.78	8.90	57.98	100	266 Average	4	6565.00	51.13	-22.87	74.00	62.54	35.51	11.32	58.24	100	92 Peak	5	6565.00	45.34	-8.66	54.00	56.75	35.51	11.32	58.24	100	245 Average	6	7272.00	45.45	-28.55	74.00	57.92	35.71	11.19	59.37	---	Peak	7	7366.00	51.66	-22.34	74.00	64.53	35.76	11.88	59.71	100	311 Peak	8	7366.00	45.15	-8.87	54.00	58.00	35.76	11.88	59.71	100	59 Average	<p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 150034-01 Mode : Mode 25 IMEI : #67 G0822G032165001H Plane : Y with Accessory IM Powersetting 19.5</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>4848.00</td><td>43.14</td><td>-10.86</td><td>74.00</td><td>58.58</td><td>33.88</td><td>8.74</td><td>57.98</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>4924.00</td><td>52.82</td><td>-21.18</td><td>74.00</td><td>68.12</td><td>33.78</td><td>8.90</td><td>57.98</td><td>100</td><td>266 Peak</td></tr> <tr><td>3</td><td>4924.00</td><td>50.21</td><td>-13.78</td><td>54.00</td><td>65.52</td><td>33.78</td><td>8.90</td><td>57.98</td><td>100</td><td>266 Average</td></tr> <tr><td>4</td><td>6565.00</td><td>52.80</td><td>-21.20</td><td>74.00</td><td>64.21</td><td>35.51</td><td>11.32</td><td>58.24</td><td>100</td><td>245 Peak</td></tr> <tr><td>5</td><td>6565.00</td><td>47.38</td><td>-16.78</td><td>54.00</td><td>58.71</td><td>35.51</td><td>11.32</td><td>58.24</td><td>100</td><td>245 Average</td></tr> <tr><td>6</td><td>7272.00</td><td>45.50</td><td>-28.44</td><td>74.00</td><td>58.83</td><td>35.71</td><td>11.19</td><td>59.37</td><td>---</td><td>Peak</td></tr> <tr><td>7</td><td>7366.00</td><td>52.24</td><td>-21.75</td><td>74.00</td><td>65.12</td><td>35.76</td><td>11.88</td><td>59.71</td><td>100</td><td>311 Peak</td></tr> <tr><td>8</td><td>7366.00</td><td>47.84</td><td>-8.16</td><td>54.00</td><td>60.71</td><td>35.76</td><td>11.88</td><td>59.71</td><td>100</td><td>311 Average</td></tr> </tbody> </table>	Frq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	1	4848.00	43.14	-10.86	74.00	58.58	33.88	8.74	57.98	---	Peak	2	4924.00	52.82	-21.18	74.00	68.12	33.78	8.90	57.98	100	266 Peak	3	4924.00	50.21	-13.78	54.00	65.52	33.78	8.90	57.98	100	266 Average	4	6565.00	52.80	-21.20	74.00	64.21	35.51	11.32	58.24	100	245 Peak	5	6565.00	47.38	-16.78	54.00	58.71	35.51	11.32	58.24	100	245 Average	6	7272.00	45.50	-28.44	74.00	58.83	35.71	11.19	59.37	---	Peak	7	7366.00	52.24	-21.75	74.00	65.12	35.76	11.88	59.71	100	311 Peak	8	7366.00	47.84	-8.16	54.00	60.71	35.76	11.88	59.71	100	311 Average
	Frq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB																																																																																																																																																																																																																	
1	4848.00	42.87	-11.13	74.00	58.23	33.88	8.74	57.98	---	Peak																																																																																																																																																																																																																
2	4924.00	51.54	-22.46	74.00	66.84	33.78	8.90	57.98	100	311 Peak																																																																																																																																																																																																																
3	4924.00	49.83	-14.17	54.00	65.13	33.78	8.90	57.98	100	266 Average																																																																																																																																																																																																																
4	6565.00	51.13	-22.87	74.00	62.54	35.51	11.32	58.24	100	92 Peak																																																																																																																																																																																																																
5	6565.00	45.34	-8.66	54.00	56.75	35.51	11.32	58.24	100	245 Average																																																																																																																																																																																																																
6	7272.00	45.45	-28.55	74.00	57.92	35.71	11.19	59.37	---	Peak																																																																																																																																																																																																																
7	7366.00	51.66	-22.34	74.00	64.53	35.76	11.88	59.71	100	311 Peak																																																																																																																																																																																																																
8	7366.00	45.15	-8.87	54.00	58.00	35.76	11.88	59.71	100	59 Average																																																																																																																																																																																																																
Frq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB																																																																																																																																																																																																																	
1	4848.00	43.14	-10.86	74.00	58.58	33.88	8.74	57.98	---	Peak																																																																																																																																																																																																																
2	4924.00	52.82	-21.18	74.00	68.12	33.78	8.90	57.98	100	266 Peak																																																																																																																																																																																																																
3	4924.00	50.21	-13.78	54.00	65.52	33.78	8.90	57.98	100	266 Average																																																																																																																																																																																																																
4	6565.00	52.80	-21.20	74.00	64.21	35.51	11.32	58.24	100	245 Peak																																																																																																																																																																																																																
5	6565.00	47.38	-16.78	54.00	58.71	35.51	11.32	58.24	100	245 Average																																																																																																																																																																																																																
6	7272.00	45.50	-28.44	74.00	58.83	35.71	11.19	59.37	---	Peak																																																																																																																																																																																																																
7	7366.00	52.24	-21.75	74.00	65.12	35.76	11.88	59.71	100	311 Peak																																																																																																																																																																																																																
8	7366.00	47.84	-8.16	54.00	60.71	35.76	11.88	59.71	100	311 Average																																																																																																																																																																																																																



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																																																																																									
ANT	802.11b CH08 2447MHz&BLE CH01(1M)																																																																																																																																																																																																																									
1	Horizontal	Vertical																																																																																																																																																																																																																								
Peak Avg.	<p>Date: 9 Date: 2022-07-07</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 150934-01 Mode : 11b_TX_CH08+BLE(1M)_TX_CH01 MEI : #07 G0B22G032165001H Plane : Y with Accessory IM PowerSetting 19.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>4894.00</td><td>42.77</td><td>-31.23</td><td>74.00</td><td>58.19</td><td>33.88</td><td>8.68</td><td>57.98</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>4894.00</td><td>51.04</td><td>-22.96</td><td>74.00</td><td>66.42</td><td>33.78</td><td>8.82</td><td>57.98</td><td>100</td><td>289 Peak</td></tr> <tr><td>3</td><td>4894.00</td><td>46.14</td><td>-27.86</td><td>54.00</td><td>51.52</td><td>33.78</td><td>8.82</td><td>57.98</td><td>100</td><td>289 Average</td></tr> <tr><td>4</td><td>6025.00</td><td>52.74</td><td>-21.26</td><td>74.00</td><td>64.12</td><td>35.58</td><td>11.33</td><td>58.21</td><td>100</td><td>65 Peak</td></tr> <tr><td>5</td><td>6025.00</td><td>45.84</td><td>-28.16</td><td>54.00</td><td>56.42</td><td>35.58</td><td>11.33</td><td>58.21</td><td>100</td><td>65 Average</td></tr> <tr><td>6</td><td>7212.00</td><td>45.73</td><td>-28.29</td><td>74.00</td><td>57.81</td><td>35.68</td><td>11.40</td><td>59.18</td><td>---</td><td>Peak</td></tr> <tr><td>7</td><td>7341.00</td><td>51.38</td><td>-22.62</td><td>74.00</td><td>64.12</td><td>35.74</td><td>11.09</td><td>59.57</td><td>100</td><td>63 Peak</td></tr> <tr><td>8</td><td>7341.00</td><td>43.87</td><td>-30.13</td><td>54.00</td><td>56.61</td><td>35.74</td><td>11.09</td><td>59.57</td><td>100</td><td>63 Average</td></tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm	deg		1	4894.00	42.77	-31.23	74.00	58.19	33.88	8.68	57.98	---	Peak	2	4894.00	51.04	-22.96	74.00	66.42	33.78	8.82	57.98	100	289 Peak	3	4894.00	46.14	-27.86	54.00	51.52	33.78	8.82	57.98	100	289 Average	4	6025.00	52.74	-21.26	74.00	64.12	35.58	11.33	58.21	100	65 Peak	5	6025.00	45.84	-28.16	54.00	56.42	35.58	11.33	58.21	100	65 Average	6	7212.00	45.73	-28.29	74.00	57.81	35.68	11.40	59.18	---	Peak	7	7341.00	51.38	-22.62	74.00	64.12	35.74	11.09	59.57	100	63 Peak	8	7341.00	43.87	-30.13	54.00	56.61	35.74	11.09	59.57	100	63 Average	<p>Date: 10 Date: 2022-07-07</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 150934-01 Mode : 11b_TX_CH08+BLE(1M)_TX_CH01 MEI : #07 G0B22G032165001H Plane : Y with Accessory IM PowerSetting 19.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>4894.00</td><td>43.11</td><td>-30.89</td><td>74.00</td><td>58.53</td><td>33.88</td><td>8.68</td><td>57.98</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>4894.00</td><td>51.25</td><td>-22.75</td><td>74.00</td><td>66.63</td><td>33.78</td><td>8.82</td><td>57.98</td><td>100</td><td>264 Peak</td></tr> <tr><td>3</td><td>4894.00</td><td>47.25</td><td>-26.75</td><td>54.00</td><td>62.60</td><td>33.78</td><td>8.82</td><td>57.98</td><td>100</td><td>264 Average</td></tr> <tr><td>4</td><td>6025.00</td><td>52.19</td><td>-21.81</td><td>74.00</td><td>63.57</td><td>35.58</td><td>11.33</td><td>58.21</td><td>100</td><td>245 Peak</td></tr> <tr><td>5</td><td>6025.00</td><td>47.25</td><td>-26.75</td><td>54.00</td><td>56.95</td><td>35.58</td><td>11.33</td><td>58.21</td><td>100</td><td>245 Average</td></tr> <tr><td>6</td><td>7212.00</td><td>45.53</td><td>-28.47</td><td>74.00</td><td>57.63</td><td>35.68</td><td>11.40</td><td>59.18</td><td>---</td><td>Peak</td></tr> <tr><td>7</td><td>7341.00</td><td>45.13</td><td>-28.87</td><td>74.00</td><td>67.87</td><td>35.74</td><td>11.09</td><td>59.57</td><td>100</td><td>195 Peak</td></tr> <tr><td>8</td><td>7341.00</td><td>48.46</td><td>-25.54</td><td>54.00</td><td>61.20</td><td>35.74</td><td>11.09</td><td>59.57</td><td>100</td><td>195 Average</td></tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm	deg		1	4894.00	43.11	-30.89	74.00	58.53	33.88	8.68	57.98	---	Peak	2	4894.00	51.25	-22.75	74.00	66.63	33.78	8.82	57.98	100	264 Peak	3	4894.00	47.25	-26.75	54.00	62.60	33.78	8.82	57.98	100	264 Average	4	6025.00	52.19	-21.81	74.00	63.57	35.58	11.33	58.21	100	245 Peak	5	6025.00	47.25	-26.75	54.00	56.95	35.58	11.33	58.21	100	245 Average	6	7212.00	45.53	-28.47	74.00	57.63	35.68	11.40	59.18	---	Peak	7	7341.00	45.13	-28.87	74.00	67.87	35.74	11.09	59.57	100	195 Peak	8	7341.00	48.46	-25.54	54.00	61.20	35.74	11.09	59.57	100	195 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																																
MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																		
1	4894.00	42.77	-31.23	74.00	58.19	33.88	8.68	57.98	---	Peak																																																																																																																																																																																																																
2	4894.00	51.04	-22.96	74.00	66.42	33.78	8.82	57.98	100	289 Peak																																																																																																																																																																																																																
3	4894.00	46.14	-27.86	54.00	51.52	33.78	8.82	57.98	100	289 Average																																																																																																																																																																																																																
4	6025.00	52.74	-21.26	74.00	64.12	35.58	11.33	58.21	100	65 Peak																																																																																																																																																																																																																
5	6025.00	45.84	-28.16	54.00	56.42	35.58	11.33	58.21	100	65 Average																																																																																																																																																																																																																
6	7212.00	45.73	-28.29	74.00	57.81	35.68	11.40	59.18	---	Peak																																																																																																																																																																																																																
7	7341.00	51.38	-22.62	74.00	64.12	35.74	11.09	59.57	100	63 Peak																																																																																																																																																																																																																
8	7341.00	43.87	-30.13	54.00	56.61	35.74	11.09	59.57	100	63 Average																																																																																																																																																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																																	
MHz	dBV/m	dB	dBV/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																		
1	4894.00	43.11	-30.89	74.00	58.53	33.88	8.68	57.98	---	Peak																																																																																																																																																																																																																
2	4894.00	51.25	-22.75	74.00	66.63	33.78	8.82	57.98	100	264 Peak																																																																																																																																																																																																																
3	4894.00	47.25	-26.75	54.00	62.60	33.78	8.82	57.98	100	264 Average																																																																																																																																																																																																																
4	6025.00	52.19	-21.81	74.00	63.57	35.58	11.33	58.21	100	245 Peak																																																																																																																																																																																																																
5	6025.00	47.25	-26.75	54.00	56.95	35.58	11.33	58.21	100	245 Average																																																																																																																																																																																																																
6	7212.00	45.53	-28.47	74.00	57.63	35.68	11.40	59.18	---	Peak																																																																																																																																																																																																																
7	7341.00	45.13	-28.87	74.00	67.87	35.74	11.09	59.57	100	195 Peak																																																																																																																																																																																																																
8	7341.00	48.46	-25.54	54.00	61.20	35.74	11.09	59.57	100	195 Average																																																																																																																																																																																																																




WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																									
ANT	802.11b CH13 2472MHz&BLE CH39(2M)																																																																																																																									
1	Horizontal	Vertical																																																																																																																								
Peak Avg.	<div style="display: flex; justify-content: space-around;"> <div style="width: 48%;"> <p data-bbox="451 421 794 443">Date: 9 Date: 2022-07-07</p>  <p data-bbox="432 667 794 728">Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 100034-01 Mode : Mode 27 MEI : #52-G-0020020165001G Plane : Y with Accessory 1M Powersetting 15.5 6022</p> <table border="1" data-bbox="432 739 794 817"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>45.48</td> <td>-28.52</td> <td>74.00</td> <td>69.74</td> <td>33.78</td> <td>8.94</td> <td>57.98</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>4968.00</td> <td>42.62</td> <td>-31.38</td> <td>74.00</td> <td>57.81</td> <td>33.73</td> <td>8.98</td> <td>57.98</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>7416.00</td> <td>45.83</td> <td>-28.17</td> <td>74.00</td> <td>57.92</td> <td>35.77</td> <td>11.18</td> <td>59.76</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>44.27</td> <td>-29.73</td> <td>74.00</td> <td>57.23</td> <td>35.78</td> <td>11.12</td> <td>59.86</td> <td>--- Peak</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p data-bbox="927 421 1270 443">Date: 10 Date: 2022-07-07</p>  <p data-bbox="908 667 1270 728">Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 100034-01 Mode : Mode 27 MEI : #52-G-0020020165001G Plane : Y with Accessory 1M Powersetting 15.5 6022</p> <table border="1" data-bbox="908 739 1270 817"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>46.18</td> <td>-27.82</td> <td>74.00</td> <td>61.44</td> <td>33.78</td> <td>8.94</td> <td>57.98</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>4968.00</td> <td>43.29</td> <td>-30.71</td> <td>74.00</td> <td>58.48</td> <td>33.73</td> <td>8.98</td> <td>57.98</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>7416.00</td> <td>45.85</td> <td>-28.15</td> <td>74.00</td> <td>58.74</td> <td>35.77</td> <td>11.18</td> <td>59.76</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>7440.00</td> <td>45.82</td> <td>-28.18</td> <td>74.00</td> <td>58.78</td> <td>35.78</td> <td>11.12</td> <td>59.86</td> <td>--- Peak</td> </tr> </tbody> </table> </div> </div>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	1	4944.00	45.48	-28.52	74.00	69.74	33.78	8.94	57.98	--- Peak	2	4968.00	42.62	-31.38	74.00	57.81	33.73	8.98	57.98	--- Peak	3	7416.00	45.83	-28.17	74.00	57.92	35.77	11.18	59.76	--- Peak	4	7440.00	44.27	-29.73	74.00	57.23	35.78	11.12	59.86	--- Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB	1	4944.00	46.18	-27.82	74.00	61.44	33.78	8.94	57.98	--- Peak	2	4968.00	43.29	-30.71	74.00	58.48	33.73	8.98	57.98	--- Peak	3	7416.00	45.85	-28.15	74.00	58.74	35.77	11.18	59.76	--- Peak	4	7440.00	45.82	-28.18	74.00	58.78	35.78	11.12	59.86	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB																																																																																																																	
1	4944.00	45.48	-28.52	74.00	69.74	33.78	8.94	57.98	--- Peak																																																																																																																	
2	4968.00	42.62	-31.38	74.00	57.81	33.73	8.98	57.98	--- Peak																																																																																																																	
3	7416.00	45.83	-28.17	74.00	57.92	35.77	11.18	59.76	--- Peak																																																																																																																	
4	7440.00	44.27	-29.73	74.00	57.23	35.78	11.12	59.86	--- Peak																																																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	dB	dB																																																																																																																	
1	4944.00	46.18	-27.82	74.00	61.44	33.78	8.94	57.98	--- Peak																																																																																																																	
2	4968.00	43.29	-30.71	74.00	58.48	33.73	8.98	57.98	--- Peak																																																																																																																	
3	7416.00	45.85	-28.15	74.00	58.74	35.77	11.18	59.76	--- Peak																																																																																																																	
4	7440.00	45.82	-28.18	74.00	58.78	35.78	11.12	59.86	--- Peak																																																																																																																	



Appendix E. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	99.31	-	-	10Hz
802.11g	96.00	1.391	0.719	1KHz
802.11n HT20	96.26	1.304	1KHz	


802.11b



Date: 27.APR.2022 14:23:41




802.11g



Date: 27.APR.2022 14:40:03

802.11n HT20



Date: 27.APR.2022 14:56:15