

There's a lot to get excited about this time of year; sometimes it's getting those lights up on the house, or unpacking your favorite ornaments – sometimes it's knowing you've made just the thing to bring the brightest smile to a loved one's face. Traditions are a foundation of this season, and Grizzly wants to help be a part of your workshop foundation, from the big machines to the smallest hand

This brings us to one of our other favorite traditions, which is providing you with this Christmas catalog filled with our best prices of the season. Even if it's not in here, there are always great deals and an amazing selection on our website at www.grizzly.com. Make sure to check back for our clearance and new products - we have an exciting year coming and we hope you'll join us for it!

It is our customers who truly make this company great. From all of us to all of you, we wish you a warm and wonderful holiday season, and a happy and fulfilling New Year!



CHRISTMAS SALE STARTS NOVEMBER 1st & ENDS DECEMBER 31st, 2016

ORDER BY NOON PST DECEMBER 18TH FOR CHRISTMAS DELIVERY (BASED ON UPS SHIPPING ESTIMATES)

President's Incredible Christmas Specials

MINI-LIGNO "MD" MOISTURE METER

Mini-Ligno moisture meters are made easy to use and sturdy, and because it's Lingomat, you can rely on accurate and reliable measurements due to their advanced measuring technology. The unique LED display is virtually unbreakable and bright enough to read even in poorly lit areas. Though the meter is compact, the measuring range of 6-25% is still wide enough to cover all applications from woodworking to home construction, water damage repair, lumber drying, and even measuring firewood. Integral pins can measure up to 1/16" deep. The meter is built to the same high quality standard as all other mini-Lignos and comes with the same 2 year warranty from Lingomat. Unit measures 23/4" x 5" x 1" and weighs just 8 oz.





Intertek

T27414

\$92.00

SALE

\$7995

6-LITER ULTRASONIC CLEANER · Electronic circuitry

3 Color LED display

 Overall dimensions: 21" L x 12" W x 9.6" H

Includes plastic basket, glass

panel top, and drain valve

- 35 kHz frequency
- 2 Ceramic heaters
- Full range 1–30 minute timer
- 5 Temperature settings
- Solution usage timer
- Stainless steel tank
- Tank size: 12.7" x 8.1" x 3.9"





BE1165

\$425.00

SALE

\$161⁹⁵

41/2" MINI TRACK SAW SUPER KIT

- Motor: 120V, 1.5 HP, 10A
- Motor speed: 28,050 RPM
- Max cutting depth at 90°: without track 11/4", with track 11/16"
- Saw blade: 4½" x ½"
- · Dist. between saw blade and wall: 3/4"
- Dust port dia.: 11/2"

FEATURES:

- T10824 Mini Track Saw with 4 Blades, two T10825 24" Tracks, and T27044 Accessory Pack (2 rail clamps, rail
- connector, and a limit stop)
- Cam lock anti-kickback protection keys the saw to the track and eliminates any play between the saw and the track
- Trigger-activated plunge release mechanism for added safety
- Swivel dust port for shop vacuum

T27444

\$197.95

SALE

\$109⁹⁵

DESIGNED

IN GERMANY!

8-PC. DELUXE STRAIGHT ROUTER BIT SET -**CARBIDE TIPPED**

Never be at a loss for the right sized carbide straight bit for your project needs. This complete set contains 1/8", 1/4", 13/32", 1/2", 19/32", (2) 27/32", and 15/16" bits. 1/4"

shank. Includes wooden box.



H5532

\$37.95

SALE

\$1995

TABLE SAWS

ROUTER TABLE & SLIDING ATTACHMENTS FOR TABLE SAWS WITH 27" D TABLES

\$425.00

\$625.00



Router Table Attachment

Sliding Table Attachment

T10222

T10223

G0715P

ROUTER TABLE SPECIFICATIONS:

- Table size: 27" x 20" Table T-slots: ³/₄" x ³/₄" Fence size (x 2): 12½" x 2¾" x 5%"
- Table insert size: 4" Dust port size: 2½"

SLIDING TABLE SPECIFICATIONS:

- Table size: 47" x 9" Outrigger table size: 131/4" x 9" • Max. table travel: 55"
- Max. cross cutting length: 48"
- Fence length: 30¾"-37"

SALE



SALE



Heavy-Duty SHOP FOX® Mobile Base D2057A

WITH RIVING KNIFE

G1023RL

\$750.00 \$74.95

TIPPED BLADE

10" LEFT-TILTING SUPER HEAVY-DUTY TABLE SAW

10" HYBRID TABLE SAW

WITH RIVING KNIFE

SALE

SALE

MADE IN TAIWAN • Motor: 3 HP, 240V, single-phase,

3450 RPM, 14A

\$695⁰⁰ _

\$**59**⁹⁵

Solid cast iron table with extension

measures: 27" x 40" • Arbor: 5/8"

Maximum depth of cut @ 90°: 3"

Maximum depth of cut @ 45°: 2½"

• Rip capacity: 8" L, 26" R of blade

• Approx. shipping weight: 508 lbs.

⁸1275⁰⁰

■

\$**59**95

Maximum dado width: 13/16"

• Base dimension: 20½" x 20½"

Motor: 2 HP, 120V/240V, 15A/7.5A,

wings measures: 401/2"W x 27"D

• Arbor: 5/8" • Arbor speed: 3450 RPM

Overall size: 57½"W x 37½"D x 35¾"H

Table height: 35¾

10" CARBIDE- • Approx. shipping weight: 330 lbs.

Footprint: 21" L x 19½" W

Max. cut height @ 90°: 3½"

Rip capacity: 30" right, 15" left

prewired 120V, single-phase, 60 Hz Precision-ground cast iron table with



10" HYBRID TABLE SAW WITH RIVING KNIFE



 Motor: 2 HP, 110V/220V, 16A/8A, single-phase, prewired to 220V

- Precision-ground cast iron table with extension measures: 27" x 40"
- Table height: 34" Arbor: 5/8"
- Arbor speed: 3850 RPM
- Max. cut height @ 90°: 31/8"
- Rip capacity: 30" right, 12" left
- Approx. shipping weight: 416 lbs.

Heavy-Duty SHOP FOX® Mobile Base D2057A \$74.95

SALE

SALE

\$5995

D2057A \$74.95 **SALE**

Heavy-Duty **SHOP FOX**® Mobile Base



\$1350.00

10" CARBIDE-TIPPED BLADE





10" CABINET TABLE SAW WITH RIVING KNIFE

\$850.00





- Motor: 3 HP, 220V, 12.8A, single-phase
- Precision-ground cast iron table with extension measures: 27" x 40" Table height: 34" • Arbor: 5/8"
- Max. dado width: ¹³/₁₆"
- Max. cut height @ 90°: 31/8", @ 45°; 23/16"
- Max. rip capacity: 29½"
- Approx. shipping weight: 530 lbs.

G0690 \$1525.00 **SALE** Heavy-Duty SHOP FOX® Mobile Base

\$74.95

D2057A

G0652

SALE

SALE

\$**59**⁹⁵

WITH RIVING KNIFE & EXTENSION RAILS Motor: 3 HP, 220V, 12.8A, single-phase



- Precision-ground cast iron table
- with extension measures: 27" x 743/4"
- Table height: 34" Arbor: 5%"
- Arbor speed: 4300 RPM
- Max. dado width: ¹³/₁₆"
- Max. cut height @ 90°: 31/8", @ 45°: 23/16"
- Max. rip capacity: 50"
- Approx. shipping weight: 557 lbs.

G0691

\$1625.00

SALE

Heavy-Duty SHOP FOX® Mobile Base

D2057A \$74.95

10" SLIDING TABLE SAW

SALE

SALE

MADE IN TAIWAN

10" HEAVY-DUTY CABINET TABLE SAW WITH RIVING KNIFE



\$2195.00

Motor: 5 HP, 220V/440V*, 12A/6A, 3-phase, prewired 220V

- Precision-ground cast iron table with extension measures: 27" x 753/4"
- Table height: 34½" Arbor: ½"
- Arbor speed: 4000 RPM
- Max. dado width: ³/₄"
- Max. cut height @ 90°: 33/16", @ 45°: 23/16"
- Max. rip capacity: 52"
- · Approx. shipping weight: 716 lbs.

\$209500 - \$150 T G0623X

• Motor: 5 HP, 230V, single-phase



Sliding table size: 12½" x 63"

- Main blade arbor: 5/8"
- Blade tilt: 0-45°
- Main blade arbor speed: 4000 RPM
- Depth of cut: 31/8" @ 90°, 21/4" @ 45°
- Scoring blade size: 31/8" (80mm)
- Scoring blade arbor: 22mm
- Max. dado width: 13/16" Max. rip capacity: 33"
- Length of cross cut: 78½"
- Approximate shipping weight: 688 lbs.





*To maintain machine warranty, 440V operation requires additional conversion time and a \$250 fee. Please contact technical service for complete information before ordering.

\$3050.00





JOINTERS

6" BENCHTOP JOINTER WITH BUILT-IN DUST COLLECTION

- Motor: 1½ HP, 110V, single-phase, 12A
- Cast iron table
- Table size: 28½" x 6¼"
- Fence size: 22⁷/₈" x 4⁵/₁₆"
- Cutterhead knives: 2
- Cutterhead speed: 10,000 RPM
- Max. depth of cut: ½"
- Cuts per minute: 20,000
- Infeed table adjustment knob
- 45° and 90° fence stops
- Approx. shipping weight: 80 lbs.



G0725 \$249.95

SALE

- Motor: 1 HP, 110V/220V, single-phase.
- Prewired voltage: 110V
- Table size: 65/8" x 473/8"
- Cutterhead speed: 5000 RPM
- Cutterhead diameter: 2½"



INTRODUCTORY PRICE



\$595⁰⁰ =



6" JOINTER WITH KNOCK-DOWN STAND AND BUILT-IN MOBILE BASE

- Motor: 1 HP, 110V/220V, single-phase, 14A/7A
- · Prewired voltage: 110V
- Table size: 65%" x 473%"
- Number of knives: 3
- Cutterhead speed: 5000 RPM
- Cutterhead diameter: 2½"
- Max. depth of cut: ½"
- Max. rabbeting depth: ½" • Cuts per minute: 15,000
- Fence size: 291/8" L x 4" high
- · Approx. shipping weight: 262 lbs.

G0813 INTRODUCTORY PRICE



6" JOINTER WITH CABINET STAND AND BUILT-IN MOBILE BASE

- 14A/7A

- Number of knives: 3
- Max. depth of cut: 1/8"
- Cuts per minute: 15,000
- Fence size: 29½"L x 4"H

G0814

• Approx. shipping weight: 259 lbs.

8" x 76" JOINTER WITH BUILT-IN MOBILE BASE

- Motor: 3 HP, 240V, single-phase, 12A, TEFC, 3450 RPM
- Total table size: 8" x 763/4"
- Cutterhead knives: 4 HSS, 81/8" x 3/4" x 1/8"
- Cutterhead speed: 5350 RPM
- Cutterhead diameter: 3³/₁₆"
- Max. depth of cut: 1/8"
- Max. rabbeting depth: ½"
- Cuts per minute: 21,400
- Machines certified to UL and CSA standards are available upon request
- Approx. shipping weight: 562 lbs.



PARALLELOGRAM TABLE ADJUSTMENT SYSTEM!



G0490W

4-Knife Cutterhead

\$1025.00

SALE

\$975⁰⁰

10" JOINTER/PLANER

Motor: 2½ HP, 220V, single-phase, TEFC, 3400 RPM, 9.9A

- Max. depth of cut: 1/8" (jointer), 3/16" (planer)
- Max. width of cut: 10¹/₄" (jointer), 9³/₄" (planer)
- Max. planer cutting height: 8¹/₄"
- Jointer table size: 12½" x 40¹5/16"
- Planer table size: 9¾" x 23½"
- Cutterhead diameter: 2⁹/₃₂"
- Cutterhead speed: 6500 RPM
- Cutterhead knives: 2 HSS
- Knife size: 101/4" x 11/16" x 1/8"
- Cuts per minute: 13,000
- · Planer feed rate: 16 FPM

· Approx. shipping weight: 378 lbs. G0675

\$1255.00

SALE

FREE!

PAIR OF SAFETY

PUSH BLOCKS

 $$1195^{00} =$



FREE!

PAIR OF SAFETY

8" X 72" JOINTER WITH MOBILE BASE Motor: 3 HP, 240V single-phase, TEFC, 3450 RPM, 12A

· Precision-ground cast iron table size:

- 73½" x 9¾" x 2" Cutterhead knives: 4 HSS, 81/8" x 13/16" x 1/8"
- Cutterhead speed: 4800 RPM
- Cutterhead diameter: 3"
- Max. depth of cut: 1/8
- Max. rabbeting depth: ½"
- Cuts per minute: 19,200 Deluxe cast iron fence size:
- 35"L x 5"H · Machines certified to UL and CSA
- standards are available upon request Approx. shipping weight: 518 lb.

G0656W

\$875.00

SALE

PAIR OF SAFETY

PUSH BLOCKS

\$**845**00



FREE!
PAIR OF SAFETY

PUSH BLOCKS

12" X 831/2" PARALLELOGRAM JOINTER

\$2795.00

WITH SPIRAL CUTTERHEAD Motor: 3 HP, 230V, single-phase, 15A

- Precision-ground cast iron table size: 123/4" x 831/2" Floor to table height: 315/8"
- Max. depth of cut: ½
- Cutterhead diameter: 3¾"
- · Cutterhead: Spiral with indexable carbide inserts
- Cutterhead speed: 4300 RPM
- Fence stops at 45°, 90°, and 135°
- Footprint: 84" x 33"

G0609X

· Approx. shipping weight: 1056 lbs.

PUSH BLOCKS

\$2650⁰⁰ = \$275

8" JOINTER WITH SPIRAL CUTTERHEAD AND BUILT-IN MOBILE BASE

Motor: 3 HP, 240V single-phase, TEFC, 3450 RPM, 12A

- · Precision-ground cast iron table size:
- 723/4" x 93/8" x 2" Number of carbide inserts:
- 40, 14 x 14 x 2mm Cutterhead speed: 4800 RPM
- Cutterhead diameter: 3" Max. depth of cut: 1/8"
- Max. rabbeting depth: ½"
- Cuts per minute: 21,400 Machines certified to UL and CSA
- standards are available upon request Approx. shipping weight: 520 lb.

G0656XW \$1295.00



\$1225⁰⁰ **SALE**



Fax: 1-800-438-5901 **Technical Service: 570-546-9663**

BANDSAWS

SUPER HEAVY DUTY 14" RESAW BANDSAW WITH FOOT BRAKE



G0817

- Motor: 2 HP. 110V/220V (prewired 110V). single-phase, TEFC, 1720 RPM
- Amps: 15A at 110V, 7.5A at 220V
- Table size: 213/4"L x 161/8"W
- Table tilt: 5° left, 45° right
- Floor-to-table height: 37"
- Max. cutting width: 13½"
- Max. cutting height: 14"
- Blade size: 120" (1/8" to 3/4"W)
- Blade speeds: 2820 FPM
- Overall size: 29"W x 32½"D x 76"H
- Footprint: 24"L x 18"W
- Approximate shipping weight: 388 lbs.

INTRODUCTORY PRICE



XTREME

MADE IN AN ISO 9001

RATED FACTORY

MADE IN TAIWAN

14" DELUXE BANDSAW



G0555LX

- Motor: 1 HP, 110V/220V, prewired 110V, single-phase, TEFC, 1725 RPM
- Amps: 11A at 110V 5.5A at 220V
- Table size: 14" x 14" x 1½'
- Table tilt: 10° left, 45° right
- Floor-to-table height: 43"
- Cutting capacity/throat: 13½"
- Maximum cutting height: 6"
- Blade size: 92½" to 93½" (½" to ¾" wide)
- Blade speed: 1800 and 3100 FPM
- Overall size: 27"W x 67½"H x 30"D
- Footprint: 23¹/₂"L x 16¹/₂"W Approximate shipping weight: 246 lbs.

\$555.00

\$895.00

SALE

\$**525**00



MADE IN TAIWAN

14" HEAVY-DUTY BANDSAW



 Motor: 1½ HP, 110V/220V, single-phase, 1725 RPM, 15A/7.5A, prewired 110V



\$1295⁰⁰



- Table size: 20½" x 14" x 1½" Table tilt: 45° right, 15° left
- Floor-to-table height: 44"
- Includes deluxe extruded aluminum resaw fence and miter gauge
 - MADE IN AN ISO 9001 RATED FACTORY Cutting capacity/throat: 13½
- Maximum cutting height: 6"
- Blade size: 92½" to 93½" (½" to ¾"W)
- MADE IN TAIWAN
- · Computer-balanced cast iron wheels with rubber tires
- Overall size: 30"W x 26"D x 67¼"H
- Footprint: 171/4"L x 16"W
- Approx. shipping weight: 259 lbs.

\$839.00

SALE



17" HEAVY-DUTY BANDSAW



G0513ANV

- Motor: 2 HP, 110V/220V, single-phase, TEFC capacitor start induction, prewired 220V, 1725 RPM, 60 Hz
- Amps: 20A/10A
- Precision-ground cast iron table size: 17" x 17" x 1½" thick
- Table tilt: 45° right, 10° left
- Floor-to-table height: 371/2"
- Cutting capacity/throat: 161/4" left of blade
- Maximum cutting height: 121/8" Blade size: 131½"L
- Blade sizes available: ½"-1"W
- 2 blade speeds: 1700 & 3500 FPM
- Footprint: 27"L x 17³/₄"W
- Approximate shipping weight: 342 lbs.

SALE



INDUSTRIAL RESAW BANDSAWS



G0555X

- Motor (G0778): 1.75 HP, 110V/220V, prewired 110V, single-phase, TEFC, 15A/7.5A Motor (G0457): 2 HP, 110V/220V, prewired 220V, single-phase, 19A/9.5A
- Table size: 1934" x 143/16" x 1½" thick MADE IN AN ISO 9007
- Table tilt: 8° left, 45° right
- Floor-to-table height: 42½"
- Cutting capacity/throat: 13½" Maximum cutting height: 10"
- Blade size: 106" L
 Blade width: ½"-¾"
- Overall size: 29¾"W x 29½"D x 73"H
- Approximate shipping weight: 284 lbs.
- G0778 1.75 HP, prewired 110V ONLY \$115000

G0457 ONLY 2 HP. prewired 220V

SHIPPING! to lower 48 states

RATED FACTORY

MADE IN TAIWAN

G0513X2

HEAVY-DUTY BANDSAW with cast iron wheels



- Motor: 2 HP, 110V/220V, single-phase, TEFC capacitor start induction, prewired 220V, 60 Hz
- Precision-ground cast iron table size: 235/8" x 171/4" x 11/2" thick
- Table tilt: 45° right, 5° left
- Floor-to-table height: 371/2"
- Cutting capacity/throat: 16¼" left of blad
- Maximum cutting height: 12"
- Blade size: 131½"L
- Blade sizes available: ½"-1"W

24" INDUSTRIAL BANDSAW WITH TILTING GEARED TABLE

• Table tilts 45° for bevel cuts

Cutting capacity/throat: 24½"

Blade size: 180"-181½"L

Blade speed: 5300 FPM

Footprint: 41³/₈"L x 23¹/₂"W

Maximum cutting height: 16¼"

Uses blades from 1/4" to 11/2"W

Overall size: 48"W x 32"D x 83½"H

Approximate shipping weight: 962 lbs.

Table height with included riser: 341/2"

Floor-to-table height: 32½"

- 2 blade speeds: 1700 & 3500 FPM
- Footprint: 27"L x 17³/₄"W
- Approximate shipping weight: 418 lbs.

RATED FACTORY

MADE IN AN ISO 9001

SALE \$105000

Motor: 7½ HP, 220V/440V*, 3-phase, prewired 220V

Precision-ground cast iron table size: 33½" x 23½" x 2"



· Motor: 3 HP, 220V, single-phase, TEFC, 60 Hz, 1725 RPM

- Table size: 26¾" x 19" x 1½" thick Floor-to-table height: 37½" Cutting capacity/throat: 18¼"
- · Maximum cutting height: 12"
- Blade size: 143"L
- Blade sizes available: ½"-1½"
- 2 Blade speeds: 1700, 3500 FPM
- · Fully-balanced cast iron wheels & polyurethane tires
- Overall size: 36"W x 32"D x 76"H

Footprint: 291/2"L x 173/4"W Approximate shipping weight: 512 lbs.







G0569

\$2995.00

\$1125.00

SALE \$285000



MADE IN AN ISO 9001

RATED FACTORY

MADE IN TAIWAN

SALE \$167500 G0514X2B \$1755.00 *To maintain machine warranty, 440V operation requires additional conversion time and a \$250 fee. Please contact technical service for complete information before ordering.

CALL 24 HOURS A DAY! 1.800.523.4777

PLANERS

121/2" LEAN & MEAN PLANER

- Motor: 2 HP, 110V, single-phase, 15A
- Maximum cutting width: 12½"
- Maximum cutting height: 6"
- Maximum cutting depth: ³/₃₂"
- Minimum board thickness: ¹³/₆₄"
- Feed rate: 32 FPM
- · Number of knives:
- 2, double-edged HSS
- Knife size: 12½" x 23/32" x 1/8"
- Cutterhead speed: 10,000 RPM
- Number of cuts per inch: 52
- Thermal overload protection
- Top-mounted return rollers
- · Includes knife setting jig and wrench
- · Approximate shipping weight: 78 lbs.



WITH

DOUBLE-SIDED KNIVES!

G0505

\$325.00

SALE

\$29500 = \$49 hipping



15" HEAVY-DUTY PLANER

- Motor: 3 HP, 240V, single-phase, 14A
- Max cutting width: 15
- Max stock thickness: 63/8"
- Max cutting depth: ¾6"
- Feed rate: 16 and 30 FPM
- Cutterhead diameter: 3"
- Number of knives: 3 HSS
- Cutterhead speed: 5000 RPM
- Infeed roller: solid serrated steel
- Table size: 20½" x 15" x 3½" Overall dimensions:
- 32" W x 231/2" H x 28" D
- Footprint w/stand: 26" L x 26" W
- Approximate shipping weight: 382 lbs.

Shown with T27650 Optional Stand

G0815

\$1150.00

Planer Stand for G0815 T27650

\$79.95

SALE

SALE

MADE IN TAIWAN

\$68⁹⁵

\$895⁰⁰ = \$150

SERIES...

15" PLANER WITH 3-KNIFE CUTTERHEAD

- Motor: 3 HP, 240V, single-phase, 12A
- Maximum cutting width: 15"
- Maximum stock thickness: 8"
- Minimum stock thickness: 3/16
- Minimum stock length: 8"
- Maximum cutting depth: 1/8"
- Feed rate: 16 and 20 FPM
- · Cutterhead diameter: 3" Number of knives: 3
- Knife size: 16" x 1" x 1/8"
- Cutterhead speed: 5000 RPM
- Power feed rollers: solid serrated steel
- Table size: 413/4" x 16"
- Overall size: 38"W x 42"D x 421/2"H
- Machines certified to UL and CSA standards are available upon request
- · Approximate shipping weight: 594 lbs.

PRECISION-GROUND CAST IRON BED & INFEED OUTFEED TABLES

G0453W

\$1195.00

SALE

BUILT-IN

MOBILE

BASE!



15" PLANER WITH SPIRAL CUTTERHEAD

- Motor: 3 HP, 240V, single-phase
- Maximum cutting width: 15"
- Maximum stock thickness: 8"
- Minimum stock thickness: 3/16"
- · Minimum stock length: 6"
- Maximum cutting depth: 1/8
- Feed rate: 16 & 20 FPM Cutterhead diameter: 3"
- Number of indexable carbide inserts: 72
- Insert size: 14 x 14 x 2mm
- Cutterhead speed: 5000 RPM
- Power feed rollers: solid serrated steel
- Precision-ground table size: 413/4" x 26"
- Overall size:

G0453ZW

- 42"W x 38"D x 421/2"H
- Machines certified to UL and CSA standards are available upon request
- Approximate shipping weight: 672 lbs.

BUILT-IN MOBILE BASE!



20" PLANERS

- Motor: 5HP, 240V, single-phase, 20A
- Maximum cutting width: 20"
- Maximum stock thickness: 8"
- Minimum stock thickness: ¾16" Minimum stock length: 7½"
- Maximum cutting depth: ½"
- Feed rate: 16 and 20 FPM
- · Solid serrated steel infeed roller
- Table size: 21"W x 56½"D x 2¾"H
- Overall size:
 - 44"W x 561/2"D x 431/2"H
- Machines certified to UL and CSA standards are available upon request
- · Approximate shipping weight: 853 lbs (G0454W), 877 lbs. (G0454ZW)



BUILT-IN

BASE!

\$1795.00

SALE







20" PROFESSIONAL PLANER WITH 4-KNIFE CUTTERHEAD

Cutterhead motor: 5 HP, 220V, single-phase, 25A

\$1895.00

• Feed motor: 2 HP, 220V, single-phase, 12A

- Precision-ground cast iron table
- Table size: 211/4" x 281/4"
- Maximum cutting width: 20"
- Maximum cutting height: 8"
- Maximum cutting depth: 1/8"
- Minimum stock thickness: ¼"
- Minimum stock length: 8" • Feed rate: 17-26 FPM
- · Number of knives: 4
- Knife size: 20" x 1" x 1/8'
- · Cutterhead speed: 5200 RPM
- · Power transfer: double V-belt
- Overall size: 38"W x 40½"D x 42¼"H • Approximate shipping weight: 1010 lbs.





\$4095.00



G0454ZW

4-Knife Cutterhead

Spiral Cutterhead

G0454W

\$2625.00

SALE



















SPIRAL CUTTERHEADS

BYRD® SHELIX CUTTERHEADS

Made in the USA by Byrd®, these indexable carbide insert cutterheads are very well made and leave a great finish. The inserts are not only placed along a spiral pattern, they are also at an angle so that the shearing action leaves a glassy smooth cut on the toughest of woods. Each cutterhead comes with 5 extra replacement inserts.



MODEL	ТҮРЕ	REG.	SALE
H7764	6" Shelix Cutterhead—30 Inserts	\$295.00	\$2 75 00
H9218	6" Shelix Cutterhead—30 Inserts	\$315.00	\$ 295 00
H7765	8" Shelix Cutterhead—40 Inserts	\$405.00	\$385 ⁰⁰
H8803	8" Shelix Cutterhead—40 Inserts	\$405.00	\$385 ⁰⁰
T23860	8" Shelix Cutterhead—40 Inserts	\$355.00	\$335 ⁰⁰
T27622	8" Shelix Cutterhead—40 Inserts	\$355.00	\$335 ⁰⁰
T27623	8" Shelix Cutterhead—40 Inserts	\$355.00	\$335 ⁰⁰
H7766	10" Shelix Cutterhead—50 Inserts	\$ 599.95	\$ 565 00
H9291	12" Shelix Cutterhead—96 Inserts	\$705.00	\$675 ⁰⁰
H7768	15" Shelix Cutterhead—75 Inserts	\$655.00	\$625 ⁰⁰
T27625	15" Shelix Cutterhead—75 Inserts	\$625.00	\$ 595 00
T27626	20" Shelix Cutterhead—100 Inserts	\$945.00	\$895 ⁰⁰
H7769	20" Shelix Cutterhead—100 Inserts	\$925.00	\$875 ⁰⁰
H7354	10-Pack Shelix Inserts—15mm x 15mm x 2.5mm	-\$36.95	\$ 32 ⁹⁵



H7768

H7765

These Spiral Cutterheads Fit the Machines Listed in the Chart Below

	6"	6"	8"	8"	8"	8"	8"	10"	12"	15"	15"	20"	20"
Grizzly®	H7653		H7654							H7655		H7656	
Grizzly®	T10125	T10130		T10126					T10127	T10128		T10129	
Grizzly®					T27449		T27454				T27451		T27452
Byrd®/Shelix	H7764	H9218	H7765	H8803	T27622	T23860	T27623	H7766	H9291	H7768	T27625	H7769	T27626

	6" Jointer	6" Jointer	8" Jointer	8" Jointer	8" Jointer	8" Jointer	8" Jointer	10" Jointer	12" Jointer	15" Planer	15" Planer	20" Planer	20" Planer
Grizzly®	G1182 Series (mfd. after 2003), G0452, G0654	G0604, G0604X	G1018 series (mfd. after 1992), G0500, G0586	G0490 Series	G0490W	G0656, G0565P	G0656W	G0455	G0609	G1021 Series, G0550/51, G0453 Series	G0453W	G1033 Series, G0454 Series	G0454W
Bridgewood	BW-6R		BW8J							BW15P		BW20P	
Delta				DJ-20						DC380, 22/675, 22/780, 22/785, 22- 790X & X5			
General	80-100L, 80-150L									30-115, 30- 125CE		30-300	
Jet	JJ-60S, JJ-6CSX, JJ6CSDX		JJ8CS						JJ-12	JWP-15CS		JWP-208-1, 208	
Powermatic	1791279DX-54A, 1791279DXK-54A								P1285	1791209-15, 1791210-15S		209	
Rigid	JP0610												
Shop Fox®	W1679		W1684	W1741					W1744	W1692, W1723, W1724, W1742		W1683, W1718, W1747, W1754	
Sunhill	CT-60L, SM-150		SM-204, CT-204L							CT-38B, CT-382		CT-508	
Woodtek										855266		924083	
Generic			CT-200						Oliver 4255, Yorkcraft YC-12J			CT-508	







SHAPERS

1 HP SHAPER WITH ROUTER BIT ADAPTER

- · Motor size: 1 HP, 110V, single-phase
- Amps: 14A
- Table size: 151/2" x 177/4"
- Floor to table height: 34¼"
- Table counterbore: 3" dia. x ¾" deep
- Spindle travel: 7/8
- Spindle diameter: ½'
- Spindle length: 5½"
- Spindle capacity under nut: 1%6"
- Spindle speed: 11,000 RPM
- Overall height (including fence): 40"
- Overall depth: 23"
- Overall width: 201/2"
- · Machines certified to UL and CSA standards are available upon request

\$435.00

\$62.95

· Approximate shipping weight: 222 lb.

G0510ZW Mini **SHOP FOX®** Mobile Base

SALE

SALE



SERIES_

\$415⁰⁰

\$**54**⁹⁵

11/2 HP SHAPERS

- Heavy-duty motor: 1½ HP, 120V/240V, 12A/6A, single-phase, prewired 120V
- · Precision-ground cast iron table
- Table size: 20½" x 18"
- Floor-to-table height: 331/2"
- Spindle travel: 3"
- 2 interchangeable spindles: 1/2" and 3/4"
- Spindle openings: 1¹/₄", 3¹/₂", 5"
- Spindle speeds: 7000 & 10,000 RPM
- All ball-bearing construction
- Maximum cutter diameter: 5"
- · Powder-coated finish

• Approximate shipping weight: 221 lbs.

G1035 SHOWN WITH G1706 OPTIONAL WING

MADE IN TAIWAN



G1035 \$595.00 Mini **SHOP FOX**® Mobile Base

\$62.95

SALE

\$**54**95

Optional Cast Iron Wing (20" x 10") G1706

\$104.95

SALE

\$9500

\$**59**⁹⁵

SERIES

2 HP SHAPER

D2260A

- Motor size: 2 HP, 120V/240V, single-phase, prewired 240V, 18A/9A
- Table size: 24" x 21"
- Spindle travel: 3"
- Spindle sizes: ½" and ¾" (included)
- Spindle speeds: 7000 and 10,000 RPM
- Miter gauge slot: T-slotted
- Stand: Cabinet-style, powder-coated finish
- Cord: 10' x 14 Gauge
- Maximum cutter diameter: 5"
- · Approximate shipping weight: 290 lbs.

MADE IN TAIWAN

2 YEAR WARRANTY!

W1674 \$1025.00 Heavy-Duty **SHOP FOX**® Mobile Base

D2057A \$74.95

Heavy-duty, precision-ground cast iron table

Spindle capacity: 5½" (1½" spindle)

• Spindle speeds: 3600, 5100, 8000

Maximum cutter diameter: 57/8"

• One piece, cabinet-style stand

 Spindle travel: 3½" Spindle sizes: 3/4", 1, and 11/4"

and 10,000 RPM

· Powder-coated finish

Motor: 5 HP, 220V, single-phase, TEFC or 7½ HP, 220V/440V*, 3-phase

PROFESSIONAL SPINDLE SHAPERS

SALE

SALE



W1674





3 HP SHAPER

D2260A

- Motor: 3 HP. 240V. single-phase. with reversing switch, 12A
- · Precision-ground cast iron table
- Table with extension wing attached: 30½" x 28¼"
- Floor-to-table height: 34"
- Spindle travel: 3"

MADE IN TAIWAN

- 3 interchangeable spindles: ½", ¾" and 1"
- Spindle openings on table: 11/4", 3", 4", and 7"
- Spindle speeds: 7000 & 10.000 RPM
- · Approximate shipping weight: 392 lbs.




\$112500 G1026 \$1195.00 **SALE**

Heavy-Duty **SHOP FOX**® Mobile Base

D2057A \$74.95 SALE

PROFESSIONAL TILTING SPINDLE SHAPERS



- Table size: 28" x 35½" Table counterbore: 7" x ¾" deep Spindle travel: 3¼" Spindle tilt: 45°

- Spindle sizes: 3/4", 1", and 11/4"
- Spindle speeds: 3600, 5100, 8000 and 10,000 RPM
- Spindle capacity under nut: 51/8" (11/4" spindle)
- Maximum cutter diameter: 57/8"
- possibilities with your existing shaper cutters

- Sturdy hold-downs and cast iron miter gauge standard
- Overall dimensions: 35½"W x 43" H x 39" D (to top of switch)





G5913Z 5 HP \$3150.00 SALE G7215Z \$3250.00 SALE 71/2 HP

*To maintain machine warranty, 440V operation requires additional conversion time and a \$250 fee. Please contact technical service for complete information before ordering.



 Independent, micro-adjustable fence with 4" dust port Footprint: 26"L x 27"W Approximate shipping weight: 613 lbs.

G5912Z 5 HP

7½ HP

\$2750.00

SALE

\$2625⁰⁰




G7214Z













POWER FEEDERS

COPY POWER FEEDER MADE IN TAIWAN • Motor: ½ HP, 220V, single-phase, 2.7A • Number of speeds: 8 • Feed speeds: 7, 9.5, 14.5, 19, 24, 32, 48.5, 64.5 FPM • Applicable for Jointers, Table Saws, Shapers and Edge Banders • Roller size: 19/16" wide x 7" dia. • Roller suspension: 3/4" • Excellent for curve line copying: circular shapes, ovals, tabletops, chair seats and semi-circular shapes A powerful model suitable for heavy-duty and mass production applications Vertical movement: 12½" · Horizontal movement: 18" • Approximate shipping weight: 130 lbs. MADE IN AN ISO 9001 RATED FACTORY

1/2 HP POWER FEEDER

• Motor: 1/2 HP, 220V, single-phase, 4A

· Number of speeds: 4

Range of speeds: 9.5, 15, 25, 38 FPM

• Rollers: 3, synthetic rubber, 2" wide x 4" diameter

· Rotation: forward and reverse

Maximum height of rollers: 7

· Vertical movement: 9"

Horizontal movement: 16

MADE IN AN ISO 9001

RATED FACTORY

 Approximate shipping weight: 107 lbs.



G1093

\$995.00

SALE

\$915⁰⁰ = \$79

MADE IN TAIWAN

G4179

\$895.00

SALE



MADE IN TAIWAN

MADE IN TAIWAN

1 HP POWER FEEDERS

• Motor: 1 HP, 240V, single-phase or 3-phase

Number of speeds: 4

Range of speeds: 13, 26, 33, 66 FPM

• Rollers: 3, synthetic rubber, 21/4" W x 45/8" D

• Rotation: forward & reverse

• Maximum height of rollers: 7"

· Rack & pinion horizontal adjustment

· Vertical movement: 9"

• Horizontal movement: 17"

• Approximate shipping weight: 144 lbs.



Single-Phase

\$995.00

SALE

MADE IN AN ISO 9001

G1135

Single-Phase

\$1425.00

SALE \$135000

G4181 G7873

3-Phase

\$969.00

SALE

\$**895**00

BABY POWER FEEDER

Motor: ½ HP, 120V, single-phase, 1.2A

• Variable speed range: 6.5 - 39 FPM

• Rotation: forward & reverse • Rollers: 3, synthetic rubber,

13/16" wide x 3" diameter

. Maximum height of rollers: 6"

Vertical movement: 10¹/₄"

Horizontal movement: 10¼"

· Approximate shipping weight: 27 lbs.

> MADE IN AN ISO 9001 RATED FACTORY



G4173

\$405.00

SALE

\$375⁰⁰

TRACK FEEDERS WITH 4 SPEEDS

• Motor: 1 HP, 220V, single-phase or 3-phase

• Number of speeds: 4

• Feed speeds: 14.5, 29, 39, 78 FPM

• Number of rollers: 5 • Track size: 44" x ½" x 3 pieces

Track suspension: 3/4"

Minimum workpiece length: 8"

Vertical movement: 9½'

Horizontal movement: 24¹/₄"

 Approximate shipping weight: 150 lbs.

RATED FACTORY

G1168

3-Phase

\$1425.00

SALE \$135000

MADE IN TAIWAN

MADE IN TAIWAN

1/4 HP POWER FEEDER Motor: ¼ HP, 120V, single-phase, 2.5A

Number of speeds: 4

 Range of speeds: 20, 26, 33, 43 FPM Rollers: 3, synthetic rubber, 13/16" wide x 31/8" dia.

· Rotation: Forward & reverse

• Maximum height of rollers: 6"

Vertical movement: 6½"

Horizontal movement: 10'

Approximate shipping weight: 79 lbs.

THIS IS OUR MOST POPULAR FEEDER

MADE IN AN ISO 9001 RATED FACTORY



\$565.00

\$**525**00



See pages 80-81 in our main catalog for more information

G4176





DRILL PRESSES

5-SPEED 8" BABY DRILL PRESS

Perfect for the small shop, this tough little guy won't get in your way when things get cramped. Put it away on the shelf when finished. Fantastic compact solution and great for miniature work!

- Motor: ½ HP, 110V, single-phase, ODP, 2A
- Swing: 8"
- Drill chuck: 1/64"-1/2"
- Drilling capacity: ½" steel
- Spindle travel: 2"
- Speeds: 620, 1100, 1720, 2340, 3100 RPM
- Collar size: 1.570"
- · Precision-ground cast iron table
- Table size: 6½" square
- Table swing: 360°
- Table tilts: 90° left & right
- · Overall height: 23"
- Footprint: 12¹/₂"L x 8"W
- Approximate shipping weight: 43 lbs.

G7942

\$117.95

SALE

\$109⁹⁵

12-SPEED HEAVY-DUTY BENCHTOP **DRILL PRESS**

All the features and dependability of an expensive industrial grade drill press-with a price tag that's astoundingly low.

- Motor: ¾ HP, 110V, single-phase, 9A
- Swing: 14"
- Drill chuck: 1/64"-5/8"
- Drilling capacity: ³/₄" steel
- Spindle taper: MT#2 Spindle travel: 3½"
- Speeds: 140, 260, 320, 380, 480, 540, 980, 1160, 1510, 1650, 2180, 3050 RPM
- Ouill flange/collar dia: 2.595"
- · Precision-ground cast iron table
- Table swing: 360°
- Table tilts: 90° left & right
- Overall height: 38"
- Footprint: 18"L x 11"W
- · Approximate shipping weight: 154 lbs.

G7943

\$335.00

SALE

INCLUDES BUILT-IN

LIGHT (BULB NOT

INCLUDED)



12-SPEED HEAVY-DUTY 14" FLOOR DRILL PRESS WITH LASER AND SPINDLE TRAVEL DRO

- Motor: ¾ HP, 110V, single-phase, 9A
- Swing: 14"
- Drill chuck: 1/64"-5/8"
- Drilling capacity: ¾" mild steel
- Spindle travel: 3¹/₄"
- Spindle taper: MT#2
- Number of speeds: 12 (140, 260, 320, 380, 480, 540, 980, 1160, 1510, 1650, 2180, 3050 RPM)
- Collar size: 2.595"
- Precision-ground cast iron table
- Table size: 11¾" sq.
- Table swing: 360°
- Table tilts: 90° left and right
- T-slot width: 5/8"
- · Overall height: 64"
- Footprint: 18"L x 11"W
- · Approximate shipping weight: 171 lbs.

INCLUDES BUILT-IN LIGHT (BULB NOT INCLUDED)

SALE



\$415⁰⁰ =

12-SPEED 17" FLOOR DRILL PRESS

If you use your drill press commercially and need power and capacity, this is one drill press you should look at seriously. Note the 4³/₄" spindle travel!

- Motor: 1 HP, 110V/220V, single-phase, prewired 110V, 10A/5A
- Swing: 17"
- Drill chuck: 1/64"-5/8"
- Drilling capacity: 1" steel
- Spindle taper: MT#3
- Spindle travel: 4³/₄"
- Speeds: 210, 310, 400, 440, 630, 670, 1260, 1430, 1650, 2050, 2350, 3300 RPM
- Collar size: 3.623"
- · Precision-ground cast iron table
- Table size: 135/8" square
- Table swing: 360°
- Table tilts: 90° left & right
- · Overall height: 70"
- Footprint: 22½"L x 14½"W
- · Approximate shipping weight: 283 lbs.

G7947

\$595.00

SALE

INCLUDES BUILT-IN

LIGHT (BULB NOT

INCLUDED)



12-SPEED 20" FLOOR DRILL PRESS The MT#4 spindle taper, 11/2 HP motor and precision-ground

T-slotted table will handle just about any drilling job.

\$435.00

 Motor: 1½ HP, 110V/220V, single-phase, prewired 110V, 15/7.5A

Swing: 20"

G0794

- Drill chuck: 1/64"-5/8"
- Drilling capacity: 1¼" steel
- Spindle taper: MT#4
- Spindle travel: 4¾"
- 12 Speeds: 210, 310, 400, 440, 630, 670, 1260, 1430, 1650, 2050, 2350, 3300 RPM
- Collar size: 3.623"
- · Precision-ground cast iron table
- Table size: 18¾" x 16¾"
- · Switch & wiring: 110V only • Overall height: 70¾"
- Footprint: 23"L x 18"W
- Approximate shipping weight: 331 lbs.

G7948

\$709.00

SALE



\$675⁰⁰ = \$99 [

VARIABLE-SPEED GEARHEAD **DRILL PRESS** WITH CROSS-SLIDE TABLE

 Motor: 1.5 HP, 220V, 3-phase, 1720 RPM, 5.5A with variable frequency drive for single-phase power

- Swing: 203/4"
- Max. distance spindle-to-table: 17½"
- Max. distance spindle-to-base: 42"
- Table size: 23"L x 7½"W x 1¾"H
- Vertical table travel: 17¾"
 Table swivel: 360°
- Max. head tilt (left/right): 30°/90° • Spindle travel: 41/8" • Spindle taper: R-8
- Spindle speeds: Variable, 0-2500 RPM
- Quill flange/collar dia: 215/16"
- Drilling capacity for mild steel: 1%6" TABLE UP AND DOWN-
- T-slot width: 1/2" (4 on table, 2 on base) A FIRST FOR DRILL
- Overall size: 42"W x 77½"H x 46½"D Footprint: 26"L x 18½"W
- Approximate shipping weight: 739 lb.

G0808 \$3695.00







Fax: 1-800-438-5901 Technical Service: 570-546-9663

WOODWORKING MACHINES

MORTISING MACHINE

- Motor: 3/4 HP, 110V, single-phase, 8A, 3450 RPM, aluminum-finned for years of trouble-free service
- Mortise to the center of an 8" wide board
- Mortise lumber to 73/8" thick
- Max. mortising depth: 41/2"
- Max. chisel travel: 43/4"
- Table size: 6" x 16"
- · Heavy cast iron construction
- Includes 5/8" and 3/4" chisel bushings
- Approximate shipping weight: 92 lbs.

THE HOTTEST SELLING **MORTISING MACHINE ON** THE MARKET

W1671



ONLY



12" X 18" VARIABLE-SPEED WOOD LATHE

- Motor: 3/4 HP, 110V, single-phase, 5.3A
- Swing over bed: 12"
- Swing over tool rest base: 91/2"
- Distance between centers: 16½"
- Speeds: 3, 650-3800 RPM
- Tool rest width: 51/81
- Spindle size: 1" x 8 TPI RH
- Spindle and tailstock taper: MT#2
- · Tailstock travel: 3"
- Includes live center, spur center, 31/4" faceplate, and knockout bar
- Overall dimensions: 383/4" long x 12" deep x 17" high
- Approximate shipping weight: 89 lbs.



DIGITAL SPINDLE

SPEED INDICATOR!

T25920 Bed Extension T27327

\$325.00 \$69.95

SALE

\$160°°

16" SCROLL SAW WITH FLEXIBLE SHAFT GRINDER

 Motor: 1/8 HP, 120V, DC, variable speed: 550 to 1600 SPM (saw); 1650 to 4800 RPM (flex shaft), 1.2A

- Throat size: 16"
- · Tool-less blade changes
- Uses 5" long pin or pin-less blades
- Blade can be turned 90°
- 42" flex shaft with ½" collet chuck
- Adjustable lamp
- 161/4" long x 10" wide cast aluminum table
- Table tilt: 45°
- Dust blower
- Dust port
- Includes set of blades, blade guard, blade adapters, drill bit, flex-shaft rotary tool, and wrenches
- Blade stroke: 3/4"
- Cutting capacity: 2" at 0°; 25/32" at 45°
- Approximate shipping weight: 31 lbs.


G0735

\$195.00

SALE

\$169⁹⁵

16" VARIABLE-SPEED SCROLL SAW



SPECIFICATIONS:

- Motor: ½ HP, 120V, singlephase, 1.2A, 60Hz
- Variable speed motor
- No load speed: 550–1650 SPM
- · Max. cutting thickness: 2"
- · Max. cutting width: 16"
- Blade stroke: ¾"
- CSA certified
- Approximate shipping weight: 38 lbs.



USES PLAIN OR PIN-TYPE BLADES

W1713 ONLY

18" X 47" WOOD LATHE

Need a solid cast iron lathe with big capacity? Well, look no further because this 18" x 47" Wood Lathe has it all! You'll appreciate the built-in shelf brackets, variable-speed spindle control, digital speed indicator, forward/reverse switch, and convenient utility basket. Single-phase variable-frequency-drive (VFD) technology provides electronic variable-speed control without 3-phase power. All you need is standard 220 volt, single-phase power to be up and running in no time. You'll be amazed by all the quality and innovative features this lathe has to offer!

- Motor: 2 HP, 220V, 5.3A, single-phase VFD
- Power requirement: 220V. single-phase, 15A
- Swing over bed: 18"
- · Swing over tool rest base: 14"
- Swing over tool rest: 13¾¹
- Distance between centers: 47"
- · Heavy-duty cast iron bed and legs ensure stability and minimal vibration
- 1¼" x 8 TPI RH headstock spindle
- Variable-speed spindle control with digital readout
- high: 330-3200 RPM, low: 100-1200 RPM
- MT#2 spindle & tailstock tapers
- Spindle bore: 0.393"
- Tool rest post diameter: 25mm
- Overall dimensions: 80¾" W x 191/16" D x 481/16" H
- Footprint: 651/2" L x 20"W
- · Approx. shipping weight: 550 lbs.





\$1725.00

SALE \$165000



SANDERS

OSCILLATING EDGE BELT AND SPINDLE SANDER

This benchtop Oscillating Edge Belt and Spindle Sander easily converts from a spindle drum sander to a 4" x 24" edge belt sander for a variety of sanding applications. Features include a tilting table and on-board storage for drums, table inserts, and edge sander.

• Motor: ½ HP, 120V, 3.5A • Table tilt: 0-45°

• 5 sanding drums: ½", ¾", 1", 1½", 2" • Sanding belt speed: 1575 FPM

• Spindle speed: 2000 RPM

• Spindle oscillation: 5/8", 58 oscillations per minute

• Sanding belt size: 4" x 24"

• Includes 80-grit hard sleeves and sanding belt

Approximate shipping weight: 32 lbs.

MADE IN AN ISO 9001 RATED FACTORY

SALE

1" X 30" BELT/5" DISC SANDER

This combination benchtop sander is ideal for sanding intricate parts, contour sanding and dry sharpening. Both the belt and disc sanding tables tilt 45° for added versatility and the removable belt platen and idler roller guard make contour sanding a breeze.

Motor: ½ HP, 110V, single-phase, 3450 RPM, 2.5A

Tables tilt: 45°

• Belt sander table size: 51/8" x 51/8"

Disc sander table size: 4" x 75/16"

• Platen size: 1" x 3"

Tracking adjustment

Direct drive

Two dust ports: 1³/₄", 1¹³/₁₆"

• Takes standard 1" x 30" belts & 5" PSA discs

Approximate shipping weight: 21 lbs.

H6070

\$109.95

SALE



COMBINATION 2" BELT/6" DISC SANDER

\$219.95

This Combination Sander is the ideal machine for any finishing and sharpening task. The 2" x 27" belt sander has a 5" L platen and the disc sander features a fully adjustable cast iron table with miter gauge. An adjustable work light also makes sanding to the line a breeze.

Motor: ½ HP, 110V, single-phase, 3450 RPM, 2.6A

- Belt size: 2" x 27
- Disc size: 6"

T27417

- Two 1½" dust ports
- · Fully-adjustable work light
- Includes one 80-grit belt and disc, miter gauge, and sliding tray
- Approximate shipping weight: 31 lbs.

H7761

\$125.00

SALE

\$9995

BENCHTOP OSCILLATING SPINDLE SANDER

This benchtop Oscillating Spindle Sander is great for smoothing curved edges, especially when space is limited. With its large table surface and six different sanding drum diameters stowed neatly under the table, the right sanding drum is a quick change away.

- Motor: ½ HP, 110V, single-phase, 4A, 60 Hz
- 1725 RPM spindle speed (no load)
- ON/OFF safety paddle switch with locking tab
- Extra large 20" x 14" table
- Spindle oscillates at 72 SPM
- 2½" dust port
- Includes six 4½" tall sanding drums, three 80-grit sleeves (½", 1" and 2"), three 150-grit sleeves $(\frac{3}{4}$ ", $1\frac{1}{2}$ " and 3") and 6 table inserts
- Approximate shipping weight: 36 lbs.

G0538

\$164.95

SALE

\$149⁹⁵

OSCILLATING SPINDLE SANDER

- Motor: ½ HP, 120V, single-phase, 3.5A, 60Hz
- 58 oscillations per minute • Spindle speed: 2000 RPM
- Spindle diameter: ½"
- 1½" dust port
- CSA certified
- Includes: 5 rubber sanding drums: 3/4", 1", 11/2", 2", 3" 6 sanding sleeves: ½", ¾", 1", 1½", 2", 3"

6 table inserts: ½", ¾", 1", 1½", 2", 3" 3 spindle washers: 5/8", 7/8", 13/4"

Wrench

G0739

\$150.00

SALE

\$134⁹⁵

1" X 42" BELT/8" DISC SANDER

A perfect match to your bandsaw or scroll saw, this combination Belt/Disc Sander will shape and smooth right to the line. A 1/3 HP, capacitor start induction motor powers the 1" x 42" belt and 8" disc through any sanding chore and the cast iron tilting tables give you the flexibility you demand. Includes single knob tracking and two 2" dust ports. Approximate shipping weight is 64 lbs.



H8192

\$225.00

SALE

\$205⁰⁰

BENCHTOP OSCILLATING SPINDLE SANDER

If you're looking for a Benchtop Oscillating Spindle Sander with a cast iron table, a variety of drum sizes, and a slower oscillating speed for perfect finishes, this is the sander for you!

- Motor: 1/4 HP, 120V, single-phase, 2.6A, 60 Hz
- 1725 RPM spindle speed (no load)
- ON/OFF safety paddle switch with locking tab
- 18" diameter cast iron table • 1" spindle stroke • Spindle oscillates at 30 SPM
- 2" dust port • Includes six 100-grit 4½" tall sanding sleeves: 1/2", 3/4", 1", 11/2", 2", and 3" dia, 5 spindle washers
- and 5 table inserts Approximate shipping weight: 56 lbs.

G0723

\$205.00

SALE



12" DISC SANDER WITH BUILT-IN BRAKE

MADE IN TAIWAN

The 12" cast iron wheel uses PSA sanding discs, while the cast iron table has full tilting capability to 45° and includes two-axis miter gauge support. A state-of-the-art motor brake stops the disc from spinning when power is switched off for added safety.

- Motor: 1 HP, 120V, single-phase, 1720 RPM, 9.5A, capacitor start with brake
- Table size: 15½" x 15"
- Base size: 161/2" L x 161/2" wide
- Sanding disc size: 12"
- · Power transfer: Direct • Table tilt: 15° L and 45° R
- Approximate shipping weight: 92 lbs.

\$415.00 SALE













G0702







SANDERS

10" DRUM SANDER

- Motor 1½ HP, 110V, single-phase (aluminum motor), 10.5A
- Conveyor belt drive motor: 1/10 HP
- Maximum sanding width: 9½"
- Maximum workpiece height: 3"
- Minimum workpiece height: 1/4"
- Drum speed: 2300 FPM
- Drum size: 51/8" x 10"
- Feed speed: 1-10 FPM
- Dust port diameter: 4"
- Approximate shipping weight: 220 lbs.



12" BABY DRUM SANDER

- Sanding motor: 11/2 HP, 115V, single-phase • Conveyor motor: 1/8 HP, 115V, single-phase,
- variable speed 5-55 RPM
- Drum surface speed: 2127 FPM
- · Maximum board dimensions: 12" wide x 3½" thick
- Minimum board length: 8'
- Sanding drum size: 4"
- Sanding belt size: 3" hook and loop
- Dust collection port: 2½"
- Footprint: 221/4"L x 12"W • Approximate shipping weight: 166 lbs.



G0459

\$695.00

SALE

MADE IN TAIWAN

G0716 \$435.00

- Motor: 1 HP, 120V/240V, single-phase, TEFC
- Cast iron 25" x 25" table tilts to 45° left, 15° right

OSCILLATING SPINDLE SANDER

- Ten spindle sizes: ¼", ¾", ½", ½", 5%", ¾", 1", 11/2", 2", 3", 4"
- Floor-to-table height: 351/2"
- 1725 RPM spindle speed
- · Includes formed and welded steel stand
- Spindle oscillates at 72 strokes-per-minute
- Stroke length: 1½"
- Built-in 4" dust collection port
- · Approximate shipping weight: 296 lbs.

Mini SHOP FOX® Mobile Base **D2260A** \$62.95

G1071

\$789.00 SALE



15" DISC SANDER WITH STAND

- Motor: 1½ HP, 220V, 1725 RPM, single-phase, 12A
- Disc size: 15"
- Table size: 12" deep x 20" wide
 Table tilt: 15° L and 45° R
- Floor-to-table height: 37"
- 15" Cast iron sanding disc Large storage cabinet
- Cast iron table with X and Y miter slots
- Miter gauge
- Built-in motor brake for quick stops
- Dust port: 2½"
- Footprint: 20½"L x 26"W
- Approximate shipping weight: 221 lbs.

G0719

\$895.00

SALE





18" OPEN END DRUM SANDER

- Sanding motor: 1½ HP. 110V. single-phase, 15A • Drum surface speed: 4000 FPM
- Conveyor feed rate: variable, 2–12 FPM Maximum stock dimensions:
- 36" wide x 41/2" thick Minimum board length: 6"
- Minimum board thickness: 1/8"
- Sanding drum size: 4'
- Dust collection port: 21/2"



20" HEAVY-DUTY DISC SANDER • Motor: 2 HP. 220V. single-phase, 9.5A

- Disc size: 20"
- Table size: 12" deep x 25½6" wide Table tilt: 45° right
- Floor-to-table height: 36"
- Footprint: 26½" x 19"
- 4" Dust port Built-in motor brake for quick stops
- Overall size: 25" wide x 28½" deep x 51¼" high
- Footprint: 26¹/₂"L x 19"W
- Approximate shipping weight: 434 lbs.

MADE IN AN ISO 9001 RATED FACTORY

G0775

\$1395.00

SALE

MADE IN TAIWAN





24" DRUM SANDER

- Motor: 5 HP, 220V, single-phase drum motor drives 2 aluminum sanding drums
- Drum surface speed: 2300 FPM
- Handles stock up to 23½" wide and 4¼" thick
- ¼ HP Conveyor motor provides 11 FPM feed rate
- · Sandpaper installs easily onto the drums
- Sanding drum size: 6"
- · All steel and ball bearing construction
- . Two 4" dust ports for easy hook-up to a collection system
- · State-of-the-art computer-balanced drums

\$1725.00

· Powder-coated finish

G1066R

- Footprint: 34¹/₂"L x 24"W
- Approximate shipping weight: 442 lbs.



\$**855**00

\$159500 = \$99 T **SALE**



24" WIDE-BELT SANDER

- Sanding belt motor: 10 HP, 230V
- Feed motor: 1 HP
- Table elevation motor: 1/4 HP
- Sanding belt: 25" x 60"
- Drum speed: 2565 FPM
- Conveyor speed: Variable 15–49 FPM
- Maximum board dimensions: 24" W x 6" H • Minimum board dimensions: 14" L x 1/8" H
- Footprint: 39³/₈"L x 19⁵/₁₆"W
- Approximate shipping weight: 1573 lbs.

MADE IN TAIWAN

MADE IN AN ISO 9001 RATED FACTORY



SALE

\$799500 = \$275 shipping







G0582





\$8195.00





D2260A

SHOP FOX® MOBILE BASES

MINI MOBILE BASE

The newest addition to the family of mobile bases. Don't let the little size of this one fool you. It shares the same design concepts as its two bigger brothers, giving you an amazing 600 lb. capacity in a small package. Adjusts from 10½" x 14½" to 17½" x 21½". Weighs 32 lbs.

NEW, IMPROVED CASTERS & DESIGN WITH INFINITE ADJUSTABILITY WITHIN ITS RANGE!

Bandsaws-Meat	H6246	Mill/Drill	G0517
	G0560	Mortising Machine	G0448
Drill Presses	G0491	Sanders	G1014ZX
	G7944		G1071
	G7946		W1676
Edge Sanders	G0574	Shapers	G0510Z
-	G1140		G1035 Series
Jointers	G0526		
	G1182 Series		

\$62.95

SALE

THE D2260A MINI SHOP FOX® MOBILE BASE FITS THE FOLLOWING GRIZZLY® MACHINES AND MANY OTHERS

EXTENSION BARS FOR SUPER PATENTED **HEAVY-DUTY MOBILE BASE**

These 36" extension bars replace the standard length side rails on the D2260A, D2057A and D2058A Mobile Bases. This allows each base to be



D2246A

PATENTED

\$39.95

SALE

\$35⁹⁵

HEAVY-DUTY MOBILE BASE

This patented base is the most stable on the market with outrigger type supports. Adjusts from 20" x 20" to 29½" x 29½". 700 lb. capacity. Weighs 34 lbs.

THE D2057A HEAVY-DUTY SHOP FOX® MOBILE BASE FITS THE FOLLOWING GRIZZLY® MACHINES AND MANY OTHERS.

D2057A	\$7	4.95 SA	LE \$	59^{95}
	G7948		G0550 G0551	
	G7947	Planer	W1812	
DIII 1 103303	G0520	Parts Washer	G4013	
Drill Presses	G0482	Overarm Router	G8030	
Boring Machine	G4185		G3358	Table (
	G1148		G1126	Table :
	G1019		G1007	Silupe
	G0580	Willia Dillis	G1006	Shape
	G0570	Mill/Drills	G0519	
wood	G0555 Series		G1018 Series	
Wood	G0513 Series		G0593	
Bandsaws—	G0457		G0586	Sande
Metal Cutting	G8144Z G8145Z	Jointers	G0500 G0543	Camada
Bandsaws—	G0621X	Edge Sander	G0563	
	000011/		00500	

G1021 Series G1037Z G0518 Sanders G0529 G0565 G1014Z G9922 Shapers G1026 W1674 **Table Saws** G0444 Series G0478 G0575 G0576 G1023 Series


\$**54**95

IMPROVED CASTERS & DESIGN WITH INFINITE ADJUSTABILITY WITHIN ITS RANGE!

PATENTED

UNIVERSAL MOBILE BASE

- · Customize to fit any size machine base with your own cut-to-size plywood
- Sturdy corner brackets attach with included hardware
- · Kick-stand casters provide easy mobility
- Adjustable feet provide stability during stationary machine use
- Includes two fixed caster brackets & two swivel caster brackets
- Dimensions: Min. 12" x 12", Max. 36" x 36"
- 600 lb. capacity



D3757

\$75.00

SALE

\$69⁹⁵

SUPER HEAVY-DUTY MOBILE BASE

This is the strongest mobile base on the market. Made for machines that weigh up to 1300 lbs., this base is extremely stable with outrigger type supports. Adjusts from 181/2 x 24½" to 28½" x 33½". Weighs 39 lbs.

THE D2058A SUPER HEAVY-DUTY SHOP FOX® MOBILE BASE FITS THE FOLLOWING GRIZZLY® MACHINES AND MANY OTHERS.

> IMPROVED DESIGN WITH CAST IRON WHEELS AND INFINITE ADJUSTABILITY WITHIN ITS RANGE!

Bandsaws—	G0613	Planers	W1683		G5913Z
Metal Cutting	G8146		G0544		G8621
Bandsaws—Wood	G1073 Series		W1718		G8622
Drill Press	G9747		G1033 Series	Table Saws	G5959 Series
Edge Sander	G0564		G5850Z		G7209
Jointer	G4178		G5851Z		G7210
Mill/Drills	G3102		G7213Z		G9957
	G3103	Shapers	G5912Z		
		•			
			ė.	0.405	

\$**84**95 D2058A \$94.95 SALE

EXTENSION KIT FOR MOBILE BASES

This kit easily bolts on to Models D2057A or D2058A to provide support for an extension table or similar device. Allows the whole machine and extension to move as one unit. Adjustable for length (up to 45¾") as well as front to back. Very versatile!

NOW FITS ALL "A" VERSION SHOP FOX® MOBILE BASES!



D2259A

\$73.95

SALE

\$**59**⁹⁵



DUST COLLECTORS

INDUSTRIAL DUST COLLECTION FITTINGS

Our starter kits include everything you will need for a simple, single machine set up at one low price. The branch and end cap make your dust collection system expansion ready for future growth. The machine addition kit will allow you to expand as your shop gets bigger. Choose from 4, 5, or 6 inch diameters for either kit. The big advantage of these metal fittings lies in their design flexibility—they can be unclamped and reconfigured in a new shop layout. That means these can last a lifetime!


STARTER KITS

INCLUDES:

- Two machine adapters
- Ten pipe clamps
- Three 5' pipes
- One "Y" branch
- Three pipe hangers
- One end cap
- Three adjustable nipples
- One 90° elbow
- One 60° ebow









MODEL	SIZE	REG.	SALE
H5293	4"	\$595.00	\$ 469 95
H5295	5"	\$668.00	\$ 499 95
H5297	6"	\$720.00	\$ 525 00

DUST COLLECTION KIT #1 Designed for a one machine hook-up, Kit #1 comes

complete with installation instructions and an


accessories list for expanding your dust collection

MACHINE ADDITION KITS

INCLUDES:

- Two blast gates
- · One machine adapter
- Ten pipe clamps
- Two pipe hangers
- Two 5' pipes
- Two adjustable nipples
- One "Y" branch
- One 60° Elbow







MODEL	SIZE	REG.	SALE
H5294	4"	\$538.00	$\$419^{95}$
H5296	5"	\$596.00	\$ 449 ⁹⁵
H5298	6"	\$651.00	\$495 ⁰⁰

DUST COLLECTION KIT #2

Designed for two machine hook-ups, Kit #2 comes complete with installation instructions and an accessories list for future expansion of your dust collection system.




ACCESSORIES INCLUDED:

system in the future.

- (1) D4216 4" ID x 10' Hose
- (1) W1010 Universal Dust Hood 4" OD
- (2) W1317 Wire Hose Clamps

SALE \$1995 W1054 \$22.95



- (1) W1004 Table Saw Dust Hood 4" OD
- (1) W1010 Universal Dust Hood 4" OD
- (1) W1015 Y-Fitting 4" x 4" x 4" OD

• (10) W1317 Wire Hose Clamps

W1055



CLEAR HOSE

Spiral reinforced Clear Hose allows easy inspection for locating potential clogs in your duct work.





MODEL	SIZE	REG.	SALE
D4200	3" ID x 6"	\$ 1.9 5	\$1 ²⁵
D4201	4" ID x 6"	\$ 1.9 5	\$1 ²⁵
D4202	2" ID x 10'	\$14.75	$^{\$}12^{95}$
D4203	2% ' ID x 10'	\$16.75	$^{\$}14^{95}$
D4204	3" ID x 10'	\$18.95	\$16 ⁹⁵
D4205	3'' ID x $20'$	\$34.95	\$ 24 ²⁵
D4206	4" ID x 10'	\$20.95	\$1 7 ⁹⁵
D4207	4" ID x 20'	\$37.95	\$ 33 95
D4208	5" ID x 10'	\$ 29.5 0	$^{\$}25^{95}$

FLEXIBLE HOSE

We carry hose diameters for many different applications. Our amazing new hose retracts to 1/3 its full length, with increased puncture resistance and superior performance. No longer will you need to deal with, or navigate around, excess hose.



MODEL	SIZE	REG.	SALE
D4209	3" ID x 6"	\$1.95	\$1 ²⁵
D4210	4" ID x 6"	\$1.95	\$1 ²⁵
D4211	2" ID x 10'	\$11.50	\$ 9 95
D4212	2½" ID x 10'	\$12.50	\$10 ⁹⁵
D4213	3" ID x 10'	\$14.75	\$12 ⁹⁵
D4214	3'' ID x $20'$	\$29.95	\$14 ⁷⁵
D4215	3" ID x 50'	\$62.95	\$ 55 95
D4216	4" ID x 10'	\$1 6.7 5	$^{\$}14^{95}$
D4217	4" ID x 20'	\$34.95	\$ 29 ⁹⁵
D4218	5" ID x 10'	\$23.25	$^{\$}19^{95}$

DUST COLLECTORS

1 HP WALL HANGING **DUST COLLECTOR**

 Motor size: 1 HP, 120V/240V, single-phase, prewired 120V

Amps: 7A at 120V, 3.5A at 240V

Intake hole size: 4"

• Bag size (diameter x depth): 131/2" x 24"

• Impeller: 10" balanced cast aluminum

Airflow capacity: 537 CFM

• Maximum static pressure: 7.2"

· Filter rating: 30 micron

Approximate shipping weight: 52 lbs.

\$179.95

SALE

MADE IN TAIWAN

SPECIAL

WALL-MOUNT

DESIGN!

^{\$}149⁹⁵

\$1**59**⁹⁵ Hose not included

Grizzig

G1163P

\$195.00

SALE

\$175⁰⁰

SERIES.

MADE IN TAIWAN

MADE IN

AN ISO 9001 RATED

FACTORY

Canister Filter Upgrade — 1 Micron Filter Rating T10877

\$167.95

SALE

1 HP DUST COLLECTOR

Motor: 1 HP, 110V, single-phase

Motor amp draw: 8A

Number of 4" intake holes: 1

Portable base size: 15" x 25½'

Height with bags inflated: 63"

Bag size (dia. x depth): 14½" x 23" (2)

Impeller: 9" balanced steel, radial fin

Air suction capacity: 500 CFM

Maximum static pressure: 2.76"

Filter rating: 30 micron

Approximate shipping weight: 67 lbs.

G8027

\$199.95

SALE

\$175⁰⁰

FREE!

2-Stage Cylone Separator

W1049-a \$34.25 value

11/2 HP DUST COLLECTOR

1 HP DUST COLLECTOR

Impeller: 10" balanced cast aluminum

Bag size (dia. x depth): 13½" x 24"

Approximate shipping weight: 50 lbs.

Height with bags inflated: 19½"

Air suction capacity: 537 CFM

Bag capacity: 1.5 cubic feet

Portable base size: 14" x 14"

Filter rating: 30 micron

Static pressure: 7.2"

Intake hole size: 4"

Motor: 1 HP, 120V/240V, prewired 120V, 7A/3.5A

Motor: 11/2 HP, 120V/240V, single-phase, 3450 RPM

Motor amp draw: 12A/6A

Air suction capacity: 1300 CFM

Maximum static pressure: 9"

Standard bag filtration: 2.5 microns

6" inlet "Y" with two 4" openings

Impeller: 12¾" cast aluminum, radial fin

Portable base size: 211/4" x 331/2"

Bag volume: 5.7 cubic feet

Height (with bags inflated): 78"

Bag size (diameter x depth): 191/2" x 33" (2)

Approximate shipping weight: 118 lbs.

lirizziy MADE IN TAIWAN MADE IN AN ISO 9001 RATED **FACTORY**

G1028Z2

\$395.00

\$325⁰⁰

2 HP DUST COLLECTOR WITH 2.5 MICRON BAG

Motor: 2 HP, 240V, single-phase, 3450 RPM, 9A
6" inlet with removable "Y" fitting with

(2) 4" openings

• Impeller: 12¾" aluminum

Portable base size: 21½" x 33½"

Bag volume: 5.7 cubic feet

· Height (with bags inflated): 78'

• Bag size: 19½" x 33" (2)

Air suction capacity: 1550 CFM (Review

Maximum static pressure: 11"

· Standard bag filtration: 2.5 Micron

 Approximate shipping weight: 122 lbs.

G1029Z2P

MADE IN AN ISO

9001 RATED

FACTORY









Erizzig

1 HP CANISTER **DUST COLLECTOR**

Motor: 1 HP, 120V/240V, single-phase, prewired 120V

Motor amp draw: 9A/4.5A

Air suction capacity: 800 CFM

Maximum static pressure: 3.3"

Filter rating: 1 micron

Lower bag capacity: 2.1 cubic feet

Number of 4" intake holes: 1

• Impeller: 10", balanced steel, radial fin

Portable base size: 15½" x 26"

Lower bag size: 14½" x 22"

Overall height: 59"

· Approximate shipping weight: 74 lbs.



SERIES.



\$350.00

SALE

ONLY

G0583Z

\$365.00

SALE



2 HP DUST COLLECTOR

Motor: 2 HP, 220V, single-phase, 3450 RPM, 12A

Airflow capacity: 1550 CFM

Maximum static pressure: 12.3"

• 6" inlet has removable "Y" fitting with two 4" openings

· Impeller: 12" balanced steel, radial fin

• Bag capacity: 5.4 cubic feet

• Standard bag filtration: 2.5 micron

• Portable base size: 21½" x 33½"

• Bag size (dia. x depth): 19" x 33" (2) · Powder-coated finish

· Height with bags inflated: 78"

· Approximate shipping weight: 108 lbs.



2 HP PORTABLE DUST COLLECTOR

· Motor: 2 HP, 240V, single-phase, 9A

· Air suction capacity: 1360 CFM

• 6" Inlet and "Y" with two 4" openings

 Portable base size: 27½" x 47½" Impeller: 12¾" cast aluminum

Upper bag size (dia. x depth): 19½" x 47½"

Lower bag size (dia. x depth): 19½" x 40½'

Height with bags inflated: 94½"

Filter rating: 2.5 micron

· Approximate shipping weight: 137 lbs.

G0786 \$385.00



Fax: 1-800-438-5901 Technical Service: 570-546-9663

W1666

DUST COLLECTORS

Brixxig

3 HP DUST COLLECTOR



- Motor: 3 HP, 240V, single-phase, 3450 RPM, 12A
- Air suction capacity: 2300 CFM
- Maximum static pressure: 16.7"
- Impeller: 12¾" aluminum radial fin
- 7" inlet with removable "Y" fitting with three 4" openings
- Portable base size: 21½" x 49½"
- Bag volume: 11.4 cubic feet
- Height (with bags inflated): 78"
- Bag size (diameter x depth): 191/2" x 33" (4)
- Standard bag filtration: 2.5 Micron
- Approximate shipping weight: 170 lbs.







RATED FACTORY

brizzia







- · Motor: 2 HP, 240V, single-phase, 9A
- Impeller: 12¾" aluminum
- · Air suction capacity: 1700 CFM
- Maximum static pressure: 10"
- Filter rating: 1 micron
- 6" inlet has removable "Y" fitting with three 4" inlets
- Canister filter size (dia. x depth): 195/8" x 235/8"
- Bag capacity: 4.5 cubic feet
- Overall dimensions:
- 37%" long x 31½" wide x 71" high
- Approximate shipping weight: 150 lbs.





MADE IN TAIWAN

MADE IN AN ISO 9001 RATED FACTORY

G0548ZP





G1030Z2P

\$449.95


SALE

\$459.00

SALE



3 HP DUST COLLECTOR



- Impeller: 12³/₄" aluminum radial fin Air suction capacity: 2320 CFM
- Maximum static pressure: 16.9"
- · Filter rating: 1 micron
- · Sound rating: 87 dB
- · 7" inlet has removable "Y" fitting with three 4" inlets
- Canister filter size (dia. x depth): 195/8" x 235/8" (x 2)
- Bag capacity: 9 cubic feet
- Overall dimensions:
- 57%" long x 32" wide x 71" high
- Approximate shipping weight: 214 lbs.



G0562ZP

\$925.00

SALE

Brissh

MADE IN TAIWAN

\$**725**00 =





ULTRA-QUIET CYCLONE New! **DUST COLLECTOR**

- Motor: 1.5 HP, 110V/220V*, single-phase, TEFC, prewired 110V
- · Airflow capacity: 880 CFM at 1.9" SP
- Maximum static pressure: 9"
- Filtration: 99.9% at 0.2–2 microns • Intake port: 6"
- · Cartridge filter surface area: 48 sq. ft.
- Sound rating: 70-72 dB
- Overall size: 44" W x 34" D x 72½" H • Approximate shipping weight: 210 lbs.

*220V operation requires part #P0703P088 and wiring procedures that must be completed by an electrician or other qualified service personnel. See Owner's Manual for details.

G0777

\$1225.00





4 HP DUST COLLECTOR

- Motor: 4 HP, 220V, single-phase
- · Air suction capacity: 3552 CFM
- Static pressure: 13.5"
- Intake port with manifold: 4 x 4"
- Intake port without manifold: 10"
- Impeller: 141/2" balanced steel, radial fin
- Switch type: Magnetic
- Bag size (diameter x depth): 235/8" x 471/4"
- · Collection capacity: 24 cubic feet
- Standard bag filtration: 2.5 micron
- Height with bag inflated: 101½"
- Approximate shipping weight: 306 lbs.
- Optional Bag Replacement: T23373 Upper Bag; T23374 Lower Bag

MADE IN AN ISO 9001 RATED FACTORY

G0671

MADE IN TAIWAN

\$1075.00



10 HP INDUSTRIAL DUST COLLECTOR

- Motor: 10 HP. 220V/440V*, 3-phase, TEFC
- Amps: 30A at 220V, 15A at 440V
- Airflow capacity: 5360 CFM
- Maximum static pressure: 17.9"
- Intake port with manifold: 4" x 5 Holes Intake port without manifold: 10"
- Impeller: 17" balanced steel, radial fin
- Upper bag size (x 4): 235%" x 70"
- Lower bag size (x 4): 235/8" x 54"
- · Collection bag capacity: 48 cubic feet
- Bag filtration: 2.5 micron
- · Collection bags: 8
- Overall dimensions: 61" W x 134"
- Approximate shipping weight: 472 lbs.

MADE IN AN ISO 9001 RATED FACTORY



*To maintain machine warranty, 460V operation requires additional conversion time and a \$250 fee. Please contact technical service for complete information before ordering.

G0673

1.800.523.4777

\$1889.00

SALE

\$1795⁰⁰ = \$150





HEPA CYCLONES

11/2 HP DUAL-FILTRATION HEPA CYCLONE DUST COLLECTOR

The same unit as our G0703, but pre-equipped with the upgraded dual-filtration HEPA filter system. Features a primary filter efficiency of 99.9% at 0.2-2 microns, and a secondary HEPA filter efficiency of 99.97% at 0.3 microns in size. Approximate shipping weight is 223 lbs.

- Motor: 1½ HP, 110V/220V*, single-phase, TEFC, 3450 RPM, prewired 110V • Amps: 18.8A @ 110V, 9.4A @ 220V
- Airflow capacity: 775 CFM at 1.8" SP
- Intake port: 6" with included 5" optional port
- Impeller: 13½" steel radial fin
- · Cartridge filter surface area: 48 square feet
- Overall dimensions: 48½" W x 23" D x 69½" H
- Approximate shipping weight: 223 lbs.

*220V Operation: 220V operation requires installation of a 220V conversion kit. For your own safety, all wiring procedures MUST be completed by an electrician or other qualified service personnel. See Owner's Manual for details.

G0703HEP

\$1225.00

SALE

\$1150⁰⁰



MADE IN TAIWAN

MADE IN AN ISO 9001

RATED FACTORY



11/2 HP DUAL-FILTRATION HEPA CYCLONE DUST COLLECTOR

The same unit as our G0443, but pre-equipped with the upgraded dual-filtration HEPA filter system. Features a primary filter efficiency of 99.9% at 0.2–2 microns and a secondary HEPA filter efficiency of 99.97% at 0.3 microns in size. Approximate shipping weight is 401 lbs.

- Motor: 1½ HP, 110V/220V, single-phase, TEFC Class "F", 3450 RPM, 60 Hz, 18.8A/9.4A, prewired 110V
- Switch: Remote controlled magnetic
- Intake hole size: 6"
- · Bag material: Plastic
- Impeller: 12½" steel radial fin
- Airflow capacity: 1025 CFM @ 2.6" SP
- Max. static pressure (inches of water): 10.3"
- Filter surface area: 96 sq. ft.
- Collection drum: Steel, 35 gallons
- Overall size: 54½" W x 33" D x 87½" H
- · Included remote control magnetic switch
- · Body: 14-gauge steel
- · Blower Housing: 11-gauge steel
- · Approximate shipping weight: 401 lbs.

G0443HEP \$1725.00

220V Conversion Kit

H7498

SALE

\$1625⁰⁰



\$96⁹⁵

MADE IN TAIWAN

STAND INCLUDED!



2 HP DUAL-FILTRATION HEPA CYCLONE DUST COLLECTOR

ONLY

The same unit as our G0440, but pre-equipped with the upgraded dual-filtration HEPA filter system. Features a primary filter efficiency of 99.9% at 0.2-2 microns, and a secondary HEPA filter efficiency of 99.97% at 0.3 microns. Approximate shipping weight is 476 lbs.

- · Motor: 2 HP, 220V, single-phase, TEFC Class "F", 3450 RPM, 14A
- · Remote-controlled magnetic switch
- . Intake hole size: 7'
- Impeller: 141/2" steel radial fin
- Airflow capacity: 1354 CFM @ 2.5" SP
- Maximum static pressure (inches of water): 10.4"
- Primary filter: 99.9% at 0.2-2 microns
- Secondary filter: HEPA rated 99.97% at 0.3 microns
- Filter surface area: 96 sq. ft.
- Collection drum: Steel, 35 gallons
- Overall dimensions: 55½" W x 33" D x 92" H
- Approximate shipping weight: 476 lbs.





STAND INCLUDED!









\$1829.00

SALE \$172500















HEPA CYCLONES

MADE IN TAIWAN

STAND INCLUDED!

3 HP DUAL-FILTRATION HEPA CYCLONE DUST COLLECTOR

The same unit as our G0441, but pre-equipped with the upgraded dual-filtration HEPA filter system. Features a primary filter efficiency of 99.9% at 0.2-2 microns, and a secondary HEPA filter efficiency of 99.97% at 0.3 microns. Approximate shipping weight is 578 lbs.

- Motor: 3 HP, 220V, single-phase, TEFC Class "F", 22A
- · Remote-controlled magnetic switch
- Intake hole size: 8"
- Bag material: Plastic
- Impeller size: 15½" steel, riveted
- Airflow capacity: 1654 CFM @ 2" SP
- Maximum static pressure (inches of water): 14.2"
- Primary filter: 99.9% at 0.2-2 microns
- Secondary filter: HEPA rated 99.97% at 0.3 microns
- Filter surface area: 113 sq. ft.
- Collection drum: Steel, 55 gallons
- Base construction: Pre-formed steel
- Overall dimensions: 60¾" W x 33" D x 107½" H
- Approximate shipping weight: 578 lbs.

G0441HEP

\$2195.00

SALE

\$2050°



5 HP DUAL-FILTRATION HEPA CYCLONE DUST COLLECTORS

The same units as our G0442 and G0601, but pre-equipped with the upgraded dual-filtration HEPA filter system. Each system features a primary filter efficiency of 99.9% at 0.2–2 microns, and a secondary HEPA filter efficiency of 99.97% at 0.3 microns. Approximate shipping weight is 826 lbs.

- G0442HEP Motor: 5 HP, 220V, single-phase, TEFC Class "F",
 Maximum static pressure: 14" 3450 RPM, 60 Hz, 22.4A
- G0601HEP Motor: 5 HP, 220V/440V*, 3-phase, TEFC Class "F", 3450 RPM, 60 Hz, 13.7A/6.9A
- Remote-controlled magnetic switch
- . Intake hole size: 10"
- Bag material: Plastic
- Impeller: 16" steel radial fin
- Airflow capacity: 2184 CFM @ 1.9" SP

- Primary filter: 99.9% at 0.2-2 microns
- · Secondary filter: HEPA rated 99.97% at 0.3 microns
- · Filter surface area: 226 sq. ft.
- Collection drum: Steel, 55 gallons
- Overall dimensions: 80½" W x 51" D x 111¼" H
- Approximate shipping weight: 826 lbs.



MADE IN TAIWAN



Single-Phase

3-Phase **G0601HEP**

G0442HEP

\$3725.00

\$3725.00

SALE





*To maintain machine warranty, 440V operation requires additional conversion time and a \$250 fee. Please contact technical service for complete information before ordering.

10 HP 3-PHASE DUAL-FILTRATION HEPA CYCLONE DUST COLLECTOR

The same unit as our G0638 but pre-equipped with the upgraded dual-filtration HEPA filter system with a primary filter efficiency of 99.9% at 0.2-2 microns and a secondary HEPA filter efficiency of 99.97% at 0.3 microns. Approximately shipping weight is 1555 lbs.

- Motor: 10 HP, 220V/440V*, 3-phase, TEFC Class "F", 30A/15A
- Intake hole size: 12"
- Impeller: 18½" steel radial fin
- Airflow capacity: 4029 CFM @ 4.3" SP
- Maximum static pressure (inches of water): 16.8"
- Sound level: 82–85 dB
- Primary filter: 99.9% at 0.2-2 microns
- · Secondary filter: HEPA rated 99.97% at 0.3 microns
- Filter surface area: 398 sq. ft.
- Collection drums: Steel, 55 gallon x 2
- Overall dimensions: 96½" W x 52½" D x 139½" H


- · Stand: 13-gauge steel
- Cyclone body: 16-gauge steel
- Blower housing: 11-gauge steel
- Approximate shipping weight: 1555 lbs.



HEAVY-DUTY STAND INCLUDED!

\$5595⁰⁰ G0638HEP \$5795.00 SALE















AIR FILTERS

3-SPEED HANGING AIR FILTER

- Motor: 1/8 HP, 120V, single-phase, 60Hz, 1A
- Airflow: 260, 362, and 409 CFM
- Timer settings: 1, 2, and 4 hours
- Outer filter: 5 micron
- Inner filter: 1 micron
- ETL listed
- Weighs 31 lbs.

FEATURES:

- Infrared remote control system adjusts speeds, timer, and ON/OFF controls
- · Easy-to-replace filters, no tools required
- Inner filter can be washed or blown out with compressed air
- Includes: eye bolts and chains for hanging from the ceiling, or can be used on a workbench



Model G0738 \$200.00 SALE \$16295

REPLACEMENT FILTERS

T10503 Primary Filter 1 Micron \$13⁷⁵

T10504 Secondary Filter 5 Micron \$1050

HEAVY-DUTY DOUBLE AIR FILTER

Set the duration and speed with the remote control from as far away as 45 feet, then hold on as the fan spools up to draw a massive 1400 CFM through the 5-micron primary filter and 1-micron secondary filter. Changes the air in a 20° x 20° x 8° room 26 times an hour. Hangs easily from the ceiling. Motor is ${}^{1}\!\!\!/\!\!/ 4$ HP, 120V, 3A. Overall size is $30{}^{1}\!\!\!/\!\!\!/ 1$ L x $19{}^{1}\!\!\!/\!\!\!/ 8$ " H. Weighs 73 lbs. CSA certified.



MADE IN AN ISO 9001 FACTORY





Model G9956 \$395.00 SALE \$29500

REPLACEMENT FILTERS

H2452 Primary Filter 5 Micron \$11⁵⁰

H2451 Secondary Filter 1 Micron \$5995

2-SPEED FLOOR AIR FILTER

Roll this large Air Filter anywhere around the shop where it's needed most. Features a 1¾ HP, 110V, 2-speed motor, a 12" air outlet, and easy-open door for filter cleaning. Air movement is 1500 CFM and 2000 CFM. Filtration is 0.3 micron. Overall size is 30½" L x 25¾" W x 29¾" H. Approximate shipping weight 165 lbs.



Model G0573 \$575.00 SALE \$52500

REPLACEMENT FILTERS

H9619 Primary Filter 3 Micron \$10⁷⁵

H9990 Secondary Filter 0.3 Micron \$13995

BENCHTOP DUAL-FAN AIR FILTER

Two separately switched fan motors can be used to draw a maximum 400 CFM of your dusty shop air through the 5-micron pleated filter. Perfect for sanding and power carving, the clear plastic hood helps to direct flow from the work area directly into the filter.

- 110V motor
- Dimensions: 207/8" wide x 81/4" deep x 101/2" high
- Filter size: 20" wide x 2" deep x 10" high
- · Weighs 21 lbs.



MADE IN AN ISO 9001 FACTORY

MADE IN TAIWAN

Model G9955 \$158.95 SALE \$11995

REPLACEMENT FILTER

H4985 Filter 5 Micron \$12⁷⁵

HEAVY-DUTY HANGING AIR FILTER

This ceiling-mounted air filter system can clean up to 98% of airborne contaminants. Features continuous duty, low noise motor, easy-to-clean double filter design and heavy-gauge steel cabinet. Moves 510 CFM of air through a 1-micron filter. Motor is $\frac{1}{2}$ Hp, 120V, 2.5A. Overall size is $30\frac{5}{6}$ " long x 24" wide x $12\frac{3}{6}$ " high. Weighs 48 lbs. CSA certified.



Model G5955 \$205.00 SALE \$17500

	REPLACEMENT FILTERS	
G6513	1 Micron Washable Filter	\$ 52 ⁵⁰
G6514	5 Micron Washable Prefilter	\$26 ²⁵

G5956 Remote Control Switch

3-SPEED HEAVY-DUTY HANGING AIR FILTER

This Hanging Air Filter has a convenient remote control and features a three-speed motor, automatic shutoff timer, and both a 1-micron secondary filter and a 5-micron primary filter. Airflow is 556, 702, and 1044 CFM. Overall size is 26" long x 194" wide x 15" high. Batteries for remote not included. Approximate shipping weight 59 lbs.





Model G0572 \$279.95 SALE \$24995

	REPLACEMENT FILTERS	
H9621	Primary 5 Micron	\$13 ⁹⁵
H9622	Secondary 1 Micron	\$9/150

GRINDING & POLISHING



30th Anniversary 10" wet sharpening system — 110 RPM

Sharpen just about any cutting tool to a razor-sharp edge in no time at all. Designed in Germany, this 110 RPM Wet Sharpening System with leather stropping wheel is so versatile and simple to use, you'll wonder why you ever put up with dull edges before.

SPECIFICATIONS:

- Motor: ¼ HP, 120V, 3A
- 110 RPM wheel speed
- · 220-Grit grinding wheel is specially made for wet grinding
- Grinding wheel measures 250 x 50mm with 12mm bore
- Water bath keeps tools cool while sharpening
- Leather stropping wheel size: 200 x 30mm
- Includes a sharpening jig, angle guide, and polishing/honing paste
- Approximate shipping weight: 42 lbs.

YOU WON'T FIND ANOTHER GERMAN-ENGINEERED TOOL OF THIS CALIBER, AT THIS PRICE, ANYWHERE BUT GRIZZLY!

AN INCREDIBLE VALUE!

WATER BATH KEEPS TOOLS COOL WHILE SHARPENING!

T10010ANV

\$200.00 SALE \$16495



OPTIONAL ACCESSORIES

REPLACEMENT GRINDING WHEEL

T20683 ONLY \$5250

HONING PASTE

T23428 ONLY \$625

REPLACEMENT STROPPING WHEEL

T20684 ONLY \$2625

LEATHER HONING WHEEL

THOUSANDS

SOLD!

T24648 ONLY \$6395

8" GRINDER/SHARPENER

Experience the pleasure of using sharp cutting tools like never before with this 8" Grinder/Sharpener. Sharpen like a pro in no time for the best cutting edges imaginable! Don't worry about burning your fine cutting edges, the T10097 draws a fine sheet of water up from the water tray to

dissipate heat and keep the grinding wheel clean and efficient. A multi-positional tool rest and universal holder accept a variety of cutting tools for ultra-precise grinding, and the leather stropping wheel removes fine burrs and polishes the cutting edge to an unbelievable sharpness. Ideal for wood chisels, carving chisels, lathe tools, plane irons, scissors, knives, axes and more!

- Motor: ½ HP, 110V, 1.2A
- Tool rest diameter: 12mm
- · Grinding wheel dimensions: 200 x 40mm with 12mm bore
- Grinding wheel grit: 220
- No load wheel speed: 120 RPM
- Overall dimensions: 18" L x 11" W x 12" H
- Includes 200mm grinding wheel, universal holder, abrasive paste, angle gauge, leather honing wheel and instructions
- Approximate shipping weight: 23 lbs.







T10097A \$122.95 SALE \$8995

OPTIONAL ACCESSORIES

REPLACEMENT GRINDING WHEEL T21868 ONLY \$6750

REPLACEMENT STROPPING WHEEL T20684 ONLY \$2625



WELDING

OXY-ACETYLENE SET WT5000



Our most portable self-contained welding and cutting set. Oxygen and acetylene gases provide the power to weld, braze, or cut a variety of metals with no electricity required. Welds to 3/32" and cuts up to 1/2". Larger tips will increase welding and cutting sizes. Made with heavyduty brass and steel construction. Kit includes oxygen and acetylene

bottles and regulators, torch handle with check valves, cutting attachment, one welding tip, acetylene tank valve key, double line $\mathsf{DAYCO}^{^\mathsf{TM}}$ hose, portable tote, flint striker, and



H7481 \$375.00

^{\$}289⁹⁵ SALE

THREE-SHELF WELDING CART

- . This Welding Cart has a top shelf that's angled back 6° to make it easier to see your welder's control panel
- The top shelf measures 183/4" L x 113/4" W and the middle and bottom shelves measure 191/2" L x 113/4" W
- There's even a place to secure a gas bottle
- Side hooks keep coiled cables off the floor
- Overall size is 27½" L x 15¾" W x 28¾" H
- · Net weight: 27 lbs.

T10280



\$**39**95 **SALE**

SAVE PHACE RFP SERIES WELDING HELMET

SALE

\$195.00

ADF size: 4.33" x 3.54"

CUTTING KIT

and acetylene regulators.

Tip cleaner

T20228

- Viewing area: 3.82: x 1.85"
- Arc Sensors: 4 Light state: Shade 4

OXY-ACETYLENE WELDING &

Welds up to 1/4" and cuts up to 4" with optional tips, sold

separately. Includes welding handle, cutting attach-

ment, cutting tip #0, welding nozzle (universal mixer/

nut #0), 12½' of 3/16" twin hose, goggles, striker, oxygen

· Tough brass and stainless steel cutting attachment

· Rugged brass oxygen and acetylene regulators

 Copper cutting tip
 Welding nozzles Dual line hose
 Goggles

- Shades: Shade 9-13
- Time from dark to light: 0.1-0.9
- Adjustable ADF classification: 1/1/1/2
- · Grind function · Grind warning indicator
- Low battery warning indicator
- · Power on/off: fully automatic
- Power supply: solar cells and li-ion battery switching time: 0.23MS
- Weight: 13 oz.
- Operating temperature: 14°F to 149°F

T27188 \$305.00

GRIZZLY WELDING HELMET

• ADF size: 4.33" x 3.54" • Viewing area: 3.82" x 1.85"

\$69.95

- Arc Sensors: 2 Light state: Shade 4
- Shades: Shade 9-13
- Time from dark to light: 0.1-0.9
- Adjustable ADF classification: 1/1/1/2
- Low battery warning indicator
- Sensitivity internal adjustable
- · Power on/off: fully automatic
- · Power supply: solar cells and li-ion battery
- Switch time @ 23°: 0.08MS
- Time from dark to light: 0.1-0.95 (adjustable)
- Weight: 14 oz.
 Operating temperature: 14°F to 149°F Meets Z94.3-07 standards, CE, ANSI, and Australian Standard Approved

T27777

\$249.95

SALE

\$1**39**95

ELEMENTARY SERIES EXTREME FACE PROTECTOR

SALE

With a 180° lens design and a weight of less than 10 ounces, this grinding/splash guard helmet tops the charts with the largest viewing area available, and is the lightest helmet in the world! Face-forming profile allows you to get into tighter spaces, and headgear adjustments allow you to move the helmet closer or further away from your face. Comes with a clear lens that can be replaced. Requires T26357 or T26358 replacement lens for welding applications.

T26349

\$72.95

SALE

\$**59**⁹⁵

AUTO-DARKENING WELDING HELMET

- · Features auto ON/OFF, adjustable delay time and sensitivity
- Adjustable padded headband
- Protective outer transparent guard
- Viewing area: 4" x 2"
- Power supply: Solar cells and CR2032 Lithium batteries (included)
- Low power indicator
- Ideal for ARC, TIG, MIG, spot, micro, wire, ACDC, and plasma welders/cutters
- · Impact-resistant polypropylene
- · Total weight: 1.2 lbs.

\$**39**95 T25921 \$59.95 SALE

SOLAR POWERED AUTO-DARKENING WELDING HELMET

- · Auto-darkening filter
- · Light state: DIN 4
- Adjustable dark: DIN 9-13
- · Low and high temperature resistant shell
- Solar powered
- External adjustment knob
- · Full range eye and face protection
- · Full ventilation

T25924

· Fully-adjustable headband · Also suitable for grinding operations \$3995 \$51.50 SALE

Fax: 1-800-438-5901 Technical Service: 570-546-9663

MILLING MACHINES

9" x 49" MILL WITH DRO & POWER FEED

SPECIFICATIONS:

- Motor: 3 HP, 220V, 19A, single-phase
- Spindle taper: R-8
- Spindle travel: 5"
- T-slots: 3 @ 2½" centers, 5/8" wide
- Head ram travel: 12" (front to back)
- Head tilt: 45° left & right, 90° front & back
- Turret/column swivel: 360° left/right
- Max. distance spindle-to-table: 15%"
- Table travel (longitudinal): 29"
- Table travel (cross): 12"
- Table travel (vertical): 16"
- Table size: 9" x 49" x 33/4"
- Spindle speed: 8, 80-2720 RPM
- Overall size: 83" W x 62" D x 84" H
- Footprint: 41" L x 27" W
- Approximate shipping weight: 2580 lbs.



2-AXIS DRO INCLUDED

G0796

\$5995.00

FEATURES:

- 2-Axis DRO
- · One-shot pump lubrication
- · Auto stop with micro-adjustable stop
- · Auto downfeed
- · Longitudinal power feed
- · Hardened and ground table surface
- · Chrome-plated, precision-ground quill
- R-8 Spindle
- · X- and Y-axis covers
- · Forward and reverse spindle switch
- Halogen worklight
- · Included service tools and toolbox



SALE

\$5695⁰⁰





10" x 50" VARIABLE-SPEED MILL WITH DRO & POWER FEED

SPECIFICATIONS:

- Motor: 3 HP, 220V, 7.8A, 3-phase
- Spindle taper: R-8
- Spindle travel: 5"
- T-slots: 3 @ 2½" centers, 5/8" wide
- Head ram travel: 18½" (front to back)
- Head tilt: 90° left & right, 45° front & back
- Turret/column swivel: 360° left/right
- Max. distance spindle-to-table: 191/4"
- Table travel (longitudinal): 30"
- Table travel (cross): 14"
- Table travel (vertical): 15"
- Table size: 10" x 50" x 41/8"
- Spindle speed: Variable, 60-4200 RPM
- Overall size: 100" W x 85" D x 88" H
- Footprint: 48" L x 33" W
- Approximate shipping weight: 3021 lbs.



2-AXIS DRO INCLUDED

G0797

\$7450.00

FEATURES:

- 2-Axis DRO
- · One-shot pump lubrication for table ways
- Auto spindle stop with micro-adjustable stop
- · Auto spindle downfeed
- · Longitudinal table power feed
- Hardened and precision-ground table surface
- · Chrome-plated, precision-ground quill
- · X- and Y-axis way covers
- Forward/reverse spindle rotation
- Halogen worklight
- Built-in coolant tank in base compatible with optional aftermarket coolant systems
- · Service tools and toolbox



HEAD TILTS LEFT & RIGHT AND FRONT & BACK

SALE





GINSMITHING LATHES

12" X 36" GUNSMITH'S LATHE WITH STAND

When we set out to design a professional gunsmith's lathe, we felt that we should also make a smaller starter lathe for aspiring hobby gunsmiths. Don't let the "smaller" size fool you this is a serious metal lathe with many features that will allow you to turn and chamber barrels just like the bigger one. Plus, it's one heck of a metal-cutting lathe. Check out all the interesting features below!

SPECIFICATIONS:

- Swing over bed: 12"
- Swing over gap: 17"
- · Swing over cross slide: 7"
- Distance between centers: 36"
- Bed width: 7½"
- Spindle bore: 1.57"
- Spindle nose taper: MT#5
- Spindle nose: D1-5 Camlock
- Cross slide travel: 6½"
- Compound travel: 31/4"
- Tailstock barrel taper: MT#3
- Tailstock barrel travel: 4"
- Motor: 2 HP, 220V, single-phase, 8.5A, 60 Hz, 1725 RPM
- Number of speeds: 9
- Range of speeds: 70, 200, 220, 270, 360, 600, 800, 1000, and 1400 RPM
- Overall dimensions: 61" W x 26" D x 541/2" H
- Footprint: 57¹/₂" L x 14¹/₂" W
- Approximate shipping weight: 1330 lbs.

FEATURES:

- · Removable gap bed allows turnings up to 17"
- Easy-to-use lever controls
- Hardened and ground cast iron bed
- Cuts 4–112 standard TPI and 0.2–4.5 metric
- ON/OFF reverse switch on carriage LED worklight
- · Ball bearing steady/follow rests
- Outboard spindle has 4 brass-tipped screws for supporting barrels
- Socket for tailstock lock
- Cast-aluminum gear cover
- D1-5 spindle nose (6 pin) 1.57" spindle bore

STANDARD EQUIPMENT:

- 6" 3-Jaw chuck with 2-pc. reversible jaws
- 8" 4-Jaw chuck with reversible jaws
- 10" Faceplate
- Steady rest/follow rest with roller tips
- Full-length splash guard
 Heavy-duty steel stand
- 200-Series quick-change tool post w/included holder
- Two MT#3 dead centers (1 carbide-tipped)
- One MT#3 live center Set of seven change gears
- ½" Chuck with MT#3 arbor
- Toolbox

G4003G

\$3350.00

SALE

\$3195⁰⁰



13" X 40" GUNSMITH LATHE WITH DRO

This 13" x 40" workhorse is a great addition to our line of spectacular Grizzly Gunsmith Lathes. Supplied with an 8-speed gearhead, 2 HP motor, D1-4 spindle (with a generous 1.57" bore), flood coolant system, halogen worklight, pull-out chip tray, and foot brake—great for safety! The outboard end of the spindle has a "spider" mounting system—ideal for gunsmithing. This is one well-stocked machine! Check out the list of standard equipment below.

SPECIFICATIONS:

- Swing over bed: 13.70"
- Swing over gap: 18.50"
- Swing over cross slide: 7.71"
- Distance between centers: 40"
- Bed width: 7½6"
- Spindle bore: 1.57"
- Spindle taper: MT#5
- Spindle nose: D1-4
- Spindle length: 16 5/16" Spindle length with 4-jaw chuck: 201/2"
- Cross slide travel: 5%"
- Compound travel: 3½"
- Tailstock taper: MT#3
- Motor: 2 HP, 220V, single-phase, 8.5A, 60 Hz, 1720 RPM
- Number of spindle speeds: 8
- Spindle speed range: 70–2000 RPM
- Overall dimensions: 741/2" W x 31" D x 58" H
- Footprint: 70½" L x 19¾" W
- Approximate shipping weight: 1370 lbs.

- 2-Axis digital readout
- Quick-change gearbox
- · Convenient pull-out chip tray
- Outboard spindle spider for gunsmithing
- · Quick-change tool post
- Halogen worklight
- · Foot brake with motor shut-off switch
- Flame-hardened headstock gears
- · Built-in coolant system
- · Full-length splash guard
- D1-4 camlock spindle
- Hardened cast iron bed

STANDARD EQUIPMENT:

- 6" 3-iaw universal chuck
- 8" 4-jaw chuck with independent jaws
- 10" Faceplate
- Steady rest
- Follow rest
- Ouick-change tool post
- · Toolbox with service tools
- Change gears
- MT#3 HSS dead center
- MT#3 carbide-tipped dead center



G0776

\$4695.00

SALE

\$44**95**00















grizzig.com



SAW BLADES

8" STACKED DADO DW7670

This 8" Stacked Dado set features 24 micro-grain carbide teeth for clean cuts and reduced splintering as well as 4-tooth micro-grain carbide chippers for smooth, flat bottom cuts. Heavy gauge laser-cut plate ensures accurate cutting. Includes a 12-pc. high quality shim set for ultra fine adjustments and heavy-duty case.



DEWALT

MODEL	SIZE	TEETH	REG.	SALE
T22622	8"	24	\$119.95	\$109 ⁹⁵

10" X 5/8" <u>Oldham</u> 40T ATB 0.095" **COMBINATION SAW BLADE**

Lasting up to 10 times longer than steel blades, Oldham's Industrial Carbide blades are designed for almost any project at an affordable price. Featuring C2 Carbide tips, these blades can handle tough tasks without adding a high cost.



T29067	\$23.95	SALE	\$995
BLADESA	VERS	Woodpe	ckers°

With BladeSaver, each blade is individually protected to ensure blade teeth can't contact or strike other blades or objects. BladeSavers are molded using tough, ABS plastic that will provide years of protection for your valuable saw blades.



\$**Q**95

MODEL	SIZE	REG.	
T27203	For 10"	\$13.75	\$11 ⁹⁵
T27204	For 12"	\$14.75	\$12 ⁹⁵

DADO BLADES

Hailed as the Cadillac of all blades, Forrest saw blades have become legendary for their ability to leave highly polished, finish-ready surfaces on nearly everything they cut. Choose the style best suited for your cutting needs and see why Forrest has earned the reputation for being the saw blade by which all others are judged. Made in USA.

The world's finest dado head clean-cuts all your grooves! No splintering when cross-cutting oak, ply veneers, and melamine. No staggered steps or round bottoms! Cuts in rip, cross-cut, and miter at any depth. Cuts all sized grooves 1/4"-29/32" increments. Super hard carbide gives up to 300% longer life, especially good on plywoods and abrasive particle boards.



MODEL	SIZE	TEETH	ARBOR	TYPE	PRICE
H4755	6"	24	5⁄8"	1/4"-29/32"	\$275 ⁰⁰
H4756	8"	24	5%"	1/4"-29/32"	\$295 ⁰⁰
T23266	8"	24	5%"	3/16"	\$199 ⁹⁵
T23267	8"	24	5%"	3/16"-1/4"	\$214 ⁹⁵
T24002	10"	24	1"	1/4"-29/32"	\$3 59 95
T24003	12"	24	1"	1/4"-29/32"	\$419 ⁹⁵

DADO BLADE SETS **Idham**

These sets feature precision sharpened, industrial grade carbide tips for smooth, clean cutting and a dead flat plate for straight, accurate cuts. Fit 5/8" arbors.



MODEL	SIZE	TEETH	REG.	SALE
G2793	7" Wobble	16	\$32.00	\$14 ⁹⁵
G2794	8" Stack	12	\$88.00	\$ 59 ⁹⁵

2-PACK 10" 32T/60T **DEWALT** CONSTRUCTION **BLADES** DW3106P5/DW3106P5D60I

Thin kerf for fast and smooth cutting action. Computer balanced plate reduces vibration for improved accuracy and better finish. Exclusive wedge shoulder design puts more steel behind each tip for increased durability and accuracy. Two great blades for the price of one! Fit 5/8" arbors.



\$139° PURCHASED INDIVIDUALLY

MODEL	SIZE	TEETH	REG.	SALE
H5001	10"	32 & 60	\$62.00	\$45 ⁹⁵
T22190	10"	60	\$39.95	\$ 34 ⁹⁵

2-PACK 12" 32T/80T **DEWALT CONSTRUCTION BLADES** DW3128P5/DW3128P5D80I

Thin kerf for fast and smooth cutting action. Computer balanced plate reduces vibration for improved accuracy and better finish. Exclusive wedge shoulder design puts more steel behind each tip for increased durability and accuracy.



\$79°0 PURCHASED INDIVIDUALLY

MODEL	SIZE	TEETH	ARBOR	REG.	SALE
H5002	12"	32 & 80	1"	\$102.22	\$49 ⁹⁵
T22257	12"	80	1"	\$69.95	\$ 59 ⁹⁵


12" X 1" 60T ATB 0.079 **DEWALT** PRECISION TRIM SAW **BLADE** DW3216PT

Premium Micro-Grain carbide produces ultra-sharp cutting edges that dramatically reduce splintering. Precision balanced, laser-cut body provides extremely accurate cuts. Exclusive dampening slots reduce vibration to enhance cutting accuracy. Tough coat finish reduces heat, friction, and gum to promote blade life.

\$**34**95 H9346 \$45.95 SALE

GRIZZLY® EXTREME SERIES TABLE SAW BLADES


These Grizzly Extreme Series blades are ideal for ripping and cross-cutting operations on the table saw. ATB grind on micro-grain carbide tips ensure consistent performance over a long cutting life. Arbor bore size is 5%" and kerf is 0.120". Choose 30 tooth for aggressive ripping and 40 tooth for ripping and cross cutting.



GRIZZLY® EXTREME SERIES 8" STACKED DADO SET

- · Stack dado set features micro-grain carbide teeth
- Cuts square sides and flat bottom dados from 7/32"—29/32" wide
- 8" Diameter x 5%" arbor fits most 10" table saws

Two 8" x 24 tooth x .106" kerf carbide-tipped blades One 8" x 4 tooth x 0.059" kerf carbide-tipped chipper Five 8" x 4 tooth x .118" kerf carbide-tipped chippers



\$109⁹⁵ T26696 \$125.00 **SALE**











DRILL BITS

25-PC. METRIC DRILL BIT SETS



HSS Drill Bit Set

T26515 \$19.95

Titanium Drill Bit Set

T26516 \$36.95 SALE

SALE

\$1995 G3656

\$15⁷⁵

29-PC. TIN COATED DRILL BIT SET

Titanium nitride coated bits last up to six times as long as uncoated bits. This 29-Pc. set includes bits ranging from 1/16" to 1/2" in increments of 1/64". Housed in rugged steel case.



SALE

PORTER+CABLE. 58-PC. DRILLING DRIVING TRADESMAN SET

- · Black oxide coated for longer life
- Includes a Magnetic Drive guide for ease of use and quick tip changes
- Multi-piece accessory set good for various applications
- Storage case included

T22679



While supplies last.

\$28.00

6-PC. STUBBY BRAD POINT BIT SET

These durable drill bits are precision ground from one piece of M2 High Speed Steel. The shank is 1/4" hex

shaft that works with standard quick change chucks.

This 6-piece set includes: 3/32", 1/8", 3/16", 1/4", 5/16", and 3/8".

\$10⁹⁵ SALE

170-PC. BULK DRILL BIT ORGANIZER-PROFESSIONAL QUALITY

Each size includes multiple bits for replacement due to breakage and wear from tough drilling iobs. Sizes include 10 each of the each of the following: 5/16", 21/64", 11/32", 3/8". Comes in a steel case!

HANDY FOLD-OUT CASE

(36 total)

4 spade bits

• 12 hex keys 9 nutdrivers · A drill bit gauge

A magnetic bit tip holder

• 66 assorted 1" & 2"

screwdriving bits

\$19.99

\$1**7**99

4-PC. 60° CENTER DRILL SET

\$149.95

Double ended HSS Center Drills are precision ground. Încludes sizes 1-4.



SALE

Features:

H8182

- Size 1: Body Dia. ¹/₈", Drill Dia. ³/₆₄", O.A. Length 1¹/₄"
- Size 2: Body Dia. ³/₁₆", Drill Dia. ⁵/₆₄", O.A. Length 1⁷/₈"
- Size 3: Body Dia. ¼", Drill Dia. ¾", O.A. Length 2"
- Size 4: Body Dia. 5/16", Drill Dia. 1/8", O.A. Length 21/8"

H5930

\$6.95

SALE

\$495 T22552

\$29.95

SALE

\$25⁹⁵

These longer-length high speed steel

drill bits can reach into areas that

are difficult to access with standard-

length drill bits. Model G9750 includes

 $\frac{1}{16}$ "— $\frac{1}{4}$ " by 64ths, x 6" long. Model

G9751 includes 1/16"-1/2" by 64ths, x 12"

long. Model G9752 includes 1-60 wire

gauge sizes, x 6" long.

13-PC. 6" AIRCRAFT EXTENSION

DRILLS

3-PC. PLUG CUTTER SET

This set includes bits for producing tapered plugs in scrap Specially designed steel counter sleeve countersinks or material to cover screws. Plugs self-eject when drilling counterbores through 3/4" thick boards and bits have a 1/4" shank that is quick simultaneously. change compatible. Sizes included are ¼", ¾", and ½".



T26912

\$14.99

\$13⁴⁹ T26913

\$8.99

SALE

115-PC. DRILL BIT SET IN

\$41.95



\$136⁹⁵ H8183

• An assortment of general-purpose.

brad-point, and masonry drill bits

\$57.95

129-PC. HOME ESSENTIAL

DRILL/DRIVING SET

\$4995 T26909

6-PC. QUAD-BORE DRILL SET

- Hex shanks fit ¹/₄" quick change systems
- Screw tips are self feeding
- Four cutting flutes for fast drilling
- Scoring spurs on each flute for smooth sided holes
- Bits measure 6½" long
- Set includes: 5/8", 25/32", 7/8", 1", 11/8", and 11/4" diameter



T26655

\$31.50

SALE

\$2695

4-PC. COUNTER BIT SET

pilot Adjustable counter sleeve depth with hex wrench and standard 1/4" hex shank is quick change compatible. Four-piece set includes bits for #6, #8, #10, and #12 screw sizes. Brad point pilot drill bits are tin coated (#6 bit is not brad point).



G9750

\$11.25

DRILL BIT SHARPENING

PROFESSIONAL DRILL BIT SHARPENING MACHINE

This precision-made Drill Bit Sharpening Machine is so simple to use, anyone can sharpen dull bits in three easy steps. Just set the drill bit in the collet, grind the taper relief angle, and grind the web thinning angle to reduce the center-point width. It features a depth adjustment gauge, tapered diamond wheel, 90°-140° angle setting adjustment, and built-in collet tray. Collet sizes include: 1/8",





FEATURES:

- 170 Grit, 65° tapered diamond grinding wheel
- Sharpens 1/8"-1/2" (3-13mm) twist drill bits
- Sharpens HSS, TiN-coated, cobalt, and carbide bits (optional T20239 wheel needed in order to grind carbide—see below)
- Includes cleaning knob brush and 11 collets
- Easy three-step sharpening process
- 6000 RPM
- Machine weight: 18 lbs.

H8203 Sharpening System

BACK RELIEF GRIND!

MADE IN TAIWAN

ONLY \$55000

\$6995 T20238 **HSS Grinding Wheel** \$**73**95 T20239 Tungsten Grinding Wheel

DRILL DOCTOR® DRILL BIT SHARPENER

Do you throw away dull drill bits? Or toss them in a shop drawer, never to be used again? The Drill Doctor® puts the diamond grinding power of a professional sharpening system into your shop so you can bring those high speed carbide and expensive cobalt drill bits right back to life. Available in two sizes to handle 3/32" to 3/4" bits, Drill Doctor® Sharpeners adjust to accurately renew conventional, splitpoint, and masonry bits.



INCLUDES CARRYING CASE AND INSTRUCTIONAL DVD

MODEL	ТҮРЕ	REG.	SALE
H7362	Drill Doctor® Home/Shop 3/2"-1/2"	<u>\$156.95</u>	\$9995
H7363	Drill Doctor® Professional 3/2"-3/4"	\$1 70 .95	\$139 ⁹⁵
H9053	Replacement Wheel—100 Grit	\$24.95	\$14 ⁹⁵
H9054	Replacement Wheel—180 Grit	\$24.95	\$19 ⁹⁵

DRILL DOCTOR® HANDYMAN

On-Chuck-Alignment simplifies the sharpening process. V-Block jaws eliminate jaw twisting on small bits. New ergonomic low profile design for increased stability and less tool walking. New permanent magnet motor produces consistent power, regardless of speed or load. Sharpens 3/32" to 1/2" drill bits. Sharpens high speed steel, carbide, TiN-coated, and masonry bits.



H7361 \$74.95 SALE





AIR COMPRESSORS

MINI AIR COMPRESSOR

- Oil-free, piston-type compressor
- Instant pressure at start-up Pressure adjustable
- Pressure gauge shows working pressure
- Low noise, 50db Power: 1/8 HP Speed: 3400 RPM
- Voltage: 110V, 60 Hz
 Max. pressure: 43.5 PSI
- Air output: 0.45–0.53 CFM Net weight: 5 lbs.
- Overall dimensions: 6.3" x 3.1" x 6.2"
- Suitable for airbrushes with 0.2mm to 0.5mm nozzles



T25929

\$52.50

\$**39**⁹⁵

BOSTITCH 1.2-GAL. HIGH OUTPUT TRIM COMPRESSOR

- High output oil-free pump delivers 2.8 CFM @ 90 PSI and 150 PSI max. operating pressure
- 2 HP (Peak), 1.5 HP (Running) motor draws 12 Amps for easy start up without tripping circuit breakers
- Integrated control panel with roll cage protects gauges from jobsite damage

\$139.95

COMPRESSOR CT436100AV

· Maintenance-free air compressor pump

- LED ON/OFF switch
- · Convenient storage pocket
- Integrated cord wrap for improved portability
- Non-marring rubber feet

T22331

4.5-GAL.

175 PSI max

3-Year limited

through the

Weighs 75 lbs.

OIL-LUBE

manufacturer

warranty

· Ideal for use with all

nailers and staplers

• 4.5-Gallon ASME air tank · Easy portability, contractor-grade,

delivers 3.7 CFM @ 90 PSI

Approximate shipping weight: 28 lbs.



SALE \$12995

3-Year limited warranty



1-GAL. HAND-CARRY @ CAMPBELL.

AIR COMPRESSOR CT100100AV

125 Max PSI
 0.7 SCFM @ 90 PSI

applications

· Quiet Operation; ideal for trim and finish

Recommended for Pin Nailers, Brad Nailers,

Staplers, Flooring Nailers, Finish Nailers

Oil-free pump requires no maintenance

T24726

\$149.95

SALE

\$8995

DEWALT

BOSTITCH 4-GAL. **OIL-LUBRICATED STACK TANK COMPRESSOR**

- Oil-lubricated pump delivers 4 CFM @ 90 PSI and 135 PSI max operating pressure
- . 1.5 HP running motor draws only 14 amps for easy start up without tripping circuit breakers
- · 4-Gallon reserve tank for multi-tool use
- · Roll cage style handle protects components from jobsite damage
- · Cold start valve for easy start up in cold weather climates
- Oil level site glass with cast in-fill and drain funnels for added convenience
- Weighs 58 lbs.



T22718

\$259.95

SALE \$22295

PORTER+CRELE

T26439

\$349.95

SALE

\$199⁹⁵

CAMPBELL HAUSFELD.

COMPRESSOR D55168

• 200 PSI max. pressure

200 PSI HIGH

PRESSURE 15-GAL.

- 5 SCFM at 90 PSI
- 1.6 HP running
- 15-Gallon tank
- Oil-free, long life pump
- Roll cage
- ASME certified tank
- Dashboard control panel
- Low noise (78 dB)
- Ball drain valve
- Approximate shipping weight: 103 lbs.



FREE SHIPPING! to lower 48 states

H9381

\$409.95

CAMPBELL HAUSFELD.

SALE \$34995

UMC PANCAKE PORTER+CABLE AIR COMPRESSOR C2002

- · Oil-free pump design for durability and no maintenance
- · Long-life motor with replaceable brushes
- 2.6 SCFM delivered at 90 PSI
- · 120V, universal motor starts easily under low voltage conditions
- · Built-in automatic thermal overload protection, easy to carry
- Includes ASME safety valve, air regulator, and gauges, 1/4" quick coupler, and operating manual
- Approx. shipping weight: 34 lbs.

SALE \$14595 T22007 \$169.95

80-GAL. CAST IRON COMPRESSOR HS5180

- 5 (running) HP, 230V motor with overload protection
- Solid two-stage cast iron pump delivers up to 175 PSI
- 10,000 hours of pump life
- · Oil sight glass allows quick oil level checks
- 80-gallon (based on B-10 bearing rating) aluminum ASME code tank certified for 200 PSI
- 14 SCFM @ 90 PSI
- Weighs 415 lbs.

OIL-LUBE



SALE \$106895 T24157 \$1250.00

7.5 HP TWO-STAGE 80-GAL. AIR **COMPRESSOR** CE7000

- 7.5 HP, 80-gallon, vertical two-stage compressor
- ASME-certified tank for 200 PSI maximum pressure
- 23.7 SCFM at 40/90 PSI
- Industrial-rated NEMA motor for reliable service · Fully-enclosed metal
- belt guard
- Approximate shipping weight: 578 lbs.



EE SHIPPING!

T24773 \$2295.00 SALE

\$1995⁰⁰

Fax: 1-800-438-5901 **Technical Service: 570-546-9663**

NAILERS & STAPLERS

2-IN-1 COMBINATON NAILER/STAPLER

- · 100-Shot magazine capacity
- 60-100 PSI operating pressure • 1/4" NPT
- View window tells you when to reload
- Bump or trigger mode
- Adjustabel depth stop
- Rubberized grip
- Adjustable exhaust port
- · Includes case, safety goggles, bottle for oil and



\$41.95

SALE

\$35⁹⁵

18-GAUGE 2" NAILER KIT

- Shoots 5/8"-2", 18-gauge brad
- Quick-release nose for clearing jams
- Adjustable exhaust
- 100-Brad magazine
- · Single shot mode
- Rubberized hand grip
- Safety trigger

T21347

 Includes case, safety goggles, bottle for oil, and wrenches





SALE

\$4195

\$96⁹⁵

21/2" FINISH NAILER

- Nail size: 16 ga., 11/4"-21/2"
- Operating pressure: 60–100 PSI Air inlet: ¼" NPT
- Magazine capacity: 74 nails
- Cast aluminum body
- Includes a ¼" NPT male quick connect fitting, case, wrenches, safety goggles, and bottle for oil
- Weighs 5 lbs.



H6143

NAILER

3½" long

\$78.95

34° CLIPPED-HEAD FRAMING

\$**67**⁹⁵

21° ROUND-HEAD FRAMING NAILER

• Shoots 2"-31/2" round head nails with 0.113"-0.131" dia.

- Safety nose protects against dry firing when empty
- Magazine holds 75 nails
- · Easy view magazine
- · Rubberized grip · Safety trigger
- Includes case, safety goggles, oil, and wrenches

H7665

\$104.95

SALE

PRESIDENT'S

SPECIAL

\$8995

21/2" 34° ANGLE FINISH **NAILER**

\$45.00

- Operating pressure: 80-110
- Nail size: 15-gauge finish nails from 11/4" to 21/2" long
- Magazine capacity: 80 nails
- Air inlet: ¼" NPT
- Includes: a 1/4" NPT male quick connect fitting, case, wrenches, safety goggles, and bottle for
- Weighs 5 lbs.

T20644



• 1/4" NPT inlet

Capacity: 100 nails

 Includes: a ¼" NPT male quick-connect fitting, wrenches, safety goggles, and bottle for oil Weighs 8.3 lbs.

• 70-120 PSI operating pressure

• Nail size: 7/64-1/8" shank diameter, clipped-

head nails from 2" to

H6146

\$179.95

SALE \$15395

23-GAUGE 1" PORTER+CABLE. PIN NAILER KIT PIN100

- Uses 23 ga., ½"-1" micro pin nails
- Automatically adjusts for nail length
- Holds 170 nails
- Includes 2000 3/4" pin nails, oil, wrenches, and carrying case



H5042

\$232.00

SALE \$19895

23-GAUGE 1%" PORTER+CABLE. PIN NAILER PIN138

• Drives slight head & headless pin nails

\$112.95

- Allows for stronger joints
- Oil-free piston design
- Sinks largest nail 1/32" sub-flush into oak
- Drv fire lock-out
- Rear exhaust



T22367

\$149.95

SALE \$12895

PCFP12236

18-GA. 2" BRAD PORTER+CABLE NAILER BN200C

- Drives 18-ga, staples from 5/8" to 2" length and operates at 70-120 PSI
- Adjustable belt hook
- · Tool-free depth-ofdrive adjustment
- Includes 500 nails of 11/4", carrying case, and owner's manual



T22754

\$99.95

SALE

PORTER+CABLE.

\$**85**⁹⁵

3-TOOL COMPRESSOR COMBO KIT PCFP12234

- Includes: 150 PSI compressor, FN250C 16-ga. 21/2" finish nailer, BN200C 18-ga. 2" brad nailer, NS150C 18-ga. 1½" stapler, and 6-gallon 25 ft. of 1/4" air hose with coupler and plug, 100 2" finish nails, 100 11/4" brad nails, and 100 1" staples
- 120V, 2.6SCFM @ 90 PSI compressor · Maintenance-free nailer and
- stapler motors



PORTER+CABLE.

• Includes: 6-gallon, 150 PSI compressor; BN200C 18-ga. 2" brad nailer; 25 ft. of 1/4" air hose with a coupler and plug; and 1000 11/4" brad nails

BRAD NAILER COMBO KIT

- 120V, 2.6 SCFM @ 90 PSI compressor with a maintenance-free pump
- Brad nailer has tool-free depth of drive adjustment with detents, tool free jam release mechanism, and a long life maintenance free motor



T22781

\$209.95

SALE \$17995

SALE \$29995 T22780 \$349.95

> CALL 24 HOURS A DAY! 1.800.523.4777

AIR TOOLS

7" ANGLE SANDER

- Ideal for removing rust, sanding metal, and rough body filler • Planetary gearing for greater power
- Auxiliary handle mounts left or right
- Free speed: 4500 RPM
- Air inlet: 1/4" NPT
- · Average air consumption: 12 CFM
- · Operating air pressure: 90 PSI



T23086

\$74.95

\$64⁹⁵

PNEUMATIC NIBBLER

· Lightweight aluminum housing • Cuts up to 16 gauge steel

without leaving burrs or deformed edges

 Adjustable die can be turned to suit various cutting positions

Strokes per minute: 3800

• Air inlet: 1/4" NPT

T23085

• 1/4" Collet capacity

Average air consumption: 9.8 CFM

\$32.95

· Angled head allows easy access into tight spots

1/4" ANGLE DIE GRINDER

• Rear exhaust • Safety-lock paddle switch

• 20,000 RPM free speed • 1/4" NPT inlet

Operating air pressure: 90 PSI

1/2" REVERSIBLE AIR DRILL

Features include a pistol grip with trigger switch, forward and reverse switch, and ¼" NPT female air inlet. The ½" chuck accepts drill bits down to 1/64", and includes a chuck key. The auxiliary handle can be positioned anywhere around the drill body.

Weighs 4 lbs.

H6139

\$27.25

SALE

50-PC. AIR TOOL KIT

Pick up three handy air tools, plus many important accessories, in one compact kit. Tools includes a 1/2" Air Impact Wrench, 3/8" Air Ratchet Wrench, and 150mm Air Hammer, Accessories include a 10-piece chrome vanadium socket set with extension and adapters, screwdriver bits, blow gun with multiple tips, tire chucks,

three hammer chisels, swivel connection, oiler, and quick-connect fittings. All items are packaged in a molded case.



H8208

\$99.95

SALE

• 3 CFM average air consumption • 90 PSI recommended air pressure

· Includes: collet wrenches, male quick-connect coupling, and lubricating oil

H8216

\$29.50

SALE

SALE

1/2" IMPACT WRENCH

½" Drive accepts all ½" standard and metric sockets. Features pistol grip with trigger switch, forward and

reverse switch, 4 clutch settings, rubber bumpers for protection against normal garage use, and a 1/4" NPT male quick-connect fitting. Sockets not included. 7000 RPM (no load), 230 ft/lbs. torque rating. Weighs 5 lbs.



H6138

\$22.95

SALE

\$1475

6" DUAL-ACTION SANDER

- Compact and lightweight
- Accepts 6" PSA sanding discs
- · Large paddle switch
- 10,000 RPM free speed
- · 4 CFM average air consumption
- 90 PSI recommended air pressure
- ¼" NPT inlet
- Includes: male quickconnect coupling and lubricating oil



H8215

\$43.95

SALE

\$41⁹⁵

TIRE INFLATOR/DEFLATOR

Press the quick-locking hose onto the tire valve and read the pressure directly on the shock-

protected pressure gauge. Pull the trigger to add air and press the thumb valve to release air. A flexible 14" long hose reaches those inside duallys. 1/4" NPT.



T23095

\$20.50

\$17⁹⁵

PNEUMATIC METAL SHEAR

- · Heavy-duty shear head provides long life and reliable cutting
- · Ergonomic grip for comfort and stability
- · Shears most types of plastics and all types of aluminum, tin, and steel
- Max. material thickness: 20 gauge
- Strokes per minute: 5500
- Air inlet: ¼" NPT
- Operating air pressure: 90 PSI



T23094

\$41.95

\$35⁹⁵ **SALE**

RAPIDAIR MAXLINE 3/4" SYSTEM MASTER KIT

SALE \$18995



SALE

Maxline is an industrial compressed air piping system that is fast and easy to install, cost effective, leakproof, and corrosion resistant. Maxline's multi-layer construction can be easily bent by hand and maintain its desired shape, giving a professional appearance with no tubing sag. 100 ft. rolls allow for faster installation times, with fewer joints. Its smooth interior walls will never build up scale or rust, making an efficient air system. Recommended for larger buildings and tubing lengths up to 150' from the air compressor.

Maxline piping can be mounted on wall surfaces, in walls for new construction, and be directly buried under ground or concrete. This system is easily configured and can be remodified.

Maxline fittings are nickel-plated brass designed for years of long-term performance. Its double O-ring compression design is engineered to be a leakproof system, that can be easily disassembled and reused.

- Operating pressure: 175 PSI at 70°, 140 PSI at 140°
- Meets OSHA guidelines
- Temperature range: -40°F to 140°F
- Compatible with common compressor oils

\$209.95

Maxline Master Kit Contains:

- 3/4" Tubing 100 ft 3 Outlets 2 Tees
- 34" Male NPT Straight
- 20 Mount Clips Tools

Couplers sold separately.













T24126

FINISHING

FLOCKING APPLICATORS

The Air-Assisted Spray Gun is designed to be used with an air compressor at 10 to 15 lbs. of air pressure. Used to apply Suede-Tex Spray-On Suede Flocking Fibers. The Mini Flocker cardboard tube flock applicator is completely manual. Used to apply Suede-Tex Spray-On Suede Flocking Fibers.





MODEL	ТҮРЕ	REG.	SALE
T26817	Air-Assisted Spray Gun	\$62.95	\$ 44 95
T26818	Extra Canister for Air-Assisted Spray Gun	\$7 .9 5	\$ 5 95
T26819	Mini Flocker Applicator	\$4.95	\$ 3 95
T27019	Soft Flock Applicator Bottle	\$1.50	99 ¢

SUEDE-TEX SPRAY-ON RAYON FIBERS

Rayon fibers are known for their color intensity and brightness. Easy to blend to create endless numbers of colors. Recommended for indoor use only.



MODEL	TYPE	REG.	SALE
T26820	Wine -3 oz.	\$10. 40	\$ 7 95
T26821	Cardinal - 3 oz.	\$10.40	\$ 7 95
T26822	Bright $\operatorname{Red} - 3$ oz.	\$10.40	\$ 7 95
T26823	${\rm Hunter\ Green-3\ oz.}$	\$10.40	\$ 7 95
T26824	${\rm KellyGreen-3oz.}$	\$10.40	\$ 7 95
T26825	Navy Blue -3 oz.	\$10.40	\$ 7 95
T26826	Royal Blue -3 oz.	\$10.40	\$ 7 95
T26827	Brown − 3 oz.	\$10.40	\$ 7 95
T26828	Black – 3 oz.	\$10.40	\$ 7 95

UNDERCOAT ADHESIVE

- Can be sprayed, brushed, or rolled on
- Specially formulated for easy application
- Self-leveling
- Allows generous working time
- Ensures durability by holding the Suede-Tex fibers firmly in place
- Color coordinated to complement Suede-Tex fibers
- 8 oz. can will cover approximately 25 sq. ft.

Cannot ship via air or to CA, CT, OR, RI, and VT

MODEL	TYPE	REG.	SALE
T26999	Wine -8 oz.	\$ 10.40	\$ 7 95
T27000	Cardinal - 8 oz.	\$10.40	\$ 7 95
T27001	Bright $Red - 8$ oz.	\$10.40	\$ 7 95
T27002	$Hunter\ Green-8\ oz.$	\$10.40	\$ 7 95
T27003	Kelly Green − 8 oz.	\$10.40	\$ 7 95
T27004	Navy Blue -8 oz.	\$10.40	\$ 7 95
T27005	Royal Blue – 8 oz.	\$10.40	\$ 7 95
T27006	Brown − 8 oz.	\$10.40	\$ 7 95
T27007	Black – 8 oz.	\$10.40	\$ 7 95

5" SOFT SANDERS SET

Designed to sand almost any shape, Soft-Sanders™ easily sand difficult contours. Set includes 6 multi-profiles. Each 4¾" long sander is soft and pliable, and its rounded edges virtually eliminate gouging. Designed for use with adhesive backed sandpaper, they also work great with wet or dry sandpaper. Comes with 80, 120, and 180 grit Super-Flex® adhesive backed sandpaper.



H9390 \$29.95 SALE \$2595

5" SANDING BLOCK

- · Accepts 5" diameter hook and loop sandpaper discs
- Moulded rubber composition
- Ergonomic grip
- Ideal for most hand sanding applications



T25744

\$5.25

SALE

\$995

150-PC. MEGA BRUSH SET

INCLUDES: 50 disposable foam brushes, 50 bristle brushes, and 50 glue brushes. The foam brushes are ideal for all water and oil-based stains and finishes and includes: (20) 1", (20) 2" and (10) 3" brushes. The bristle brushes includes (25) 1", (15) 2" and (10) 3". Glue brushes

include (25) ¾" and (25) ¾" widths. Glue brushes are also great for applying soldering flux and pipe dope.



D3105 \$30.00 SALE \$25⁹⁵

SALAD BOWL FINISH—CLEAR



Behlen Salad Bowl Finish has been specially formulated to allow for the following statement. This product contains FDA regulated ingredients complying with 21 CFR 175.300, and therefore achieves a non-toxic, safe-for-food contact (in its cured state) finish. Behlen Salad Bowl Finish has the application ease of an oil finish (just use a clean white cloth) and the film building and sheen producing (up to a satin) qualities of a varnish. Wooden bowls,

wooden utensils, butcher blocks, and related objects like games, puzzles, and pull toys, are safe to come in contact with food after applying Salad Bowl Finish. *Cannot ship via air.*



MODEL	SIZE	REG.	SALE
H3930	8 oz.	\$11.50	\$995
H3931	Pint	\$16.75	\$14 ⁹⁵
H3932	Quart	\$26.25	\$ 22 ⁹⁵

Stringed Instrument Lacquer is a high-quality nitrocellulose lacquer specifically designed for wooden stringed instruments. Stringed Instrument Lacquer allows for the special expansion and contraction that can occur due to the unique construction

of stringed instruments. Note: Stringed instrument Lacquer must be applied over Behlen Vinyl Sealer (H4277) in order to insure its unique film building and special finish characteristics. *Cannot ship via air.*



MODEL	SIZE	REG.	SALE
H3934	Quart	\$19.95	\$1 7 ⁹⁵
T20844	13 oz.	\$14.75	\$12 ⁹⁵
H4277	Sealer, Quart	\$18.95	\$16 ⁹⁵

FOLLOW US ON











ROUTERS & JIGS

134 HP ROUTER PORTER+CABLE. 690LR

- Fixed base with 1¾ HP, 11A motor
- One-handed lever-release height adjustment, 1/64" micrometer depth-of-cut adjustment
- Precision-machined aluminum motor housing and base
- Includes router, ¼" and ½" collets
- · Weighs 8 lbs.

T22091

\$149.95

\$128⁹⁵ SALE

SPEEDMATIC 31/4 HP PLUNGE **ROUTER 7538**

- 3½ HP. 15A motor
- · 21,000 RPM with soft start
- 3" Plunge range with 6-position step turret
- Includes ½" collet and collet wrenches

PORTER+CABLE.



ONLY \$31995

31/2 HP ROUTER 5625-20

- 31/2 HP, 15A motor
- EVS (10,000-22,000 RPM)
- Soft start
- Weighs 11.8 lbs.



Nilwaukee

ONLY 30995H7022

LAMINATE TRIM ROUTER METAL BODY

- 5/8 HP motor, 440W, 2.1A
- No-load speed: 30,000 RPM
- · Carbon brushes for long life
- 1/4" Collet
- guide bearing, fence, 3/8" guide bushing, and collet

 Low noise & vibration · Includes: micro-adjustable wrenches Weighs 4.04 lbs. \$59.95

H7790

\$**49**95

LAMINATE TRIM ROUTER HI-IMPACT PLASTIC BODY

- ½ HP motor, 350W, 1.7A
- No-load speed: 30,000 RPM
- · Carbon brushes for long life
- ¼" Collet

H3725

- Low noise & vibration
- · Rack-and-pinion base adjustment
- Includes micro-adjustable guide bearing, fence, 3/8" guide bushing, and collet wrenches
- Weighs 4.02 lbs.

H7791

\$49.95

PRESIDENT'S

SUPER

SPECIAL!



\$3995

COMPACT ROUTERS WITH LEDS DWP611/DWP611PK

- Durable 1.25 HP motor
- Variable speed
- · Soft-starting motor
- Allows up to 1.5" of depth travel with standard base & 2" with plunge base
- T22356 comes with fixed & plunge bases, & T22355 is fixed base only



DEWALT

T22356 \$209.95 SALE \$128⁹⁵ T22355 \$149.95 SALE

ROUTER TABLE WITH STAND

This is an absolutely amazing deal brought to you by the President of Grizzly. Just add your router and you have a large size platform for your woodworking projects. Table size is 31%" wide x 24" deep.

- Top features a stable MDF core with durable melamine laminate and polyethylene edges
- Universal router mounting plate measures 12" x 9" and includes 2 removable inserts and starting pin for freehand
- · Split fence has a MDF core and a 33" long anodized aluminum mounting bracket that is precision machined
- T-slots in fence for mounting featherboards and jigs
- Measuring tape on fence reads both right & left

T10432

\$180.00

12" DELUXE DOVETAIL JIG 4212

SALE

\$136⁹⁵

PRECISION BENCHTOP ROUTER TABLE

Built from the ground up as the portable solution to true precision routing, this table provides trim carpenters and other mobile professionals with the quality materials and attention to detail that they're only used to finding in large router tables.

- · Rigid heavy-duty aluminum fence
- · Doubles as a Vertical Jointer
- Professionally Edgebanded MDF Top
- Easy-Slide™ Micro-Dot Skin
- · Phenolic Insert Plate
- · Rugged stand with vibration dampening rubber feet



T26464

PORTER+CABLE.

Heavy-duty and easy-to-use are perfect descriptions of the T22082 Dovetail Jig. A 1/8" thick steel base along with CNC machined aluminum template give this jig the strength and precision you would expect from Porter Cable. Patented wood alignment lines along with a patented router bit depth stop make setup a breeze. The T22082 will cut through dovetails, box joints, half-blind dovetails, rabbetted half-blind dovetails, and dovetail dadoes (sliding dovetails). The jig is fully assembled and is packaged with two carbidetipped bits, two template guides, two lock nuts, and a user guide.

T22082

\$180.95

SALE

\$154⁹⁵

24" OMNIJIG® 77240

PORTER+CABLE.

The T22067 includes jig base, 24" variable finger template, instructional DVD featuring Norm Abram, left and right template stops—A4, B1 & C1, dovetail bit—D4, straight bit—S2, 7 template guides—G0, G1, G2, G3, G4, G5, & G6, router bit depth pod, sovetail set-up guide, square

screwdriver, wrench, 2 o-rings. Weighs 78 lbs.



T22067

\$599.95

SALE





ROUTER BIT SETS

12-PC. ROUTER BIT SETS

If you're just starting a router bit collection or need to replace some old worn out bits, this set of super-duty micro-grain bits is the perfect choice.

INCLUDES:

- 1/4", 1/2", & 3/4" Straight
- ½" 14° Dovetail
- 1/4" Radius roman ogee
- ¾" Rabbeting
- ½" Radius cove
- 1/2" 90° V-groove
- ½" 45° Chamfer
- ½" Flush trim
 - · Includes wooden case

H5560 H5561

1/4" Shank 1/2" Shank

• ½" Core box

• 1/2" Radius roundover

\$65.00 SALE \$65.00 SALE \$29⁹⁵ \$29⁹⁵

8-PC. 1/4" STRAIGHT BIT SET

Never be at a loss for the right sized carbide straight bit for your project needs.

INCLUDES:

- ½", ¼", ½", ½", ½", ½", ½", 19/32", (2) 27/32" and ½16" bits
- 1/4" shank
- · Includes wooden box

PRESIDENT'S **SPECIAL**



H5532

1/4" Shank

\$37.95 SALE

\$19⁹⁵

35-PC. ROUTER BIT SET IN ALUMINUM CASE

If you're looking for one router bit set to own, this micro-grain, carbide-tipped router bit set provides just about every bit you'll ever need. Each bit is displayed in a high-tech, see-through aluminum case for the ultimate in protection.

- 1/4" x 1/2" Single flute straight bit
- 1/4", 3/8", 1/2", & 3/4" Straight bits
- 3/8" & 1/2" Dovetail bits
- ½" x 3/8", ½" x 5/8", 5/8" x ½", & 3/4" x ½" Core box bits
- 1/4" Radius roundover plunge bit
- ½" Hinge mortising bit
- 3/8", 1/2", & 5/8" V-groove bits
- 3/8" x 1/2", 1/2" x 1/2", & 1/2" x 1" Straight flush trimming bits
- 5/32" Radius Roman ogee bit
- ½", ½", 5/6", ¾", & ½" Radius roundover bits ½" & ½" 45° Chamfer bits
- 1/4" & 1/2" Radius cove bits
- 3/8" Radius beaded cove
- 1/8" & 1/4" Radius classical bits
- 3/8" x 1/2" Rabbeting bit

H6159

· Classical ogee bit

· Keyhole bit • Aluminum case

\$115⁰⁰ \$130.00 SALE

36-PC. ROUTER BIT SET

These are super sharp, micro-grain carbide-tipped bits that are ground up to 800 grit to glide through your cuts. Includes protective wooden case with touch-latch doors.

INCLUDES:

- 1/8" & 1/4" Solid carbide straight bits
- ¼", 5/16", 3/8", ½", 5/8", & 3/4" Straight bits
- ¼" Solid carbide spiral downcut
- 1/4" & 1/2" Radius cove bits
- ½", ½", ¾", ¾" & ½" Radius roundover bits
- 1/4" & 1/2" Radius beading bits
- 5/32" & 1/4" Radius Roman ogee bits
- 1/2" & 3/4" Core box bits
- 3/8" & 1/2" Dovetail bits • 3/8" x 1, 1/2" x 1", & 1/2" x 9/16"
- Flush trimming bits
- ½" Flush trimming pattern bit
- 5/32" & 1/4" Radius classical bits
- 3/8" Shear cut rabbeting bit
- 45° Shear cut chamfer bit

- ½" Shear cut hinge mortise bit
- ¼" Solid carbide combination panel bit
- ¼" Solid carbide flush trim laminate bit
- ½" 90° V-groove bit
- 3/8" Kevhole bit



\$136⁹⁵ H3426 1/4" Shank \$167.95 SALE

99-PC. MASTER CABINETMAKER ROUTER BIT SET

1/4" Shank

- (3) 1/8", 3/16", 1/4" HSS straight (1) 1/4" HSS dovetail
- (1) 5/16" HSS keyhole
- (1) 1/4" HSS plunge ogee
- (1) ¼" HSS V-groove • (1) 1/4" HSS core box
- (1) 1/8" Radius HSS roundover
- (1) 3/32" Radius HSS beading
- (1) 1/8" Radius HSS cove
- (1) 1/4" HSS rabbeting • (1) ½" HSS 45° chamfer
- (1) ½" Dovetail pattern
- (1) ½" 90° V-groove pattern
- (1) ½" Core box pattern
- (2) ½" & 5%" Straight pattern
- (3) ½", ¾", ½" HSS straight
- (1) 1/8" HSS straight single flute
- (5) 1/4", 3/8", 1/2", 5/8", 3/4" Straight • (4) 3/8", 1/2", 5/8", 3/4" 90° V-groove
- (4) 3/8", 1/2", 5/8", 3/4" Core box

- (3) 3/8", 1/2", 1/2" Dovetail
- (2) ½" & ¾" Mortising
- (3) ½" x ½", ¾8", ½" x 1" flush trimming
- (3) Bevel trimming
- (2) 1/4"-3/8" Combination panel
- (2) 1/8"-3/8" Radius beading/roundover
- (2) 3/8"-1/2" Keyhole T-slot
- (1) ½" Roundnose
- (1) Countersink
- (1) 1" Plunging ogee
- (1) 1" Glue joint
- (1) 1/8" x 1/2" Internal radius
- (1) ¾" Fingernail
- (1) ½" Straight
- (2) 1/4" & 1/8" Radius roundover
- (3) ½", ½", ¾" Classical plunge
- (1) 1/4" Core box
- (4) 1/8" Radius classical
- (1) 1/8" Radius Roman ogee
- (1) 3/4" 45° Chamfer

- (6) 1/8", 3/16", 1/4", 5/16", 3/8", 1/2" Radius roundover
- (2) 1" & 17/16" 45° Chamfer
- (5) ½", ½", ½", ½" Radius cove
- (2) 1/4" & 1/2" Rabbeting
- (1) 1/8" Radius corner bead
- (2) 13/32" & 1/2" Bull nose
- (4) Classical
- (2) 11/4" & 1½" Ogee
- (2) ½" & 1/4" Radius
- Roman ogee (2) ½" & 3/8" Radius beading



MADE IN AN ISO 9001 RATED FACTORY



H6072

1/4" & 1/8" Shank

\$325.00 SALE

\$265⁰⁰

TRACK SAW

61/4" TRACK SAW

This Track Saw redefines the circular saw, making traditional circular saws obsolete! Its plunge-cutting action eliminates flip-up blade guards and its riving knife reduces the risk of pinching and kickback for a new revolution in safety. And, although this saw cuts like any other circular saw, the optional Guide Rail is indispensable for making straight cuts when cutting wide panels. No more unsafe, over-extended reaching and poor balance while cutting wide panels on a table saw! The Guide Rail features a non-slip base and low-

friction glide strips for a secure, nearly effortless cutting experience. The optional Accessories Pack includes two rail clamps that firmly secure the guide rail without hindering saw travel and a rail connector for joining two guide rails when ripping full length plywood. Once you use this Track Saw, you'll never go

back to your old circular saw!



- · Suitable for a variety of materials like solid wood worktops, double-coated MDF boards, etc.
- Infinitely variable cutting depth up to 25/32"
- · Rail system for accurate, inclusive, and splinter-free
- · Non-slip backing on the underside of the rail for secure grip on the workpiece
- · Sliding surfaces on the guide rail ensures smooth machine operation
- Built-in riving knife for anti-kickback protection
- · Anti-tilt bar provides a secure grip on the guide rail for miter cutting

SPECIFICATIONS:

- Motor: 120V, 9A, 1.1 kW
- Motor speed: 5500 RPM
- Blade rim speed: 9070 ft per second
- Max cutting depth at 90D: without rail 2⁵/₃₂", with rail 1³¹/₃₂"
- Max cutting depth at 45D: without rail 15/8", with rail 17/16"
- Saw blade: 160mm x 20mm x 48 tooth
- Distance between saw blade and wall: 5/8"
- Dust port diameter: 11/2"
- Weight: 11 lbs.

FEATURES:


- · Includes saw blade
- · Continuous cutting depth limiter
- Anti-kickback protection
- Dust port for shop vacuum

Model T10687 Track Saw

\$200° sale \$18995









PRESIDENT'S

SPECIAL

INCLUDES BLADE

Plunge Cutting Action and Riving Knife for Increased Safety



OPTIONAL ACCESSORIES

T25667 28" Guide Rail T25666 Rail Connector T24872 T25331 55" Guide Rail 48T Replacement Blade \$2095 T25094 Accessories Pack* T25552 Track Saw Master Pack

* Accessory pack includes guide rail clamps (2), rail connector, limit stop, and anti-tilt bar.

Fax: 1-800-438-5901 Technical Service: 570-546-9663

POWER TOOLS

20" SCROLL SAW **DW788**

DEWALT

- · Double parallel-link arm design dramatically reduces vibration and noise, for extremely accurate cuts
- · Exclusive tool-free blade clamps allow blade changes in
- · Arm lifts so blade can be easily threaded through the material for inside cuts
- Unique arm design keeps the blade perpendicular to the work, dramatically reducing over or under cutting
- Oversized, cast iron table provides excellent material support and bevels 45° left & right
- · Includes hex wrench and blades



G4196

\$499.95

\$469⁹⁵

13" PLANER DW735X

- 15A, 10,000 RPM motor
- 1/8" Max. depth of cut 6" Depth capacity
- 13" width capacity 3-knife cutterhead
- Two-speed gear box allows users to change the feed speed to optimize cuts per inch at 96 or 179 CPI
- Fan assisted chip ejection
- 19¾" Cast aluminum base
- · Includes extra set of blades (H5344) & the folding table (H5346)
- Approx. shipping wt. 99 lbs.



T22222

\$669.95

SALE

\$649⁹⁵

DEWALT

SALE \$19995

DEWALT

10" JOBSITE TABLE **DEWALT SAW DWE7491RS**

- 15A high-torque motor
- 28½" of rip capacity
- 21/2" Dust collection port

• Includes 10" 24-Tooth carbide blade, folding table saw stand, miter gauge, push stick, rip fence, 2 blade wrenches, and blade guard assembly

· Approx. shipping weight: 110 lbs.



T29041

\$599.95

SALE

ROLLING MITER SAW DEWALT STAND DWX726

- Total extended dimensions: 98" W x 32½" H
- 300 lbs. maximum weight capacity
- · One-time assembly to minimize downtime
- Folds up vertically for easy storage
- Folded dimensions: 59½" W x 17" H
- Weighs 67 lbs.



T22712

\$219.00

SALE \$19995

\$39995

\$319⁹⁵

\$129⁹⁵

HD MITER SAW STAND DWX723

- · Universal design works with all brands of miter saws
- Lightweight aluminum construction
- 5½' Beam extends to support up to 16 ft. of material and up to 500 lbs.
- · Work stops/supports can be repositioned quickly anywhere along the rail
- Weighs 49 lbs.



\$219.00

COMPACT MITER SAW STAND DWX724

DEWALT

- Works with all brands of miter saws
- Lightweight aluminum construction (29.8 lb.)
- The 40" beam extends to support up to 10 ft of material and up to 500 lbs.
- · Legs provide superior support and fold for easy storage
- · The work stops/supports can be repositioned quickly anywhere along the rail
- Includes stand, 2 convertible work supports/stops, and 2 mounting brackets



T29074

\$199.95

SALE \$17095

20V MAX LI-ION MITER SAW WITH BATTERY AND CHARGER

T22432

This DCS361M1 Miter Saw features an integrated XPS cross cut positioning system that provides adjustment free cut line indication for better accuracy and visibility. Capacity allows cuts up to 35%" for nested crown and 3½" base vertically but will also cut 2" x 8" laying flat. Adjustable stainless steel miter detent plate with 11 positive stops improves productivity and ensures cutting accuracy and oversized bevel scale makes bevel angle adjustments accurate and easy. Cam lock miter handle delivers quick and accurate miter angles while the precise miter system and machined base fence support optimize durability and cutting accuracy. The compact, lightweight 31.6 lb. design also allows for easy transport or storage. Utilizes a 20V MAX Battery Pack which provides on average 183 cuts of 2" x 4" pine or 275 cuts of 3½" pine baseboard per charge. Includes 20V MAX battery, charger, carbide blade, blade wrench, and material clamp.

T29153 \$419.95 SALE

T29152 20V MAX Miter Saw (Bare) T22545 2-Pk. 20V MAX Li-Ion Battery

71/4" MITER SAW BLADES

\$14⁹⁵ T29154 24T \$1995 T29155 40T \$24⁹⁵ T29156 60T

DEWALT

CLAMPS

H-SERIES PIPE CLAMPS



The "H" shaped foot assembly stabilizes the clamp in two dimensions giving dual-axis stability to the workpiece and industry-leading clearance from the work surface.



MODEL	TYPE	REG.	SALE
T20479	1/2"	\$15.95	\$12 ⁹⁵
T20481	3/4"	\$15.95	\$12 ⁹⁵

PIPE CLAMPS

BESSEY

BESSEY

Commonly used in woodworking applications for edge gluing of multiple pieces, the versatility of the reach comes from the ability to use a variety of lengths of pipe to suit your needs. Features a foot assembly to help stabilize the clamp, extra high base for finger-saving clearance from the work surface, cast jaws for durability, and a smooth spindle with hex head for ease of use.



MODEL	TYPE	REG.	SALE
T27851	½"	\$17.40	\$14 ⁹⁵
T27852	3/4"	\$20.47	\$1 7 95

DEEP REACH PIPE CLAMP

BESSEY

Commonly used in woodworking applications for edge gluing of multiple pieces, the versatility of the reach comes from the ability to use a variety of lengths of pipe to suit your needs. Features a plated spindle that prevents rust & corrosion and larger clamping surface gives more positive grip as well as a larger handle for more positive pressure. Pipe diameter is 3/4".



MODEL	TYPE	REG.	SALE
T27854	3⁄4"	\$20.55	$^{\$}17^{95}$

TRADESMAN CLAMP KIT



Get a 30-piece mix of the popular 2.5" throat Bessey

Tradesman clamps for one low price. Includes four 6" clamps (G3316), six 12" clamps (G3317), four 18" clamps (G3318), eight 24" clamps (G3319), four 30" clamps (G3320), and four 36" clamps (G3321).







H5115


\$507.00

SALE

\$399

WOOD HANDSCREW CLAMPS

These handsome clamps are made of oiled maple jaws with cold-drawn, carbon steel spindles and swivel nuts. Features an acme thread for quick clamping and large handles for comfort and torque. Jaw length is 10", clamping capacity is 7" and throat depth is 6". Approximate weight (T27137) 2.24 lb.



\$21⁹⁵ T27137 \$24.95 **SALE** \$4950 T27138 \$74.85 **SALE**

K-BODY REVO™ **CLAMPS**

The new generation K-Body REVO™ clamps have 30% larger parallel clamping surface than the previous K-Bodies and feature replaceable glue-resistant pressure caps for delicate surfaces and easily removable end rail clips to convert to spreaders.



BESSEY

MODEL	TYPE	REG.	SALE
T20898	12"	\$40. 9 5	\$ 35 95
T20899	24"	\$41.95	\$ 35 ⁹⁵
T20900	31"	\$48.95	\$41 ⁹⁵
T20901	40"	\$49.95	\$42 ⁹⁵
T20902	50"	\$51.95	\$44 ⁹⁵
T20903*	60"	\$59.95	\$49 ⁹⁵


* Additional \$10.00 shipping charge

AUTO-ADJUST PRESS-DOWN STYLE TOGGLE CLAMPS

Bessey Auto-Adjust Toggle Clamps automatically adjust to variations in workpiece dimensions while maintaining constant clamping force. An integrated clamping force adjustment screw provides variable clamping pressure.

	MODEL	CAPACITY	HANDLE POSITION WHEN LOCKED	SIZE	REACH	REG.	SALE
T	24246	25–550 lbs.*	Down	2¼" x 8¾"	2"	\$ 20.95	\$1 7 ⁹⁵
T	24247	25–550 lbs.*	Down	2¼" x 8¾"	2¾"	\$21.95	\$18 ⁹⁵
T	26372	25–250 lbs.*	Down	$2\frac{1}{4}$ " x $8\frac{3}{8}$ "	1¾"	\$17.95	\$1 5 ⁹⁵
T	26374	25–250 lbs.*	Down	2½" x 6¾"	1¾"	\$17.95	\$1 5 ⁹⁵
T	26375	25-250 lbs.*	Down	2½" x 6¾"	1¾"	\$17.95	\$15 ⁹⁵
T	26375	25–250 lbs.*	Down	2½" x 6¾"	1¾"	\$17.95	\$15 ⁹⁵

*Variable and dependent on spindle settings, pressure screw setting, force applied, etc.













CLAMPS

3-PC. CLAMP RACK SETS

- D4333 includes wall-mounted F-Clamp Rack, Pipe Clamp Rack, and Parallel Clamp Rack
- Holds 15 F-style clamps, 9 pipe clamps and 12 parallel clamps
- Made of heavy-gauge steel
- 245/8" maximum overall length
- . Mounting holes are 16" on-center to fit standard wall stud spacing
- · Mounting screws not included



Clamps not included

<i>!</i> .	MANAMAN	MAN
	D4333	

4-PC. C-CLAMP SET SET

Ideal for most woodworking and metalworking applications, these C-Clamps feature a copper clad screw and pad to resist welding splatter. Perfect for welding set-up chores and general wood clamping. Includes 2", 3", 4", and 5" C-Clamps



G8091

\$16.95

SALE

\$14⁹⁵

MODEL	TYPE	REG.	SALE
D4345	3-Pc. Pipe Clamp	\$4 3.9 5	\$ 34 95
D4346	3-Pc. Parallel Clamp	\$4 3.9 5	$\mathbf{\$34}^{95}$
D4347	3-Pc. F-Clamp	\$4 3.9 5	$\mathbf{\$34}^{95}$
D4333	3-Pc. Set (one of each)	\$55.00	\$ 29 ⁹⁵

ADJUSTABLE FRAME CLAMP

This popular clamp can handle frames from 5" x 7" to 26" x 30". If you have bigger frames, it can be extended with a common bar clamp. Features durable aluminum construction and self-squaring clamp pads, and comes complete with fully illustrated instructions.



G3047 \$25.95 \$**22**⁹⁵ SALE

CLAMP BUDDY™

The Clamp Buddy™ can hold over 200 clamps and has the ability to easily store K-bodies, bar clamps, and many other types of clamps you may have. Its heavy-duty locking casters and sturdy steel frame give it the ability to support 500 lbs. It comes with adjustable cross bars that make it useful for any size clamp.



D3605

\$59.95

SALE

\$51⁹⁵

HEAVY-DUTY F-CLAMPS



These Heavy-Duty F-Clamps feature quick-sliding adjustment, non-marring pad protection, and 43/8" of depth for just about any clamping requirement. Long, narrow, stationary head allows these clamps to reach into tight places. Cast iron clamp heads and steel bar construction.



D2916 12" \$10.95 D2917 \$11.95 18" SALE \$1295 D2918 \$14.95 24" D2919 \$16.95 36" SALE

Kit—(12) D2916, (8) D2917, (6) D2918 & (4) D2919

H8444 30-Piece \$374.00 SALE \$29995

3-WAY EDGE CLAMP

A general use, light-duty 3-way edge clamp to hold down edging on corners and irregular angles.

- Throat depth: 2½"
- Clamping capacity: 2½"
- Clamping force: 300 lbs.



\$295 T24868 \$9.95 SALE

HIGH-TORQUE BAND CLAMP

The Bandspanner high-torque clamping system combines four adjustable angle corner brackets with a powerful tensioner for precise pressure on square, rectangular, circular, and multi-angled objects. A retractable 7 meter polyester band offers exceptional clamping power.



High Torque Band Clamp

\$36⁹⁵ G4955 \$42.95 SALE Angle Clips for Band Clamp

G5882 \$16.75 SALE

SPRING CLAMPS

Featuring instant opening and closing, these heavyduty, tempered steel spring clamps can hold irregular shaped objects and protects workpieces. They're ideal for gluing models, crafts and various other projects.



MODEL	SIZE	REG.	SALE
T27848	1"	\$2.13	\$1 ⁹⁵
T27849	2"	\$3.42	$^{\$}2^{95}$
T27850	3"	\$6.04	\$ 4 95







 $\$14^{95}$



WORKBENCHES & TOPS

SOLID MAPLE WORKBENCH & CABINET TOPS



Since the first day Grizzly® started, we have been using these Maple Workbench Tops in our shipping and service departments. We estimate that we have over 200 tops in use and expect them to be in service for the next 50 years! Our workbench tops are made of solid 1½" USA grown hard rock (sugar) maple strips that are laminated to each other and then coated with food-safe Durakryl finish. The tops, bottoms, and all edges are sealed and the appearance is clear, satin smooth, low sheen, and natural in color. There is no odor to the finish and they can be cleaned like any other counter surface using soap and water, bleach or nail polish remover.

Build your own workbench using our excellent selection of tops. Our optional adjustable SHOP FOX® legs are extremely heavy-duty, allowing you to customize your workbench size according to your needs.

The Solid Maple Cabinet Tops are as beautiful as they are functional. While you enjoy the soft grain and subtle color variations of your top, you also can use it as a true cutting surface. Coated with the same food-safe Durakryl finish as the workbench tops, these cabinet tops require little or no maintenance, while bringing together the warm texture & feel of solid wood & the durability & longevity of a solid surface.



MODEL	WORKBENCH TOP SIZE	REG.	SALE
G9912	36" W x 1¾" H x 24" D	\$99.95	\$ 85 ⁹⁵
G9913	48" W x 1¾" H x 30" D	\$1 46.9 5	\$125 ⁹⁵
G9914	60" W x 1¾" H x 30" D	\$185.00	\$158 ⁹⁵
G9915	72" W x 1¾" H x 30" D	\$ 215.00	$^{\$}183^{95}$
G9916	96" W x 1¾" H x 30" D	\$ 279.00	$^{\$}238^{95}$
G9917	120" W x 1¾" H x 30" D	\$395.00	$\$337^{95}$
G9918	60" W x 1¾" H x 36" D	\$ 215.00	\$183 ⁹⁵
G9919	72" W x 1¾" H x 36" D	\$ 267.95	\$ 229 ⁹⁵
G9920	120" W x 1¾" H x 36" D	\$569.00	\$486 ⁹⁵
T21247	60" W x 2¼" H x 24" D	\$ 272.95	$^{\$}233^{95}$
T21248	$60"~\mathrm{W} \ge 2\frac{1}{4}"~\mathrm{H} \ge 30"~\mathrm{D}$	\$355.00	$\$303^{95}$
T21249	72" W x 2¼" H x 24" D	\$345.00	\$ 294 ⁹⁵
T21250	72" W x 2¼" H x 30" D	\$4 29.9 5	$\$367^{95}$
T21251	96" W x $2\frac{1}{4}$ " H x 24 " D	\$4 29.9 5	$\$367^{95}$
T21252	96" W x 2½" H x 30" D	\$555.00	\$474 ⁹⁵
T21253	120" W x 21/4" H x 24" D	\$565.00	\$483 ⁹⁵
T21254	120" W x 21/4" H x 30" D	\$ 729.0 0	\$ 623 ⁹⁵

MODEL	CABINET TOP SIZE	REG.	SALE
H9686	24"~W~x~1%"~H~x~25"~D	\$83.95	\$ 71 ⁹⁵
H9687	36" W x 1½" H x 25" D	\$ 119.95	\$102 ⁹⁵
H9688	48"~W~x~1%"~H~x~25"~D	\$1 62.95	\$139 ⁹⁵
H9689	60"~W~x~1%"~H~x~25"~D	\$ 219.95	\$188 ⁹⁵
H9690	72" W x 1½" H x 25" D	\$ 251.9 5	\$215 ⁹⁵
H9691	96" W x 1½" H x 25" D	\$325.00	\$277 ⁹⁵

(Except G9912, H9686 & H9687 where non-freight shipping charges apply)



GOOD STUFF WOOD FINISH FOR MAPLE TOPS

For bare wood surfaces, this fast-drying synthetic oil has been formulated to enhance the natural look of wood. The dry film is non-toxic, alcohol resistant, and FDA approved for food contact. *Cannot ship via air or internationally.*



60" BIRCH WORKBENCH WITH DRAWERS

Where space and budget are limited, this Workbench has some big bench advantages. Features include a front vise and end vise with bench dogs, two drawers with ball bearing slides, a large storage shelf, and tool tray.

- 2¾" Edge thickness
- Overall size: 66" W x 26" D (with vises) x 38" H
- Two drawers measure 12½" W x 3¾" H x 13½" D
- All drawers felt-lined 12½" x 2¾" front and end vise
- Approximate shipping weight: 106 lbs.









H7723 \$395.00 SALE \$3



ADJUSTABLE HEIGHT LEGS & STRINGERS



ADJUSTABLE LEGS

SHOP FOX® adjustable legs are among the heaviest duty legs on the market today. They are made of 2" x 2" x $*'$ 8" angle iron and plate steel and can be bolted to the floor. Capacity per leg is 2000 lbs.!

Adjustable Leg 28" W x 30"-36" H x 4" D

D2659 \$52.50 SALE

Adjustable Leg 36" W x 30"–36" H x 4" D

D2660 \$61.95 SALE



6" WIDE STRINGERS

Stringers are used to brace the legs and prevent the whole workbench from moving side to side, giving it a solid, firm feel.

 60" Long

 D2661 \$31.50
 SALE
 \$2695

 72" Long

 D2662 \$36.95
 SALE
 \$3195







WORKBENCHES

8-DRAWER OAK STORAGE CABINET

- Oak veneer cabinet with 8 felt-lined drawers
- Perfect for storing and organizing precision tooling and other shop valuables
- Each drawer measures 71/8" W x 13/4" H x 71/8" D
- Overall size is 16" W x 8¾" H x 8¾" D
- Approximate shipping weight: 14 lbs.



48" BIRCH RELOADING WORKBENCH

This workbench provides strength and stability for any workshop need. Bench features solid birch construction with a full-thickness top, mortised cross braces, and square-profile legs.

- Top measures 48" wide x 25" deep x 11/4" thick
- · Bench surface is 38" from floor
- Legs measure 29/16" square

GREAT **FOR THE**

RELOADING

ROOM!

· Weight: 79 lbs.



T10730

\$169.95

SALE



60" X 30" HEAVY-DUTY BIRCH WORKBENCH

Sized to fit the needs of any shop, this Heavy-Duty Birch Workbench has a solid 3" thick top that measures 60" long x 30" wide and stands 38" above the floor. The end vise measures 143/4" wide and has a 7" maximum capacity. Stable laminated birch provides strength and durability. You'll be proud to have this workbench in your shop!

- · Laminated birch construction for strength and stability
- Approximate shipping weight: 254 lbs.

3" THICK TOP!

WORKBENCH DESIGNED BY THE PRESIDENT OF GRIZZLY

SUPER HEAVY-DUTY

CONSTRUCTION!

H8361

\$499.00

SALE



72" X 36" SUPER HEAVY-DUTY BIRCH WORKBENCH

Sized to fit the needs of any shop, this Super Heavy-Duty Birch Workbench has a solid 3" thick tops that measures 72" long x 36" wide and stands 38" above the floor. The end vise measures 1734" wide and has a 7" maximum capacity. Stable laminated birch provides strength and durability. You'll be proud to have this workbench in your shop!

- · Laminated birch construction for strength and stability
- Approximate shipping weight: 338 lbs.

3" THICK TOP!

WORKBENCH DESIGNED BY THE PRESIDENT OF GRIZZLY

SUPER HEAVY-DUTY CONSTRUCTION!

H8362 \$625.00









PEN-MAKING ITEMS

HOLD FAST™ WOOD STABILIZATION SYSTEM

Create your own unique "easy-to-turn" wood with this user-friendly system that utilizes a Vacuum Stabilization Process and Stabilizing Resin. Woods that tend to crack and check, such as spalted woods, can now become solid, easily turned pieces with the application of heat cured resin that penetrates deeply into the wood. Great for stabilizing pen blanks!



Resin Stabilized wood gives new life to woods that would normally not be usable for turning. Wood Stabilizing Resin is low viscosity, low odor, and heat cured. Low temperature heat cure (190°-200°F) allows cure in a small toaster type oven... out of the kitchen! Dyes added to the stabilizing resin can also create dramatic coloring effects. The Resin is a Methacrylate Ester base and can fill voids and penetrate thick wood if the wood is relatively soft and porous. No need to stabilize hard wood!



Note: Vacuum Stabilization requires a small air compressor (1.2 CFM @ 85 PSI) and toaster type oven. Both NOT included with Hold Fast Wood Stabilization products.

VACUUM STABILIZING SYSTEMS

- Includes everything needed to start stabilizing wood
- Contains 3.5 quart OR 6 quart chamber
- Vacuum will draw 25" Hg depending on altitude and atmospheric pressure
- Maximum vacuum limit for the chamber and lid is 27" Hg
- Includes vacuum chamber, anti-float plate, clear cover, seal, and fittings.

VACUUM STABILIZING KIT

Two tanks allow for large and small batches.

Clear viewing cover with fittings

(50-70 pen blanks)

included with this kit.

one for each container

The Vacuum Stabilization Kit provides the optimum

in versatility and economy in wood stabilization. The

vacuum pulls the stabilization resin into the wood to

change woods into pieces that can be easily turned.

Main vacuum chamber/large batch tank: 8.25 quart

• Small batch 2 quart tank (up to 20 pen blanks):

8.25 quart chamber. Clear cover for 2 quart not

· Unique Anti-Float Plates keep wood submerged;

ideal for dye coloring batches that fits into





MODEL	TYPE	REG.	SALE
T1170	3.5 Quart	\$95.00	\$ 75 00
T1171	6 Quart	\$129.95	\$105 ⁰⁰

VACUUM GENERATOR PUMP

Venturi effect produces vacuum with your air compressor.

- Supply air at 90 PSI allows you to increase air pressure resulting in increased vacuum and vacuum volume by turning the regulator knob
- Typical vacuum at 70 PSI = 21" Hg
- Typical vacuum at 85 PSI = 25"+ Hg
- Compressed air consumption = 1.2 CFM @ 85 PSI
- Note: Air pressure over 85 PSI does not benefit the vacuum just uses more compressed air



T1168

\$135.00

SALE \$10995

Manager 1







VACUUM HOSE

This 3%"ID x 5%"OD x 4" hose is for use with the Hold Fast Wood Stabilization Systems. If you don't already have a hose you can use or need a replacement, this will do the trick!

T27442 \$4.95 SALE \$395

STABILIZING RESIN/CATALYST

- Economical
- Low viscosity for better wood penetration
- · Low odor
- Dye colors available for dramatic effects
- 3 year shelf life; 3+ month catalyzed shelf life
- Soap and water clean up



MODEL	TYPE	REG.	SALE
T1175	Quart	\$33.95	\$ 29 ⁹⁵
T1176	Gallon	\$99.95	\$ 89 ⁹⁵

RESIN DYES

Blend dyes with Stabilizing Resin to add color throughout porous wood for a dramatic effect when turning. Mix dyes for additional colors. Five-Color Dye Kit includes 1 oz. each of Black, Red, Blue, Yellow, and Violet dyes.










MODEL	TYPE	REG.	SALE
T1178	Black – 1 oz.	\$ 9.95	\$ 7 95
T1179	Red – 1 oz.	\$ 7.95	$\mathbf{^{\$}5^{95}}$
T1180	Blue – 1 oz.	\$ 7.95	\$ 5 95
T1181	Yellow – 1 oz.	\$7.95	\$ 5 95
T1182	Violet – 1 oz.	\$ 7.9 5	\$ 5 95
T1177	5-Color Dye Kit	\$39.95	\$ 29 ⁹⁵

EXTRA CHAMBER SEALS

Ensure maximum vacuum pressure with fresh seals for all your vacuum chambers.



MODEL	TYPE	REG.	SALE
T1173	For 3.5 Quart	\$9.95	\$ 7 95
T1174	For 6 Quart	\$9.95	\$ 7 95
T1172	For 8.25 Quart	\$1 3.5 0	\$10 ⁹⁵

Fax: 1-800-438-5901 Technical Service: 570-546-9663

PEN-MAKING ITEMS

MICRO PEN TURNING SET

These micro turning tools were specifically designed for the pen turner. Each has a handle length of $6\frac{1}{4}$ " with an overall length of 10". Roughing Gouge comes with a $\frac{1}{16}$ " blade, the Parting Tool with a $\frac{1}{16}$ " and the Spindlemaster with a $\frac{1}{2}$ ". Buy all 3 and save!



H9080 ONLY \$9695

PEN BARREL-FACING TOOLS

Before turning pen barrels, the end of the blanks must be cut square to the brass tube with a barrel-facing tool. This tool consists of two parts: a pilot to clean excess glue out of the brass tube and keep the barrel square, and a cutterhead to trim the ends of the blank. H6680 has everything you need for standard size pens: ½" cutterhead, 7mm pilot, and hex wrench. The optional ¾" cutterhead (H6681) allows room for the mandrel bushing on the larger style pens to fit without further trimming. H6683 pilot (included in H6680) is for standard pens and pencils. H6684 trims the Ameroclassic Double Twists while H6685 is designed for the Ameroclassic Rollerball (standard & 10 mm) and fountain pens.



MODEL	TYPE	PRICE
H6681	¾" Cutterhead	\$ 27 ²⁵
H6682	%" Cutterhead	\$ 25 ²⁵
H6683	7mm Pilot	\$ 7 35
H6684	Double Twist Pilot	\$ 7 35
H6685	Rollerball Pilot	\$ 7 35

PEN MAKER'S BITS

The cutting geometry of these bits guide them straight through tough end grain and guarantees a clean entrance and exit hole. Made from high quality M2 high-speed steel that has been hardened to 64 HRC.



T26482	7mm	\$11 ⁵⁰	
T26483	Latter ()	\$1575	

PEN BLANKS

Enjoy the satisfying hobby of turning your own writing pens. Convenient package of 5 pen blanks measure $^3\!\!\!\!\!/^4$ square by 5" long.

MODEL	SPECIES	REG.	SALE
D3057	Red Oak	\$1.49	99 ¢

PEN MAKING STARTER KIT

This complete starter set includes: \(\frac{9}{2} \) drill bit and 7mm MT#1 mandrel kit, two polishing bars, five pen blanks (assorted species), curing agent, sanding strips, and a detailed instruction manual. An excellent value! H4980 includes #1 Morse Taper, 7mm rod, five bushings, and knurled nut. H4981 includes #1 Morse Taper, rod, knurled nut, and four double twist bushings.



MODEL	TYPE	PRICE
H2330	Starter Kit	\$ 69 ⁹⁵
H2331	Ballpoint 5-Pk.	\$ 24 ⁹⁵
H4967	Pencil 5-Pk.	\$ 31 ⁵⁰
H4980	7mm Mandrel	\$ 23 ²⁵
H4981	8mm Mandrel	\$ 27 ²⁵

PEN MAKING STARTER KIT

This starter kit includes everything you need to start turning traditional style pens. Includes: five traditional upgrade 24k gold pen kits, one #2 Morse Taper 7mm precision mandrel kit, one ½2" drill bit, one variety pack of sandpaper (one yard each of 240, 320, 400, and 600 grits), one HUT PPPTM combo finish, one 2oz bottle of extra thick Maxi-Cure glue, five assorted wood pen blanks, and one Beginners Pen Turning Manual.



MODEL	TYPE	PRICE
T24521	MT#2	\$ 69 ⁹⁵
T24522	7mm Mandrel Kit-MT#2	\$ 26 ²⁵

CRYSTAL COAT

Just a drop of this mixture of shellac and water-resistant carnauba wax produces a glass-like finish in seconds. Can be applied to pens and other wood turnings while on the lathe! Food safe when dry. 6 oz. Cannot ship by air or internationally.



H2328	ONLY	\$13 ⁷⁵

PERFECT POLISH COMBO

Light and dark Perfect Pen Polish bars give a rich satin finish and remove fine scratches at the same time. 2 oz. bars.



H2329	ONLY	

PEN DRILLING JIG

Drill consistently straight holes through pen blanks by clamping one side to your drill press table. Designed for production use.

H2327 ONLY \$2195



ELLATING MULTI-TOOL

OSCILLATING MULTI-TOOL

The Oscillating Multi-Tool is the tool of choice for remodelers, tile and floor installers, finish carpenters, drywallers, and do-it-yourselfers. And, for good reason! The Oscillating Multi-Tool, with a wide assortment of aftermarket saw blades, cuts flush and into corners like no other saw. Also great for scraping, sanding, and plunge cutting. You won't find a more versatile tool at a price this low!

SPECIFICATIONS:

- Power requirement: 120V, single-phase, 60 Hz
- 15,000–22,000 OPM (variable no-load speed)
- 1.8 Amps

T25227

- 4' Power cord
- 1-Year warranty

INCLUDES:

- Curved scraper
- 28mm CRV flush-cut wood saw blade
- 28mm bi-metal flush-cut saw blade
- · CRV radial saw blade
- 93mm triangle sanding pad
- 5-Pc. 93mm red sandpaper
- 5-Pc. 93mm white sandpaper
- Carrying case

\$4995

"Amazing tool - I have one"

S. Balolia, President



TOOL ACCESSORY ITEMS

OSCILLATING MULTI-TOOL ACCESSORIES

SALE

\$71.95

Can be used for Fein-Multimaster FMM250O and Bosch PMF180E.

STANDARD PUSH-CUT **SAW BLADES**

- · Universal saw blades feature bi-metal blades for wood and metal . Fine tooth count for smooth cuts
- For deep plunge cutting

r or deep plans	o cutting	
T25137	Universal—11/4"	$\mathbf{\$3}^{69}$
T25138	Universal—1¾"	\$ 4 ²⁵
T25139	Universal—211/16"	\$ 3 69
T25140	Universal—15/16"	$\mathbf{^{\$}2^{65}}$

SCRAPERS

- Flexible Scrapers remove soft adhesives, paint residue, and silicone caulk
- Rigid Scrapers remove tougher adhesives, glueddown carpet, and under coatings

T25154 T25155 T25156 T25157

\$965 Flexible—21/16" x 13/4" \$965 Rigid—21/16" x 1 Flexible—2" Rigid—2"

\$765 \$**7**65

CARBIDE GRIT SAW BLADE

29/16"

- · Carbide grit edge for a broad range of applications
- Cuts tile, plaster, porous concrete, and similar construction materials
- · For rough grinding wood, stone, and concrete

applications

flush cutting

· Cuts wood and metal

· Radial saw blade for

· Segment saw blade

for straight cutting into

corners and right angles

T25150

HSS SAW BLADES · HSS for a broad range of

\$369

PRECISION PUSH-CUT **SAW BLADES**

- CRV-hardened teeth for a broad range of applications
- · Ground and side set teeth for precise, clean, & quick cutting
- · For wood, plastic, and plasterboard

T25141	Wood—1 ⁵ /16"
T25142	Wood—211/16"

CRV RADIAL SAW BLADE

- · CRV-hardened teeth cuts wood, plastics, and plasterboard
- Use for plunge cutting and flush cutting



T25153 Wood-37/16' T25151 Radial-37/16" T25152

\$**3**95 \$395 Segment—31/8"

CRV STANDARD FLUSH-CUT SAW BLADES

- · CRV-hardened teeth for a broad range of applications
- Fine tooth count for smooth cuts
- · For wood, plastic, and plasterboard

\$989 T25143 Wood-11/8" \$289 T25144 Wood—7/8" \$289 T25145 Wood-3/8"

RASPS

\$989

\$369

- · Removes mortar or tile adhesive when removing damaged tile
- Removes carpet adhesive from hard surfaces
- · For rough grinding wood, stone, and concrete

T25160 Diamond Coated—31/8" T25161 Carbide Grit—31/8"



\$775

\$395

T25158

GROUT & MORTAR REMOVER · Combines a segment blade with a triangle

blade in a drop-shape design Can be used to rout

out damaged tile and rasp away mortar or tile adhesive without changing the tool

\$735

29/16"

BI-METAL STANDARD FLUSH-CUT SAW BLADES

- · Bi-metal blades for wood and metal
- · Fine tooth count for smooth cuts
- For flush-cutting applications

T25146	Metal—³/8"	\$ 2 89
T25147	Metal—7/8"	$\mathbf{\$3^{09}}$
T25148	Metal—11/8"	\$ 3 09

DIAMOND-COATED SAW BLADE

- · Diamond-coated edge for a broad range of applications
- Cuts tile, glass, fiberglass, and similar materials



\$425 T25149 29/16"

SANDING PAD

- · Sanding Pad features microhook and loop fastening system for quick and easy sanding sheet changes
- Compatible with all standard Delta shaped hook and loop sanding sheets

T25159 35/8'



\$369

payments













MULTI-TOOL ACCESSORIES

OSCILLATING MULTI-TOOL ACCESSORIES

Can be used for Fein-Multimaster FMM250O and Bosch PMF180E.

TIN-COATED BI-METAL STANDARD **FLUSH-CUT UNIVERSAL SAW BLADE**

· TiN-coating stays sharper longer than non-coated blades Bi-metal blades for wood

and metal Fine tooth count for smooth cuts

For flush cutting

\$625 T26319

TIN-COATED HSS STANDARD FLUSH-CUT METAL SAW BLADES

 TiN-coating stays sharper longer than non-coated blades

 HSS blades for metal · Fine tooth count for smooth cuts

 For flush cutting applications



T26321 T26323

\$6²⁵ 3/8" \$6²⁵ 13/8"

HSS MULTI-FUNCTION FOUR-EDGE SAW BLADE

· HSS for a broad range of applications Straight edges have 14

and 18 TPI · Curved edges

have 20 TPI

T26326 23/8" x 31/8"

HSS SERRATED-EDGE RADIAL SAW BLADE

 Ideal for cardboard, carpet and carpet pad

 HSS for a broad range of applications



T26330

4" Diameter

29/16

\$735

\$735

BI-METAL FLUSH-CUT SAW BLADE FOR HARDWOOD

· Bi-metal blade for tough hardwoods

• Fine tooth count for smooth cuts

• For flush cutting applications

\$325 T26318

TIN-COATED HSS RADIAL **SAW BLADE**

· TiN-coating stays sharper longer than non-coated blades

 HSS for a broad range of applications



T26324

37/16" Diameter

\$850

T26327

CARBIDE-GRIT RADIAL SAW BLADES

· For cutting out damaged tile along grout lines For cutting grooves in plaster, porous concrete,

and similar construction material

SAW BLADE

soft plastics, and

and flush cutting

Use for plunge cutting

plasterboard

T26331

T26327 T26328 \$425

CRV SERRATED-EDGE

· CRV hardened teeth cut foam,

2%16" Diameter 33/8" Diameter

\$**5**25

\$**5**25

BUY 5 OR MORE MULTI TOOL ACCESSORY ITEMS AND GET 20% OFF

HSS STANDARD FLUSH-CUT METAL SAW BLADES

· High speed steel blades for a broad range of applications

• Fine tooth count for smooth cuts

 For flush cutting applications

T26320 T26322 3/8" 13/8"

\$425 \$425

ROUND DIAMOND-COATED SAW BLADES

 Diamond-coated edge for a broad range of applications · Cuts tile, glass,

fiberglass, and similar materials

• 31/4" Diameter

T26336 T26337

Depressed Center Flat Center

\$735

T26336

DIAMOND-COATED RADIAL SAW BLADE

· Diamond-coated edge for a broad range of applications

Cuts tile, glass, fiberglass, and similar materials

T26329

33/8" Diameter

DOUBLE-FACE CARBIDE-GRIT FINGERTIP RASP

• For rough grinding tile adhesive, concrete, stone, and wood

· Carbide grit is coated on both sides

 Fingertip shape is well suited for small areas

T26332

\$**4**25 13/8"

DIAMOND-BOOT SAW BLADE

• Unique shape for greater versatility

range of applications Cuts tile, glass,



CARBIDE-GRIT FLUSH-CUT SAW BLADE

· Cuts tile, plaster, porous concrete, and similar construction materials

 For rough grinding wood, stone, and concrete

· For flush cutting applications

T26334



ROUND CARBIDE GRIT SAW BLADE

· Carbide grit edge for a broad range of applications

Cuts tile, plaster, porous concrete, and similar construction materials

 For rough grinding wood, stone, and concrete

T26335 31/8" Diameter



FOLLOW









STOCKING STUFFERS

9-PC. EXTRA LONG HEX KEY WRENCH SET - BALL END

- Professional/industrial quality
- Chrome vanadium steel
- Hardened and tempered
- Ball end allows up to 30° offset alignment
- Convenient storage caddy
- Extra long hex keys for maximum torque
- Sizes include: 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", and 3/8"



H8053

\$8.95

\$995

O'KEEFFE'S WORKING HEALTHY FEET—3.4 OZ. JAR

Relief for Feet that Crack & Split, Nothing works faster or more effectively than O'Keeffe's to protect and relieve cracked, split skin. The oil-free formulation pulls water in, so cracked feet get the moisture they

O'Keeffe's products are:

- Absolutely odorless
- Oil-free & hypoallergenic
- Non-greasy
- · Guaranteed relief in days



T23278

\$7.75

SALE

\$6⁹⁵

O'KEEFFE'S WORKING HANDS—3.4 OZ. JAR

Relief for Dry Hands. From ranchers to contractors, gardeners to nurses, many people suffer from the pain that dry skin can bring. Our promise is to make the best skin care products for workers who rely day-today on their hands.

O'Keeffe's products are:

- Absolutely odorless
- Oil-free & hypoallergenic
- Non-greasy
- Guaranteed relief in days



T23276

\$7.75

SALE

\$6⁹⁵

19-IN-1 RANGE TOOL

Designed by a shooter for shooters, this is a tool that belongs in every range bag, whether you are a rifle, handgun, or shotgun sportsman.

Excellent for tightening hex head action screws, scope screws—which generally require Torx® bits—handgun grips, and sights that require thin and flat bits, as well as the tiny Phillips® and flat bits for fixing and adjusting eyeglasses. All bits are made of hardened S-2 material. Comes in a handy storage tube.

INCLUDES:

- Flat: 1.5mm, 2.5mm, & 5mm
- Hex: ½6", 5%4", ¾32", ¾4", Phillips®: 000, 0, & 1

1/8", 9/64", 5/32", & 3/16" • Torx®: T9, T10, T15, & T20

BE1002

\$15.00

SALE



"I highly recommend this tool and personally use it regularly.

TRIGRIP NON-SLIP WORK

SUPPORT - SINGLE

These TPE non-slip friction pads

hold any type of material in place,

allowing users to route, sand,

drill, carve, and paint without

clamps and with assurance the

workpiece will not move.

S.Balolia, President





GORILLA GLUE® 4 OZ.

This polyurethane glue is the finest available for bonding wood, stone, metal, ceramics, plastics, and more. Gorilla Glue® is waterproof and features an open working time of 20 minutes or more, better coverage than other adhesives, a usable temperature range of $40^{\circ}-130^{\circ}$ and a 1-4 hour cure time. 4 oz.



H7211

\$10.00

SALE

\$895

STANLEY

MINI SQUARE

Woodpeckers®

You can use any square for checking a chisel, but they're usually too long to clear the handle, not wide enough to make it easy to align to the edge, and poorly designed for the job. The Woodpecker

Mini Square, at 11/8" x 2" inside dimension, is absolutely perfect for checking the edge of your cutting tools for square. Light weight, easy to grip, and machined from aluminum so it can't chip your tools. The dark red anodized finish makes it easy to detect any gaps.



T24639

\$29.95

SALE

T26907

\$2.75

SALE

\$225

DEWALT

POWERLOCK® 10' POCKET TAPE RULE

- ½" x 10' PowerLock® tape rule
- Slim case for pockets and purses
- Chrome-plated metal case
- Mylar polymer coated blade & heat-treated spring for long life



T22306

\$4.95

SALE

\$395

SOLACE® KNIFE

The durable molded Kydex® sheath with boot/belt clip and paracord lanyard allows you to secure the knife

around your neck or practically anywhere. The 3½" blade

is made from fine 440A stainless steel and the entire 81/4"



\$895 T24150 \$30.00 SALE

10-PC. 8" RECIPROCATING SAW **BLADES** DWA4188P-2

- Proprietary coating provides 2XTM longer life versus standard DeWalt blades and competitive metal cutting
- Variable pitch 14/18 TPI unique back angle geometry provides the most efficient cutting performance
- 1" Tall blade body and 0.042" blade thickness for added durability and prevents bending and breakage



T22607

\$39.95

SALE

4" BRASS CALIPER

Beautiful solid Brass 4" Caliper with sliding dovetail way and rigid construction make this measuring instrument indispensable for any craftsman. Small size is great for the tool box or a pocket. Measuring range is 0-4"/100mm in 1/16"/1mm graduations Includes vernier scale.



D2732

\$6.25

SALE

\$295



MULTI-DRAWER STORAGE BINS

Perfect for organizing small parts and hardware, these Storage Bins feature seethrough drawers, no-spill rear drawer tabs, and sturdy, lightweight construction. Ideal for all shop environments including assembly work stations.

- Overall size: 19" x 15" x 61/4"
- · Ideal for small part storage
- See-through drawers for easy content identification
- Each drawer has a removable divider
- · Easy-grip drawer fronts
- · Rear drawer stops prevent contents from spilling
- Model T26795 features 60 drawers (each measuring 5½" L x 2" W x 1¾" H)
- Model T26796 features 30 drawers (each measuring 5½" L x 2" W x 1¾" H) and 12 removable, stackable trays (each measuring 5½" L x 3½" W x 2½" H)
- Model T26797 features 18 drawers (each measuring 5½" L x 4¼" W x 2¼" H)

		\$31.50		
T26796	30 Drawers with 12 trays	\$29.50	SALE	$^{\$}25^{95}$
T26797	18 Drawers	\$23.25	SALE	\$19 ⁹⁵







ULTIMATE STORAGE KIT

This rail system is quickly going to become your favorite shop or garage fixture! It's a great way to maximize storage, increase floor space, and keep your tools and equipment organized for easy access. Aluminum construction makes it lightweight and durable, so it's quick and easy to install on drywall, concrete, brick, and open studs. With the array of customizable hooks and baskets, these rails are only limited by your imagination! Maximum load is 300 lb. per rail. This 12-piece storage kit is a great way to get all the best options in one box. Includes the following:

- Three 32" rails
- Two large J hooks
- Four multi-purpose hooks
- · One basket hook

T26805

- One loop hook
- One bike hook
- One hardware kit

\$68⁹⁵



STORAGE HOOKS AND BASKETS


\$79.95

Customize your own storage system, or expand your T26805 Ultimate Storage Kit by adding additional rails and specialty hooks for unmatched organization in your shop or garage.



SALE

T26806	Basket Tool Hook	\$ 7.35	SALE	\$ 6 ⁹⁵
T26807	32" Aluminum Rail	\$12.50	SALE	$^{\$}10^{95}$
T26808	48" Aluminum Rail	\$14 .9 5	SALE	$^{\$}12^{95}$
T26809	Bike Hook	\$6.25	SALE	\$ 5 95
T26810	Power Tool Hook	\$6.25	SALE	\$ 5 ⁹⁵
T26811	2 Handle Hook	\$7.35	SALE	\$ 5 ⁹⁵
T26812	Large J Hook	\$5.25	SALE	\$ 4 ⁹⁵
T26813	Multi Purpose Hook	\$5.25	SALE	\$ 4 ⁹⁵
T26814	Large Loop Hook	\$8.50	SALE	\$ 7 95
T26815	Tool Scoop Hook	\$5.25	SALE	\$ 4 ⁹⁵
T26816	Loop Tool Hook	\$5.25	SALE	\$ 4 ⁹⁵
T27130	Deep Basket Tool Hook	\$31.50	SALE	$^{\$}26^{95}$
T27131	Basket Tool Hook	\$31.50	SALE	$^{\$}26^{95}$





WINBAG - INFLATABLE SHIM

The Winbag is an innovative air cushion that can replace shims and wedges when leveling and installing windows. With fiber reinforced material, it is very powerful and provides infinite possibilities. With the Winbag, you

can also adjust and level furniture, kitchen cabinets, and household appliances. Simply squeeze the bulb to inflate and press the valve to deflate. For setting windows, place a Winbag under each bottom corner to plumb the window and set spacing in the rough opening. Maximum load is 220 lb. for each Winbag.



T27211

\$21.95

SALE

\$1995

TITEBOND® 1-GAL. PREMIUM **WOOD GLUE**

It is ideal for exterior woodworking projects, including outdoor furniture, birdhouses, planters, mailboxes and picnic tables. Titebond II Premium Wood Glue offers strong initial tack, outstanding bond strength, fast speed of set and excellent sandability. It is FDA approved for indirect food contact (cutting boards) and is ideal for radio-frequency (R-F) gluing systems. It is easy to use, non-toxic, solvent free and cleans up with water.



\$19⁹⁵ H5330 \$23.25 SALE

CHILDREN'S TOOL KIT

An 11-piece tool set that's great for the little helper in your wood shop! Transport & stow-away tools inside the solid wood caddy. Kit includes: safety glasses, wrench, level, hammer, pliers, Phillips® & slotted screwdriver, ruler, tape measure

& square. Easy to use & carry. Great fun for kids ages 8 and up. Tool box measures 121/2" L x 6" W.



H5855

\$22.95

SALE

\$19⁹⁵

1-PINT ULTRASONIC CLEANER

- 42 kHz transducer
- Digital programming
- 5 Built-in cycle times: 90 sec., 180 sec., 280 sec., 3012617 380 sec., and 480 sec.
- · Stainless steel tank
- Tank capacity: 750ml/1.3 pints
- · Quiet, solid state circuitry
- · Includes plastic basket, watch stand, and CD/DVD rack
- Overall dimensions: 8.25" L x 6.25" W x 5" H



BE1163

\$79.95

SALE

\$34⁹⁵

6-SHELF LUMBER RACK SYSTEM

This six-shelf lumber storage system is just the thing to keep your materials easily organized and accessible. Easy to install into a sturdy wall, each shelf can hold up to 110 lb. and uses 1" powder-coated steel supports for long-lasting support. And it's not just for lumber; these racks can

also hold PVC piping, pipes, gutters — any long material you need up and out of the way. Install them in your garage and never trip over your skis again! Full unit measures 72"W x 41"H x 12½ "D.



T27630

\$69.95

SALE

\$29⁹⁵

JAWHORSE MATERIAL SUPPORT & SAWHORSE

The versatile JawHorse replaces your workbenches, sawhorses, clamps, bench vises, and so much more. The JawHorse is easily transportable, as well as flexible; just clamp on a piece of plywood and it can become a handy workbench. The JawHorse is made of solid steel and has ten times the clamping power of a regular vise. Max load is 600 lb., JawHorse weighs 43 lb. and is 39" x 39" x 34" standing, 29" x 14" x 13' folded. Clamping range is 0" - 37".

T26953

\$167.95

SALE \$14395

CHAIN SAW SHARPENER

This Chain Saw Sharpening Grinder sharpens saw chains from ¼" to ¾" pitch. Mounts on a bench or wall for added

convenience, and features a built-in work light and large knobs for setting angle and depth. Includes 1/8", 3/16", and 1/4" thick 60-grit grinding wheels (wheels are 5¾" diameter with a ¾" bore). Motor is 110V and operates at 3600 RPM.



T23108

\$128.95

\$119⁹⁵

HEAT SEALING MACHINES

These Plastic Sealers provide a strong air and water tight seal using polyethylene or polypropylene plastic bags. Incredibly useful for storing and organizing tools, small parts, electrical equipment, or anything else you want to protect from moist or dirty environments. Used extensively in the medical industry to keep sterilized equipment clean until it is needed. Perfect for keeping dust out, too! Each Plastic Sealer features variable heat control and power saving switch and includes 2 spare heating elements and upper Teflon cloth. Choose 12" or 16" capacity. Choose appropriate plastic bags or rolls.



T26691 12" T26692 16" \$55.95

\$59.95 **SALE**

\$51⁹⁵

CHOPSHOP SAWHOOD & FastCap

Why waste time struggling to clean up when you can avoid the mess altogether with FastCap's new ChopShop Saw Hood? The ChopShop Saw Hood saves you valuable time by helping you keep your work area clean and more productive. This innovative product is easy to set up

and eliminates billowing dust throughout your customer's home, as well as containing water spray when used with tile saws. It also works as an excellent protective cover when working outside in inclement weather.



T21343 \$149.95 SALE \$12995

JUNGLEE® TOOL WITH POUCH

Whether you're in the heart of the jungle or simply a recreational camper, you'll want the Jungle Tool! Fully assembled, the pick and shovel are great for digging. A few twists of the wrist exposes a razor sharp knife with a sawtooth spine. The bottom handle houses fishing line, hooks, sinkers and a slingshot band-not to mention emergency matches, bandages, safety pins, sewing needle and pencil. Unlike most shovels, this one is made of stainless steel and the handle is very lightweight aluminum under a textured Kraton® rubber grip. The entire tool stores away in a 8" x 4½" x 2" ballistic nylon pouch with belt loop.

T25386

\$42.50

SALE

\$14⁹⁵

10" WOOD VISE

Durable cast iron and chrome plated, cold rolled steel wood vise features precision machined castings with perfectly aligned guide bars. Throat capacity is 9".



D2303

\$62.95

SALE

\$3995

Fax: 1-800-438-5901 **Technical Service: 570-546-9663**

24" CABLE CUTTER

Cut the heaviest gauge cable with this 24" Cable Cutter. Perfect for cutting copper and aluminum power cables, as well as communication cables. Long handles provide plenty of leverage and the curved, hardened jaws part cables without flattening or distorting bundled



T26637

\$20.95

SALE

\$1**7**95

HAND WINCH WITH NYLON STRAP - 2,000 LB. CAPACITY

These Hand Winches with Nylon Straps are perfect for boat trailers. Nylon straps are non marring and lie flat, so there's no cable binding for easy free-spooling when hooking to your boat. Hooks include safety keepers.

RECIPROCATING SAW

1 HP motor • No-load speed: 0–2800 SPM

 D-handle rotates 90° left and right with 5 detent stops for maximum control INCREDIBLE

Tool-free blade changes

 Includes wood cutting and metal cutting blades

Weighs 5.5 lbs.



Oil-free, piston-type compressor • Pressure adjustable

T26858

\$33.95

SALE

T10874

\$63.00

· Auto start at 43 PSI, auto stop at 57 PSI

AIR COMPRESSOR

SALE

\$39⁹⁵

SPECIAL

5-PC. FORSTNER BIT SET

- Shanks fit ¾" drill chucks
- · Saw-tooth rims for aggressive boring
- Includes 3/4", 7/8", 1", 11/4", and 13/4" bits
- Bits are sharpened and ready to use




T27032

\$20.95

\$1**7**95

3-PC. DIAMOND SHARPENING SET

For use with water or fine oil, this set includes fine, medium and coarse. Each measures 2" x 6".



T26639

\$11.95

SALE

\$395

T25932

regulator, 1/8" BSP

Voltage: 110V, 60 Hz

\$83.95

SALE

• Oil-free, piston-type compressor

regulator, 1/8" BSP

Voltage: 110V, 60 Hz

Safety relief valve

· Net weight: 11.5 lbs.

Air output: 0.71-0.81 CFM

Power: 1/6 HP

Auto start at 43.5 PSI, auto stop at 57 PSI

 3-Liter air tank • Pressure adjustable Pressure gauge, air filter, and

Max. working pressure: 50–100 PSI

• Overall dimensions: 12.2" x 5.3" x

AIRBRUSH COMPRESSOR KIT

5.3" x 8.1"

\$69⁹⁵

ROTARY DIAMOND ENGRAVER

Make your mark on any material with this Rotary Diamond Engrayer, 6 volt transformer plugs into 120 volt power. Great for glass, metal, toys, and crafts.



T26881

T10831

\$13.75

SALE

T25931

\$395

\$49⁹⁵

12.2

\$115.95

SALE

\$9995

20-GALLON SANDBLASTER

Max. pressure: 125 PSI

· Blasting hose length: 10'

· Capacity: 80 lbs.

• Tip bore sizes: 0.065", 0.095", 0.115", and 0.135"

 Pressurized tank for more sandblasting power

Self-emptying moisture trap

Pressure gauge

Safety pressure relief valve

T27158

Blasting hood and funnel

4 Ceramic replacement tips

Approx. shipping weight: 54 lbs.

SALE \$15395

ELECTRIC FIREPLACE STOVE

\$69.95

This Electric Fireplace Stove provides convenient heat with a simple 120V plug. Simulated flame comes from a replaceable 40W B-10 bulb set behind a glowing log motif. Heat and flame are both adjustable and can be used exclusive of each other. Overall dimensions are 171/2" L x 223/4" H x 10" D. Weighs 15 lbs.



SALE

INFRARED PTC STOVE

This Infrared PTC Stove provides convenient heat with a simple 120V plug. Simulated flame comes from a replaceable 40W B-10 bulb set behind a glowing log motif. Chose between two infrared settings, 1000W for smaller rooms or 1500W for larger areas. Heat and flame are both adjustable. Overall dimensions are 221/2" L x 243/4" H x 101/2" D. Weighs 25 lbs.

T10833 \$99.95



\$69⁹⁵ **SALE**

ELECTRIC FIREPLACE WITH SIMULATED STONE

\$179.95

This Electric Fireplace Provides convenient heat with a simple 120V plug. Simulated flame comes from a replaceable 40W B-10 bulb set behind a glowing log motif. Heat and flame are both adjustable. Includes a remote control. Overall dimensions are 42" L x 37½" H x 113/4" D. Weighs 110 lbs.

T10832

\$299.95



CALL 24 HOURS A DAY! 1.800.523.4777

CLEARANCE*

3500W HEAVY-DUTY POWER GENERATOR—CARB APPROVED

- Watts: 3500W peak, 3000W running
- Amps: Output current 13A, max circuit 25A
- Motor: 6.5HP 196CC Hyundai heavy-duty
- Start: Manual recoil
- Outlets: Two 120V 20A (NEMA 5-20) & One 120V/240V (NEMA L14-30)
- Fuel capacity: 17 liters
- Running Time: 9 hours
- Noise level: 76dB
- Dimensions: 171/8" W x 181/2" H x 241/4" D

Approximate shipping weight: 119 lbs.

\$409⁹⁵ T24786 \$605.00

6250W HEAVY-DUTY POWER **GENERATOR—NON CARB**

This generator is a great backup source for your home or small business. This fuel-efficient generator makes it possible to maintain your household during a power

outage. 6250W peak power, 5500W running power, output current 21A, max circuit 42A. Runs on unleaded gasoline and run time is ± 9 hours. Four 120V 20A AC outlets & one 120/240V AC outlet. This generator is not CARB-approved and cannot ship into California.

T26461

\$825.00

7250W HEAVY-DUTY POWER GENERATOR—CARB APPROVED

- Watts: 7250W peak power, 6500W running power
- Amps: Output current 27A, Max circuit 54A
- Motor: 13 HP 389CC Hyundai heavy-duty motor
- Start: Electric/manual
- Outlets: Four 120V 20A (NEMA 5-20) & One 120V/240V (NEMA L14-30)
- Fuel capacity: 28 liters
- Running time: 8 hours Dimensions: 21½" W x 23" H x 28½" D

Approximate shipping weight: 219 lbs.

T24787 \$1050.00 SALE

SHOP-VAC INDUSTRIAL TOOL MATE WET DRY VACUUM

Wet/Dry Vacuum

- Detachable 2.5 gallon, 3.5 peak HP wet dry vacuum
- Vacuum can be removed from tool box for portability
- Includes 4' hose, gulper nozzle, crevice tool, round brush • 18' power cord • On board cord storage

Tool Box

- · Dimensions: 21.5" L x 14" W x 13" H
- Tool storage tray with movable dividers
- · Aluminum lid latches
- · One piece steel hinge

T24056 \$100.00



SALE

\$**79**95

OPTIONAL 2-PC. (LEFT & RIGHT) STAND FOR G9972—26" HIGH

This Heavy-Duty Optional Stand is for the G9972 and G9972Z 11" x 26" Bench Lathes. This powder coated stand ensures stability and provides the user plenty of storage space for tooling. Measures 50"L x 15"W x 26"H.

Note: Also fits Grizzly G0602 and G0752 with minor modification to stand (drilling holes) and userprovided fasteners for mounting.

G9973S





\$129⁹⁵

CAMPBELL HAUSFELD

SALE

28V HAMMER DRILL & **DEWALT RECIPRO SAW COMBO**

DEWALT exclusive NANOTM phosphate Lithium-Ion cells offer long battery life and durability (up to 2,000 recharges). Includes: 28V Cordless NANOTM 1/2" Hammer Drill/Driver - DC910, 28 Volt Cordless NANOTM 11/8" Reciprocating Saw - DC315, (2) 28 Volt

NANO™ Phosphate Lithium Ion Battery Packs, 1-Hour Charger, 360° Side Handle, Reciprocating Saw Blade, Contractor Bag.



T22036

\$570.00

\$299⁹⁵ SALE

2 DRAWER FIRE-RESISTANT FILE CABINET

Full insulation protects your important files against fire and heat damage. Heavy drawers on ball bearing slides have inside dimensions of 15-1/4"W x 25"D x 11-5/8"H. T21541 measures 21-3/4"W x 32-1/2"D x 34"H overall, Approximate shipping weight: 550 lbs.



T21541

_\$875.00

SALE

\$425⁰⁰

that are designed to continuously

\$275.00

1900 PSI ELECTRIC POWER

lubricate for an extended life. ETL approved to UL and CSA standards. The heavy-duty 120V induction motor performs like gas pressure washers without the hassle of fuel emissions, noise and vibrations making it perfect to

use indoors or outdoors.

T24159

WASHER-CP5216

Reliable AR pump is constructed with a

precision die-cast crankcase, and seals

\$800.00 \$535⁰⁰ SALE

LEFT-HANDED CLASSIC STYLE **GUITAR KIT**

This classic style kit features a solid alder body and maple neck with completed walnut fretboard. The body is pre-carved and can be finished to match your own personal style. The kit includes all hardware and

components, and has that time-tested classic look and feel. Basic woodworking skills and tools required. Complete instructions are included.



T24831

\$240.00

\$125⁰⁰

51/8" SPIRAL CUTTERHEAD

Our Spiral Cutterheads have 9 spirals, which results in an incredible finish in even the most highly figured woods!

Dimensions:

- Diameter: 4"
- Bore: 11/4"
- Height: 51/8"
- Number of Inserts: 54



H2878 \$475.00

\$275⁰⁰ SALE

Starrett **ELECTRONIC DIGITAL BLADE TYPE MICROMETER**

These micrometer features a non rotating spindle, auto OFF after 30 min. of non use, instant inch/millimeter conversion, full function electronic actions and ability to output the measurement information for collection and analysis. 0.00005" resolution and 3-4" range.



H1035

\$700.00

SALE

\$299⁹⁵

JUNGLEE® SHORT SWORD

- Crafted in Seki, Japan from top quality AUS-8 stainless steel
- Genuine textured Kraton® rubber grips
- Rugged matte Teflon® coated finish for added rust and corrosion resistance
- Includes a tough Kydex® sheath
- 14½" Blade and 21¼" Overall
- 16.3 Ounces



* WHILE SUPPLIES LAST













CLEARANCE*

7" KNOTTED STEEL WIRE **BRUSH WHEEL**

When the need is heavyduty flash removal, weld, or heavy corrosion cleanup, mount up one of these knotted wire brushes. Stiff .020" steel wires are twisted into a tight knot for toughness. Approx. 1/2" wide. 1/2" and 5/8" inserts included. 7" x 5%" bore.



\$17.95

\$895

BRASS COATED STEEL CUP BRUSH WHEELS

Thread one of these cup brushes onto your angle grinder or sander. The 0.020" steel wires provide a flexible abrasive for uneven surfaces. The brass coating helps the brush to run cooler and resists corrosion of the



MODEL	SIZE	REG.	SALE
D2291	3", M14-2	\$9.95	\$ 4 50
D2295	3", M10-1.5	\$8.95	\$ 3 50

KNOTTED STEEL CUP BRUSH WHEELS

For industrial-duty applications, these knotted steel wire brushes will plow through the toughest weld splatter, scale or surface corrosion. The 0.020" heavy gauge steel wires are twisted into a tight spiral to maximize the abrasive action.



MODEL	SIZE	REG.	SALE
D2296	2½", M14-2	\$10.95	\$ 4 50
D2300	2½", M10-1.5	\$10.95	\$ 4 ⁹⁵

NYLON SWIVEL CASTERS

Non-marring Nylon Casters feature stainless steel construction for corrosion resistance and double ball bearing raceways for smooth swivel action. All nylon wheels measure 11/4" wide.



MODEL	SIZE	REG.	SALE
T23972	5" Swivel with Brake	\$27.95	\$11 ⁹⁵
T23973	5" Swivel	\$22.95	\$11 ⁹⁵
T23974	5" Fixed	\$24.95	\$11 ⁹⁵

HAND OPERATED GREASE PUMP

This low-profile grease pump is easy to use and easy to maintain. Unscrew the 2 locking tabs, fill the barrel with up to 3 gallons of grease, lock it down, pump the hand lever a couple of times, and you're ready to go. Simple design and stout construction mean this grease pump will provide great service over the long haul. Includes an 8' high-pressure hose and grease nozzle.



T26747 \$65.00 **SALE**

\$35⁹⁵

\$**5**50

LONG REACH HEAVY-**DUTY RIVETER**

Great for industrial fabricators needing to rivet hard to reach areas, this Heavy-Duty Long Reach Riveter extends from 12" to 32½". In addition to its long reach, it also comes with 5 interchangeable tips for setting 3/32", 1/8", 5/32", 3/16" and 1/4" diameter rivets.

H6133

\$25.95

SALE

\$895

NURSERY PLATFORM TRUCK WITH SIDES

This highly maneuverable Nursery Platform Truck has pneumatic swivel casters in the front, pneumatic tires in the back and a long handle for moving those awkward loads. Wire mesh platform stays free of loose dirt and low sides keep plants secure. Overall dimensions are: 375/8" L x 153/4" W x 39" H (with handle up). Capacity is 440 lbs. Approximate



H3030

\$99.95

SALE

3-IN-1 STAPLER KIT

This 3-in-1 Stapler Kit shoots $^3\!\!/\!\!s"$ crown staples, $^1\!\!/\!\!s"$ crown U-shape staples and T-brads. The stapler features an adjustable driving force and easy reloading. Accepts 3/16" - \(\frac{9}{16}'' \) long \(\frac{3}{8}'' \) crown staples, \(\frac{3}{8}'' \) - \(\frac{1}{2}'' \) long \(\frac{1}{4}'' \) U-shape staples and 3/16" - 9/16" T-brads. Kit comes in a

plastic storage case and includes: 500 3/8" T-brads, 500 1/2" long U shape staples and 500 5/16" long 3/8" crown staples.

D3737 \$16.75 SALE

8-PC. SAE FOLDING HEX KEY SET

CAMP AXE

This camp axe features a non-slip rubber grip, wrist lanyard, tempered one-piece construction, and an injection-molded nylon blade sheath. Weighs 14.5 oz.

10%" overall length.



H5778

\$23.00

\$1095

6-PC. SAE FOLDING BALL END **HEX KEY SET**

- Professional quality
- Chrome vanadium steel
- Hardened and tempered
- Satin-chrome plated
- Ball end allows up to 30° offset alignment
- Sizes include: 5/64", 3/32", 1/8", 5/32", 3/16" and 1/4'



H8054

\$5.00

SALE

• Hardened and tempered chrome vanadium steel

- · Satin-chrome plated
- Sizes include: 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", and 3/8"



H8055 \$4.95 **SALE**

8-PC. SAE FOLDING BALL END

- · Hardened and tempered chrome vanadium steel
- Satin-chrome plated

HEX KEY SET

- · Ball end allows up to 30° offset alignment
- Sizes include: 5/64", 3/32", 1/8", 5/32" 3/16", 1/4", 5/16", and 3/8



H8056 \$4.95 **SALE**







Junior kits are for the youngest children and work best with a high level of parental support. Level 1 kits are for beginners of all ages and require gluing, hammering, filing, fully guided bolting, assembly, and decorating. Level 2 kits are slightly more challenging and require gluing, hammering, filing, guided drilling, semi-guided bolting, limited-precision guided cutting, intermediate sawing, assembly, and decorating. Level 3 kits are the most challenging and require gluing, hammering, filing, drilling, bolting, full-precision guided cutting, advanced sawing, assembly, and decorating, Each kit includes all parts needed for completion. Recommended for ages 8 and up unless otherwise stated.

CHILDREN'S KITS

See page 419 in our main catalog for more children's kits

AIRPLANE KIT

LEVEL ONE KIT

Airplane's completed dimensions are 10.9" L x 9.8" W x 3.7" H.



T25658

\$21.99

SALE

\$1895

LEVEL ONE KIT

BULLDOZER KIT

Bulldozer's completed dimensions are 9.2" L x 5.6' W x 5.4" H.



T25661

\$24.99

\$21⁹⁵

LEVEL ONE KIT

LEVEL ONE KIT

MONSTER TRUCK KIT LEVEL ONE KIT

Monster truck's completed dimensions are 8.0" L x 5.2" W x 5.5" H.



SALE

SALE

T25662

\$24.99

\$21⁹⁵

BUG BARN

7.70"H x 5.10"W

What better way to collect bugs than in Bug Barn? Bug Barn's completed dimensions are 9.30"L x



T25118

\$18.95

SALE

JUNIOR LEVEL KIT

These kits will give children new knowledge and something they crafted themselves to enjoy for years to come! Bird Feeder's completed dimensions are 5.50°L x 7.70"H x 5.50"W.

BIRD FEEDER

T25119

\$16.75

SALE

BIRDHOUSE

LEVEL TWO KIT



T25123

\$16.75

SALE

LEVEL TWO KIT

TRUCK CATAPULT

This Truck Catapult doubles as a push toy and an action toy. Includes soft catapult ammunition. Finished size is 5.9" L x 3.8" W x 3.5" H.



T25133

\$11.50

\$27.95

SALE

\$995

LEVEL

THREE KIT

\$16⁹⁵

CANDY MAZE

For ages 4 and up, the Candy Mazes' finished dimensions are 3.80"L x 5.60"H x 2.80"W.



T25136

\$11.50

SALE

\$995

LEVEL

THREE

KIT

DUMP TRICK KIT

Dump truck's completed dimensions are

8.5"L x 5.8"W x 4.7"H.



T25657

\$24.99

SALE

MINI GOLF WINDMILL

Level 3 projects are the most challenging and include the acquisition of such skills as full precision guided cutting and advanced sawing. Completed dimensions are 10.80"L x 12.90"H x 3.50"W.



SALE

MINI GOLF ACCESSORIES

Recommended for ages 8 and up, includes last hole, putter, and ball. Completed dimensions are 17.40"L x 17.40"H x 2.20"W.



T25129

\$23.95

SALE

\$895

STREET BOARD

JUNIOR LEVEL KIT

For ages 4 and up, the Street Board's completed dimensions are 5.10"L x 1.70"H x 3.10"W.



T25132

\$10.95

SALE

\$395

Due to their nature, plans are non-returnable. Defective plans will be replaced.

T25128

ORDERING INFORMATION

- PHONE 1-800-523-4777: You can order 24 hours a day. Call our toll-free number between 8:00 am 8:00 pm, Mon Fri or 8:30 am 6:00 pm ET on Saturdays to speak with one of our friendly sales people or you can use our automated voice mail system after hours. Just follow the voice prompts to place your order.
- INTERNET www.grizzly.com®: You can shop electronically via our online store. It's fast, easy and secure. Visit often since we have many specials and discontinued items not offered in our catalog or retail stores. We will e-mail you confirmation of your order.
- FAX 1-800-438-5901: You can use our handy order form and fax it directly to us.
 We will process your order through our nearest distribution center for fast delivery.
- SPANISH Hablamos Español Llámenos al 1-800-523-4777, ord@grizzly.com
- MAIL P.O. Box 1050, Springfield, MO 65801-1050: Fill out the order form by following Step 1 through Step 5. We accept Visa, MasterCard, Discover, American Express, bank wire transfer and personal or business checks. Send full payment in U.S. funds. Important: We do not accept Cashier's checks or money orders. Personal checks not preprinted with the customer's name and check number will hold up the order for approximately 3 weeks. Please include your daytime telephone number in case there are questions regarding your order.
- PARTS ORDERS Please call our toll-free line at 1-800-523-4777 for part orders. Parts are also available online at grizzly.com®. All parts are shipped from our Springfield, MO location and non-warranted parts are subject to shipping and handling charges as listed. Please have your machine serial number available when calling for warranty parts.

PRICING POLICY

Due to rapidly changing market conditions our catalog prices may be increased at any time without prior notice. Our website is updated with any changes as they occur.

CUSTOMER SERVICE

SHIPPING YOUR ORDER: We make every effort to ship your order within 24 hours. In most cases it will go out the same day. Due to our centrally located warehouses, motor freight shipments usually arrive in 3–5 working days. Standard orders (non-freight items) will typically arrive in 2–3 working days. This information should be used as a general guide and is not guaranteed.

NON-FREIGHT ITEMS: *Non-freight items are assessed a shipping and handling fee based on the total dollar amount of the items. Due to size and weight restrictions, some items require additional shipping and handling charges. These items are individually noted. Orders for non-freight items with a total weight of over 250 lbs. may be shipped via truck freight and will incur additional shipping charges. Orders that do not include freight items will be shipped by ground transportation unless otherwise specified. Shipments less than 1lb. may be shipped by USPS or UPS SurePost. Orders to Alaska, Hawaii, Guam, Puerto Rico, Virgin Islands, and U.S. Territories will be quoted at current rates. Canadian orders will be shipped by UPS only, and are subject to a minimum order size of \$50.00 (repair parts excluded). Brokerage, duty and taxes will apply. Special handling costs or shipping fees may be added to your order, and all orders may be subject to a fuel surcharge. Shipping charges for parts may vary from published charges.

SHIPPING AND HANDLING CHARGES:

(Non-Freight Items)			
Item Total	Lower 48	Canada	
Less than \$25	add \$7.99	N/A	
\$25.00 to \$49.99	add \$9.99	N/A	
\$50.00 to \$74.99	add \$11.99	add \$19.99	
\$75.00 to \$99.99	add \$14.99	add \$19.99	
\$100.00 to \$199.99	add \$18.99	add \$29.99	
\$200.00 to \$299.99	add \$21.99	add \$39.99	
\$300.00 or more	add \$23 00	20 012 hhe	

TRUCK FREIGHT ORDERS:* We have a flat rate shipping program for certain items so you know exactly what your cost will be. Items under 150 lbs. may ship by small parcel carrier. This program applies only to the lower 48 states. We have listed the shipping charge for each machine next to the price (a fuel surcharge may be added). See inside order form for an example of how to apply this to your order. Shipping rates for truck freight orders to Canada will be quoted during the checkout process on grizzly.com® and are also available via phone at 1-800-523-4777.

*Orders that contain freight as well as additional S/H charges due to oversize restrictions and non-freight items must include the flat rate shipping fee per item and the shipping and handling fee based on the total dollar amount of those non-freight items. All orders may be subject to a fuel surcharge.

Truck freight orders require a delivery appointment. We require a valid daytime phone number in order to complete delivery.

Truck drivers are subject to a number of regulations, one of which is that they are not required to give assistance unloading. Please be prepared for this "curbside" delivery, as you are responsible for unloading the item(s) and placing them in your shop. This normally takes a couple of "friends." Your location must be tractor-trailer accessible. Some carriers reserve the right to charge a limited access delivery fee, which will be added to your invoice if applicable. We recommend that you make arrangements with the trucking company to take delivery at the freight terminal if you can. They will load it onto your vehicle. Make sure your vehicle is capable of handling the weight. Also, bring plenty of tie downs to properly secure the load.

We can offer liftgate service for a discounted rate when ordered through Grizzly. Please ask for more details when placing your order.

SHIPPING DAMAGE: When you receive your shipment from the trucking company, it is extremely important to inspect and note any damage that might be suspect. Holes, dents, tears, etc. should be noted on the form the driver gives you to sign accepting delivery. These notations will allow us to make a claim for shipping damage on your behalf. Failure to do so makes it extremely difficult to make a claim. If there is shipping damage and you have noted it on the delivery form, you can e-mail us at csr@grizzly.com, call our Customer Service Department at 1-800-523-4777 or fax us at 1-800-438-5901. We will take care of all the necessary arrangements to have the problem resolved.

SHIPMENTS OUTSIDE THE CONTINENTAL U.S. AND CANADA: Orders will be quoted at current rates. Items will be shipped via UPS. Special handling costs, additional shipping fees and applicable brokerage fees may be added to your order.

BACK ORDERS: If not specified, out of stock items will automatically be placed on back order and shipped immediately when available. Credit cards will not be charged until item(s) are shipped.

RETURNS: Should you decide to return an item(s) for any reason, be it for refund, exchange, or warranty, please contact our Customer Service Department at csr@grizzly.com, or 1-800-523-4777. We will take you step by step through the return process. Returns for refund or exchange must be within 30 days of purchase. Original shipping and handling charges are not refundable. All returns must be in original packing, unused and in resalable condition and all non-defective returns are subject to a 10% restocking fee. All merchandise must be shipped to us using an authorized return label that we provide when setting up your return. We will not accept returns sent to us without prior authorization.

TECHNICAL SERVICE: Please contact our Technical Service Department at 1-570-546-9663 before sending or bringing any item back for service. For machinery, please have your service number available. If it is determined that the best course of action is to send the item back to us for service, we will make every effort to repair and return it to you in a timely manner.

DARN IT! We make every effort to be exact with our photography, prices, specifications and copy. Sometimes errors do occur and we apologize for them. We reserve the right to make changes and correct errors at any time.

PRIVACY POLICY: We respect your right to privacy and do not disclose your personal data to other organizations.

LEASING INFORMATION: Machines identified by "Call for Leasing Information" may be leased with approved credit through various third-party leasing companies. Just check our website or give us a call at 1-800-523-4777 and we'll provide the details.

CREDIT TERMS: We offer credit terms to qualifying companies; apply for an account online at grizzly.com[®]. Terms and Conditions contained in customer purchase orders, order forms, or otherwise are superseded in their entirety by our terms as stated on our website and herein unless expressly agreed to by us in writing.

PLEASE NOTE: Our terms, conditions, pricing and policies are subject to change without notice at any time, and are updated on grizzly.com[®].

LIMITED WARRANTY

Grizzly warrants every product it sells for a period of **1 year** to the original purchaser from the date of purchase. This warranty does not apply to defects due directly or indirectly to misuse, abuse, negligence, accidents, repairs, improper wiring, alterations, lack of maintenance or consumable parts. This is Grizzly's sole written warranty and any and all warranties that may be implied by law, including any merchantability or fitness, for any particular purpose, are hereby limited to the duration of this written warranty. We do not warrant or represent that our merchandise complies with the provisions of any laws, acts or electrical codes. We do not reimburse for third party repairs, services, or any expenses related to moving machinery to and from carrier vehicles or residences. In no event shall Grizzly's liability under this warranty exceed the purchase price paid for the product and any legal actions brought against Grizzly shall be tried in the State of Washington, County of Whatcom.

We shall in no event be liable for death, injuries to persons or property or for incidental, contingent, special or consequential damages arising from the use of our products.

To take advantage of this warranty please call our Customer Service Department at 1-800-523-4777. Proof of purchase must accompany the merchandise. Manufacturers reserve the right to change specifications at any time as they constantly strive to achieve better quality equipment.

Please Note: Merchandise covered by a manufacturer's warranty must be sent directly to the manufacturer for repair or replacement.



CUSTOMER NO.

PRICING CODE



Scan here to view our full line of products at grizzly.com®



Our gift certificates are extremely popular and certainly take the guesswork out of what tool to buy. Call or visit our website and we will send your gift certificate right away. You may purchase gift certificates in any amount.

12-PC. JUNIOR TOOL SET

A 12-piece children's set for the little helper in your shop! Set includes: 4 pocket vinyl tool belt with 2 pouches, 9" magnetic torpedo level, 6 oz. claw hammer, 10' tape

measure, 6" try-square, chalkline/plumb bob. 4 oz. bottle of chalk, 10" ruler, durable leather gloves, safety goggles, adjustable hard-hat suspenders. Great fun for kids ages 8 and up.



H3044

\$22.50

SALE

\$19⁹⁵

\$14⁹⁵

\$17⁹⁵

OSCILLATING MULTI-TOOL

- Power requirement: 120V, single-phase, 60 Hz
- 15,000–22,000 OPM (variable no-load speed)
- 1.8 Amps
- 4' Power cord
- 1-Year warranty
- Curved scraper



28mm CRV

- flush-cut wood saw blade 28mm bi-metal flush-cut saw blade
- CRV radial saw blade
- · 93mm triangle sanding pad

• 5-Pc. 93mm red sandpaper

- 5-Pc. 93mm white sandpaper
- · Carrying case

T25227

\$71.95

SALE

\$**49**⁹⁵

PIPE CLAMPS

Commonly used in woodworking applications for edge gluing of multiple pieces, the versatility of the reach comes from the ability to use a variety of lengths of pipe to suit your needs. Features a foot assembly to help stabilize the clamp, extra high base for finger-

saving clearance from the work surface, cast jaws for durability, and a smooth spindle with hex head for

ease of use.

1/2" T27851 \$17.40 **SALE** T27852 3/4" \$20.47 SALE

15" HEAVY-DUTY PLANER



The G0815 15" Heavy-Duty Planer features a powerful 3 ■ HP motor and two feed-rate settings of 16 and 30 FPM to ensure the smooth finish you need on various wood types. The headstock sits atop four column supports with gas shock assistance for easy handwheel height adjustment. And, since the bed height remains stationary, there's no need to reset infeed and outfeed rollers. A real time saver in any shop! MADE IN TAIWAN

SPECIFICATIONS:

- · Motor: 3 HP, 240V, single phase, 14A
- · Max cutting width: 15"
- Max stock thickness: 63/8"
- Max cutting depth: 3/16"
- Feed rate: 16 and 30 FPM
- Cutterhead diameter: 3"
- Number of knives: 3 HSS Cutterhead speed: 5000
- RPM · Infeed roller: solid serrated steel
- Table size: 201/8" x 15" x 31/2"
- Overall dimensions:
- 32" W x $23\frac{1}{2}"$ H x 28" D
- Footprint w/stand: 26" L x 26" W
- Approximate shipping weight: 382 lbs.

Shown with T27650 Optional Stand

G0815 T27650

\$1150.00 \$79.95 **SALE** SALE

\$**895**00 \$68⁹⁵

2 LOCATIONS TO SERVE YOU!

Bellingham, WA 1821 Valencia Street Bellingham, WA 98229 Hours: Mon-Fri 8:30-5:00

Springfield, MO 1815 W. Battlefield Springfield, MO 65807

Hours: Mon-Sat 8:30-6:00 (Parts Dept. Closed Saturdays)

BELLINGHAM, WA



Springfield, MO



2016 Grizzly Industrial, Inc.

