## **1 Function Switch**

On/Off — Ideal for Fan



FV-WCSW11-W (White) FV-WCSW11-A (Light Almond)

- FEATURES & BENEFITS Fan On/Off Switch
  - Engineered to efficiently control current LED lighting and DC motor loads
  - Back and side wiring terminals accept both solid and stranded wire to ease
  - Full-rated current capacity with fluorescent or resistive loads. Motor capacity is 80% of switch rating
  - Fits single gang box / Includes matching wall plate
  - Commercial Grade

Specifications	FV-WCSW11-W/A				
Ground	Grounding				
Feature	Single Pole				
Amperage	15 Amp				
Voltage	120 Volt				
Terminations	Quickwire Push-in, and Side Connection				
Standards & Certifications	UL/CSA Listed				
Warranty	2 Year Limited				

## **2 Function Switch**

On/Off — Ideal for Fan/Light



FV-WCSW21-W (White) FV-WCSW21-A (Light Almond)

- FEATURES & BENEFITS Multi-switch combination devices save space and add convenience
  - Engineered to efficiently control current LED lighting and DC motor loads
  - Common feed shunted internally to all switches
  - Elegant decorator styling provides multiple controls in a single-gang wall box
  - Fits single gang box / Includes matching wall plate
  - Commercial Grade

Specifications	FV-WCSW21-W/A				
Ground	Grounding				
Feature	Single Pole / Single Pole				
Amperage	15 Amp				
Voltage	120 Volt				
Terminations	Side Connection				
Standards & Certifications	UL/CSA Listed				
Warranty	2 Year Limited				

is available in single, double, triple and quad functions to provide a complete package for all of your residential and commercial application needs.

## **3 Function Switch** On-Off — Ideal for Fan/Light/Night-light



FV-WCSW31-W (White) FV-WCSW31-A (Light Almond)

- FEATURES & BENEFITS Multi-switch combination devices save space and add convenience
  - Engineered to efficiently control current LED lighting and DC motor loads
  - Common feed shunted internally to all switches
  - Elegant decorator styling provides multiple controls in a single-gang wall box
  - Fits single gang box / Includes matching wall plate
  - Commercial Grade

Specifications	FV-WCSW31-W/A				
Ground	Grounding				
Feature	Single Pole / Single Pole / Single Pole				
Amperage	15 Amp				
Voltage	120 Volt				
Terminations	Quickwire Push-In, and Side Connection				
Standards & Certifications	UL/CSA Listed				
Warranty	2 Year Limited				

## **4 Function Switch**

Designed for model FV-11VHL2 Heat/Fan/Light/Night-Light



FV-WCSW41-W (White)

- FEATURES & BENEFITS Single pole/double throw on-off-on top switch, two single pole on-off switches
  - Multi-switch combination devices save space and add convenience
  - Common feed shunted internally to all switches
  - Elegant decorator styling provides multiple controls in a single-gang wall box
  - Includes matching wall plate
  - Commercial Grade

Specifications	FV-WCSW41-W					
Ground	Grounding					
Feature	Single pole / double throw on-off-on top switch, two single pole on-off switches					
Individual Switch Amperage	15 Amp					
Total Switch Amperage	20 Amp					
Voltage	120 Volt					
Terminations	Quickwire and wire leads					
Standards & Certifications	UL/CSA Listed					
Warranty	2 Year Limited					

# Cross Reference for Applicable WhisperControl & EcoSwitch to Panasonic Fans

Proposition		Model	FV-WCCS1-W/A	FV-WCCS2-W/A	FV-WCD01-W/A	FV-WCD02-W/A	FV-WCSW11-W/A	FV-WCSW21-W/A	FV-WCSW31-W/A	FV-WCSW41-W
### Whisperforces Select ### PV-05-11VKS1   X		Switch Type					1 Function Control	2 Function Control	3 Function Control	4 Function Control
WhisperGreen Select   Pk-05-11VKS1   X		FV-05-11VK1	x		x		x			
PV-05-117KL    X		FV-11-15VK1	x		x		x			
FV-11-15/KL1		FV-05-11VKS1	х		х		х			
### Property   Propert		FV-05-11VKL1		x		x		x		
WhisperRecessed   Pi-GSVRL1		FV-11-15VKL1		х		x		x		
Pr-cessed LED		FV-05-11VKSL1				x		X**		
Recessed LED	WhisperRecessed/	FV-08VRL1		х				x		
PV-08VG5		FV-08VRE1		х				x		
### FV-11V05   X		FV-05VQ5	х		x		x			
PV-15VGS   X		FV-08VQ5	х		x		x			
### ### ##############################		FV-11VQ5	х		x		x			
WhisperCeiling		FV-15VQ5	х		x		x			
FV-09003		FV-20VQ3	х		x		x			
FV-08VQL6	WhisperCeiling	FV-30VQ3	х		х		x			
FV-11VGL6		FV-40VQ3	х		x		x			
FV-15V0L6		FV-08VQL6		х		x		x	x	
WhisperSense   FV-08VOCL6		FV-11VQL6		х		x		x	x	
FV-11VQCL6		FV-15VQL6		х		x		x	x	
FV-11VQCL6	WhisperSense	FV-08VQCL6				x		X**		
FV-11VF2		FV-11VQCL6				x		X**		
WhisperFit		FV-08VF2	x		х		x			
FV-08VFL4		FV-11VF2	х		х		x			
FV-11VFL4	WhisperFit	FV-05VFL4		x		х		x	x	
FV-05VS3		FV-08VFL4		х		x		x	x	
FV-08VS3		FV-11VFL4		х		х		x	x	
WhisperValue		FV-05VS3	x		х		x			
FV-08VSL3		FV-08VS3	x		х		x			
FV-10VSL3	WhisperValue	FV-10VS3	x		х		x			
FV-07VBA1   X		FV-08VSL3		х		х		х	х	
FV-07VBB1   X		FV-10VSL3		x		x		x	x	
FV-07VBB1   X		FV-07VBA1	x		x		x			
WhisperWall   FV-04WS2   X	EcoVent	FV-07VBB1	x		х		х			
Wall         FV-04WS2         X         X         X           WhisperWall         FV-08WQ1         X         X         X           WhisperWarm         FV-11VH2*         X*         X*         X*           FV-11VHL2*         X*         X         X*           FV-10NLF1         X         X         X           FV-20NLF1         X         X         X           FV-30NLF1         X         X         X           FV-40NLF1         X         X         X	WhisperSupply	FV-01WS2	x		х		x			
WhisperWarm         FV-11VH2*         X*		FV-04WS2	x		x					
WhisperWarm         FV-11VHL2*         X*         X         X*           WhisperLine         FV-10NLF1         X         X         X         X           FV-20NLF1         X         X         X         X           FV-30NLF1         X         X         X           FV-40NLF1         X         X         X	WhisperWall	FV-08WQ1	x		х		х			
FV-11VHL2*	WhisperWarm	FV-11VH2*			X*		Х*			
WhisperLine         FV-20NLF1         X         X         X           FV-30NLF1         X         X         X           FV-40NLF1         X         X         X		FV-11VHL2*			<b>X</b> *	Х				X*
WhisperLine         FV-30NLF1         X         X         X           FV-40NLF1         X         X         X	WhisperLine	FV-10NLF1	x		х		x			
FV-30NLF1 X X X X FV-40NLF1 X X X X X		FV-20NLF1	x		x		x			
		FV-30NLF1	x		х		x			
		FV-40NLF1	х		х		x			
WhisperComfort FV-04VE1 X	WhisperComfort	FV-04VE1						x		

WhisperWelcome, WhisperSense, and WhisperGreen Select S/M models are not compatible with the above switches. \*Needs 1 control per function; \*\*Switch is for light and night-light only.





**Panasonic Eco Solutions of North America Eco Products Division** 

Two Riverfront Plaza Newark, NJ 07102 us.panasonic.com/ventfans **For Order Information** 

PHONE: 866-292-7299 FAX: 888-553-0723

ventfans@us.panasonic.com