


SMART[†] RANGE FOR RESIDENTIAL 2022



CONTENTS






SMART LIGHT: A SUREFIRE WINNER FOR YOUR LIGHTING BUSINESS

Smart connected light is already an established megatrend. To benefit from this development and to meet the needs of your customers today and tomorrow in virtually every respect, we have massively expanded our SMART⁺ range. Check out our unprecedented selection of digitally connected lamps and luminaires - and set new trends for your lighting business.

SMART LUMINAIRES:

A SEGMENT WITH HUGE POTENTIAL

The smart luminaires growth segment is very dynamic so its potential is particularly promising. And this is exactly where we have some exciting products for you. Whether it's indoor or outdoor luminaires, spotlights, downlights, functional luminaires or luminaires with RGB function, there are plenty of smart connected lighting solutions available to be discovered by your customers. Highlights include our brand new bathroom and wall lights.



SMART SOLUTIONS FOR ALL CUSTOMER NEEDS

Whether it's convenience, a sense of security, the ability to take advantage of a range of intelligent functions or the pleasure of configuring lighting indoors and outdoors – customers have widely differing expectations of smart lighting. SMART⁺ fulfills all these expectations in the best way possible.

■ Clever & convenient

Why get up every time you want to switch the lighting on or off? SMART⁺ customers an control their lighting via an app or voice command from the comfort of their sofa.





3 Clever & appealing

Lighting is now much more than simply a matter of "on" or "off". More and more customers are becoming excited by the possibility of creating atmospheric lighting scenarios or automating their lighting sequences (e.g. wake-up light) throughout the course of the day.

WHY CUSTOMERS ARE SO EXCITED ABOUT SMART

2 Clever & mobile

SMART⁺ gives users an enhanced sense of security. They can control their lighting at home from practically any location – to simulate their physical presence, for example.





4 Clever & outdoors

Greater convenience, increased security, heightened atmosphere: Outdoors too, LEDVANCE has a large number of smart ighting products that open up a wide range of fascinating possibilities.

TIPS FOR PROS

CASUALLY MENTION SMART⁺ IN A CONVERSATION!

Whether you hear your customers talking about Amazon Alexa, Google Nest or the Apple HomePod or they tell you about building or remodeling a home: You'll find many opportunities to break the ice and talk with your customers about voice-

controlled lighting. Take advantage of these situations! Even in outdoor areas in gardens or on balconies or terraces, SMART⁺ is a clever alternative. Also important: Avoid targeting only young, tech-savvy customers. After all, easy operation, convenience and safety are arguments older people are especially open to hearing as well.



The UK/EU is now gradually implementing the provisions of the new regulations on ecodesign (Single Lighting Regulation, SLR) and energy labeling (Energy Labeling Regulation, ELR).

The focus is on further encouraging the use of climate-friendly lighting products, providing clear consumer information and strengthening the circular economy. One thing that is especially important for your lighting business is the new distinction between "light sources" and "containing products".

LEDVANCE SMART⁺ LUMINAIRES:NORMALLY "CONTAINING PRODUCTS"

LIGHT SOURCES

are electrically operated products that emit white light*. These include all traditional and LED lamps for general lighting as well as SMART⁺ lamps – but also fully integrated luminaires from which the light sources cannot be removed using commonly available tools without permanent damage. The new SLR/ELR regulations apply only to light sources.*



CONTAINING PRODUCTS

include luminaires and other equipment that allow the light source to be removed using commonly available tools without permanent damage. Most LEDVANCE luminaires and SMART⁺ luminaires have therefore been exempt from the labeling regulations since December 25th, 2019.

NO ENERGY LABEL NEEDED FOR LEDVANCE SMART⁺ LUMINAIRES


Good to know: Almost all LEDVANCE SMART⁺ luminaires are classified as "containing products". This means that they do not have to be marked with an energy label.

^{*} A large number of signaling and control lamps as well as very powerful lighting products (e.g. for outdoor, sports, theater or industrial lighting) are excluded from the EU regulations.

IMPORTANT FOR YOUR SMART* LAMP BUSINESS: THE NEW ENERGY LABEL

Unlike the "containing products", the "light sources" within the definition of the new regulations have to be provided with a new energy label. The main updates are as follows:

- The new energy efficiency scale runs from A to G (instead of A++ to E as before) and is now calculated on a new basis.
- A QR code which links to additional product information stored in the EPREL product database



BE ON THE SAFE SIDE WITH LEDVANCE

LEDVANCE ensures that all its products and packaging comply with current regulations at all times. Here's what you can rely on:



Early energy-efficient LED replacement for all affected light sources




Reliable fulfillment of all obligations regarding labeling and product information



 Support with clear and comprehensive information – so that you can be compliant, both technically and legally

Further information: www.ledvance.co.uk/professional/services/eu-regulations



Your customers decide how they want to make their lights smart – LEDVANCE offers the right solution from numerous options. They can pick the smart way and use an app or go for casual and use a voice assistant for controlling their lights. They can choose between different technologies: WiFi, Bluetooth, quick to set up and no additional hardware, or Zigbee with a gateway.





THREE STANDARDS FOR EVERY TASTE





SMART⁺ WIFI

Our WiFi products are perfect for anyone who wants to explore the fascinating possibilities of smart lighting very simply and intuitively. Plenty of new indoor wall and ceiling luminaires, spotlights, downlights, functional luminaires and outdoor luminaires are ready to be discovered.





SMART⁺ BLUETOOTH

Our SMART⁺ Bluetooth products can be easily operated by voice. This is because these products harmonize perfectly with smart speakers from Google or Amazon. Your customers can control lights, music and much more. The advantage is that your customers don't need any additional hardware and can directly connect their light sources. Setup is a snap.





SMART⁺ ZIGBEE

The particularly energy-efficient and versatile ZigBee wireless standard is ideal for connecting different Smart Home products. Many different luminaires and other smart products can becombined through the Mesh network. What's different is that your customers need an additional gateway, also called a bridge, to use ZigBee with your LEDVANCE SMART⁺ ZigBee products.

SMART+ CAN DO ALL OF THIS: PRODUCT FUNCTIONS*



On/Off function



Dimming function



From warm white to cool white



Light colour function

* Depending on product model

3 CONTROL BY VOICE COMMAND





WORKS WITH:







BENEFITS:


For anyone who wants to control their lights by voice, all LEDVANCE SMART⁺ product lines work with compatible smart speakers such as Google Nest or Amazon Echo. Zigbee compatibility will depend on the partner system.

4 CONTROL BY REMOTE CONTROL



BENEFITS:

For guests or simply because it's convenient: Wireless control of SMART⁺ WiFi products by remote control.



SMART⁺ WiFi is the simplest route to smart lighting. Your customers only need the following: a SMART⁺ WiFi lamp or luminaire, a router (most homes have one already), the free LEDVANCE SMART⁺ WiFi app – and they're ready to go!

Lights can also be controlled from a normal light switch (on/off), remote control or by voice command via a smart speaker. The possibilities are practically endless, with the app enabling extremely simple a wide range of functions.

¹ The maximum number will depend on your router

THE KEY BENEFITS AT A GLANCE:

- Flexible control options
- Easy integration of the products in the app or speaker
- Huge range of lamps and luminaires for indoors and outdoors
- Up to 250 products can be connected, and around 50 can be controlled simultaneously¹
- Short response time

QUICK AND EASY INTEGRATION

FOR CONTROL VIA SMARTPHONE OR BY VOICE COMMAND





Register and embed the router



Switch on the LEDVANCE lamp/ luminaire and integrate it in the LEDVANCE SMART+ WiFi app.






If your customers want to expand control options: just link the LEDVANCE SMART⁺ WiFi app with the Google Home app, Alexa app or another system and connect Google Nest, Amazon Echo or other compatible smart speaker.

Done!

SMART⁺ WIFI CAN DO ALL OF THIS: SYSTEM FUNCTIONS



GROUP LIGHT SOURCES



For example combine indoor and outdoor light sources



LIGHT MANAGEMENT ON THE GO




For example simulate physical presence at home



AUTOMATED LIGHTING SEQUENCES



For example light for waking up and falling asleep



INTERACTING LIGHT SOURCES



For example living room lighting off, bedroom lighting on



CREATE LIGHTING SCENES



All light sources are adjusted to create the desired atmosphere

TIPS FOR PROS

TALK ABOUT THE VERSATILITY OF SMART+!

Light with unlimited possibilities: The SMART⁺ WiFi product segment has once again been significantly expanded and offers the right lighting solution for every customer: The assortment now ranges from LED lamps, wall and ceiling luminaires, and LED strips to floodlights and outdoor luminaires as well as components. Go ahead and rave to your customers about the product range's versatility and point out how the system can be flexibly expanded in the future: SMART⁺ in every application.

The remote control is a useful additional help, especially when your smartphone is not available. It is suitable for the whole family, young and old, as well as guests. And it is always ready for instant lighting control because, unlike a smartphone, it does not have to be activated first.

THE KEY BENEFITS AT A GLANCE:

- Wireless control of SMART⁺ Wifi products without using voice control and app
- Controls up to 15 compatible SMART⁺ WiFi products by contactless pairing
- LEDVANCE SMART⁺ WiFi app required (only for configuring of SMART⁺ WiFi products)
- On/off and dimming
- Adjustable light colour via Tunable White: Warm White to Cool White
- RGB colour control
- Adjustable light scenes

QUICK AND EASY INTEGRATION

FOR REMOTE CONTROL



Add WiFi product to the app.



Activate the remote control function on the product.



Switch the product off and on.



Press the On button for 5 seconds.



flashes 3 times for confirmation.



For anyone who wants to conveniently control their lighting at home by voice command using popular smart speakers such as Google Nest or Amazon Echo. No additional gateway is required. SMART⁺ WiFi products can be connected intuitively from cloud to cloud and the connection works perfectly. Lighting routines and scenes can be called up very easily using voice commands.

THE KEY BENEFITS AT A GLANCE:

- Easy integration of SMART⁺ WiFi products in the Google Home app or Alexa app
- Fast installation: less than 5 minutes
- Up to 250 products can be integrated

QUICK AND EASY INTEGRATION

FOR CONTROL VIA GOOGLE NEST FOR EXAMPLE









An active account is required in the Google Home app for integrating the LEDVANCE SMART⁺ WiFi app.

2



Go to the profile in the lower right corner of the LEDVANCE WiFi app, scroll down and click on the "Google Assistant" icon.

3



Click on "Link with Google Assistant".



Google Home app starts; to connect the LEDVANCE WiFi account to the Google Home app, click "Confirm authorization"



The devices in the LEDVANCE WiFi app can then be set up in the Google Home app (rooms, routines, etc.).



The SMART⁺ Bluetooth range can be linked directly to the Google and Amazon systems. This means the products not only work perfectly with the smart speakers and are therefore ideal for voice control, they can also be integrated more easily and have faster response times. The lights can also be controlled from a normal light switch (on/off) or via the LEDVANCE SMART⁺ app for Bluetooth.

THE KEY BENEFITS AT A GLANCE:


- Direct integration of SMART⁺ Bluetooth products in the Google Home app or Alexa app
- Fast installation: less than 5 minutes
- Extremely fast response time
- Bluetooth Mesh function: each additional SMART⁺ Bluetooth lamp connected in series increases the range of the network
- A practically unlimited number of light sources can be connected up

QUICK AND EASY INSTALLATION

FOR CONTROL WITH VOICE COMMANDS



Screw in the LEDVANCE SMART⁺ bluetooth lamp and switch on



 $^{^{\}rm 1}\text{Google}$ account and Google speaker required $\mid\,^{\rm 2}\text{Amazon}$ account and Amazon speaker required


SMART⁺ BLUETOOTH CAN DO ALL THIS: SYSTEM FUNCTIONS



Create lighting scenes using the app and activate via speaker



Control your lights as you wish



Sleep sensing¹, weather information, music and audio²



PROGRAM YOUR DAY

Speaker,
set the alarm
for 8 a.m.

Define gently intensifying lighting levels at waking-up time



Take advantage of the various options in addition to light control

TIPS FOR PROS

SELL WITH EMOTIONALITY AND RATIONALITY!

Controlling light using your voice is both fascinating and convenient — and with SMART⁺ Bluetooth, it's also easy. That's why this target group includes both people who are enthusiastic about cutting-edge technology and those who are receptive to hearing about rational reasons like greater comfort and safety.

 $^{^{\}rm 1}\,{\rm Google}$ Nest Hub only $\,|\,\,^{\rm 2}\,{\rm Compatible}$ smart home devices are required

MUSIC. SHOWS. SIMPLE SMART HOME CONTROL. GOOGLE NEST HUB 2ND GENERATION





THE EASIEST WAY TO BE ENTERTAINED.


Play music and catch up on your favorite Netflix shows and YouTube videos.¹ And view your best shots from Google Photos automatically.





AN EFFORTLESS WAY TO TRACK YOUR SLEEP.


With Nest Hub at your bedside, Sleep Sensing² can track when you go to bed, when you wake up, and how long you've slept. Enjoy a preview of Sleep Sensing. It's free until next year.



KEEP YOUR FAMILY CONNECTED.

See your calendar and create reminders and to-dos. Get answers from Google Assistant. And broadcast messages across the house with your other Nest speakers.






SIMPLE SMART LIGHT CONTROL.

Control your connected lamps or luminaires in one place with a tap – or your voice.³ Just say "Hey Google, dim the lights" or "Hey Google, are the lights on in the living room?"

WIND DOWN EASILY. WAKE UP GENTLY.

The Your Evening page helps you fall asleep with a bedtime countdown and relaxing sounds. And the Sunrise Alarm makes waking up a little easier.





IT'S BEAUTIFULLY DESIGNED.

Nest Hub's simple design and subtle colours fit any room. And it's made with the environment in mind. The enclosure is made from 54 % recycled plastic.⁴



WORKS WITH PRODUCTS AND SERVICES YOU ALREADY LOVE.

Enjoy songs, podcasts, and audiobooks from your favorite streaming services, or ask Google to play news, sports highlights, and more.¹



SMART LIGHT AND MORE: GOOGLE NEST MINI AND GOOGLE ASSISTANT



Conveniently manage your lighting using voice control. But the Google Nest Mini speaker can also do a whole lot more ...



STREAM MUSIC WITH YOUR VOICE.

You can play music from Spotify, YouTube Music and more.1 Just tell your Google Assistant² the song, radio station, artist, album or genre that you want to hear. Or stream to Nest Mini from your phone.3



THE GOOGLE ASSISTANT IS ALWAYS READY TO HELP.²

Just ask and get the best of Google - weather, news or almost anything. Set timers and alarms, make calls and more.4



HEY GOOGLE, GOOD MORNING.

With Voice Match, your Google Assistant can give you personalised information about your day, such as your schedule, commute time. reminders and more.5



TURN IT UP.

Your favourite music sounds bigger and richer on Nest Mini, 40 % stronger bass than the original Mini.6



CONTROL YOUR HOME WITH YOUR VOICE.2

Just tell your Google Assistant to dim the lights, turn up the heat or pause the TV.2,7 Nest Mini works with hundreds of compatible smart devices. such as lights, thermostats or TVs, from the brands you love.

Hey Google, brighten the bedroom lights

Hey Google, change the lights to red

> Hey Google, dim the lights 50 %



Hey Google, play some music

> Hey Google, what is 25 times 83?

Hey Google, set the timer for 15 minutes

Compatible smart devices required.

Music subscriptions may be required. Nest Mini is optimized for select music services only.

Requires an internet connection.

Android phone or Chromecast-enabled apps on iOS required.
The calling feature does not support calls to the emergency services (including 999 and 112) or premium-rate numbers.

Voice Match requires additional setup and enrollment, and supports up to six users. When using Voice Match, bear in mind that a voice similar to yours, or a recording of your voice, could result in Google incorrectly recognizing someone else as you. Measured from 50-100 Hz at max volume.





The SMART⁺ products using Zigbee technology were developed specifically for control via a gateway. This makes them ideal for anyone who wants to fully exploit the possibilities of smart lighting and wishes to integrate smart light into a comprehensive smart home system.

THE KEY BENEFITS AT A GLANCE:

- Recommended control method is a partner system app (alternatively, control via a smart speaker)
- Large range of lamps and luminaires
- Up to 50 products can be

- connected up
- Compatible with the following systems: Bosch, Philips Hue, Deutsche Telekom Qivicon, SAMSUNG SmartThings, Schwaiger HOME4YOU and many more

SMART⁺ ZIGBEE -

FOR SOPHISTICATED SMART SYSTEMS WITH A GATEWAY







Integration in partner app

SMART⁺ ZIGBEE WITH A PARTNER GATEWAY CAN DO ALL THIS: SYSTEM FUNCTIONS



GROUP LIGHT SOURCES

For example, selected light sources in the living room, all light sources in the outside area, etc.



SIMULATE PHYSICAL PRESENCE

Lighting, blinds, radio, etc. combined with alarm and warning functions to create a comprehensive security concept.



VOICE CONTROL

Convenient voice control via smart speakers is also possible



PROGRAM TIMES

For example, gently intensifying lighting levels at waking-up time and fading lighting levels when going to sleep



FIRE ALARM DURING ABSENCE: Smoke alarms can also be integrated into a gateway system.



LIGHT MANAGEMENT ON THE GO

Controlling the lighting at home from any location - e.g. simulating physical presence while away on a business trip.



CREATE LIGHTING SCENES

All selected light sources are adjusted to create the desired atmosphere - with just a single command



ENERGY SAVING:

Energy-saving management of the heating system.



EMPHASIZE THE EXCELLENT COMPATIBILITY!

LEDVANCE SMART⁺ Zigbee products are certified in accordance with the Zigbee 3.0 transmission standard. This means they're compatible with the smart home systems of numerous leading manufacturers. So on top of exceptional flexibility, they also deliver a great advantage in terms of functionality. That's because the lighting can be connected with other smart home components such as shading, security and heating. Be sure to point out this added value to your customers!

VOICE CONTROLWITH SMART⁺ ZIGBEE

SMART⁺ ZIGBEE AND GOOGLE

Our SMART⁺ Zigbee products can be conveniently controlled via voice as well. SMART⁺ Zigbee is compatible with all speakers from Google. In this case, however, a gateway from one of our partner systems and the related app are required.



SMART⁺ ZIGBEE AND AMAZON

Does your customer already own an Amazon speaker? Perfect! SMART⁺ Zigbee is compatible with all the speaker models. Depending on the particular product generation, voice control is possible with or without a gateway.

VOICE CONTROL WITHOUT A SEPARATE GATEWAY

For Amazon speakers with integrated Zigbee gateways, e.g. Amazon Echo (4th generation)



VOICE CONTROL WITH A SEPARATE GATEWAY

For Amazon speakers without an integrated Zigbee gateway, e.g. Amazon Echo Dot






EVEN MORE SUPPORT FOR YOUR

Visit www.ledvance.co.uk/professional and discover much more information and many more services regarding SMART⁺ for your lighting projects at home! You can also use the online form to easily get in touch with us. In the product area, you will find detailed technical information, product data sheets, application images and much more about our SMART⁺ products.

https://www.ledvance.co.uk/smart-plus-for-residential



SMART LIGHTING PROJECTS




SUN@HOME: LIGHT YOU CAN'T JUST SEE BUT FEEL.


SUN@HOME lamps and luminaires automatically and almost identically simulate sunlight throughout the day, supporting your natural biorhythm. Whenever you switch on your SUN@HOME lights you will feel more alert and active during the day and will be able to concentrate better. And in the evening this natural quality of light allows you to wind down and recover more easily – even during sleep.











Light inspired by nature. SUN@HOME is the innovative human centric lighting system for your home - very easy to use and with a quality of light that is very close to that of natural sunlight and which automatically changes in the same way as natural daylight.



The large selection of lamps and luminaires offers impressive colour rendering of CRI>95, reduced blue light component for a better sleeping pattern at night and a very broad light temperature spectrum from $2200\,\text{K} - 5000\,\text{K}$. And with the help of the LEDVANCE SMART⁺ WiFi app, this quality of light can be adapted to individual biological rhythms. The result is a greater sense of well-being, better visual comfort and an improved quality of life.

NATURAL QUALITY OF LIGHT - EASILY CONTROLLED



LEDVANCE SUN@HOME LAMP/LUMINAIRE





FREE LEDVANCE SMART⁺ WIFI APP



NATURAL LIGHT

EXTRA BENEFIT: HYGIENIC AIR

coating that removes germs, bacteria, fungi and unpleasant odors from the air.




SUNRISE INDOORS

Better light – naturally. The outstanding quality of light from SUN@HOME luminaires and lamps makes you feel good – just like the natural light of the sun.



© Toshiba Materials






2200 - 5000 K: From a cozy firelight glow to energizing daylight white.

Close to the sunlight spectrum - for greater visual comfort and well-being.


Colours appear radiant and true to nature.



THIS IS HOW SUN@HOME SUPPORTS BIORHYTHMS NOON 12:00 pm 10:00 am White light Best attention People are fit and motivated 02:30 pm Best coordination 07:30 am Waking phase - programmes the body for day-time operation 03:30 pm Fast response time MORNING **EVENING** 06:00 am 06:00 pm Cold light Warm light 09:00 pm 02:00 am Less light stimuli -Deep sleep phase People get tired the body recovers NIGHT 00:00 am No light

SUN@HOME WIFI LAMPS

SMART CLASSIC LAMPS AND SPOTLIGHTS WITH FULL-SPECTRUM LEDS AND HCL FUNCTIONALITY





SUN@Home CLASSIC A 40



SUN@Home CLASSIC B 25



3 SUN@Home SPOT PAR 16



























Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t [h]	W	lm	3	K
SUN@Home CLASSIC A 40	4058075 575790		White	Plastics	25 000	9.00	750	G	22005000
SUN@Home CLASSIC B 25	4058075 575813	2	White	Plastics	25 000	4.90	425	G	22005000
SUN@Home SPOT PAR16	4058075 575776	3	Transparent	Lead Free Glass	25 000	4.90	268	G	22005000

Product name	CRI		IP		X ()		Ø d [mm]	
SUN@Home CLASSIC A 40	>95	220	IP20	100 000	1	118.0	60.0	4
SUN@Home CLASSIC B 25	>95	220	IP20	100 000	1	114.0	39.0	4
SUN@Home SPOT PAR16	95	38	IP20	100 000	1	54.0	50.0	4

HOW TO READ OUR PRODUCT TABLES


The new lighting regulation states that the new label indicating the energy efficiency class must be clearly visible on every product packaging. To make our product tables clearer and easier to read, the energy efficiency class isn't specified by a coloured arrow but a letter. See on the right.

Energy efficiency Product packagin	class g	Information Table
A A	\rightarrow	А
A B	\rightarrow	В
Å C	→	С
A D	→	D
E	→	Е
Â F	→	F
Å G	→	G

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A (highest efficiency) to G (lowest efficiency).

SUN@HOME WIFI OFFICE LIGHTING LUMINAIRES


SMART OFFICE LUMINAIRE FAMILY WITH FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE





SUN@Home Monitor Clip Lamp
*USB cable






¹ The exact terms and conditions can be found at www.ledvance.co.uk/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI PLANON™ FRAMELESS

SMART, FRAMELESS PANEL LUMINAIRES WITH FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE





SUN@Home PLANON FRAMELESS 120x30



2 SUN@Home PLANON FRAMELESS 60X60



3 SUN@Home PLANON FRAMELESS 30X30




























	(,	No.	COLOUR	MATERIAL	t _M	W	lm	K	CRI	
SUN@Home PLANON FRAMELESS 120x30	4058075 575974	1	White	Aluminium	30 000	35.00	3 2 5 0	2200 5000	>95	110
SUN@Home PLANON FRAMELESS 60X60	4058075 575998	2	White	Aluminium	30 000	35.00	3 2 5 0	2200 5000	>95	110
SUN@Home PLANON FRAMELESS 30X30	4058075 576018	3	White	Aluminium	30 000	20.00	1 800	2200 5000	>95	110

Product name	IP		X ()	[mm]	b	ţh _[mm]	
SUN@Home PLANON FRAMELESS 120x30	IP20	15 000	1	1 200.0	300.0	61.0	3
SUN@Home PLANON FRAMELESS 60X60	IP20	15 000	1	600.0	600.0	61.0	3
SUN@Home PLANON FRAMELESS 30X30	IP20	15 000	1	300.0	300.0	61.0	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI PLANON™ PLUS

SMART PANEL LUMINAIRES WITH METAL FRAMES, FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE





SUN@Home PLANON PLUS 120x30



2 SUN@Home PLANON PLUS 60X60



SUN@Home PLANON PLUS 30X30





Product name


























		No.	COLOUR	MATERIAL	Uh	W	m	IN .	CRI	
SUN@Home PLANON PLUS 120x30	4058075 576032	1	White	Aluminium	30 000	35.00	3 250	2200 5000	>95	110
SUN@Home PLANON PLUS 60X60	4058075 576056	2	White	Aluminium	30 000	35.00	3 2 5 0	2200 5000	>95	110
SUN@Home PLANON PLUS 30X30	4058075 576070	3	White	Aluminium	30 000	20.00	1 800	2200 5000	>95	110

Product name	IP		X NOL.	[mm]	(mm)	h [mm]	
SUN@Home PLANON PLUS 120x30	IP20	15 000	1	1 200.0	300.0	56.0	3
SUN@Home PLANON PLUS 60X60	IP20	15 000	1	600.0	600.0	56.0	3
SUN@Home PLANON PLUS 30X30	IP20	15 000	1	300.0	300.0	56.0	5

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI ORBIS® CEILING PLATE


SMART, AESTHETIC CEILING LUMINAIRE WITH FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE






SUN@Home ORBIS Plate





SUN@HOME WIFI DOWNLIGHT SLIM

SMART DOWNLIGHTS FOR DIFFUSED LIGHT WITH FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE









2 SUN@Home Downlight Slim 120mm



SUN@Home Downlight Slim 85mm




























Troudername	unii (Eni)	No.	COLOUR	MATERIAL	t _[h] ²	W	lm	K	CRI	
SUN@Home Downlight Slim 225mm	4058075 575851	1	White	Plastic	25 000	22.00	2000	2200 5000	>95	110
SUN@Home Downlight Slim 120mm	4058075 627024	2	White	Plastic	25 000	8.00	700	2200 5000	>95	110
SUN@Home Downlight Slim 85mm	4058075 627000	3	White	Plastic	25 000	4.50	400	2200 5000	>95	110

Product name	IP		X ()	th [mm]	Ø d [mm]	
SUN@Home Downlight Slim 225mm	IP20	15 000	1	33.5	225.0	6
SUN@Home Downlight Slim 120mm	IP20	15 000	1	35.0	120.0	6
SUN@Home Downlight Slim 85mm	IP20	15 000	1	37.0	85.0	6

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SUN@HOME WIFI ORBIS® CROSS


SMART, ADJUSTABLE WALL LUMINAIRES WITH FULL-SPECTRUM LEDS FOR GREATER CONCENTRATION AND PERFORMANCE





SUN@Home ORBIS Cross





¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours

SMART⁺ WIFI: SIMPLE INTRODUCTION – COUNTLESS POSSIBILITIES

SMART⁺ WiFi is the simple – and particularly cost-effective – option for getting into smart lighting. Despite its simplicity, it offers a host of clever functions and there is an extensive product portfolio.









SMART⁺ WIFI **INDOOR DAMP PROOF** LUMINAIRE

150



SMART⁺ WIFI OUTDOOR 152 TABLE, WALL AND **PATHWAY LUMINAIRES**



SMART⁺ WIFI OUTDOOR **CAMERA LUMINAIRES** AND FLOODLIGHTS

168

45



























SMART⁺ WIFI CLASSIC LAMPS – SINGLE PACKS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ni	2	K		t[h]	[mm]	Ø d [mm]		
SMART+ WiFi Classic Dimmable														€ Com
SMART+ WIFI Classic 100 14W/2700K E27	4058075 485471	1	100	14	1 521	E27	F	2700	Yes	15 000	142	75	1	4
SMART+ WiFi Classic 75 9.5W/2 700K E27	4058075 485419	1	75	10	1 055	E27	F	2700	Yes	15 000	115	60	1	4
SMART+ WiFi Classic 60 9W/2700K E27	4058075 485358	1	60	9	806	E27	F	2700	Yes	15 000	112	60	1	4
SMART+ WiFi Filament Classic Dimmable														OIM DIM
SMART+ WiFi Classic A GLFR 100 11/2700K E27	4058075 609730	10	100	11	1 521	E27	D	2700	Yes	15 000	133	67	1	4
SMART+ WiFi Classic A GLFR 75 7.5W/2 700K E27	4058075 609716	11	75	7.5	1 055	E27	D	2700	Yes	15 000	105	60	1	4
SMART+ WiFi Classic A CLEAR 60 6W/2 700K E27	4058075 528239	2	60	6	806	E27	Е	2700	Yes	15 000	105	60	1	4
SMART+ WiFi Classic A Smoke 44 6W/2500K E27	4058075 609815	7	44	6	540	E27	F	2500	Yes	15 000	105	60	1	4
SMART+ WiFi Classic A GLFR 60 6W/2700K B22d	4058075 609891	8	60	6	806	B22d	Е	2700	Yes	15 000	117	60	1	4
SMART+ WiFi Classic Tunable White													WA	
SMART+ WiFi Classic 100 14W/27006500K E27	4058075 485495	3	100	14	1 521	E27	F	27006500	Yes	15 000	142	75	1	4
SMART+ WiFi Classic 75 9.5W/2 7006 500K E27	4058075 485433	3	75	10	1 055	E27	F	27006500	Yes	15 000	115	60	1	4
SMART+ WiFi Classic 60 9W/27006 500K E27	4058075 485372	3	60	9	806	E27	F	27006500	Yes	15 000	112	60	1	4
SMART+ WiFi Classic 60 9W/27006500K B22d	4058075 515642	4	60	9	806	B22d	F	27006500	Yes	15 000	112	60	1	4
SMART+ WiFi Classic Multicolour													RGBW WA	
SMART+ WiFi Classic 100 14W/27006500K E27	4058075 485518	5	100	14	1 521	E27	F	RGBW 27006500	Yes	15 000	142	75	1	4
SMART+ WiFi Classic 75 9.5W/2 7006 500K E27	4058075 485457	5	75	10	1 055	E27	F	RGBW 27006500	Yes	15 000	115	60	1	4
SMART+ WiFi Classic 60 9W/27006500K E27	4058075 485396	5	60	9	806	E27	F	RGBW 27006500	Yes	15 000	112	60	1	4
SMART+ WiFi Classic 60 9W/27006500K B22d	4058075 521414	9	60	9	806	B22d	F	RGBW 27006500	Yes	15 000	112	60	1	4
SMART+ WiFi Filament Classic Multicolour													RGBW WA	
SMART+ WiFi Classic A RGBW 30 4.5W/2700K E27	4058075 619012	6	30	4.5	300	E27	G	RGBW 27006500	Yes	15 000	105	60	1	4



¹ Wattage of the conventional lamp to be replaced | 2 Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency | 3 Average lifespan in hrs













SMART⁺ WIFI CANDLE LAMPS – SINGLE PACKS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ni	2	K		t [h] ³		Ø d [mm]		
														O _{DM}
SMART+ WiFi Candle Dimmable														DIM
SMART+ WiFi Candle 40 5W/2700K E14	4058075 485532	1	40	5	470	E14	F	2700	Yes	20 000	107	38	1	4
SMART+ WiFi Filament Candle Dimmable														OIM DIM
SMART+ WiFi Candle Clear 40 4W/2700K E14	4058075 609754	2	40	4	470	E14	Е	2700	Yes	15 000	115	35	1	4
SMART+ WiFi Candle Tunable White													WARM	
SMART+ WiFi Candle 40 5W/27006500K E14	4058075 485556	3	40	5	470	E14	F	27006500	Yes	20 000	107	38	1	4
SMART+ WiFi Candle Multicolour													RGBW WARM	
SMART+ WiFi Candle 40 5W/27006500K E14	4058075 485570	4	40	5	470	E14	F	RGBW 27006500	Yes	20 000	107	38	1	4



¹ Wattage of the conventional lamp to be replaced | 2 Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency | 3 Average lifespan in hrs
















SMART⁺ WIFI MINI-GLOBE LAMPS – SINGLE PACKS

Product name	GTIN (EAN)	No.	w≙W¹	W	(lm)	Ni	Page 2	K		t [h] ³	[mm]	Ø d [mm]		
SMART+ WiFi Mini Bulb Dimmable														€ GIM
SMART+ WIFI Mini bulb 40 5W/2700K E14	4058075 485594	1	40	5	470	E14	F	2700	Yes	20 000	90	47	1	4
SMART+ WiFi Filament Mini Bulb Dimmable														DIM
SMART+ WiFi Mini bulb Clear 40 4W/2700K E14 SMART+ WiFi Mini bulb Clear 40 4W/2700K E27	4058075 609778 4058075 609792	3	40	4	470 470	E14 E27	E E	2700 2700	Yes Yes	15 000 15 000	77	45 45	1	4
SMART+ WiFi Mini Bulb Tunable White													WA	
SMART+ WiFi Mini bulb 40 5W/27006500K E14	4058075 485617	4	40	5	470	E14	F	27006500	Yes	20 000	90	47	1	4
SMART+ WiFi Mini Bulb Multicolour													RGBW WA	
SMART+ WiFi Mini bulb 40 5W/27006500K E14	4058075 485631	5	40	5	470	E14	F	RGBW 27006500	Yes	20 000	90	47	1	4














SMART⁺ WIFI FILAMENT LAMPS WITH EDISON BULB

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ni	2	K		t [h]		Ø d [mm]		
SMART+ WiFi Filament Edison Dimmable														
SMART+ WiFi CL Edison Clear 60 6W/2700K E27	4058075 528277	1	60	6	806	E27	Е	2700	Yes	15 000	143	64	1	4
SMART+ WiFi CL Edison Smoke 44 6W/2500K E27	4058075 609839	2	44	6	540	E27	F	2500	Yes	15 000	143	64	1	4
SMART+ WiFi Filament Edison Multicolour													WARM WHITE RGE	w Gim
SMART+ WiFi CL Edison RGBW 30 4.5W/2700K E27	4058075 609914	3	30	4.5	300	E27	G	RGBW 2700	Yes	15 000	140	64	1	4



¹ Wattage of the conventional lamp to be replaced | 2 Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency | 3 Average lifespan in hrs



















SMART⁺ WIFI LAMPS WITH GLOBE BULB

Product name	GTIN (EAN)	No.	w≙W ¹	W	lm	Ni	2	K		t [h] ³	[mm]	Ø d [mm]		
														DIM
SMART+ WiFi Filament Globe Dimmable	4050075 500004	-			000	F07		0.700	V	15,000	100	105		
SMART+ WiFi Globe125 Clear 60 6W/2 700K E27	4058075 528291	1	60	6	806	E27	E	2700	Yes	15 000	168	125	1	4
SMART+ WiFi Globe125 Gold 53 6W/2400K E27	4058075 609693	3	53	6	680	E27	Е	2400	Yes	15 000	168	125	1	4
SMART+ WiFi Globe125 Smoke 44 6W/2500K E27	4058075 609853	4	44	6	540	E27	F	2500	Yes	15 000	168	125	1	4
SMART+ WiFi Globe200 Smoke 42 6W/2500K E27	4058075 609877	5	42	6	540	E27	G	2500	Yes	15 000	283	200	1	4
SMART+ WIFI Globe Tunable White													WA	DIM
SMART+ WiFi Globe 95 100 14W/2 7006 500K E27	4058075 609594	6	100	14	1 521	E27	F	27006500	Yes	20 000	142	95	1	4
SMART+ WiFi Globe Multicolour												RGBW	WARM WHITE	
SMART+ WiFi Globe125 RGBW 30 4.5W/2700K E27	4058075 609938	2	30	4.5	300	E27	G	RGBW 2700	Yes	15 000	173	125	1	4
SMART+ WiFi Globe 95 100 14W/2 7006 500K E27	4058075 609617	7	100	14	1 521	E27	F	RGBW 27006500	Yes	20 000	142	95	1	4





















SMART⁺ WIFI REFLECTOR LAMPS – SINGLE PACKS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	i i	Ž	K		t[h] ³	[mm]	Ø d [mm]		a
SMART+ WiFi SPOT GU10 Dimmable														
SMART+ WiFi Spot 50 45° 5W/2700K GU10	4058075 485655	1	50	5	350	GU10	G	2700	Yes	20 000	52	50	1	4
SMART+ WiFi SPOT GU10 Tunable White													WAF	
SMART+ WiFi Spot 50 45° 5W/27006500K GU10	4058075 485679	2	50	5	350	GU10	G	27006500	Yes	20 000	52	50	1	4
SMART+ WiFi SPOT GU10 Multicolour													RGBW WAF	
SMART+ WiFi Spot 50 45° 5W/27006500K GU10	4058075 485693	3	50	5	350	GU10	G	RGBW 27006500	Yes	20 000	52	50	1	4
SMART+ WIFI SPOT Concentra Tunable White													WAF	
SMART+ WIFI Spot 40 45° 3W/27006500K E14	4058075 609518	4	40	3	210	E14	G	27006500	Yes	20 000	85	50	1	4
SMART+ WIFI Spot 60 45° 5W/27006500K E27	4058075 609532	5	60	5	345	E27	F	27006500	Yes	20 000	102	63	1	4
SMART+ WIFI SPOT Concentra Multicolour													RGBW WAF	
SMART+ WiFi Spot 40 45° 3W/27006500K E14	4058075 609556	6	40	3	210	E14	G	RGBW 27006500	Yes	20 000	85	50	1	4
SMART+ WIFI Spot 60 45° 5W/27006500K E27	4558075 609570	7	60	5	345	E27	F	RGBW 27006500	Yes	20 000	102	63	1	4



¹ Wattage of the conventional lamp to be replaced | 2 Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency | 3 Average lifespan in hrs







SMART+ WIFI CLASSIC LAMPS - DOUBLE PACKS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ni	2	K		t [h] ^s		Ø d [mm]			品
SMART+ WiFi Classic Multicolour													RGBW	WARM	
SMART+ WiFi Classic 60 9W/27006500K E27	4058075 521438	1	60	9	806	E27	F	RGBW 27006500	Yes	15 000	115	60	2		8

















SMART⁺ WIFI CLASSIC LAMPS – TRIPLE PACKS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ñ	Page 2	K		t [h] ³	[mm]	Ø d [mm]		
														€ GIM
SMART+ WiFi Classic Dimmable														DIM
SMART+ WiFi Classic 100 14W/2700K E27	4058075 485839	1	100	14	1 521	E27	F	2700	Yes	15 000	142	75	3	12
SMART+ WiFi Classic 75 9.5W/2 700K E27	4058075 485778	1	75	10	1 055	E27	F	2700	Yes	15000	115	60	3	12
SMART+ WiFi Classic 60 9W/2700K E27	4058075 485716	1	60	9	806	E27	F	2700	Yes	15 000	112	60	3	12
SMART+ WiFi Classic Tunable White													WA	
SMART+ WiFi Classic 100 14W/27006500K E27	4058075 485853	2	100	14	1 521	E27	F	27006500	Yes	15 000	142	75	3	12
SMART+ WiFi Classic 75 9.5W/2 7006 500K E27	4058075 485792	2	75	10	1 055	E27	F	27006500	Yes	15 000	115	60	3	12
SMART+ WiFi Classic 60 9W/27006500K E27	4058075 485730	2	60	9	806	E27	F	27006500	Yes	15 000	112	60	3	12
SMART+ WiFi Classic 60 9W/27006500K B22d	4058075 515666	3	60	9	806	B22d	F	27006500	Yes	15 000	112	60	3	12
SMART+ WiFi Classic Multicolour													RGBW WA	
SMART+ WiFi Classic 100 14W/27006500K E27	4058075 485877	4	100	14	1 521	E27	F	RGBW 27006500	Yes	15 000	142	75	3	12
SMART+ WiFi Classic 75 9.5W/2 7006 500K E27	4058075 485815	4	75	10	1 055	E27	F	RGBW 27006500	Yes	15 000	115	60	3	12
SMART+ WiFi Classic 60 9W/27006500K E27	4058075 485754	4	60	9	806	E27	F	RGBW 27006500	Yes	15 000	112	60	3	12
SMART+ WiFi Classic 60 9W/27006500K B22d	4058075 515680	5	60	9	806	B22d	F	RGBW 27006500	Yes	15 000	112	60	3	12



¹ Wattage of the conventional lamp to be replaced | 2 Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency | 3 Average lifespan in hrs











SMART⁺ WIFI CANDLE LAMPS – TRIPLE PACKS

Product name	GTIN (EAN)	No.	w≙W¹	W	(Im)	Ni	2 Danner	K		t [h] ³	[mm]	Ø d [mm]		3
														(I)
SMART+ WiFi Candle Dimmable														ЫМ
SMART+ WiFi Candle 40 5W/2700K E14	4058075 485891	1	40	5	470	E14	F	2700	Yes	20 000	107	38	3	12
SMART+ WiFi Candle Tunable White													WARI	
SMART+ WiFi Candle 40 5W/27006 500K E14	4058075 485914	2	40	5	470	E14	F	27006500	Yes	20 000	107	38	3	12
													WAR	
SMART+ WiFi Candle Multicolour													RGBW WAR	
SMART+ WiFi Candle 40 5W/27006500K E14	4058075 485938	3	40	5	470	E14	F	RGBW 27006500	Yes	20 000	107	38	3	12



¹ Wattage of the conventional lamp to be replaced | 2 Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency | 3 Average lifespan in hrs












SMART⁺ WIFI MINI-GLOBE LAMPS – TRIPLE PACKS

Product name	GTIN (EAN)	No.	w≙W¹	W	(lm)	N.	²	K	<u></u>	t M ³	[mm]	Ø d [mm]		
SMART+ WiFi Mini Bulb Dimmable														
SMART+ WiFi Mini bulb 40 5W/2700K E14	4058075 485952	1	40	5	470	E14	F	2700	Yes	20 000	90	47	3	12
SMART+ WiFi Mini Bulb Tunable White													WAR	
SMART+ WiFi Mini bulb 40 5W/27006500K E14	4058075 485976	2	40	5	470	E14	F	27006500	Yes	20 000	90	47	3	12
SMART+ WiFi Mini Bulb Multicolour													RGBW WAR	
SMART+ WiFi Mini bulb 40 5W/27006500K E14	4058075 485990	3	40	5	470	E14	F	RGBW 27006500	Yes	20 000	90	47	3	12



¹ Wattage of the conventional lamp to be replaced | 2 Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency | 3 Average lifespan in hrs











SMART⁺ WIFI REFLECTOR LAMPS – TRIPLE PACKS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	N.	2 DANDE	K		t[h] ³	[mm]	Ø d [mm]		
SMART+ WiFi SPOT GU10 Dimmable														
SMART+ WiFi Spot 50 45° 5W/2700K GU10	4058075 486010	1	50	5	350	GU10	G	2700	Yes	20 000	52	50	3	12
SMART+ WiFi SPOT GU10 Tunable White													WAF	
SMART+ WiFi Spot 50 45° 5W/27006500K GU10	4058075 486034	2	50	5	350	GU10	G	27006500	Yes	20 000	52	50	3	12
SMART+ WiFi SPOT GU10 Multicolour													RGBW WAF	
SMART+ WiFi Spot 50 45° 5W/27006500K GU10	4058075 486058	3	50	5	350	GU10	G	RGBW 27006500	Yes	20 000	52	50	3	12











SMART⁺ WIFI PLUG INDOOR AND OUTDOOR

Product name	GTIN (EAN)	No.	PRO- TECTION CLASS	A	COLOUR	P		
SMART+ WiFi Plug Indoor								ON OFF
SMART+ WIFI PLUG EU	4058075 537248	1	I	10	White	IP20	1	4
SMART+ WIFI PLUG UK	4058075 566996	2	I	13	White	IP20	1	4









SMART⁺ WIFI REMOTE CONTROL


Product name	GTIN (EAN)	No.	COLOUR	P			3
SMART+ WiFi Remote Control					COLOUR	WARM	MID
SMART+ WiFi Remote Control	4058075 570917	1	White	IP20	1		4





SMART⁺ WIFI PLANON™ FRAMELESS SQUARE

FRAMELESS, SQUARE PANEL LUMINAIRES WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





SMART+ WIFI PLANON 600x600





SMART+ WIFI PLANON 450x450



SMART+ WIFI PLANON 300x300







amazon alexa
























		No.	COLOUR	MATERIAL	th	W	lm	K	CRI	
Smart+ WIFI PLANON FRAMELESS TW 600x600	4058075 484436	1	White	Aluminium	25 000	40.00	3 400	3 0006 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW RGB 600x600**	4058075 484474	1	White	Aluminium	25 000	40.00	3 400	RGB, 30006000	>80	110
SMART+ WIFI PLANON FRAMELESS TW 450x450	4058075 484375	2	White	Aluminium	25 000	28.00	2300	30006500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 300x300	4058075 484313	3	White	Aluminium	25 000	20.00	1 600	30006500	>80	110
SMART+ WIFI PLANON FRAMELESS TW RGB 300x300**	4058075 484351	3	White	Aluminium	25 000	20.00	1 500	RGB, 30006000	>80	110

Product name IP B In In In In In In In In In
Smart+ WIFI PLANON FRAMELESS TW 600x600 IP20 15000 596.0 596.0 69.0 3
SMART+ WIFI PLANON FRAMELESS TW RGB 600x600** IP20 15000 596.0 596.0 69.0 3
SMART+ WIFI PLANON FRAMELESS TW 450x450 IP20 15000 450.0 450.0 69.0 4
SMART+ WIFI PLANON FRAMELESS TW 300x300 IP20 15000 300.0 300.0 69.0 5
SMART+ WIFI PLANON FRAMELESS TW RGB 300x300** IP20 15000 300.0 300.0 69.0 5

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI PLANON™ FRAMELESS RECTANGULAR

RECTANGULAR LIGHT PANELS WITHOUT FRAMES – WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION









600x100



2 SMART+ WIFI PLANON 1200x100





3 SMART+ WIFI PLANON 600x300







5 SMART+ WIFI PLANON 800x100



6 SMART+ WIFI PLANON 400x100




























Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t[h] ²	W	lm	K	CRI	
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x300**	4058075 484511	1	White	Aluminium	25 000	40.00	3 300	RGB, 30006500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 1200x300	4058075 484498	1	White	Aluminium	25 000	40.00	3 400	3 0006 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 1200x100	4058075 484535	2	White	Aluminium	25 000	35.00	2500	3 0006 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x100**	4058075 484573	2	White	Aluminium	25 000	35.00	2500	RGB, 3 0006 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 600x300	4058075 484412	3	White	Aluminium	25 000	28.00	2100	3 0006 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 600x100	4058075 484610	4	White	Aluminium	25 000	28.00	1 800	3 0006 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 800x100	4058075 484597	5	White	Aluminium	25 000	27.00	2000	3 0006 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 400x100	4058075 484634	6	White	Aluminium	25 000	16.00	1 050	3 0006 500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 400x100	4058075 484634	6	White	Aluminium	25 000	16.00	1 050	3 0006 500	>80	110

Product name	IP		[mm]	b [mm]	h [mm]		
·							
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x300 **	IP20	15 000	1 200.0	300.0	69.0	3	
SMART+ WIFI PLANON FRAMELESS TW 1200x300	IP20	15 000	1 200.0	300.0	69.0	3	
SMART+ WIFI PLANON FRAMELESS TW 1200x100	IP20	15 000	1 200.0	100.0	65.0	6	
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x100**	IP20	15 000	1 200.0	100.0	65.0	6	
SMART+ WIFI PLANON FRAMELESS TW 600x300	IP20	15 000	600.0	300.0	69.0	4	
SMART+ WIFI PLANON FRAMELESS TW 600x100	IP20	15 000	600.0	100.0	65.0	6	
SMART+ WIFI PLANON FRAMELESS TW 800x100	IP20	15 000	800.0	100.0	65.0	6	
SMART+ WIFI PLANON FRAMELESS TW 400x100	IP20	15 000	400.0	100.0	65.0	9	
							-

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI PLANON™ FRAMELESS ROUND

ROUND WALL AND CEILING LUMINAIRES IN FRAMELESS DESIGNS – WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





SMART+ WIFI PLANON 450



2 SMART+ WIFI PLANON 300



GTIN (EAN)

























Dro	dust no	mo	




















SMART+ WIFI PLANON FRAMELESS TW 450	4058075 484719	1	White	Aluminium	25 000	28.00	2700	30006500	>80	110
SMART+ WIFI PLANON FRAMELESS TW RGB 300**	4058075 484696	2	White	Aluminium	25 000	20.00	1 600	RGB, 30006500	>80	110
SMART+ WIFI PLANON FRAMELESS TW 300	4058075 484672	2	White	Aluminium	25 000	20.00	1700	3 0006 500	>80	110

Product name	IP		h _[mm]	Ø d [mm]	
SMART+ WIFI PLANON FRAMELESS TW 450	IP20	15 000	65.0	450.0	5
SMART+ WIFI PLANON FRAMELESS TW RGB 300**	IP20	15 000	69.0	300.0	5
SMART+ WIFI PLANON FRAMELESS TW 300	IP20	15 000	65.0	300.0	5

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI PLANON™ PLUS BACKLIGHT

PANEL LUMINAIRES WITH SEPARATELY CONTROLLABLE BACKLIGHTS WITH RGB FUNCTION





PLANON PLUS BACKLIGHT 600x600mm Black +RC



2 PLANON PLUS BACKLIGHT 600x600mm White +RC



PLANON PLUS BACKLIGHT 100x25mm Black +RC



PLANON PLUS BACKLIGHT 100x250mm White +RC



PLANON PLUS BACKLIGHT 450x450mm Black +RC



PLANON PLUS BACKLIGHT 450x450mm White +RC





























GTIN (EAN)	No.	COLOUR	MATERIAL	t[h] ²	W	lm	K	CRI	
	1								110
4058075 650190	2	White	Aluminium	25 000	39.00	2700	3 0006 500	≥80	110
4058075 650299	3	Black	Aluminium	25 000	27.00	1 800	3 0006 500	≥80	110
4058075 650213	4	White	Aluminium	25 000	28.00	1 800	3 0006 500	≥80	110
4058075 650251	5	Black	Aluminium	25 000	27.00	1 800	3 0006 500	≥80	110
4058075 650152	6	White	Aluminium	25 000	27.00	1 800	3 0006 500	≥80	110
	4058075 650275 4058075 650190 4058075 650299 4058075 650213 4058075 650251	4058075 650275 1 4058075 650190 2 4058075 650299 3 4058075 650213 4 4058075 650251 5	4058075 650275 1 Black 4058075 650190 2 White 4058075 650299 3 Black 4058075 650213 4 White 4058075 650213 5 Black	4058075650275 1 Black Aluminium 4058075650190 2 White Aluminium 4058075650299 3 Black Aluminium 4058075650213 4 White Aluminium 4058075650251 5 Black Aluminium	4058075650275 1 Black Aluminium 25 000 4058075650190 2 White Aluminium 25 000 4058075650299 3 Black Aluminium 25 000 4058075650213 4 White Aluminium 25 000 4058075650251 5 Black Aluminium 25 000	4058075650275 1 Black Aluminium 25 000 39.00 4058075650190 2 White Aluminium 25 000 39.00 4058075650299 3 Black Aluminium 25 000 27.00 4058075650213 4 White Aluminium 25 000 28.00 4058075650251 5 Black Aluminium 25 000 27.00	4058075650275 1 Black Aluminium 25 000 39.00 2700 4058075650190 2 White Aluminium 25 000 39.00 2700 4058075650299 3 Black Aluminium 25 000 27.00 1800 4058075650213 4 White Aluminium 25 000 28.00 1800 4058075650251 5 Black Aluminium 25 000 27.00 1800	4058075650275 1 Black Aluminium 25 000 39.00 2700 30006500 4058075650190 2 White Aluminium 25 000 39.00 2700 30006500 4058075650299 3 Black Aluminium 25 000 27.00 1800 30006500 4058075650213 4 White Aluminium 25 000 28.00 1800 30006500 4058075650251 5 Black Aluminium 25 000 27.00 1800 30006500	4058075650275 1 Black Aluminium 25 000 39.00 2700 30006500 ≥80 405807565013 4 White Aluminium 25 000 27.00 1800 30006500 ≥80 4058075650213 5 Black Aluminium 25 000 27.00 1800 30006500 ≥80

Product name	IP		X No.	[mm]	(mm)	th [mm]	
PLANON PLUS BACKLIGHT 600X600mm Black +RC	IP20	15000	2	60.0	60.0	56.0	3
PLANON PLUS BACKLIGHT 600X600mm White +RC	IP20	15 000	2	60.0	60.0	56.0	3
PLANON PLUS BACKLIGHT 100X250mm White +RC	IP20	15 000	2	100.0	25.0	56.0	4
PLANON PLUS BACKLIGHT 100X25mm Black +RC	IP20	15 000	2	100.0	25.0	56.0	4
PLANON PLUS BACKLIGHT 450X450mm Black +RC	IP20	15 000	2	45.0	45.0	56.0	4
PLANON PLUS BACKLIGHT 450X450mm White +RC	IP20	15 000	2	45.0	45.0	56.0	4

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI PLANON™ PLUS SQUARE

SQUARE PANEL LUMINAIRES FOR CEILING MOUNTING – WITH TUNABLE WHITE OR TUNABLE AND RGB FUNCTION





SMART+ WIFI PLANON PLUS TW 600x600







SMART+ WIFI PLANON PLUS TW 450x450







3 SMART+ WIFI PLANON PLUS TW 300x300






























Product name	GTIN (EAN)	No.	coLour	MATERIAL	t _[h] ²	W	lm	K	CRI	
SMART+ WIFI PLANON PLUS TW 600x600***	4058075525382	1	White	Aluminium	25 000	36.00	2800	3 0006 500	≥80	110
SMART+ WIFI PLANON PLUS TW 450x450***	4058075525337	2	White	Aluminium	25 000	28.00	2000	3 0006 500	≥80	110
SMART+ WIFI PLANON PLUS TW 300x300***	4058075525313	3	White	Aluminium	25 000	20.00	1 400	3 0006 500	≥80	110
SMART+ WIFI PLANON PLUS RGBW 600x600**	4058075525269	-	White	Aluminium	25 000	36.00	3 000	RGB, 3000	≥80	110
SMART+ WIFI PLANON PLUS RGBW 450x450**	4058075525221	-	White	Aluminium	25 000	28.00	2000	RGB, 3000	≥80	110
SMART+ WIFI PLANON PLUS RGBW 300x300**	4058075495708	-	White	Aluminium	25 000	20.00	1 400	RGB, 3000	≥80	110

Product name	IP		[mm]	b [mm]	h [mm]	a
SMART+ WIFI PLANON PLUS TW 600x600***	IP20	15 000	595.0	595.0	56.0	3
SMART+ WIFI PLANON PLUS TW 450x450***	IP20	15 000	450,0	450.0	56.0	4
SMART+ WIFI PLANON PLUS TW 300x300***	IP20	15 000	300,0	300.0	56.0	5
SMART+ WIFI PLANON PLUS RGBW 600x600**	IP20	15 000	595.0	595.0	56.0	3
SMART+ WIFI PLANON PLUS RGBW 450x450**	IP20	15 000	450.0	450.0	56.0	4
SMART+ WIFI PLANON PLUS RGBW 300x300**	IP20	15 000	300.0	300.0	56.0	5

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI PLANON™ PLUS RECTANGULAR

RECTANGULAR PANEL LUMINAIRES FOR CEILING MOUNTING – WITH TUNABLE WHITE OR TUNABLE AND RGB FUNCTION





SMART+ WIFI PLANON PLUS TW 1200x300





2 SMART+ WIFI PLANON PLUS TW 600x300



























0	amazon alexa	
-		

Product name





GTIN (EAN)
















SMART+ WIFI PLANON PLUS TW 1200x300***	4058075525405	1	White	Aluminium	25 000	36	2800	30006500	≥80	110
SMART+ WIFI PLANON PLUS RGBW 1200x300**	4058075525290	1	White	Aluminium	25 000	36	3 000	RGB, 3000	≥80	110
SMART+ WIFI PLANON PLUS RGBW 600x300**	4058075525245	2	White	Aluminium	25 000	28	2000	RGB, 3000	≥80	110
SMART+ WIFI PLANON PLUS TW 600x300***	4058075525368	2	White	Aluminium	25 000	22	1 600	3 0006 500	≥80	110

Product name	IP		[mm]	b	h [mm]		
SMART+ WIFI PLANON PLUS TW 1200x300**	IP20	15 000	1 200.0	300.0	56.0	3	
SMART+ WIFI PLANON PLUS RGBW 1200x300*	IP20	15 000	1 200.0	300.0	56.0	3	
SMART+ WIFI PLANON PLUS RGBW 600x300*	IP20	15000	595.0	300.0	56.0	3	
SMART+ WIFI PLANON PLUS TW 600x300**	IP20	15000	595.0	300.0	56.0	3	

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS[®] MAGNET SQUARE

SQUARE LUMINAIRES WITH VERY SIMPLE MAGNETIC MOUNTING AND TUNABLE WHITE FUNCTION





SMART+ WIFI ORBIS MAGNET 450x450mm White



2 SMART+ WIFI ORBIS MAGNET 450x450mm Black



3 SMART+ WIFI ORBIS MAGNET 450x450mm Grey



4 SMART+ WIFI ORBIS MAGNET 300x300mm White



5 SMART+ WIFI ORBIS MAGNET 300x300mm Black



6 SMART+ WIFI ORBIS MAGNET 300x300mm Grey


























Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _[h] ²	W	lm	K	CRI	
SMART+ WIFI ORBIS MAGNET 450X450mm White	4058075 572690	1	White	Steel	30 000	42.00	4200	3 0006 500	≥80	110
SMART+ WIFI ORBIS MAGNET 450X450mm Black	4058075 572751	2	Black	Steel	30 000	42.00	4200	3 0006 500	≥80	110
SMART+ WIFI ORBIS MAGNET 450X450mm Grey	4058075 572812	3	Grey	Steel	30 000	42.00	4200	3 0006 500	≥80	110
SMART+ WIFI ORBIS MAGNET 300X300mm White	4058075 572652	4	White	Steel	30 000	26.00	2500	3 0006 500	≥80	110
SMART+ WIFI ORBIS MAGNET 300X300mm Black	4058075 572737	5	Black	Steel	30 000	26.00	2500	3 0006 500	≥80	110
SMART+ WIFI ORBIS MAGNET 300X300mm Grey	4058075 572799	6	Grey	Steel	30 000	26.00	2500	3 0006 500	≥80	110

Product name	IP		X North E		b [mm]	th [mm]	
SMART+ WIFI ORBIS MAGNET 450X450mm White	IP20	15 000	1	450.0	450.0	86.0	4
SMART+ WIFI ORBIS MAGNET 450X450mm Black	IP20	15 000	1	450.0	450.0	86.0	4
SMART+ WIFI ORBIS MAGNET 450X450mm Grey	IP20	15 000	1	450.0	450.0	86.0	4
SMART+ WIFI ORBIS MAGNET 300X300mm White	IP20	15 000	1	300.0	300.0	86.0	4
SMART+ WIFI ORBIS MAGNET 300X300mm Black	IP20	15 000	1	300.0	300.0	86.0	4
SMART+ WIFI ORBIS MAGNET 300X300mm Grey	IP20	15 000	1	300.0	300.0	86.0	4

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS® MAGNET RECTANGULAR

RECTANGULAR LUMINAIRES WITH VERY SIMPLE MAGNETIC MOUNTING AND TUNABLE WHITE FUNCTION





SMART+ WIFI ORBIS MAGNET 600x300mm White



2 SMART+ WIFI ORBIS MAGNET 600x300mm Black



SMART+ WIFI ORBIS MAGNET 600x300mm Grey





Troubername	IP		X P	[mm]	[mm]	[mm]	
SMART+ WIFI ORBIS MAGNET 600X300mm White	IP20	15 000	1	600.0	300.0	86.0	4
SMART+ WIFI ORBIS MAGNET 600X300mm Black	IP20	15 000	1	600.0	300.0	86.0	4
SMART+ WIFI ORBIS MAGNET 600X300mm Grey	IP20	15 000	1	600.0	300.0	86.0	4

110


110

110

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS® BACKLIGHT SQUARE

SQUARE CEILING LUMINAIRES WITH EFFECTIVE BACKLIGHTING, AND TUNABLE WHITE AND RGB FUNCTION





SMART+ WIFI ORBIS BACKLIGHT 350x350mm White



SMART+ WIFI ORBIS BACKLIGHT 350x350mm Black






SMART+ WIFI ORBIS BACKLIGHT 350X350mm White	405807	5 572850	1	White	St	eel	30 000	28.00	2400	30006500	≥80	110
SMART+ WIFI ORBIS BACKLIGHT 350X350mm Black	405807	5 572874	2	Black	M	etal	30 000	28.00	2400	3 0006 500	>80	110
Product name	IP		X NINGL =	[mm]	<u>b</u>	ţh _[mm]						
SMART+ WIFI ORBIS BACKLIGHT 350X350mm White	IP20	15 000	2	350.0	350.0	90.0	4					
SMART+ WIFI ORBIS BACKLIGHT 350X350mm Black	IP20	15 000	2	350.0	350.0	90.0	4					

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS® STELLA


SQUARE CEILING LUMINAIRE IN A STYLISH DESIGN WITH SEPARATE TUNABLE WHITE AND RGB FUNCTION





SMART+ WIFI ORBIS STELLA 485x485mm






^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS® SADDIE


CEILING LUMINAIRE WITH TUNABLE WHITE AND RGB FUNCTION FOR COLOURED ACCENTS





SMART+ WIFI ORBIS SADDIE 500mm






^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS[®] CLEAN


SMART CEILING LUMINAIRE WITH TUNABLE WHITE FUNCTION IN A MODERN, PURIST LOOK





SMART+ WIFI ORBIS CLEAN 530x530mm






^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS[®] SPARKLE

ROUND CEILING LUMINAIRE WITH GLITTER EFFECT AND TUNABLE WHITE FUNCTION





SMART+ WIFI ORBIS SPARKLE 560mm



2 SMART+ WIFI ORBIS SPARKLE 460mm




amazon alexa	works with Hey Google	∲ w	'IFI	LDV E	SWITCH ON OFF	EASY MOUNTING	DIM	W	VARM SOOL	3 year guarantee	
Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	tm²	W	lm	K	CRI		P
SMART+ WIFI ORBIS SPARKLE 560mm SMART+ WIFI ORBIS SPARKLE 460mm	4058075 573499 4058075 573475	1 2	White White	Steel Steel	15 000 15 000	30.00 24.00	3300 2500	2700 2700	>80 >80	120 120	IP20 IP20
Product name		Ø d [mm]									

		[mm]	[mm]	
SMART+ WIFI ORBIS SPARKLE 560mm	15 000	76.0	560.0	5
SMART+ WIFI ORBIS SPARKLE 460mm	15 000	76.0	460.0	5

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS® GAVIN, LISA AND JADEN

SMART CEILING LUMINAIRES WITH STRIKING EDGES IN BLACK AND TUNABLE WHITE FUNCTION





SMART+ WIFI ORBIS GAVIN 500mm



2 SMART+ WIFI ORBIS LISA 500mm



3 SMART+ WIFI ORBIS JADEN 500mm


























Product name	GIIN (EAN)	No.	COLOUR	MATERIAL	t _[h] ²	W	lm	K	CRI		IP
SMART+ WIFI ORBIS GAVIN 500mm	4058075 573512	1	Black	Steel	15 000	30.00	3 300	2700	>80	120	IP20
SMART+ WIFI ORBIS LISA 500mm	4058075 573536	2	Black	Steel	15 000	30.00	3 300	2700	>80	120	IP20
SMART+ WIFI ORBIS JADEN 500mm	4058075 573550	3	Black	Steel	15 000	30.00	3 300	2700	>80	120	IP20

Product name		h	Ø d [mm]	
SMART+ WIFI ORBIS GAVIN 500mm	15 000	85.0	484.0	5
SMART+ WIFI ORBIS LISA 500mm	15 000	85.0	484.0	5
SMART+ WIFI ORBIS JADEN 500mm	15 000	85.0	488.0	5

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS® BACKLIGHT ROUND

ROUND CEILING LUMINAIRES WITH EFFECTIVE BACKLIGHTING, AND TUNABLE WHITE AND RGB FUNCTION






SMART+ WIFI ORBIS BACKLIGHT 350mm White

SMART+ WIFI ORBIS BACKLIGHT 350mm Black



2 SMART+ WIFI ORBIS BACKLIGHT 350mm Black





90.0

350.0

4

IP20

15000

2

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS® CIRCLE

SMART CEILING LUMINAIRES WITH TUNABLE WHITE AND RGB FUNCTION FOR COLOURED ACCENTS IN THE OUTER RING





SMART+ WIFI ORBIS CIRCLE 460mm Black

SMART+ WIFI ORBIS CIRCLE 460mm White




SMART+ WIFI ORBIS CIRCLE 460mm White

IP20

15000

2






95.0

460.0

3

SMART⁺ WIFI ORBIS[®] STEA


ROUND CEILING LUMINAIRE IN A STYLISH DESIGN WITH SEPARATE TUNABLE WHITE AND RGB FUNCTION





SMART+ WIFI ORBIS STEA 485mm






^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS® RUMOR


CEILING LUMINAIRE IN A CHARACTERISTIC DESIGN WITH SEPARATE TUNABLE WHITE AND RGB FUNCTION





SMART+ WIFI ORBIS RUMOR 500mm





^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS[®] DONUT


WALL AND CEILING LUMINAIRE IN A STYLISH DONUT DESIGN – WITH TUNABLE WHITE FUNCTION





1 SMART+ WIFI ORBIS Donut 400 WT






^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS[®] KITE

TIMELESSLY MODERN CEILING LUMINAIRES WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





SMART+ WIFI ORBIS Kite 510 WT TW



SMART+ WIFI ORBIS Kite 410 WT TW



SMART+ WIFI ORBIS KITE 340 WT TW

























Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t[h] ²	W	lm	K	CRI	
SMART+ WIFI ORBIS Kite 510 WT	4058075 486348	1	White	Steel	30 000	32.00	3 300	30006500	>80	110


Product name			Ø							
SWATT WITT ORDIS KITE TW RUB 340 WT	4030073 433003	3	Willie	3.661	23000	10.00	1 400	27000300		120
SMART+ WIFI ORBIS KITE TW RGB 340 WT**	4058075 495685	2	White	Steel	25 000	18.00	1 400	27006500	80	120
SMART+ WIFI ORBIS Kite 410 WT	4058075 486324	2	White	Steel	30 000	24.00	2500	30006500	>80	110
	1000010100010		***************************************	01001	00000	02.00	0000	0 0001110 000	, 00	

			[mm]	d [mm]	
SMART+ WIFI ORBIS Kite 510 WT	IP20	15 000	83.0	510.0	3
SMART+ WIFI ORBIS Kite 410 WT	IP20	15 000	68.0	410.0	3
SMART+ WIFI ORBIS KITE TW RGB 340 WT	IP20	15 000	80.0	340.0	5

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS® MOON

CEILING LUMINAIRES IN AN ATTRACTIVE LUNAR LOOK – WITH TUNABLE WHITE FUNCTION





SMART+ WIFI ORBIS Moon 480 BK



2 SMART+ WIFI ORBIS Moon 480 GR



3 SMART+ WIFI ORBIS Moon 380 BK

(Im

3 300

3 300

2500

2500

3000...6500

3000...6500

3000...6500

3000...6500

32.00

32.00

24.00

24.00

CRI

>80

>80

>80

>80



SMART+ WIFI ORBIS Moon 380 GR






Product name		IP		th [mm]	Ø d [mm]	
SMART+ WIFI ORBIS Moon 480 BK	110	IP20	15 000	86.0	480.0	3
SMART+ WIFI ORBIS Moon 480 GR	110	IP20	15 000	86.0	480.0	3
SMART+ WIFI ORBIS Moon 380 BK	110	IP20	15 000	85.0	380.0	3
SMART+ WIFI ORBIS Moon 380 GR	110	IP20	15 000	85.0	380.0	3

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS[®] PLATE

CEILING LUMINAIRES IN MODERN MINIMALIST DESIGNS – WITH TUNABLE WHITE FUNCTION; FRAMES IN WHITE AND GREY





SMART+ WIFI ORBIS Plate 430 WT

SMART+ WIFI ORBIS Plate 430 GR




SMART+ WIFI ORBIS Plate 430 GR

110

IP20

15000





70.0


430.0

3

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS[®] CROMO


CEILING LUMINAIRE IN A PLAYFUL IRREGULAR LOOK – WITH TUNABLE WHITE FUNCTION; DESIGNS IN CHROME AND WHITE






SMART+ WIFI ORBIS Cromo 500 CR





SMART⁺ WIFI ORBIS[®] FRAME


CEILING LUMINAIRE WITH AN ILLUMINATED FRAME AND TUNABLE WHITE FUNCTION





SMART+ WIFI ORBIS Frame 500 WT





^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS[®] EYE

PURISTIC CEILING LUMINAIRES WITH TUNABLE WHITE FUNCTION; DESIGNS IN GREY AND WHITE





SMART+ WIFI ORBIS Eye 490 WT

SMART+ WIFI ORBIS Eye 490 GR




2 SMART+ WIFI ORBIS Eye 490 GR

110

IP20

15000





75.5

490.0

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS[®] CYLINDER

CEILING LUMINAIRES IN CYLINDRICAL DESIGNS WITH AESTHETIC LIGHTING EFFECT AND TUNABLE WHITE FUNCTION





SMART+ WIFI ORBIS Cylinder 450 WT

SMART+ WIFI ORBIS Cylinder 450 GR




2 SMART+ WIFI ORBIS Cylinder 450 GR

110

IP20

15000





134.0

450.0

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS[®] SPIRAL


CEILING LUMINAIRE IN A SPIRAL DESIGN WITH EXCEPTIONAL LIGHTING EFFECT AND WHITE LIGHT CONTROL





1 SMART+ WIFI ORBIS Spiral 500 WT





^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI CEILING FAN

SMART MOBILE LED CEILING LUMINAIRES WITH INTEGRATED FANS





SMART+ WIFI CEILING FAN Cylinder + Remote control

SMART+WIFI CEILING FAN Round + Remote control

IP20


15000

1



SMART+ WIFI CEILING FAN Round +
Remote control





602.0

600.0

216.0

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI UV-C CEILING FAN


SMART MOBILE LED CEILING LUMINAIRES WITH INTEGRATED FANS AND UV-C PURIFICATION





SMART+ WIFI CEILING FAN Round + Remote control






^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS[®] DOWNLIGHT SURFACE

SMART LED SPOTLIGHTS FOR CEILING MOUNTING





SMART+ WIFI ORBIS DOWNLIGHT Surface 600mm



2 SMART+ WIFI ORBIS DOWNLIGHT Surface 400x400mm



SMART+ WIFI ORBIS DOWNLIGHT Surface 400mm



SMART+ WIFI ORBIS DOWNLIGHT Surface 200mm





				[mm]	[mm]	1 funui	[mm]		
SMART+ WIFI ORBIS DOWNLIGHT Surface 600mm	IP20	15 000	1	-	-	40.0	600.0	4	
SMART+ WIFI ORBIS DOWNLIGHT Surface 400X400mm	IP20	15 000	1	400.0	400.0	37.0	-	5	
SMART+ WIFI ORBIS DOWNLIGHT Surface 400mm	IP20	15 000	1	-	-	40.0	400.0	5	
SMART+ WIFI ORBIS DOWNLIGHT Surface 200mm	IP20	15 000	1	-	-	40.0	200.0	10	

110


110

110

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI DOWNLIGHT SLIM

SMART, ULTRA-SLIM LED SPOTLIGHTS WITH INTEGRATED DRIVERS





1 SMART+ WIFI DOWNLIGHT Slim 225mm





2 SMART+ WIFI DOWNLIGHT Slim 120mm





3 SMART+ WIFI DOWNLIGHT Slim 85mm


























		No.	COLOUR	MATERIAL	UN	W	lm	K	CRI	
SMART+ WIFI DOWNLIGHT Slim 225mm	4058075 573277	1	White	Plastic	25 000	22.00	2000	30006500	≥80	110
SMART+ WIFI DOWNLIGHT Slim 120mm	4058075 573253	2	White	Plastic	25 000	8.00	550	30006500	≥80	110
SMART+ WIFI DOWNLIGHT Slim 85mm	4058075 573239	3	White	Plastic	25 000	4.50	240	30006500	≥80	110

Product name	IP		X INCL.	th [mm]	Ø d [mm]	
SMART+ WIFI DOWNLIGHT Slim 225mm	IP20	15 000	1	33.5	225.0	12
SMART+ WIFI DOWNLIGHT Slim 120mm	IP20	15 000	1	35.0	120.0	6
SMART+ WIFI DOWNLIGHT Slim 85mm	IP20	15 000	1	37.0	85.0	6

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI SPOT

SMART LED SPOTLIGHTS WITH INTEGRATED DRIVERS, AND TUNABLE WHITE AND RGB FUNCTION





SMART+ WIFI SPOT 170mm 110 Degree





SMART+ WIFI SPOT 86mm 36 Degree





SMART+ WIFI SPOT 86mm 100 Degree


























		No.	COLOUR	MATERIAL	Uhl	W	lm	K	CRI	
SMART+ WIFI SPOT 170mm 110 Degree	4058075 573376	1	White	PP	25 000	12.00	1 000	27006500	≥80	110
SMART+ WIFI SPOT 86mm 36 Degree	4058075 573291	2	White	PP	25 000	4.00	400	3 0006 500	>80	36
SMART+ WIFI SPOT 86mm 100 Degree	4058075 573314	3	White	PP	25 000	4.50	300	27006500	≥80	110

Product name	IP		X E	h [mm]	Ø d [mm]	
SMART+ WIFI SPOT 170mm 110 Degree	IP20	15 000	1	57.0	170.0	12
SMART+ WIFI SPOT 86mm 36 Degree	IP20	15 000	1	48.0	86.0	6
SMART+ WIFI SPOT 86mm 100 Degree	IP20	15 000	1	48.0	86.0	6

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS® WALL CROSS

SMART, ADJUSTABLE WALL LUMINAIRES WITH TUNABLE WHITE FUNCTION





SMART+ WIFI ORBIS WALL CROSS 309x106mm Black

SMART+ WIFI ORBIS WALL CROSS 309X106mm White



SMART+ WIFI ORBIS WALL CROSS 309x106mm White



amazon alexa	works with Hey Google	∻ wı	FI	LDV # SWIFI SWIFI	TCH OFF	EASY	DIM	WARM	3 year guarantee	
Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	th	W	lm	K	CRI	IP
SMART+ WIFI ORBIS WALL CROSS 309X106mm Black SMART+ WIFI ORBIS WALL CROSS 309X106mm White	4058075 573949 4058075 573994	1 2	Black White	Aluminium Aluminium	30 000 30 000	12.00 12.00	1 200 1 200	30006500	>80 >80	IP20
Product name		b	(h _[mm]							
SMART+ WIFI ORBIS WALL CROSS 309X106mm Black	15 000 309.0	50.0	106.0	4						

106.0

4

309.0


15000

50.0

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS® WALL SWAN

DECORATIVE SMART WALL LUMINAIRES MADE OF REAL PLASTER






1 SMART+ WIFI ORBIS WALL SWAN 300x150mm

SMART+ WIFI ORBIS WALL SWAN 200X200mm



2 SMART+ WIFI ORBIS WALL SWAN 200x200mm





200.0

IP20

15000


200.0

110.0

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS® WALL TWIST

VERY ELEGANT SMART WALL LUMINAIRES IN BLACK OR WHITE





SMART+ WIFI ORBIS WALL TWIST 230x127mm


SMART+ WIFI ORBIS WALL TWIST 230X127mm

SMART+ WIFI ORBIS WALL TWIST 230X127mm



2 SMART+ WIFI ORBIS WALL TWIST 230x127mm





95.0

95.0

230.0

230.0

4

4

IP20

IP20

15000

15000


127.0

127.0

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. 1 The exact terms and conditions can be found at www.ledvance.com/con	sumer/services/
guarantee 2 Average lifetime in hours	

SMART⁺ WIFI ORBIS® WALL CYLINDRO

SMART WALL LUMINAIRES IN BLACK OR WHITE – COATED INSIDE WITH A WARM METALLIC SHADE





1 SMART+ WIFI ORBIS WALL CYLDRO 200x127mm



2 SMART+ WIFI ORBIS WALL CYLDRO 200x127mm






	IP		[mm]	[mm]	(h	
SMART+ WIFI ORBIS WALL CYLDRO 200X127mm	IP20	15 000	127.0	95.0	200.0	4
SMART+ WIFI ORBIS WALL CYLDRO 200X127mm	IP20	15 000	127.0	95.0	200.0	4

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI ORBIS® WALL WOOD

SMART WALL LUMINAIRES WITH REAL WOOD HOUSINGS AND TUNABLE WHITE FUNCTION






SMART+ WIFI ORBIS WALL WOOD 210x110mm

SMART+ WIFI ORBIS WALL WOOD 110X110mm



2 SMART+ WIFI ORBIS WALL WOOD 110x110mm





110.0

110.0

110.0

4

IP20

15000

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. 1 The exact terms and conditions can be found at www.ledvance.com/con	sumer/services/
guarantee 2 Average lifetime in hours	

SMART⁺ WIFI WALL ORBIS® ROUND IP44

SMART CEILING, WALL AND MIRROR LUMINAIRES IN AN ELEGANT CHROME DESIGN – WITH TUNABLE WHITE FUNCTION





SMART+ ROUND IP44 480mm



2 SMART+ ROUND IP44 300mm


























amazon alexa	works with Hey Google	ې wıı	EI LDV	SWITCH ON OFF		IM	IP44	WARM	3 year guarantee	
Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t [h] ²	W	lm	K	CRI	
SMART+ ROUND IP44 480mm SMART+ ROUND IP44 300mm	4058075 573727 4058075 573741	1 2	Silver	Steel	30 000	18.00	1800	3 0006 500	>80	110

Product name	IP		X P	[mm]	b [mm]	h [mm]	d [mm]	
SMART+ ROUND IP44 480mm	IP44	15000	1	480.0	100.0	78.0	-	4
SMART+ ROUND IP44 300mm	IP44	15000	1	-	-	78.0	300.0	4

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI WALL ORBIS® WAVE IP44

SMART CEILING AND WALL LUMINAIRES WITH ONE, TWO, THREE OR FOUR LIGHT POINTS AND TUNABLE WHITE FUNCTION





SMART+ WAVE IP44 300mm



2 SMART+ WAVE IP44 520mm



3 SMART+ WAVE IP44 320mm



SMART+ WAVE IP44 200mm


























Product name	GIIN (EAN)	No.	COLOUR	MATERIAL	t _[h] ²	W	lm	K	CRI	
SMART+ WAVE IP44 300mm	4058075 573901	1	Silver	PMMA	30 000	26.00	2800	3 0006 500	>80	110
SMART+ WAVE IP44 520mm	4058075 573857	2	Silver	PMMA	30 000	21.00	2100	3 0006 500	>80	110
SMART+ WAVE IP44 320mm	4058075 573802	3	Silver	Steel	30 000	15.00	1 400	3 0006 500	>80	110
SMART+ WAVE IP44 200mm	4058075 573772	4	Silver	Steel	30 000	8.00	700	3 0006 500	>80	110

Product name	IP		X PINOL.	[mm]	b	h [mm]	6
SMART+ WAVE IP44 300mm	IP44	15000	1	300.0	300.0	93.0	4
SMART+ WAVE IP44 520mm	IP44	15000	1	520.0	120.0	93.0	4
SMART+ WAVE IP44 320mm	IP44	15 000	1	320.0	120.0	93.0	4
SMART+ WAVE IP44 200mm	IP44	15 000	1	200.0	120.0	93.0	4

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI WALL ORBIS[®] AQUA IP44

SMART CEILING AND WALL LUMINAIRES IN A PARTICULARLY COMPACT DESIGN





SMART+ ORBIS AQUA IP44 280x160mm



SMART+ ORBIS AQUA IP44 200x200mm



SMART+ ORBIS AQUA IP44 200mm


























Product name	GIIN (EAN)	No.	COLOUR	MATERIAL	t [h] ²	W	lm	K	CRI	
SMART+ ORBIS AQUA IP44 280X160mm	4058075 574359	1	White	Steel	30 000	12.00	1 200	3 0006 500	>80	110
SMART+ ORBIS AQUA IP44 200X200mm	4058075 574373	2	White	Steel	30 000	12.00	1 200	3 0006 500	>80	110
SMART+ ORBIS AQUA IP44 200mm	4058075 574410	3	White	Steel	30 000	12.00	1 200	30006500	>80	110

Product name	IP		X P	[mm]	b [mm]	[mm]	Ø d [mm]	
SMART+ ORBIS AQUA IP44 280X160mm	IP44	15000	1	280.0	160.0	94.0	-	4
SMART+ ORBIS AQUA IP44 200X200mm	IP44	15 000	1	200.0	200.0	94.0	-	4
SMART+ ORBIS AQUA IP44 200mm	IP44	15 000	1	-	-	94.0	200.0	4

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI CEILING ORBIS® DISC IP44

ROUND CEILING LUMINAIRES IN A PARTICULARLY SLEEK LOOK – IN THREE SIZES AND COLOURS





SMART+ DISC IP44 500mm



2 SMART+ DISC IP44 400mm



3 SMART+ DISC IP44 300mm


























Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _[h] ²	W	lm	K	CRI	
SMART+ DISC IP44 500mm	4058075 573635	1	Black	Aluminium	30 000	32.00	4000	30006500	>80	110
SMART+ DISC IP44 400mm	4058075 573611	2	White	Aluminium	30 000	25.00	3 200	30006500	>80	110
SMART+ DISC IP44 300mm	4058075 573598	3	Silver	Aluminium	30 000	18.00	2100	3 0006 500	>80	110

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI WALL ORBIS® DUPLO IP44

SMART LUMINAIRES IN A THEATRE DRESSING ROOM LOOK – WITH TUNABLE WHITE FUNCTION





SMART+ DUPLO IP44 580mm



2 SMART+ DUPLO IP44 450mm



SMART+ DUPLO IP44 300mm

























Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t _[h] ²	W	lm	K	CRI	
SMART+ DUPLO IP44 580mm	4058075 573703	1	Silver	ABS	30 000	27.00	2800	30006500	>80	110
SMART+ DUPLO IP44 450mm	4058075 573680	2	Silver	ABS	30 000	20.00	2100	30006500	>80	110
SMART+ DUPLO IP44 300mm	4058075 573659	3	Silver	ABS	30 000	15.00	1 400	30006500	>80	110

Product name	IP		X INCL.	[mm]	(mm)	h [mm]	
SMART+ DUPLO IP44 580mm	IP44	15 000	1	575.0	60.0	58.0	4
SMART+ DUPLO IP44 450mm	IP44	15 000	1	445.0	60.0	58.0	4
SMART+ DUPLO IP44 300mm	IP44	15 000	1	295.0	60.0	58.0	4

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI WALL ORBIS[®] ELYPSE IP44

SMART WALL LUMINAIRES IN A STYLISH DESIGN WITH TUNABLE WHITE FUNCTION









2 SMART+ WALL ORBIS ELYPSE IP44 340mm



3 SMART+ WALL ORBIS ELYPSE IP44 120mm


























		No.	COLOUR	MATERIAL	UN	W	lm	K	CRI	
SMART+ ELYPSE IP44 560mm	4058075 574076	1	Silver	SteelGlass	30 000	18.00	1 500	3 0006 500	>80	110
SMART+ ELYPSE IP44 340mm	4058075 573963	2	Silver	SteelGlass	30 000	12.00	1 000	30006500	>80	110
SMART+ ELYPSE IP44 120mm	4058075 573925	3	Silver	SteelGlass	30 000	7.00	500	3 0006 500	>80	110

IP I		INGL.	[mm]	b [mm]	h [mm]	强
IP44	15 000	1	560.0	88.0	166.0	4
IP44	15 000	1	340.0	88.0	166.0	4
IP44	15 000	1	120.0	150.0	166.0	4
	IP44 IP44	IP44 15000 IP44 15000	IP44 15000 1 IP44 15000 1	IP44 15000 1 560.0 IP44 15000 1 340.0	IP44 15 000 1 560.0 88.0 IP44 15 000 1 340.0 88.0	IP44 15 000 1 560.0 88.0 166.0 IP44 15 000 1 340.0 88.0 166.0

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI WALL ORBIS® BATH IP44

COOL & SMART WALL AND MIRROR LUMINAIRES IN BLACK OR WHITE





SMART+ BATH WALL IP44 400mm



2 SMART+ BATH WALL IP44 400mm



3 SMART+ BATH WALL IP44 300mm



4 SMART+ BATH WALL IP44 300mm


























Product name	GTIN (EAN)	No.	COLOUR	MATERIAL	t[h] ²	W	lm	K	CRI	
SMART+ BATH WALL IP44 400mm	4058075 574236	1	White	Steel	30 000	17.00	1 600	3 0006 500	>80	110
SMART+ BATH WALL IP44 400mm	4058075 574311	2	Black	Steel	30 000	17.00	1 600	3 0006 500	>80	110
SMART+ BATH WALL IP44 300mm	4058075 574274	3	White	Steel	30 000	13.00	1 200	3 0006 500	>80	110
SMART+ BATH WALL IP44 300mm	4058075 574335	4	Black	Steel	30 000	13.00	1 200	3 0006 500	>80	110

Product name	IP		X P	[mm]	b	h [mm]	6
SMART+ BATH WALL IP44 400mm	IP44	15000	1	400.0	70.0	50.0	4
SMART+ BATH WALL IP44 400mm	IP44	15000	1	400.0	70.0	50.0	4
SMART+ BATH WALL IP44 300mm	IP44	15 000	1	300.0	70.0	50.0	4
SMART+ BATH WALL IP44 300mm	IP44	15 000	1	300.0	70.0	50.0	4

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI FLEX MULTICOLOUR

FLEXIBLE, EXPANDABLE LED STRIP WITH WHITE LIGHT AND RGB FUNCTION











SMART WIFI FLEX RGBTV
1M Extension



Product name		[mm]	[mm]	(h _[mm]	6
SMART WIFI FLEX RGBTW 2M	15 000	2000.0	10.0	2.6	4
SMART WIFI FLEX RGBTW 1M Extension	15 000	1 000.0	10.0	2.6	4

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI SUBMARINE® LED


SMART LED DAMP-PROOF LUMINAIRE WITH A ROBUST POLYCARBONATE HOUSING





1 SMART+ WIFI SUBMARINE 120cm





HOW TO READ OUR PRODUCT TABLES


The new lighting regulation states that the new label indicating the energy efficiency class must be clearly visible on every product packaging. To make our product tables clearer and easier to read, the energy efficiency class isn't specified by a coloured arrow but a letter. See on the right.

Energy efficiency clas Product packaging	ss P	Information Table
A A	\rightarrow	А
A B	\rightarrow	В
A C	\rightarrow	С
A D	→	D
A E	→	E
A F	→	F
Å G	→	G

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A (highest efficiency) to G (lowest efficiency).

SMART⁺ WIFI TABLEFRAME WITH USB POWERBANK

MOBILE OUTDOOR TABLE LAMP WITH RGBW FUNCTION – RECHARGEABLE VIA USB AND USABLE AS A POWER BANK






SMART+ WIFI OUTDOOR TABLEFRAME POWERBANK Dark grey







^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI PIPE

SMART OUTDOOR LUMINAIRE FAMILY WITH RGBW FUNCTION IN A SLIM PIPE LOOK





SMART+ WIFI OUTDOOR PIPE Wall



2 SMART+ WIFI OUTDOOR PIPE 80cm Post



3 SMART+ WIFI OUTDOOR PIPE 50cm Post





Product name





GTIN (EAN)




















SMART+ WIFI OUTDOOR PIPE Wall	4058075 564183	1	Dark grey	Aluminium	25 000	10.00	380	3 000	≥80	270	IP44
SMART+ WIFI OUTDOOR PIPE 80CM Post	4058075 564220	2	Dark grey	Stainless Steel	25 000	10.00	380	3 000	≥80	270	IP44
SMART+ WIFLOUTDOOR PIPE 50CM Post	4058075 564206	3	Dark grey	Stainless Steel	25 000	10.00	380	3 000	>80	270	IP44

Product name		X PINCL.	[mm]	b [mm]	(h _[mm]	Ø d [mm]	3
SMART+ WIFI OUTDOOR PIPE Wall	12500	1	129.0	89.0	197.0	-	4
SMART+ WIFI OUTDOOR PIPE 80CM Post	12500	1	-	-	800.0	89.0	2
SMART+ WIFI OUTDOOR PIPE 50CM Post	12500	1	-	-	500.0	135.0	2

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI CASCADE

SMART OUTDOOR LUMINAIRE FAMILY WITH RGBW FUNCTION IN AN EXTRAORDINARY DESIGN





SMART+ WIFI OUTDOOR CASCADE 80cm Post



SMART+ WIFI OUTDOOR CASCADE 50cm Post



SMART+ WIFI OUTDOOR CASCADE Wall





amazon alexa

Product name






















SMART+ WIFI OUTDOOR CASCADE 80CM Post	4058075 564282	1	Dark grey	Aluminium	25 000	10.00	420	3 000	≥80	270	IP44
SMART+ WIFI OUTDOOR CASCADE 50CM Post	4058075 564268	2	Dark grey	Aluminium	25 000	10.00	420	3 000	≥80	270	IP44
SMART+ WIFI OUTDOOR CASCADE Wall	4058075 564244	3	Dark grey	Aluminium	25 000	10.00	420	3 000	≥80	270	IP44

Product name		X NGL.	[mm]	b	h [mm]	
SMART+ WIFI OUTDOOR CASCADE 80CM Post	12500	1	200.0	160.0	800.0	2
SMART+ WIFI OUTDOOR CASCADE 50CM Post	12500	1	200.0	160.0	500.0	2
SMART+ WIFI OUTDOOR CASCADE Wall	12500	1	160.0	120.0	180.0	4

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI FLARE UPDOWN

SMART OUTDOOR LUMINAIRE FAMILY WITH RGBW FUNCTION – LIGHT OUTPUT UPWARD AND DOWNWARD





SMART+ WIFI OUTDOOR FLARE UPDOWN 80cm Post



SMART+ WIFI OUTDOOR FLARE UPDOWN 50Ccm Post



3 SMART+ WIFI OUTDOOR FLARE UPDOWN Wall





Product name





















SMART+ WIFI OUTDOOR FLARE UPDOWN 80CM Post	4058075 564343	1	Dark grey	Aluminium	25 000	14.00	1 000	3 000	≥80	320	IP44
SMART+ WIFI OUTDOOR FLARE UPDOWN 50CM Post	4058075 564329	2	Dark grey	Aluminium	25 000	14.00	1 000	3 000	≥80	320	IP44
SMART+ WIFI OUTDOOR FLARE UPDOWN Wall	4058075 564305	3	Dark grev	Aluminium	25 000	14.00	1 000	3 000	≥80	320	IP44

Product name		X NCL.	[mm]	b [mm]	h [mm]	
SMART+ WIFI OUTDOOR FLARE UPDOWN 80CM Post	12500	1	194.0	144.0	800.0	2
SMART+ WIFI OUTDOOR FLARE UPDOWN 50CM Post	12500	1	194.0	144.0	500.0	2
SMART+ WIFI OUTDOOR FLARE UPDOWN Wall	12500	1	132.0	100.0	246.0	4

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI CUBE MULTICOLOUR

STYLISH WALL AND BOLLARD LUMINAIRES WITH COLOUR-CHANGING FUNCTION





SMART+ WIFI CUBE UpDown



2 SMART+ WIFI CUBE 80CM Post



3 SMART+ WIFI CUBE 50CM Post



4 SMART+ WIFI CUBE Wall


























		No.			G.B.	w l		•		
SMART+ WIFI CUBE UpDown	4058075 478077	1	Dark grey	Aluminium	25 000	13.50	900	RGB, 3000	≥80	315
SMART+ WIFI CUBE 80CM Post	4058075 478176	2	Dark grey	Aluminium	25 000	9.50	450	RGB, 3000	≥80	205
SMART+ WIFI CUBE 50CM Post	4058075 478152	3	Dark grey	Aluminium	25 000	9.50	450	RGB, 3000	≥80	205
SMART+ WIFI CUBE Wall	4058075 478114	4	Dark grey	Aluminium	25 000	9.50	450	RGB, 3000	≥80	205

Product name	IP		[mm]	b	h [mm]	
SMART+ WIFI CUBE UpDown	IP44	12500	110.0	80.0	205.0	4
SMART+ WIFI CUBE 80CM Post	IP44	12500	120.0	120.0	800.0	2
SMART+ WIFI CUBE 50CM Post	IP44	12500	120.0	120.0	500.0	2
SMART+ WIFI CUBE Wall	IP44	12500	110.0	80.0	116.0	4

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI LANTERN FLARE MULTICOLOUR

WALL AND BOLLARD LUMINAIRES IN FLARE DESIGNS WITH COLOUR-CHANGING FUNCTION





SMART+ WIFI FLARE Wall



2 SMART+ WIFI FLARE 60CM Post






	IP		[mm]	[mm]	[mm]	d [mm]	
SMART+ WIFI FLARE Wall	IP44	12500	98.0	66.0	331.0	-	4
SMART+ WIFI FLARE 60CM Post	IP44	12500	-	-	604.0	110.0	2

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI BRICK

SMART WALL LUMINAIRES WITH RGBW FUNCTION AND LIGHT OUTPUT UPWARD AND DOWNWARD





SMART+ WIFI OUTDOOR BRICK Wide Dark Grey



2 SMART+ WIFI OUTDOOR BRICK Dark grey



SMART+ WIFI OUTDOOR BRICK Stainless steel



4 SMART+ WIFI OUTDOOR BRICK Wide Stainless steel






		NCL.	[mm]	[mm]	[mm]	
SMART+ WIFI OUTDOOR BRICK Wide Dark Grey	12500	1	145.0	75.0	85.0	4
SMART+ WIFI OUTDOOR BRICK Dark grey	12500	1	85.0	85.0	85.0	4
SMART+ WIFI OUTDOOR BRICK Stainless steel	12500	1	85.0	85.0	85.0	4
SMART+ WIFI OUTDOOR BRICK Wide Stainless steel	12500	1	75.0	145.0	85.0	4

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI CURVE MULTICOLOUR

WALL LUMINAIRES IN AESTHETIC CURVED DESIGNS WITH COLOUR-CHANGING FUNCTION









2 SMART+ WIFI CURVE SI






SMART+ WIFI CURVE DG IP44 12500 93.0 100.0 248.0 4	. 100000	IP		[mm]	[mm]	h		
SMART+ WIFI CURVE DG IP44 12500 93.0 100.0 248.0 4								
	SMART+ WIFI CURVE DG	IP44	12500	93.0	100.0	248.0	4	
SMART+ WIFI CURVE SI IP44 12500 93.0 100.0 248.0 4	SMART+ WIFI CURVE SI	IP44	12500	93.0	100.0	248.0	4	

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI CAMERA

SMART OUTDOOR WALL LUMINAIRES WITH CAMERA, INTERCOM AND ALARM FUNCTION






SMART+ WIFI OUTDOOR WALL CAMERA CONTROL DG



SMART+ WIFI OUTDOOR ROUND CAMERA





105.0

180.0

4

12500


1

105.0

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/ guarantee \mid ² Average lifetime in hours

SMART⁺ WIFI FLOOD CAMERA

SMART OUTDOOR FLOODLIGHTS WITH CAMERA, INTERCOM AND ALARM FUNCTION





SMART+ WIFI FLOOD Camera



SMART+ WIFI OUTDOOR FLOOD CAMERA CONTROL DG






		[mm]	[mm]		
15 000	1	163.0	169.0	250.0	4
12500	1	200.0	197.0	262.0	4
			15000 1 163.0	15000 1 163.0 169.0	

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART⁺ WIFI FLOOD

EXTREMELY LOW-PROFILE AND ROBUST FLOODLIGHTS IN DIFFERENT SIZES – ALSO AVAILABLE WITH RGB FUNCTION





SMART+ WIFI FLOOD 50W



2 SMART+ WIFI FLOOD 30W





3 SMART+ WIFI FLOOD 20W





4 SMART+ WIFI FLOOD 10W











GTIN (EAN)

















No.	COLUCIA		Lini	W	W	W	Chi		•
4666 1	Dark grey	Aluminium	30 000	50.00	4 2 5 0	3 000	≥80	-	IP65
4642 2	Dark grey	Aluminium	30 000	30.00	2190	3 000	≥80	-	IP65
4628 3	Dark grey	Aluminium	30 000	20.00	1 260	3 000	≥80	-	IP65
4604 4	Dark grey	Aluminium	30 000	10.00	630	3 000	≥80	100	IP65
	4666 1 4642 2 4628 3	4666 1 Dark grey 4642 2 Dark grey 4628 3 Dark grey	4666 1 Dark grey Aluminium 4642 2 Dark grey Aluminium 4628 3 Dark grey Aluminium	4666 1 Dark grey Aluminium 30 000 4642 2 Dark grey Aluminium 30 000 4628 3 Dark grey Aluminium 30 000	No. Dark grey Aluminium 30 000 50.00 4666 1 Dark grey Aluminium 30 000 50.00 4642 2 Dark grey Aluminium 30 000 30.00 4628 3 Dark grey Aluminium 30 000 20.00	4666 1 Dark grey Aluminium 30 000 50.00 4250 4642 2 Dark grey Aluminium 30 000 30.00 2190 4628 3 Dark grey Aluminium 30 000 20.00 1260	4666 1 Dark grey Aluminium 30 000 50.00 4250 3000 4642 2 Dark grey Aluminium 30 000 30.00 2190 3000 4628 3 Dark grey Aluminium 30 000 20.00 1260 3000	4666 1 Dark grey Aluminium 30 000 50.00 4250 3000 ≥80 4642 2 Dark grey Aluminium 30 000 30.00 2190 3000 ≥80 4628 3 Dark grey Aluminium 30 000 20.00 1260 3000 ≥80	4666 1 Dark grey Aluminium 30 000 50.00 4 250 3 000 ≥80 - 4642 2 Dark grey Aluminium 30 000 30.00 2 190 3 000 ≥80 - 4628 3 Dark grey Aluminium 30 000 20.00 1 260 3 000 ≥80 -

Product name		[mm]	b [mm]	h [mm]	a
SMART+ WIFI FLOOD 50 W	30 000	237.0	200.0	36.0	8
SMART+ WIFI FLOOD 30W	30 000	209.0	168.0	30.0	12
SMART+ WIFI FLOOD 20W	30 000	152.0	125.0	28.0	12
SMART+ WIFI FLOOD 10W	30 000	152.0	125.0	28.0	12

^{*} Works with LEDVANCE WIFI Remote Control. For further information, please see page 60. | 1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours

SMART BLUETOOTH: TOTALLY CONVENIENT, TOTALLY EFFICIENT

There are so many attractive SMART⁺ Bluetooth products to choose from. And the coverage of the network is extended via the Bluetooth Mesh function with every additional product connected in series.





SMART⁺ BLUETOOTH LAMPS AND COMPONENTS

176



SMART⁺ BLUETOOTH OUTDOOR WALL AND PATHWAY LUMINAIRES

1848



























SMART⁺ BLUETOOTH CLASSIC LAMPS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	· N	2	K		t[h]	[mm]	Ø d [mm]		
SMART+ Bluetooth Classic Dimmable														DIM
SMART+ BT Classic 60 60 9W/2700K E27	4058075 208506	6	60	9	806	E27	F	2700	Yes	15 000	118	60	1	4
SMART+ Bluetooth Filament Classic Dimmable														DIM
SMART+ BT Classic 67 GLFR 100 11W/2 700K E27	4058075 486089	1	100	11	1 521	E27	D	2700	Yes	15000	133	67	1	4
SMART+ BT Classic 60 GLFR 75 7.5W/2 700K E27	4058075 609631	10	75	7.5	1 055	E27	D	2700	Yes	15 000	105	60	1	4
SMART+ BT Classic 60 SM0KE 44 6W/2700K E27	4058075 486126	2	44	6	540	E27	F	2700	Yes	15 000	105	60	1	4
SMART+ BT Classic 60 GOLD 52 6W/2 400K E27	4058075 208582	3	52	6	680	E27	Е	2400	Yes	15 000	105	60	1	4
SMART+ BT Classic 60 CLEAR 60 6W/2700K E27	4058075 208551	5	60	6	806	E27	Е	2700	Yes	15 000	105	60	1	4
SMART+ BT Classic 60 CLEAR 60 6W/2700K B22d	4058075 486201	4	60	6	806	B22d	Е	2700	Yes	15000	117	60	1	4
SMART+ Bluetooth Classic Tunable White													WA	
SMART+ BT Classic 60 9W/27006500K E27	4058075 485198	7	60	9	806	E27	F	27006500	Yes	15 000	118	60	1	4
SMART+ Bluetooth Classic Multicolour													RGBW W	
SMART+ BT Classic 60 60 9W/27006500K E27	4058075 208469	9	60	9	806	E27	F	RGBW 27006500	Yes	15 000	118	60	1	4
SMART+ BT Classic 60 60 9W/27006500K B22d	4058075 208476	8	60	9	806	B22d	F	RGBW 27006500	Yes	15000	118	60	1	4













SMART⁺ BLUETOOTH CANDLE LAMPS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	· N	P 2	K		t [h]	[mm]	Ø d [mm]		
SMART+ Bluetooth Candle Dimmable														O _{IM}
SMART+ BT Candle 40 5W/2700K E14	4058075 485211	2	40	5	470	E14	F	2700	Yes	15 000	114	39	1	4
SMART+ Bluetooth Filament Classic Dimmable														DIM
SMART+ BT Candle Clear 40 4W/2700K E14	4058075 486102	1	40	4	470	E14	Е	2700	Yes	15 000	115	35	1	4
SMART+ Bluetooth Candle Tunable White													WA	DIM DIM
SMART+ BT Candle 40 5W/27006500K E14	4058075 485235	3	40	5	470	E14	F	27006500	Yes	15 000	114	39	1	4



¹ Wattage of the conventional lamp to be replaced | 2 Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency | 3 Average lifespan in hrs













SMART⁺ BLUETOOTH MINI-GLOBE LAMPS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ä	2 Danning 2	K		t[h] ³	[mm]	Ø d [mm]		
SMART+ Bluetooth Mini Bulb Dimmable														
SMART+ BT Mini bulb 40 5W/2700K E14	4058075 485259	1	40	5	470	E14	F	2700	Yes	15 000	89	45	1	4
													WA	
SMART+ Bluetooth Filament Mini Globe Dimmable														DIM
SMART+ BT Mini bulb Clear 40 4W/2700K E14	4058075 609655	2	40	4	470	E14	Е	2700	Yes	15000	110	45	1	4
SMART+ BT Mini bulb Clear 40 4W/2700K E27	4058075 609679	3	40	4	470	E27	Е	2700	Yes	15 000	77	45	1	4
													WA	
SMART+ Bluetooth Mini Bulb Tunable White													CO	
SMART+ BT Mini bulb 40 5W/27006500K E14	4058075 485273	4	40	5	470	E14	F	27006500	Yes	15 000	89	45	1	4













SMART⁺ BLUETOOTH FILAMENT LAMPS WITH EDISON BULB

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ni-	2	K	<u></u>	t[h]		Ø d [mm]		
SMART+ Bluetooth Filament Edison Dimmable														O M
SMART+ BT CL EDISON SMOKE 44 6W/2 500K E27	4058075 486140	1	44	6	540	E27	F	2500	Yes	15 000	143	64	1	4
SMART+ BT CL EDISON GOLD 52 6W/2 400K E27	4058075 208605	2	52	6	725	E27	Е	2400	Yes	15 000	143	64	1	4
SMART+ BT CL EDISON CLEAR 60 6W/2700K E27	4058075 208575	3	60	6	806	E27	Е	2700	Yes	15 000	143	64	1	4















SMART⁺ BLUETOOTH FILAMENT LAMPS WITH GLOBE BULB

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ni	2	K		t _[h] °		Ø d [mm]		
SMART+ Bluetooth Filament Globe Dimmable														DIM
SMART+ BT CL GLOBE125 SMOKE 44 6W/2500K E27	4058075 486164	1	44	6	540	E27	F	2500	Yes	15 000	168	125	1	4
SMART+ BT CL GLOBE125 GOLD 52 6W/2400K E27	4058075 208599	2	52	6	680	E27	Е	2400	Yes	15 000	168	125	1	4
SMART+ BT CL GLOBE125 CLEAR 60 6W/2 700K E27	4058075 208568	3	60	6	806	E27	Е	2700	Yes	15 000	168	125	1	4
SMART+ BT CL GLOBE200 SMOKE 42 6W/2 500K E27	4058075 486188	4	42	6	540	E27	G	2500	Yes	15 000	283	200	1	2

















SMART⁺ BLUETOOTH REFLECTOR LAMPS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ni	2 Page 2	K		t [h] ³		Ø d [mm]		
SMART+ Bluetooth Spot GU10 Dimmable														O _M
SMART+ BT SPOT 50 45° 5W/2700K GU10	4058075 485297	1	50	5	350	GU10	G	2700	Yes	20 000	54	50	1	4
SMART+ Bluetooth Spot GU10 Tunable White													COOL	
SMART+ BT SP0T 50 45° 5W/2 7006 500K GU10	4058075 485310	2	50	5	350	GU10	G	27006500	Yes	20 000	54	50	1	4
SMART+ Bluetooth Spot GU10 Multicolour													RGBW WARM	
SMART+ BT SP0T 50 100° 5W/27006 500K GU10	4058075 485334	3	50	5	300	GU10	G	RGBW 27006500	Yes	20 000	56	50	1	4
SMART+ Bluetooth Spot Concentra Multicolour													RGBW WARM	
SMART+ BT SPOT 40 45° 3W/27006500K E14	4058075 609471	4	40	3	210	E14	G	RGBW 27006500	Yes	20 000	83	50	1	4
SMART+ BT SPOT 60 45° 6W/27006500K E27	4058075 609495	5	60	6	345	E27	F	RGBW 27006500	Yes	20 000	98	63	1	4



¹ Wattage of the conventional lamp to be replaced | 2 Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency | 3 Average lifespan in hrs







SMART⁺ BLUETOOTH PLUG INDOOR AND OUTDOOR

Product name	GTIN (EAN)	No.	PRO- TECTION CLASS	A	COLOUR	IP		
SMART+ Bluetooth Plug Indoor								ON OFF
SMART+ BT PLUG EU	4058075 208513	1	I	16	White	IP20	1	4
SMART+ BT PLUG UK	4058075 208520	2	I	13	White	IP20	1	4



SMART⁺ BLUETOOTH MODERN LANTERN MULTICOLOUR

PURISTIC WALL AND BOLLARD LUMINAIRES WITH TUNABLE WHITE AND RGB FUNCTION





SMART+ MODERN LANTERN Wall Multicolour



SMART+ MODERN LANTERN Bollard 90cm Multicolour



3 SMART+ MODERN LANTERN Bollard 50cm Multicolour





Product name



GTIN (EAN)

















SMART+ MODERN LANTERN Wall Multicolour	4058075 184572	1	Dark grey	Aluminium	25 000	12.00	650	RGB, 20006500	80	360
SMART+ MODERN LANTERN Bollard 90cm Multicolour	4058075 184619	2	Dark grey	Aluminium	25 000	12.00	650	RGB, 20006500	80	360
SMART+ MODERN LANTERN Bollard 50cm Multicolour	4058075 184589	3	Dark grey	Aluminium	25 000	12.00	650	RGB, 20006500	80	360

Product name	IP		[mm]	b [mm]	h [mm]	Ø d [mm]	
SMART+ MODERN LANTERN Wall Multicolour	IP44	100 000	176.0	110.0	240.0	-	4
SMART+ MODERN LANTERN Bollard 90cm Multicolour	IP44	100 000	-	-	900.0	110.0	2
SMART+ MODERN LANTERN Bollard 50cm Multicolour	IP44	100 000	-	-	500.0	110.0	2

 $^{^{1}}$ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee \mid 2 Average lifetime in hours

SMART LIGHT FOR THE INTELLIGENT HOME

For those who would like to control their light via a gateway the SMART⁺ Zigbee products are compatible with a multitude of smart home systems. They are operated via the partner system app. This range of lamps and luminaires is especially suitable for customers who would like to fully exploit the potential of smart lighting in combination with other smart home functions.





SMART⁺ ZIGBEE LAMPS AND COMPONENTS

188



SMART⁺ ZIGBEE INDOOR LED STRIPS

196















SMART⁺ ZIGBEE CLASSIC LAMPS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ni.	2	K		t[h] ^s	[mm]	Ø d [mm]		
														SIM DIM
SMART+ Zigbee Classic Dimmable														DIM
SMART+ ZB Classic 60 60 9W E27	4058075 208377	1	60	9	806	E27	F	2700	Yes	20 000	112	60	1	4
														M
SMART+ Zigbee Filament Classic Dimmable														DIM
SMART+ ZB Classic A53 GOLD 6W/2 400K E27	4058075 528178	2	53	6	680	E27	Е	2400	Yes	15 000	105	60	1	4
													WAI	
SMART+ Zigbee Classic Tunable White														
SMART+ ZB Classic 60 60 9W E27	4058075 208384	3	60	9	806	E27	F	27006500	Yes	20 000	112	60	1	4
													RGBW WAI	
SMART+ Zigbee Classic Multicolour													CO	DIM
SMART+ ZB Classic 60 60 9W E27	4058075 208391	4	60	9	806	E27	F	RGBW 27006500	Yes	20 000	112	60	1	4
SMART+ ZB Classic 60 60 10W B22d	4058075 208407	5	60	9	806	B22d	F	RGBW 27006500	Yes	20 000	110	60	1	4











SMART⁺ ZIGBEE CANDLE LAMPS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ñ	2	K		t M³	[mm]	Ø d [mm]		
SMART+ Zigbee Candle Dimmable														DIM
SMART+ ZB Candle 40 5W/2700K E14	4058075 208421	1	40	5	470	E14	F	2700	Yes	20 000	107	37	1	4
SMART+ Zigbee Candle Tunable White													WAR	
SMART+ ZB Candle 40 5W E14	4058075 208414	2	40	5	470	E14	F	27006500	Yes	20 000	107	37	1	4



¹ Wattage of the conventional lamp to be replaced | 2 Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency | 3 Average lifespan in hrs









SMART⁺ ZIGBEE MINI-GLOBE LAMPS

Product name	GTIN (EAN)	No.	w≙W ¹	W	lm	Ä	2 0000	K		t _[h] ³	[mm]	Ø d [mm]		
SMART+ Zigbee Mini Bulb Dimmable														O _M
SMART+ ZB Mini bulb 40 5W/2700K E14	4058075 485150	1	40	5	470	E14	F	2700	Yes	20 000	93	45	1	4
SMART+ Zigbee Mini Bulb Tunable White													WAS	
SMART+ ZB Mini bulb 40 5W/27006500K E14	4058075 485174	2	40	5	470	E14	F	27006500	Yes	20 000	93	45	1	4









SMART⁺ ZIGBEE FILAMENT LAMP WITH EDISON BULB

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Mi	2	K	t [h] ³	[mm]	Ø d [mm]		6
SMART+ Zigbee Filament Edison Dimmable													DIM
SMART+ ZB CL EDISON 53 GOLD 6W/2 400K E27	4058075 528192	1	53	6	680	E27	Е	2 400	15 000	143	64	1	4



¹ Wattage of the conventional lamp to be replaced | 2 Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency | 3 Average lifespan in hrs







SMART⁺ ZIGBEE FILAMENT LAMP WITH GLOBE BULB

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	Ni	2	K	t _[h] ³		Ø d [mm]		
SMART+ Zigbee Filament Globe Dimmable													O M
SMART+ ZB CL GLOBE 53 GOLD 6W/2 400K E27	4058075 528215	1	53	6	680	E27	Е	2400	15 000	168	125	1	4














SMART⁺ ZIGBEE REFLECTOR LAMPS

Product name	GTIN (EAN)	No.	w≙W¹	W	lm	· N	Ž	K	<u></u>	t[h] ³	[mm]	Ø d [mm]		
SMART+ Zigbee Spot GU10 Dimmable														DIM
SMART+ ZB Spot 50 5W/2 700 36° GU10	4058075 208452	1	50	5	350	GU10	G	2700	Yes	20 000	52	50	1	4
SMART+ Zigbee Spot GU10 Tunable White													WAR	
SMART+ ZB Spot 50 5W/27006500K 36° GU10	4058075 208438	2	50	5	350	GU10	G	27006500	Yes	20 000	52	50	1	4
SMART+ Zigbee Spot GU10 Multicolour													RGBW WAR	
SMART+ ZB Spot 28 5W/27006500K 120° GU10	4058075 208445	3	28	5	300	GU10	G	RGBW 27006500	Yes	20 000	56	50	1	4



¹ Wattage of the conventional lamp to be replaced | 2 Energy efficiency class (EEC) on a scale of A (highest efficiency) to G (lowest efficiency | 3 Average lifespan in hrs









SMART⁺ ZIGBEE PLUG INDOOR AND OUTDOOR


Product name	GTIN (EAN)	No.	PRO- TECTION CLASS	A	COLOUR	IP		
SMART+ Zigbee Plug Indoor								(In off)
SMART+ ZB PLUG EU	4058075 208315	1	- 1	16	White	IP20	1	4
SMART+ ZB PLUG UK	4058075 208322	2	II	13	White	IP20	1	4





SMART⁺ ZIGBEE FLEX MULTICOLOUR

FLEXIBLE, EXPANDABLE LED STRIP WITH TUNABLE WHITE LIGHT AND RGB FUNCTION







	amazon alexa	•	works with Hey Googl	е	z ig	bee	LED MODULE INTEGRATED		OIM OIM	COLOUR	WARM	LEDVANCE 3 year guarantee	
Product name		GTIN	(EAN)	No.	COLOUR	MA	TERIAL	t [h] ²	W	lm	K	CRI	
SMART+ ZB FLEX RGBW EXT		405807	5 208612	1	White	Р	lastic	20 000	6.00	500	20006500	80	120
Product name		IP		[mm]	b	h							
SMART+ ZB FLEX RGBW EXT		IP20	100 0000	1 200.0	12.0	3.0	4						

ALPHABETICAL PRODUCT INDEX SMART⁺

В	
BRICK SMART ⁺ WIFI	164
C	
CAMERA SMART+ WIFI	168
CANDLE LAMPS SMART BLUETOOTH	177
CANDLE LAMPS SMART ⁺ WIFI – SINGLE PACKS	47
CANDLE LAMPS SMART ⁺ WIFI – TRIPLE PACKS	54
CANDLE LAMPS SMART ⁺ ZIGBEE	189
CANDLE LAMPS SUN@HOME WIFI	30
CASCADE SMART ⁺ WIFI	156
CEILING FAN SMART ⁺ WIFI	114
CEILING ORBIS® DISC IP44 SMART ⁺ WIFI	140
CLASSIC LAMPS SMART ⁺ BLUETOOTH	176
CLASSIC LAMPS SMART ⁺ WIFI – DOUBLE PACKS	52
CLASSIC LAMPS SMART ⁺ WIFI – SINGLE PACKS	46
CLASSIC LAMPS SMART ⁺ WIFI – TRIPLE PACKS	53
CLASSIC LAMPS SMART ⁺ ZIGBEE	188
CLASSIC LAMPS SUN@HOME WIFI	30
CUBE MULTICOLOUR SMART ⁺ WIFI	160
CURVE MULTICOLOUR SMART ⁺ WIFI	166
D	
DOWNLIGHT SLIM SMART ⁺ WIFI	120
DOWNLIGHT SLIM SUN@HOME WIFI	40
F	
FILAMENT LAMPS WITH EDISON BULB SMART ⁺ BLUETOOTH	179
FILAMENT LAMPS WITH EDISON BULB SMART ⁺ WIFI	49
FILAMENT LAMP WITH EDISON BULB SMART ⁺ ZIGBEE	191
FILAMENT LAMPS WITH GLOBE BULB SMART ⁺ BLUETOOTH	180
FILAMENT LAMPS WITH GLOBE BULB SMART ⁺ ZIGBEE	192
FLARE UPDOWN SMART ⁺ WIFI	158
FLEX MULTICOLOUR SMART ⁺ WIFI	148
FLEX MULTICOLOUR SMART ⁺ ZIGBEE	296
FLOOD CAMERA SMART ⁺ WIFI	170
FLOOD SMART ⁺ WIFI	172
L	
LAMPS WITH GLOBE BULB SMART ⁺ WIFI	50
LANTERN FLARE MULTICOLOUR SMART ⁺ WIFI	162
-	
M	470
MINI-GLOBE LAMPS SMART BLUETOOTH	178
MINI-GLOBE LAMPS SMART+ WIFI - SINGLE PACKS	48
MINI-GLOBE LAMPS SMART ⁺ VIFI – TRIPLE PACKS	55

MONITOR SUN@HOME WIFI	32
0	
ORBIS® BACKLIGHT ROUND SMART ⁺ WIFI	
ORBIS® BACKLIGHT ROUND SMART WIFI ORBIS® BACKLIGHT SQUARE SMART* WIFI	88
ORBIS® CEILING PLATE SUN@HOME WIFI	76
ORBIS® CIRCLE SMART ⁺ WIFI	38 90
ORBIS® CLEAN SMART ⁺ WIFI ORBIS® CROMO SMART ⁺ WIFI	82
ORBIS® CROSS SUN@HOME WIFI	104
ORBIS® CYLINDER SMART* WIFI	42
ORBIS® DONUT SMART* WIFI	110
	96
ORBIS® DOWNLIGHT SURFACE SMART ⁺ WIFI	118
ORBIS® EYE SMART ⁺ WIFI	108
ORBIS® FRAME SMART ⁺ WIFI ORBIS® GAVIN SMART ⁺ WIFI	106
	86
ORBIS® JADEN SMART ⁺ WIFI	86
ORBIS® KITE SMART ⁺ WIFI	98
ORBIS® LISA SMART ⁺ WIFI	86
ORBIS® MAGNET RECTANGULAR SMART ⁺ WIFI	74
ORBIS® MAGNET SQUARE SMART ⁺ WIFI	72
ORBIS® MOON SMART ⁺ WIFI	100
ORBIS® PLATE SMART ⁺ WIFI	102
ORBIS® RUMOR SMART ⁺ WIFI	94
ORBIS® SADDIE SMART ⁺ WIFI	80
ORBIS® SPARKLE SMART ⁺ WIFI	84
ORBIS® SPIRAL SMART ⁺ WIFI	112
ORBIS® STEA SMART ⁺ WIFI	92
ORBIS® STELLA SMART ⁺ WIFI	78
ORBIS® WALL CROSS SMART ⁺ WIFI	124
ORBIS® WALL CYLINDRO SMART+ WIFI	130
ORBIS® WALL SWAN SMART ⁺ WIFI	126
ORBIS® WALL TWIST SMART ⁺ WIFI	128
ORBIS® WALL WOOD SMART ⁺ WIFI	132
P	
PAR16 SUN@HOME WIFI	30
PIPE SMART ⁺ WIFI	154
PLANON™ FRAMELESS RECTANGULAR SMART ⁺ WIFI	62
PLANON™ FRAMELESS ROUND SMART ⁺ WIFI	64
PLANON™ FRAMELESS SQUARE SMART ⁺ WIFI	60
PLANON™ FRAMELESS SUN@HOME WIFI	34
PLANON™ PLUS BACKLIGHT SMART ⁺ WIFI	66
PLANON™ PLUS RECTANGULAR SMART ⁺ WIFI	70
PLANON™ PLUS SQUARE SMART ⁺ WIFI	68
PLANON™ PLUS SUN@HOME WIFI	36
DILIG INDOOR AND OUTDOOR SMART BLUETOOTH	192

MODERN LANTERN MULTICOLOUR SMART⁺ BLUETOOTH

184

PLUG INDOOR AND OUTDOOR SMART ⁺ WIFI	57
PLUG INDOOR AND OUTDOOR SMART ⁺ ZIGBEE	194
R	
REFLECTOR LAMPS SMART ⁺ BLUETOOTH	181
REFLECTOR LAMPS SMART ⁺ WIFI – SINGLE PACKS	51
REFLECTOR LAMPS SMART ⁺ WIFI – TRIPLE PACKS	56
REFLECTOR LAMPS SMART ⁺ ZIGBEE	193
REMOTE CONTROL SMART ⁺ WIFI	58
S	
SPOT SMART ⁺ WIFI	122
SUBMARINE® LED SMART ⁺ WIFI	150
Т	
TABLEFRAME WITH USB POWERBANK SMART ⁺ WIFI	152
U	
UV-C CEILING FAN SMART ⁺ WIFI	116
W	
WALL ORBIS® AQUA IP44 SMART ⁺ WIFI	138
WALL ORBIS® BATH IP44 SMART ⁺ WIFI	146
WALL ORBIS® DUPLO IP44 SMART ⁺ WIFI	142
WALL ORBIS® ELYPSE IP44 SMART ⁺ WIFI	144
WALL ORBIS® ROUND IP44 SMART ⁺ WIFI	134
WALL ORBIS® WAVE IP44 SMART ⁺ WIFI	136

ABOUT LEDVANCE

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from OSRAM's general lighting division, LEDVANCE offers a wide-ranging portfolio of LED luminaires for a broad spectrum of applications, intelligent lighting products for Smart Home and Smart Building solutions, one of the most comprehensive ranges of advanced LED lamps in the lighting industry, traditional light sources, an LED Strip System and light management systems.



LEDVANCE Ltd Aquila House Delta Crescent, Westbrook Warrington, WA5 7NR United Kingdom

LEDVANCE Ireland 70 Sir John Rogerson's Quay Dublin 2 Ireland

Telephone: +44 (0) 1925 465 000 Email: csc.uk@ledvance.com

LEDVANCE is the expert partner for installers and lighting professionals. To match our extensive range of luminaires we also offer a large portfolio of innovative LED lamps in excellent brand quality. Further information about our range of lamps and services is available online at www.ledvance.co.uk

Use our mobile apps and online tools to calculate the possible savings for your next LED project in no time, find the right lamp or luminaire and scroll through the latest catalogs: www.ledvance.co.uk/tools

Partner:

