

ThinkCentre M70q 11DT006XUS

Product

ThinkCentre M70q

Region

NA

Country/Region

USA

Machine Type

11DT

TopSeller

TopSeller

Processor

Intel Core i9-10900T (10C / 20T, 1.9 / 4.6GHz, 20MB)

Chipset

Intel H470 Chipset

Graphics

Integrated Intel UHD Graphics 630

Memory

1x 16GB DDR4-2933

Storage

1x 1TB SSD M.2 2280 PCIe NVMe 3.0x4 Opal

Optane Memory

None

Optical

None

Speaker

1.5Wx1

Ethernet

Integrated 100/1000M

WLAN + Bluetooth

Intel AX201 11ax, 2x2 + BT5.1

Optional Rear Ports

1x DP

Chassis Intrusion Switch

Chassis Intrusion Switch

Kensington Cable Lock

None

Adapter Cage

None

Toolless Chassis Screw

None

Dust Filter

None

VESA Mount

None

Color

Black

Stand

Stand

Keyboard

USB Traditional Keyboard, Black, English

Mouse

USB Calliope Mouse

Power Supply

135W 89% Adapter

TUV Low Noise

None

Monitor Cable

None

System Management

None

Operating System

Windows 10 Pro 64, English

Bundled Software

None

Base Warranty

3-year, Onsite

Bundled Service

3Y Premier Support Upgrade from 3Y Onsite (5WS0U26647)

EAN / UPC / JAN

195235400555

End of Support

2026-11-30

Announce Date

2020-06-23

Notes:**California Electronic Waste Recycling Fee**

In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to:

<https://www.calrecycle.ca.gov/Electronics/Consumer>

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<https://psref.lenovo.com>

Visit psref website for the latest version of Product specifications Reference.

© Lenovo, 2020. All rights reserved.



Lenovo™

ThinkCentre M70q Platform Specifications

Product Specifications Reference (PSREF)

| | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|-------------------------|--------|---|---------------------|--|---|--|--------------------|-------------------|-----------|--|--------------------------------------|---------------------------|---|--------------------------------------|
| Processor | Intel® Celeron®, Intel Pentium®, or 10th Gen Intel Core™ i3 / i5 / i7 / i9 Processor | | | | | | Bluetooth Ethernet Ethernet (Opt.) Manageability Security chip Security features Keyboard Mouse Mechanical VESA mount Floor Stand Dust filter EOU design Power supply Limited warranty Preload Environment MIL-SPEC test Accessories | <i>Some:</i> Bluetooth 5.0/5.1 wireless, integrated in Wi-Fi + BT combo adapter Gigabit ethernet, Intel Ethernet Connection I219-V(Jacksonville), Wake on LAN® None None Discrete TPM 2.0, TCG Certified ● Security slot (in rear for optional Kensington® MicroSaver® cable) ● Chassis intrusion switch ● Power-on password ● Administrator password ● Hard disk password ● Boot sequence control ● Boot without keyboard and mouse ● Individual USB port disablement ● Smart USB protection, allows keyboard/ mouse only, blocks all storage devices <i>Some:</i> Lenovo Calliope Keyboard (USB connector), black <i>Some:</i> Lenovo Traditional Keyboard (USB connector), black <i>Some:</i> Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black <i>Some:</i> Lenovo Calliope Mouse (USB connector), black <i>Some:</i> Lenovo Fingerprint Mouse (USB connector), Windows Hello support, black <i>Some:</i> Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black Tiny (1L), black color; metal case one 2.5" bay for HDD, two M.2 slots (one for WLAN, one for M.2 SSD) <table><tr><td></td><td>Dimensions (WxDxH)</td><td>Weight (Approx.)</td></tr><tr><td>Tiny only</td><td>7.0" X 7.2" X 1.4" (1.5" with rubber feet) 179mm X 183mm X 34.5mm (37mm with rubber feet)</td><td>2.76 lb (1.25 kg), vary by config</td></tr><tr><td>With VESA mount & ODD box</td><td>8.04" X 7.35" X 2.52" 204.2mm X 186.6mm X 64mm</td><td>3.84 lb (1.74 kg), vary by config</td></tr></table> Optional VESA mount bracket kit, supports VESA 75mm and 100mm Optional system floor stand for vertical orientation Optional dust filter Toolless chassis open (need optional toolless chassis screw), toolless HDD, SSD and memory assembly / removal <i>Some:</i> 65 watts AC/DC adapter, autosensing, 89% PSU <i>Some:</i> 90 watts AC/DC adapter, autosensing, 89% PSU (special bid only) <i>Some:</i> 135 watts AC/DC adapter, autosensing, 89% PSU <i>Some:</i> 1-year, depot service / service upgrades available <i>Some:</i> 1-year or 3-year, limited onsite service / service upgrades available Preloaded operating system <i>Some:</i> Windows® 10 Pro 64-bit <i>Some:</i> Windows 10 Home 64-bit ENERGY STAR® 8.0, EPEAT™ Gold / Silver rating (on some models), ErP Lot 3, TCO 8.0 (coming soon), TUV low noise / ultra low noise verified (on some models), RoHS-compliant MIL-STD-810H military certification (Low Pressure [Altitude], High Temperature, Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fungus, Solar Radiation) For compatible accessories, please go to http://smartfind.lenovo.com | | Dimensions (WxDxH) | Weight (Approx.) | Tiny only | 7.0" X 7.2" X 1.4" (1.5" with rubber feet) 179mm X 183mm X 34.5mm (37mm with rubber feet) | 2.76 lb (1.25 kg), vary by config | With VESA mount & ODD box | 8.04" X 7.35" X 2.52" 204.2mm X 186.6mm X 64mm | 3.84 lb (1.74 kg), vary by config |
| | Dimensions (WxDxH) | Weight (Approx.) | | | | | | | | | | | | | | | |
| Tiny only | 7.0" X 7.2" X 1.4" (1.5" with rubber feet) 179mm X 183mm X 34.5mm (37mm with rubber feet) | 2.76 lb (1.25 kg), vary by config | | | | | | | | | | | | | | | |
| With VESA mount & ODD box | 8.04" X 7.35" X 2.52" 204.2mm X 186.6mm X 64mm | 3.84 lb (1.74 kg), vary by config | | | | | | | | | | | | | | | |
| | Processor | Cores / Threads | Frequency Base/Max(GHz) | Cache | Memory Support (Up to) | Integrated Graphics | | | | | | | | | | | |
| | Celeron G5900T | 2 / 2 | 3.2G | 2 MB | DDR4-2666 | UHD 610 | | | | | | | | | | | |
| | Pentium Gold G6400T | 2 / 4 | 3.4G | 4 MB | DDR4-2666 | UHD 610 | | | | | | | | | | | |
| | Pentium Gold G6500T | 2 / 4 | 3.5G | 4 MB | DDR4-2666 | UHD 630 | | | | | | | | | | | |
| | Core i3-10100T | 4 / 8 | 3.0G / 3.8G | 6 MB | DDR4-2666 | UHD 630 | | | | | | | | | | | |
| | Core i3-10300T | 4 / 8 | 3.0G / 3.9G | 8 MB | DDR4-2666 | UHD 630 | | | | | | | | | | | |
| | Core i5-10400T | 6 / 12 | 2.0G / 3.6G | 12 MB | DDR4-2666 | UHD 630 | | | | | | | | | | | |
| | Core i5-10500T | 6 / 12 | 2.3G / 3.8G | 12 MB | DDR4-2666 | UHD 630 | | | | | | | | | | | |
| | Core i5-10600T | 6 / 12 | 2.4G / 4.0G | 12 MB | DDR4-2666 | UHD 630 | | | | | | | | | | | |
| | Core i7-10700T | 8 / 16 | 2.0G / 4.5G | 16 MB | DDR4-2933 | UHD 630 | | | | | | | | | | | |
| | Core i9-10900T | 10 / 20 | 1.9G / 4.6G | 20 MB | DDR4-2933 | UHD 630 | | | | | | | | | | | |
| | * Max frequency may refer to Intel Turbo Boost Technology 2.0 / Intel Turbo Boost Max Technology 3.0 / Intel Thermal Velocity Boost, and adopt the max one of them | | | | | | | | | | | | | | | | |
| Memory | 64GB max, DDR4-3200*, two 260-pin SO-DIMM sockets, dual-channel capable * System automatically clocks down for the processors with lower memory controller | | | | | | | | | | | | | | | | |
| Storage | Support up to 1x 2.5" HDD + 1x M.2 SSD <i>Some:</i> Hard Drive / SATA 6.0Gb/s, 2.5", 7200 rpm <i>Some:</i> M.2 SSD (2242 / 2280) / PCIe NVMe, PCIe 3.0 x2 or PCIe 3.0 x4 <i>Some:</i> Intel Optane™ Memory M10, M.2 2280, PCIe 3.0 x2 <i>Some:</i> DVD-ROM, slim (9.0mm), via USB external ODD box <i>Some:</i> DVD Burner (DVD±RW), slim (9.0mm), via USB external ODD box One onboard SATA 6.0Gb/s connector | | | | | | | | | | | | | | | | |
| Optical | | | | | | | | | | | | | | | | | |
| Onboard SATA | | | | | | | | | | | | | | | | | |
| Graphics | Intel HD Graphics 610/630 in processor, uses main memory, DirectX® 12, one DisplayPort™, one HDMI, more video ports available via optional ports, up to 3 independent displays; <i>Max resolution:</i> 4096x2304 (DP)@60Hz; 4096x2304 (Type-C)@60Hz; 4096x2160 (HDMI)@24Hz; 2048x1536 (VGA)@50Hz | | | | | | | | | | | | | | | | |
| Monitor cable | Optional DP to VGA dongle, DP to DVI-D dongle, DP to dual DP dongle, or DP to HDMI 1.4 dongle | | | | | | | | | | | | | | | | |
| Chipset | Intel H470 Chipset | | | | | | | | | | | | | | | | |
| Front ports (Std.)* | one USB 3.2 Gen 2 (Always On and fast charge), one USB 3.2 Type-C Gen 1, one headphone / microphone combo jack (3.5mm) | | | | | | | | | | | | | | | | |
| Rear ports (Std.)* | 1x USB 3.2 Gen 2, 3x USB 3.2 Gen 1, 1x ethernet (RJ-45), 1x DP, 1x HDMI | | | | | | | | | | | | | | | | |
| Rear ports (Opt.)* | Two optional ports: | | | | | | | | | | | | | | | | |
| | Position | Port 1 | | Port 2 | Port 1&2 | | | | | | | | | | | | |
| | Optional parts | VGA / 2nd DP / 2nd HDMI / USB 3.2 Type-C Gen 1 with DP function) / Serial | | Serial | Dual USB 3.2 Gen 1 ports (Available at end of July) | | | | | | | | | | | | |
| | * Depending on many factors, actual data transfer speed may be lower than theoretical speed | | | | | | | | | | | | | | | | |
| Audio support | Realtek ALC233VB / optional internal speaker (1.5 watt) | | | | | | | | | | | | | | | | |
| WLAN | <i>Some:</i> 11ac wireless, M.2 Card, Realtek RTL8822CE (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, 2x2 <i>Some:</i> 11ac wireless, M.2 Card, Intel Wireless-AC 9462 (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, 1x1 (special bid only) <i>Some:</i> 11ac wireless, M.2 Card, Intel Wireless-AC 9560 (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, 2x2 <i>Some:</i> 11ax wireless, M.2 Card, Intel Wi-Fi 6 AX201 (dual band), Wi-Fi + Bluetooth 5.1 combo adapter, 2x2 | | | | | | | | | | | | | | | | |

Note: The specifications above may not be available in all regions.

Lenovo, May 2020

Lenovo

