

**800 Series, Single Wall Oven, 30",
Door hinge: Left,
HBL8444LUC**



Included accessories

1 x oven racks /upper
1 x temperature probe /upper

Optional accessories

HEZTR301 : Telescopic Oven Rack 30"

The Bosch All-in-One Wall Oven with Air Fry and left SideOpening door combines all your favorite kitchen tools into one appliance for the ultimate cooking versatility without the countertop clutter.

- Air fry mode quickly cooks foods to crisp perfection without adding oil.
- Convection Pro has a third heating element and a fan evenly circulates air around the cavity so you get consistently even golden results.
- A Full-Extension Telescopic Rack Offers Safe Access to the Oven Cavity.
- SideOpening Door offers easy ergonomic access to the oven cavity, so you don't need to lean over.
- Remote start and monitor your Bosch wall oven via the Home Connect app on your smartphone or tablet.

Technical Data

Cooking mode : 3rd element convection, Combination fusion cooking, Convection Bake, Convection Broil, Conventional heat, Dough proving setting, Half width grill, Pizza setting, warming
Integrated Cleaning system : Self Clean

Interior Lights - cavity 1 : 2

Timer settings : Alarm, Off, On, timer

Included accessories : 1 x oven racks /upper, 1 x temperature probe /upper

Bake Element Wattages cavity 1 : 2400 W

Broil Element Wattages cavity 1 : 3800 W

Convection Element Wattages cavity 1 : 2000 W

800 Series, Single Wall Oven, 30", Door hinge: Left, HBL8444LUC

The Bosch All-in-One Wall Oven with Air Fry and left SideOpening door combines all your favorite kitchen tools into one appliance for the ultimate cooking versatility without the countertop clutter.

Design

- Bosch black stainless steel is a special material that helps guard against scratches and fingerprints
- Touch control with SteelTouch™ buttons makes operating the oven easier
- Installs flush for a sleek, modern look

Performance

- Fast Preheat mode saves time so meals are ready sooner
- Convection Pro has a third heating element and a fan to evenly circulate heat and cook food quickly on the lower wall oven
- Keep food warm without overcooking until ready to serve by using the warm mode

Convenience

- Large, transparent oven window lets you easily monitor the cooking progress without opening the door
- 2 bright interior oven lights let you easily check on your meal's progress
- Comes with 2 standard racks and 1 telescopic rack that gives easier accessibility for large or heavy dishes

Efficiency


- 2, 3, and 4 hour self-clean cycles available, saving time and energy

Capacity


- 4.6 cu. ft. generous interior capacity fits a large turkey and multiple side dishes with ease

800 Series, Single Wall Oven, 30", Door hinge: Left, HBL8444LUC



Flush installation Single oven over storage or warming drawer



measurements in inches (mm)




Flush installation



* For single ovens installed in a wall cabinet, the junction box may be located above or beneath the unit within reach of the power cable.

measurements in inches (mm)


Flush installation Steam convection oven over single oven**



***Flush installation requires a base plate underneath the body. 30" products – Dimensions: H 5 1/16" (8) x W 28 1/2" (724) x D 22 1/2" (571)

**Most combinations available as combo oven (one cut-out, one electrical hook-up).


Flush installation Speed oven or microwave above a 30" single oven**



***Flush installation requires a base plate underneath the body. 30" products – Dimensions: H 5 1/16" (8) x W 28 1/2" (724) x D 22 1/2" (571)

**Most combinations available as combo oven (one cut-out, one electrical hook-up).

800 Series, Single Wall Oven, 30", Door hinge: Left, HBL8444LUC




Combination Type	A	B	C	D
Flush bottom hinge	3/4" (19 mm)	3/4" (19 mm)	29 1/4" (743 mm)	29 1/4" (743 mm)
Flush side hinge (left)	1 1/2" (38 mm)	N/A*	30" (762 mm)	N/A*
Flush side hinge (right)	N/A*	1 1/2" (38 mm)	N/A*	30" (762 mm)

* Installation not recommended

measurements in inches (mm)

Standard installation
30" speed oven or microwave above a single oven***



* Junction box may be located above or next to the unit within the reach of the power cable.


** Junction box may be located below (depending on space) or next to the unit within the reach of the power cable.

*** Most combinations available as combo oven (one cut-out, one electrical hook-up).

Minimum dimension between cut-outs:
• 1" (25 mm) for wall oven
cut-out height of 28 5/8"
• 2 5/8" (67 mm) for wall oven
cut-out height of 27"

measurements in inches (mm)

Standard installation
30" single oven over storage or warming drawer




* Wall oven junction box may be located above or to the right or left of the unit within reach of the power cable.

** Electrical hook-up may be located below (depending on space) or next to the drawer within reach of the power cable.

minimum 3/4" (18) required between cut-outs

measurements in inches (mm)




* Includes 3/4" (19) base plate

** For single ovens installed under a worktop, the junction box may be located to the left or right of the unit within reach of the power cable.

measurements in inches (mm)

Standard installation
30" steam convection oven over single oven***



* Junction box may be located above or next to the unit within reach of the power cable.

** Junction box may be located below (depending on space) or next to the unit within the reach of the power cable.


*** Most combinations available as combo oven (one cut-out, one electrical hook-up).

Minimum dimension between cut-outs:
• 1" (25) for wall oven cut-out of 28 5/8"
• 2 5/8" (67) for wall oven cut-out of 27"

measurements in inches (mm)

measurements in inches (mm)

Standard side-by-side installation




Configuration	A	B	C
Side-by-side-by-side 1	D	E	D
Side-by-side-by-side 2	E	F	E

A: Left oven type
B: Middle oven type
C: Right oven type
D: Conventional oven
E: Steam, speed or microwave
F: Conventional oven. Bottom hinge door modules only.
Side hinge door not recommended.

800 Series, Single Wall Oven, 30", Door hinge: Left, HBL8444LUC

measurements in inches (mm)
Flush side-by-side installation



Combination type	A	B	C	D	E
Flush bottom hinge door	3/4" (19)	3/4" (19)	29 1/2" (743)	29 1/2" (743)	28 1/2" (724)
Flush left hinge door	1 1/2" (38)	F	30" (762)	F	F
Flush right hinge door	F	1 1/2" (38)	F	30" (762)	F

A: Left reveal cleat
B: Right reveal cleat
C: Cut-out width
D: Cut-out width
E: Cut-out width
F: Installation not recommended