

ASUS uses cookies and similar technologies to perform essential online functions, analyze online activities, provide advertising services and other functions. For detailed information, please visit ["Cookies and similar technologies"](#).

[Cookie Settings](#)[Accept Cookies](#)[Products](#)[What's Hot](#)[ProArt](#)[Commercial](#)[Service](#)[Login](#)

Product Support for
X99-E WS

[Select Other Model](#)

Quickly access your product support.

[REGISTER YOUR PRODUCT](#)[CPU / Memory Support](#)[Driver & Utility](#)[FAQ](#)[Manual & Document](#)[Warranty](#)

CPU Support

[CPU Support](#)[Memory / Device Support](#)

Need Help?

[Email Us](#)

[Find service locations](#)

The following table shows the supported CPUs for this motherboard [Click here to search other motherboards.](#)

CPU	Validated since PCB	Validated since BIOS	Note
Core i7-5820K(3.3G,140W,L3:15M,6C,HT)		0413 GO	
Core i7-5930K(3.5G,140W,L3:15M,6C,HT)		0413 GO	
Core i7-5960X(3.0G,140W,L3:20M,8C,HT)		0413 GO	
Core i7-6800K(3.4G,140W,L3:15M,6C,HT)		3101 GO	
Core i7-6850K(3.6G,140W,L3:15M,6C,HT)		3101 GO	
Core i7-6900K(3.2G,140W,L3:20M,8C,HT)		3101 GO	
Core i7-6950X(3.0G,140W,L3:25M,10C,HT)		3101 GO	
Intel Xeon E5-1603 V4(2.80GHz,140W,L3:10M)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not support when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-1607 V4(3.10GHz,140W,L3:10M)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not support when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .*Intel Xeon Processor Family is designed for servers. Some features may not support when installed on X

CPU	Validated since PCB	Validated since BIOS	Note
Intel Xeon E5-1620 v3 (3.5G,140W,L3:10M,4C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-1620 V4(3.50GHz,140W,L3:10M,4C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-1630 v3 (3.7G,140W,L3:10M,4C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-1630 V4(3.70GHz,140W,L3:10M,4C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-1650 v3 (3.5G,140W,L3:15M,6C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-1650 V4(3.60GHz,140W,L3:15M,6C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-1660 v3 (3.0G,140W,L3:20M,8C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-1660 V4(3.20GHz,140W,L3:20M,8C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .

CPU	Validated since PCB	Validated since BIOS	Note
Intel Xeon E5-1680 v3 (3.2G,140W,L3:20M,8C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-1680 V4(3.40G,140W,L3:20M,8C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2603 v3 (1.6G,85W,L3:15M,6C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2603 V4(1.70GHz,85W,L3:15MB,6C)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2609 v3 (1.9G,85W,L3:15M,6C)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2609 V4(1.70GHz,85W,L3:20MB,8C)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2620 v3 (2.4G,85W,L3:15M,6C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2620 V4(2.10GHz,85W,L3:20M,8C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .

CPU	Validated since PCB	Validated since BIOS	Note
Intel Xeon E5-2623 v3 (3.0G,105W,L3:10M,4C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2623 V4(2.60GHz,85W,L3:10M,4C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2630 v3 (2.4G,85W,L3:20M,8C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2630 V4(2.20GHz,85W,L3:25M,10C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2630L v3 (1.8G,55W,L3:20M,8C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2630L V4(1.80GHz,55W,L3:25M,10C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2637 v3 (3.5G,135W,L3:15M,4C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2637 V4(3.50GHz,135W,L3:15M,4C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .

CPU	Validated since PCB	Validated since BIOS	Note
Intel Xeon E5-2640 v3 (2.6G,90W,L3:20M,8C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2640 V4(2.40GHz,90W,L3:25M,10C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2643 v3 (3.4G,135W,L3:20M,6C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2643 V4(3.40GHz,135W,L3:20M,6C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2650 v3 (2.3G,105W,L3:25M,10C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2650 V4(2.20GHz,105W,L3:30M,12C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2650L v3 (1.8G,65W,L3:30M,12C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2650L V4(1.70GHz,65W,L3:35M,14C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .

CPU	Validated since PCB	Validated since BIOS	Note
Intel Xeon E5-2660 v3 (2.6G,105W,L3:25M,10C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2660 V4(2.00GHz,105W,L3:35M,14C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2667 v3 (3.2G,135W,L3:20M,8C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2667 V4(3.20GHz,135W,L3:25M,8C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2670 v3 (2.3G,120W,L3:30M,12C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2680 v3 (2.5G,120W,L3:30M,12C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2680 V4(2.40GHz,120W,L3:35M,14C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2683 v3 (2.0G,120W,L3:35M,14C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .

CPU	Validated since PCB	Validated since BIOS	Note
Intel Xeon E5-2683 V4(2.10GHz,120W,L3:40M,16C,HT)	ALL	3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2685 v3 (2.6G,120W,L3:30M,12C)		0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2687W v3 (3.1G,160W,L3:25M,10C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2687W V4(3.00GHz,160W,L3:30M,12C,HT)	ALL	3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2690 v3 (2.6G,135W,L3:30M,12C,HT)		0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2690 V4(2.60GHz,135W,L3:35M,14C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2695 v3 (2.3G,120W,L3:35M,14C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2695 V4(2.10GHz,120W,L3:45M,18C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not be supported when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .

CPU	Validated since PCB	Validated since BIOS	Note
Intel Xeon E5-2697 v3 (2.6G,145W,L3:35M,14C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not support when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2697 V4(2.30GHz,145W,L3:45M,18C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not support when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2697A V4(2.60G,145W,L3:40M,16C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not support when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2698 v3 (2.3G,135W,L3:40M,16C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not support when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2698 V4(2.20G,135W,L3:50M,20C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not support when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2699 v3 (2.3G,145W,L3:45M,18C,HT)	ALL	0413 GO	*Intel Xeon Processor Family is designed for servers. Some features may not support when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .
Intel Xeon E5-2699 V4(2.20G,145W,L3:55M,22C,HT)		3004 GO	*Intel Xeon Processor Family is designed for servers. Some features may not support when installed on X99 series chipsets. For more details, refer to ASUS support site at http://support.asus.com .*Intel Xeon Processor Family is designed for servers. Some features may not support when installed on X

Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information about locally available products.

- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- Specifications and features vary by model, and all images are illustrative. Please refer to specification pages for full details.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.
- Specifications and features vary by model, and all images are illustrative. Please refer specification pages for full details.
- *Precise specifications and features vary by model . Please refer to the specification page
- The product (electrical , electronic equipment, Mercury-containing button cell battery) should not be placed in municipal waste. Check local regulations for disposal of electronic products.
- The use of trademark symbol (TM, ®) appears on this website means that the word text, trademarks, logos or slogans, is being used as trademark under common laws protection and/or registered as Trademark in U.S. and/or other country/region.

Want More?

- ROG
- TUF
- Asus Design Center
- ASUSPRO
- Automotive Solutions
- ASUS HealthCare
- Download ROG Product Guide
- TUF Gaming

Who We Are

- About ASUS
- News
- Awards
- Internal Audit
- Investor Relations
- About CSR for global
- Employment
- Press Room

Need Help?

- Check Repair Status
- Find Service Locations
- Product Registration
- Email Us
- Call Us
- Security Advisory
- Windows 10 S Compatible Device
- AVC Licensing Notice

Community

