

500 Series, Dishwasher, 24", White SHPM65Z52N



Optional accessories

SGZ1010UC : Drain hose extension kit
SMZ5000 : Dishwashing aid set
SMZ5002UC : Silverware box
SMZPCJB1UC : Powercord with Junction Box
SMZSH002UC : Supply Hose

All-new AutoAir™ option automatically opens the door at the end of the drying cycle to let fresh air circulate for drier dishes.

- With Bosch PrecisionWash™, simply start your dishwasher and walk away.
- **44 dBA:** Quietest dishwasher brand.
- A flexible 3rd rack with fold down sides adds 30% more loading capacity.
- **InfoLight®:** shines on the floor so you know the dishwasher's running.
- The EasyGlide™ rack system provides a smooth glide for easier loading & unloading on the upper rack.

Technical Data

UPC code: 825225957744

Variant color: White

Panel ready: No

Alternative colors available: SHPM65Z55N, SHPM65Z56N

Watts: 1440 W

Fuse protection: 12 A

Volts: 120 V

Frequency: 60 Hz

Energy Consumption: 269 kWh

Energy Star® qualified: Yes

Plug type: Nema5-15P

Required cutout size (HxWxD) (in): 33 7/8" x 23 9/16" x 24"

Required cutout size (HxWxD): 860-890 x 610 x 610 mm

Overall appliance dimensions (HxWxD) (in): 33 7/8" x 23 9/16" x 23 3/4"

Overall appliance dimensions (HxWxD): 860 x 598 x 602 mm

Power cord length (in): 67"

Power cord length: 170 cm

Length outlet hose (in): 78 3/4"

Length outlet hose: 200 cm

Product packaging dimensions (HxWxD): 35 3/4" x 26" x 29 5/16"

Product packaging dimensions (HxWxD): 908 x 745 x 660 mm

Tub material: Stainless steel

Tub type: TallTub

ADA Compliant: No

Number of place settings: 16

500 Series, Dishwasher, 24", White SHPM65Z52N

All-new AutoAir™ option automatically opens the door at the end of the drying cycle to let fresh air circulate for drier dishes.

Key Features

- A flexible 3rd rack with fold down sides adds 30% more loading area.
- InfoLight® Beams on Floor to Indicate Dishwasher is Running
- RackMatic® on Upper Rack - 3 Height Adjustments and Up to 9 Possible Rack Positions
- AquaStop® Leak Protection Works 24/7

Design

- Full Size Stainless Steel Tall Tub Installs Perfectly Flush
- 16 Place Setting Capacity
- LED Remaining Time Display

Performance

- 5 Wash Cycles and 5 Options
- Detergent Tray Optimizes Detergent Dissolving
- Extra Dry Option for Better Drying Results
- Load Size Sensor Automates Wash Temperature
- Sanitize Option Eliminates Bacteria and Enhances Drying Results


Efficiency

- 269 kWh/yr - Energy Star®

Convenience


- Electronic delay timer: 1-24 hours Delay Start Timer
- Self-Latching Door

500 Series, Dishwasher, 24", White SHPM65Z52N



measurements in inches (mm)

measurements in inches (mm)



All connections are at the rear of the appliance. Extension for drain hose available as accessory. Junction box for hard wired connection available as accessory.

A: Front view
B: Drain hose
C: Electrical Power Cord: length shown according to Installation Instructions
D: Inlet
E: Drain
F: Electrical