

Cisco ASA 5500 Series Adaptive Security Appliance 8.2 Software Release

PB526545

Cisco[®] ASA Software Release 8.2 offers a wealth of features that help organizations protect their networks against new threats securely connect, communicate, and conduct business; and flexibly extend security to various deployments. This release is supported across the entire Cisco ASA 5500 Series, from the ASA 5505 to ASA 5580.

New Features

Firewall features:

- Botnet Traffic Filter: The proliferation of spyware, malware, and botnets, as well as user participation in Web 2.0 applications such as Facebook and MySpace, are increasing the demand for multiple levels of endpoint protection. The Cisco ASA Botnet Traffic Filter complements existing content security solutions by monitoring network ports for rogue activity and by detecting infected internal endpoints and bots sending command and control traffic back to a host on the Internet. The command and control domains and hosts associated with botnets and malware distribution are accurately and reliably identified using a dynamic database managed by the Cisco Security Intelligence Operations center. An annual license enables the Botnet Traffic Filter functionality and updates to the database.
- Multicast group Network Address Translation (NAT): Multicast applications include
 distance learning, telemedicine, and financial applications. The multicast group NAT feature
 enables the separation of internal multicast streams from external multicast streams for
 added security.
- H.239 support: The Cisco ASA H.323 inspection engine now supports H.239, which
 defines rules and messages to establish an additional channel that can be used to show
 video. This feature enables Cisco ASA appliances to inspect H.329 signaling from
 video endpoints.
- Unified Communications Proxy on the Cisco ASA 5580: This feature extends Cisco ASA
 Unified Communications Proxy features—Phone Proxy, Mobility Proxy, Presence

 Federation Proxy, and Transport Layer Security (TLS) Proxy—to the Cisco ASA 5580. This
 increases the maximum capacity of the Unified Communications Proxy solution to 10,000
 sessions for TLS Proxy, Mobility Proxy, and Presence Federation Proxy, and to 5000
 sessions for Phone Proxy.
- ASA Phone Proxy media termination address for multiple interfaces The Phone Proxy
 requires a media termination address to terminate media from remote phones. For
 customers with security policies that prevent external routes on the internal network, this
 feature delivers the ability to configure the media termination address for multiple
 interfaces, eliminating the need to deploy a NAT device between the internal network and
 the Phone Proxy.

- Transparent firewall mode support for IPv6 addressing: Cisco ASA Software Release
 8.2 flexibly extends the support of IPv6 addressing in transparent firewall mode to enable quick ASA deployments into existing IPv6 networks without requiring IP readdressing.
- 250 VLANs on the Cisco ASA 5580: The number of virtual interfaces available on the Cisco ASA 5580 has increased from 50 to 250.
- TCP state bypass: With Cisco ASA Software Release 8.2, business can selectively disable firewall TCP inspection on ASA appliances. This is useful for allowing certain traffic to flow through in asymmetric routing scenarios when two ASA appliances are in different locations that are not adjacent to Layer 2.
- IPv6 support for AIP SSM modules: The Cisco ASA now supports IPv6 capabilities on the
 Cisco ASA AIP SSM modules. Customers can send IPv6 packets from the ASA to the AIP
 SSM modules for both IPv6 and IPv4 IPS inspection. Minimum IPS software required is
 Cisco IPS software version 6.2.

Remote-access VPN features:

- Cisco AnyConnect Essentials: This feature offers basic AnyConnect tunneling support for
 customers who require VPN remote access but do not need Cisco Secure Desktop features
 or clientless SSL VPN capabilities. AnyConnect Essentials supports mobile connectivity
 options with the AnyConnect Mobile license. Upgrade to the full-featured AnyConnect
 Premium license (traditional AnyConnect) is available by applying a traditional AnyConnect
 license or shared license to the ASA appliance.
- Shared license support for SSL VPN: The shared license server device (holding the shared license) and participant devices must be able to communicate with one another on an internal network either directly or through a VPN connection. Each participating device must have a license that enables the shared licensing capability. Shared licenses support the full AnyConnect feature set, including Cisco Secure Desktop and clientless SSL VPN.
- Cisco AnyConnect Mobile: AnyConnect Mobile provides Windows Mobile 5.0, 6.0, and 6.1 full client support for touch-screen Windows Mobile devices. AnyConnect Mobile is compatible with AnyConnect Essentials and Premium (traditional AnyConnect) licenses, as well as with shared licenses.
- Pre-fill username from certificate: This security feature facilitates user login by pre-filling the username in username/password authentication from a field of the user's certificate.
- Double authentication: This feature enables the validation of two separate sets of
 credentials at login. For example, one-time password (OTP) can be used as the primary
 authentication and an Active Directory domain credential can be used for the secondary
 authentication method.
- Per-group certificate authentication enable: This feature allows administrators to
 configure whether to require a certificate on a per-URL or per-FQDN basis. This setting is
 global on all Cisco ASA Software releases.
- Per-group Cisco Secure Desktop enable: This feature allows administrators to configure
 Cisco Secure Desktop functions on a per-URL or per-FQDN basis. This setting is global on
 all Cisco ASA Software releases.
- Microsoft SharePoint 2007 support: Cisco ASA Software Release 8.2 provides official Microsoft SharePoint 2007 support for clientless SSL VPN connections.
- **EKU tunnel group:** Cisco ASA Software Release 8.2 provides an extended key usage (EKU) extension in the tunnel-group map.

Management features:

- Cisco Adaptive Security Device Manager (ASDM) Public Server Configuration Wizard:
 This wizard enables administrators to easily automate the process of configuring an ASA appliance to allow certain internal servers such as email or web servers to be publicly accessible on the Internet.
- Cisco ASDM OTP authentication, authorization, and accounting (AAA) support: This
 support allows administrative users to authenticate Cisco ASA appliances and ASDM
 through OTPs supported by RSA SecureID. This feature addresses security concerns
 associated with administrators using static passwords for authentication.
- Cisco ASDM support for Cisco Secure Desktop customization: This ASDM
 enhancement allows customers to customize how Cisco Secure Desktop screens are
 displayed to remote users, allowing administrators to show appropriate screens depending
 on a user's responsibilities and job functions.
- SNMPv3 support: Cisco ASA Software Release 8.2 supports Simple Network
 Management Protocol (SNMP) version 3, the newest version of SNMP, adding
 authentication and privacy options to secure protocol operations.
- Cisco NetFlow Secure Event Logging: This feature was originally introduced on the Cisco ASA 5580, and is now extended to other Cisco ASA models to provide administrators with more comprehensive event logging information.

Upgrade Paths

All Cisco ASA Software Releases (7.0, 7.2, 8.0, and 8.1) can be upgraded to Release 8.2.

Ordering Information

Existing Cisco ASA customers with Cisco SMARTnet[®] service contracts can easily download Cisco ASA Software Release 8.2 at no additional cost. The software release prices are available on the Cisco price list. Table 1 lists ordering information for Cisco ASA Software Release 8.2.

Table 1. Ordering Information for Cisco ASA Software Release 8.2

Software Licenses	Part Number
Cisco ASA 5500 Series Software Release 8.2	SF-ASA-8.2-K8
Cisco ASA 5500 Series Software Release 8.2 for ASA 5505	SF-ASA5505-8.2-K8
Unified Communications Proxy Licenses	Part Number
ASA 5500 UC Proxy 5000 sessions	ASA-UC-5000
ASA 5500 UC Proxy 5000 sessions	ASA-UC-5000=
ASA 5500 UC Proxy 10000 sessions	ASA-UC-10000
ASA 5500 UC Proxy 10000 sessions	ASA-UC-10000=
ASA 5500 UC Proxy 3000 to 5000 upgrade sessions	ASA-UC-3000-5000=
ASA 5500 UC Proxy 5000 to 10000 upgrade sessions	ASA-UC-5000-10000=
Botnet Traffic Filter Licenses	Part Number
ASA 5505 Botnet Traffic Filter License for 1 Year	ASA5505-BOT-1YR=
ASA 5510 Botnet Traffic Filter License for 1 Year	ASA5510-BOT-1YR=
ASA 5520 Botnet Traffic Filter License for 1 Year	ASA5520-BOT-1YR=
ASA 5540 Botnet Traffic Filter License for 1 Year	ASA5540-BOT-1YR=
ASA 5550 Botnet Traffic Filter License for 1 Year	ASA5550-BOT-1YR=
ASA 5580 Botnet Traffic Filter License for 1 Year	ASA5580-BOT-1YR=

Software Licenses	Part Number
VPN Anyconnect Licenses	Part Number
AnyConnect Mobile—ASA 5505 (req. Essentials or Premium)	ASA-AC-M-5505=
AnyConnect Mobile—ASA 5510 (req. Essentials or Premium)	ASA-AC-M-5510=
AnyConnect Mobile—ASA 5520 (req. Essentials or Premium)	ASA-AC-M-5520=
AnyConnect Mobile—ASA 5540 (req. Essentials or Premium)	ASA-AC-M-5540=
AnyConnect Mobile—ASA 5550 (req. Essentials or Premium)	ASA-AC-M-5550=
AnyConnect Mobile—ASA 5580 (req. Essentials or Premium)	ASA-AC-M-5580=
AnyConnect Essentials VPN License—ASA 5505 (25 Prs)	ASA-AC-E-5505=
AnyConnect Essentials VPN License—ASA 5510 (250 Prs)	ASA-AC-E-5510=
AnyConnect Essentials VPN License—ASA 5520 (750 Prs)	ASA-AC-E-5520=
AnyConnect Essentials VPN License—ASA 5540 (2500 Prs)	ASA-AC-E-5540=
AnyConnect Essentials VPN License—ASA 5550 (5000 Prs)	ASA-AC-E-5550=
AnyConnect Essentials VPN License—ASA 5580 (10K Prs)	ASA-AC-E-5580=
VPN Shared Licenses	Part Number
Premium Shared VPN Server License—500 users	ASA-VPNS-500=
Premium Shared VPN Server License—1000 users	ASA-VPNS-1000=
Premium Shared VPN Server License—2500 users	ASA-VPNS-2500=
Premium Shared VPN Server License—5000 users	ASA-VPNS-5000=
Premium Shared VPN Server License—7500 users	ASA-VPNS-7500=
Premium Shared VPN Server License—10K users	ASA-VPNS-10K=
Premium Shared VPN Server License—20K users	ASA-VPNS-20K=
Premium Shared VPN Server License—30K users	ASA-VPNS-30K=
Premium Shared VPN Server License—40K users	ASA-VPNS-40K=
Premium Shared VPN Server License—50K users	ASA-VPNS-50K=
Premium Shared VPN Server License—100K users	ASA-VPNS-100K=
Premium Shared VPN Participant License—ASA 5510	ASA-VPNP-5510=
Premium Shared VPN Participant License—ASA 5520	ASA-VPNP-5520=
Premium Shared VPN Participant License—ASA 5540	ASA-VPNP-5540=
Premium Shared VPN Participant License—ASA 5550	ASA-VPNP-5550=
Premium Shared VPN Participant License—ASA 5580	ASA-VPNP-5580=

To place an order, visit the <u>Cisco Ordering Home Page</u>. To download software, visit the <u>Cisco Software Center</u>.

Cisco Services

Existing Cisco ASA customers with Cisco SMARTnet® service contracts can easily download Cisco ASA Software Release 8.2 at no additional cost. The software release prices are available on the Cisco price list. Table 1 lists ordering information for Cisco ASA Software Release 8.2. Table 2 provides information on E-delivery licenses for electronic fulfillment.

For More Information

For more information about the Cisco ASA 5500 Series, visit http://www.cisco.com/go/asa or contact your local account representative.

For Cisco ASA 5500 Series Adaptive Security Appliance licensing information, visit: http://www.cisco.com/en/US/products/ps6120/products_licensing_information_listing.html



Americas Headquarters Cisco Systems, Inc. San Jose, CA Asia Pacific Headquarters Cisco Systoms (USA) Pic. Ltd. Singacore Burope Headquarters Cisco Systems Informational RV Amsterdam, The Netherlands

Clace has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

All other trademarks mentioned in this document or website are the property of their respective owners. This use of the word per tredemarks mentioned in this document or website are the property of their respective owners. This use of the word per tredemarks mentioned in this document or website are the property of their respective owners.

Printed in USA C25-526545-00 03/09