Continental Conair Limited

Application For Certification (Change of identification)

2.4GHz Direct Sequence Spread Spectrum Cordless Phone with Answering Machine & Caller ID (FCC ID: LBBGH2430)

WO# 00085022 WL/at September 21, 2000

This report shall not be reproduced except in full without prior authorization form Intertek Testing Services Limited

FCC ID: LBBGH2430

[•] The test results reported in this report shall refer only to the sample actually tested and shall not refer or be deemed to refer to bulk from which such a sample may be said to have been obtained.

LIST OF EXHIBITS

INTRODUCTION

- EXHIBIT 1: General Description
- EXHIBIT 2: Authorization Letter of the Change of Identification
- *EXHIBIT 3*: Equipment Photographs
- EXHIBIT 4: Product Labelling

Table of Contents

1.0 General Description	2
1.1 Product Description	
1.2 Original Indentificatin Information	
1.3 Reason of Change in Indentification	
1.4 Representative of Previons Field Data	
2.0 Authorization Letter for the Change of Identification	4
3.0 Equipment Photographs	5
4.0 Product Labelling	7

List of attached file

Exhibit type	File Description	filename
Cover Letter	Letter of Agency	letter.pdf
Test Report	Test Report	report.doc
Cover Letter	Authorization Letter	aletter.pdf
External Photo	External Photo	ophoto1.jpg, ophoto2.jpg
Internal Photo	Internal Photo	iphoto1.jpg to iphoto10.jpg
ID Label/Location	Label Artwork and Location	label.pdf

GENERAL DESCRIPTION

1.0 General Description

1.1 Product Description

The GH2430 is a 2.4GHz Direct Sequence Spread Spectrum Phone with Answering Machine & Caller ID. The unit is capable of either tone or pulse dialing. The internal power supply's isolation is accomplished through a power transformer having an adequate dielectric rating. The circuit wiring is consistent under the requirement of part 68.

The handset unit consists of a keypad with twelve standard keys $(0, \ldots, 9, *, #)$, seven function keys (Caller ID, Flash, Redial, Mute, memory, Volume up, Volume down). A Phone key is provided to control pick/release telephone line in a toggle base.

The base unit has a page key, which is used to page the handset unit. In addition, there are other keys such as Volume up, Volume down, Play, Forward, Backward, Greetings Memo and Answering Machine ON / OFF which are for the answering machine feature.

Connection between the device and the telephone network is accomplished through the use of USOC RJ11C in the 2-wire loop calling central office line.

1.2 Original Identification Information

The original identification (FCC ID) of the equipment is K7GG2490 and this original application is filed simultaneously along with this application. The name of grantee is Giant Electronics Ltd.

1.3 Reason of Change in Identification

The original grantee, Giant Electronics Ltd. grants the permission to Continental Conair Ltd. as a new responsible party of the equipment. The authorization letter is attached in Exhibit 2. The equipment of this new application is electrically and mechanically identical to the old application. The new FCC ID is for marketing purposes only.

1.4 Representative of Previous Field Data

The data of the equipment previous filed with FCC ID: K7GG2490 by commission continues to be representative and applicable to the equipment bearing the changed identification.

All the items listed under this filing are confirmed by:

Wilson Loke Manger Intertek Testing Services Agent for Continental Conair Limited

_____Signature

September 22, 2000 Date

AUTHORIZATION LETTER FOR THE CHANGE OF IDENTIFICATION

EQUIPMENT PHOTOGRAPHS

3.0 Equipment Photographs

For electronic filing, the photographs are saved with filename: ophoto1.jpg to ophoto2.jpg & iphoto1.jpg to iphoto10.jpg

Product Labelling

4.0 Product Labelling

For electronic filing, the FCC ID label artwork and location is saved with fileman: label.pdf